

## SUBJECT INDEX

- 85°E Ridge  
Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Ablation  
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Abyssal  
Composition of macrobenthos from the Central Indian Ocean Basin 689
- Acanthomorph  
*Trachyhystriosphera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Accumulation  
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Active tectonics  
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Advection  
Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Aeromagnetic anomalies  
Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Aerosol optical depth  
Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Age-marker  
*Trachyhystriosphera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Airmass back trajectories  
Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Alluvial fans  
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Altered gabbro  
Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- AMSU-B  
Western disturbances seen with AMSU-B and infrared sensors 27
- Andaman  
Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Ångstrom parameters  
Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Anisotropic permeability  
Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Aquifer  
Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Archean iron ore group  
Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Atmospheric boundary layer  
A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Atmospheric sciences  
Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49  
Western disturbances seen with AMSU-B and infrared sensors 27
- AWiFS  
Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Banded iron formation  
Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Barakar coal measures  
Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Bastar craton  
Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Bay of Bengal  
Distribution of particulate carbohydrate species in the Bay of Bengal 147  
Track prediction of very severe cyclone ‘Nargis’ using high resolution weather research forecasting (WRF) model 309
- Bhandar group  
*Trachyhystriosphera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575

- Biochemical composition  
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Biomass burning  
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Blue dust  
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- C/N ratio  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Catenella repens*  
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- C-corrections  
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Central Indian Ocean  
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Chlorophyll *a*  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- CIPW norm  
 Calculation of the CIPW norm: New formulas 101
- Climate  
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Cluster  
 High-resolution satellite image segmentation using Hölder exponents 609
- Coal  
 Reply to the comments by Rabindra Nath Hota on 'Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals' 179
- Coastal belt  
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Cold point tropopause  
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Cold tropopause  
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Compressible constituents  
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Concretions  
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Coral island  
 Appraisal of groundwater resources in an island condition 217
- Coral microatoll  
 Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Coverage analysis  
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Cyclicality  
 Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Cyclone Nargis  
 Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Daily flows  
 Linear genetic programming for time-series modeling of daily flow rate 137
- Data analysis  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483  
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Daytime scintillations  
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- DC resistivity  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Deformation mechanisms  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Diffusion  
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Digital number  
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Dispersion  
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Diurnal range  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Diversity  
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Drifting buoys  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- DWR  
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Eastern continental margin of India  
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Ecology  
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597

- Eco-restoration  
Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Elastic stiffness  
Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Electrokinetic  
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Emissivity  
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345  
Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Energetics  
Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Entropy functions  
Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Environment  
Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Environment degradation  
Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Equatorial modes  
Equatorial modes observed in atmospheric variables 181
- Equatorial region  
Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Equatorial wave theory  
Equatorial modes observed in atmospheric variables 181
- Eslamy peninsula  
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Estuarine sedimentation  
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Exploration  
Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Fanoos*  
Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Flow forecasting  
Linear genetic programming for time-series modeling of daily flow rate 137
- Forecast  
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Forecast error  
Track prediction of very severe cyclone ‘Nargis’ using high resolution weather research forecasting (WRF) model 309
- Ganga Plain  
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- General anisotropy  
Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Genetic programming  
Linear genetic programming for time-series modeling of daily flow rate 137
- Geochemistry  
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Geodesy  
Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Geodynamics  
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Geomagnetic repeat survey  
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Geomagnetic secular variation  
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Geomorphology  
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Geophysics  
Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Giridih basin  
Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- GIS  
Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701  
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711  
SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- Gondwana land  
Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- GPCP data  
A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Groundwater  
Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Groundwater flow model  
Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Groundwater pollution  
Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231

- Groundwater resources  
 Appraisal of groundwater resources in an island condition 217
- Groundwater velocity  
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Group velocity  
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Haze  
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Hematite  
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Heterogeneity  
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- High resolution image  
 High-resolution satellite image segmentation using Hölder exponents 609
- Hölder exponent  
 High-resolution satellite image segmentation using Hölder exponents 609
- Hydrothermal alteration  
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- IBL  
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Igneous rock classification  
 Calculation of the CIPW norm: New formulas 101
- IKONOS  
 High-resolution satellite image segmentation using Hölder exponents 609
- Image analysis  
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- India  
 Appraisal of groundwater resources in an island condition 217  
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Indian Ocean  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Indian summer monsoon  
 Summer monsoon onset over Kerala: New definition and prediction 123
- Indian summer monsoon rainfall  
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Infrared  
 Western disturbances seen with AMSU-B and infrared sensors 27
- Infrared spectroscopy  
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Ionospheric E-region irregularities  
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Ionospheric propagation  
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Iran  
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Isparta Angle  
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Joint inversion  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Kinetic energy  
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Kolkata  
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Krishna–Godavari basin  
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Lakshadweep  
 Appraisal of groundwater resources in an island condition 217
- LANDSAT  
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Latitudinal distribution  
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Lesser Himalayan Duplex  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Lightning  
 A study of lightning activity over land and oceanic regions of India 467
- Longitudinal waves  
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Low-level meteorological parameters  
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Macrobenthos  
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Mafic dykes  
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Magnetic anomalies  
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405

- Magnetotellurics  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Mantle polarization anisotropy  
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Markov chain  
 Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Megha tropiques  
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Meghalaya  
 Reply to the comments by Rabindra Nath Hota on ‘Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals’ 179
- Mesoscale  
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Meteorological parameters  
 Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Microstructure  
 Some observations from radiometric ‘8 bit’ data of sediment thin sections based on alternative petrographic image analysis method 163
- Microwave  
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331  
 Western disturbances seen with AMSU-B and infrared sensors 27
- Mine overburden  
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Mineral composite  
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Mineralogical characterization  
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Mineralogy  
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Mineralogy and petrology  
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Minneart constant  
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- MJO  
 Equatorial modes observed in atmospheric variables 181
- Modelling  
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Momentum transport  
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Monsoon  
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413  
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483  
 Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Monsoon onset over Kerala  
 Summer monsoon onset over Kerala: New definition and prediction 123
- Moored buoys  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Multiple linear regression  
 Summer monsoon onset over Kerala: New definition and prediction 123
- Muzaffarnagar  
 Groundwater flow modelling of Yamuna-Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Mylonitic gabbro  
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- NDSI  
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Neural networks  
 Linear genetic programming for time-series modelling of daily flow rate 137
- Nocturnal boundary layer  
 A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Normative minerals  
 Calculation of the CIPW norm: New formulas 101
- North Kalijhora thrust  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Northern Central Indian Ridge  
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- Oceanography  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Organic matter  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Oxidation ratio  
 Calculation of the CIPW norm: New formulas 101
- Particulate carbohydrates  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147

- Particulate organic carbon  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147  
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1
- Particulate uronic acids  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Petrology  
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Physico-chemical parameters  
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Piedmont Zone  
 Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Piezomagnetic  
 Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Planetary geology  
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Polarization  
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Polarization direction  
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Polarized  
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Poroelastic half-space  
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Pranhita–Godavari basin  
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Prediction scenario  
 Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Pre-monsoon  
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Pre-stress  
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Primary  
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Principal component analysis  
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1  
 Summer monsoon onset over Kerala: New definition and prediction 123
- Quasi-periodic pulsing hiss  
 Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Quasi-static deformation  
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Radiative transfer  
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Radio occultation  
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Rainfall  
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Rainfall estimates over South America  
 A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Rajasthan  
*Trachyhystrichosphaera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Ramgarh thrust  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Rangit Window  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Ray direction  
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Reflectance  
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525  
 Some observations from radiometric ‘8 bit’ data of sediment thin sections based on alternative petrographic image analysis method 163
- Remote sensing  
 Western disturbances seen with AMSU-B and infrared sensors 27  
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Remote sensing algorithm  
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1
- Resistivity  
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- River–aquifer interaction  
 Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Runoff potential  
 SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355

- Sarawak  
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Sea surface temperature  
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Sea-land interface  
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Seasonal variation  
 A study of lightning activity over land and oceanic regions of India 467  
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Seawater intrusion  
 Appraisal of groundwater resources in an island condition 217
- Secondary ecological succession  
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Sediment layers  
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Segmentation  
 High-resolution satellite image segmentation using Hölder exponents 609
- Seismics  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Shear wave splitting  
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Sikkim-Darjiling Himalaya  
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Simulation  
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413  
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Site suitability  
 SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- SKS and SKKS phases  
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Slope match  
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Snow cover monitoring  
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525  
 Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Southeast Asia  
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Standard igneous norm  
 Calculation of the CIPW norm: New formulas 101
- Statistical prediction  
 Summer monsoon onset over Kerala: New definition and prediction 123
- Stress  
 Tectonomagnetic study in the seismoactive area of Narmada-Son lineament, central India: Preliminary results on repeat field observations 261
- Structure of the earth  
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Subtropics  
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Surface loading  
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Suspended particulate matter  
 Distribution of particulate carbohydrate species in the Bay of Bengal 147  
 Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Talchir Group  
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Tectonomagnetism  
 Tectonomagnetic study in the seismoactive area of Narmada-Son lineament, central India: Preliminary results on repeat field observations 261
- Temperature gradient  
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Texture analysis  
 High-resolution satellite image segmentation using Hölder exponents 609
- Thermal emission  
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Thunderstorm  
 A study of lightning activity over land and oceanic regions of India 467  
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Topographic corrections  
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Topographic normalization  
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Trace fossils  
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Tracer  
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Trachyhystriosphæra*  
*Trachyhystriosphæra*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575

- Track forecast  
Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Transmittance  
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345
- TRMM  
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- TRMM PR data  
A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Tropical intraseasonal oscillation  
Equatorial modes observed in atmospheric variables 181
- Tropical storm  
Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Tropospheric stratospheric exchange  
Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Turbidity maximum  
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Ultra-long waves  
Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Upper atmosphere  
Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Upper Vindhyan  
*Trachyhystriosphera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Vegetation  
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Ventilation coefficient  
A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Virtual potential temperature  
A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- VLF hiss  
Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Volatile displacement  
Reply to the comments by Rabindra Nath Hota on 'Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals' 179
- Volcanology  
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Water harvesting  
SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- Water vapour content  
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345
- Wave propagation  
Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Waveguide mode  
Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Weakening  
Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Western disturbances  
Western disturbances seen with AMSU-B and infrared sensors 27
- WiFS  
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Wind spectra  
On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Winds  
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- WRF model  
Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Yamuna–Krishni  
Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507