

## SUBJECT INDEX

- Abundance  
 Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species *Epistominella exigua* in sub-surface sediments from distal Bay of Bengal fan 453
- Acceleration  
 Acceleration of near-field scattering from an inhomogeneous spherical shell 401
- Active faults  
 Evidence of paleoearthquakes from trench investigations along Pinjore Garden fault in Pinjore Dun, NW Himalaya 387
- Active pixel sensor  
 Terrain mapping camera for Chandrayaan-1 717
- Ages  
 Determination of lunar surface ages from crater frequency-size distribution 609
- Agglutinate  
 Nanophase Fe<sup>0</sup> in lunar soils 375
- Air pollution model  
 Experimental technique of calibration of symmetrical air pollution models 565
- Amplification  
 Tides in the Mandovi and Zuari estuaries, Goa, west coast of India 493
- Anisotropy  
 Polarizations of quasi-waves in a general anisotropic porous solid saturated with viscous liquid 411
- Apparent resistivity  
 Normalized impedance function and the straightforward inversion scheme for magnetotelluric data 523
- Artificial neural network  
 A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75
- Artificial-recharge  
 A GIS based hydrogeomorphic approach for identification of site-specific artificial-recharge techniques in the Deccan Volcanic Province 505
- Ascent trajectory  
 Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- Asymmetric buckle folds  
 Kinematics of large scale asymmetric folds and associated smaller scale brittle-ductile structures in the Proterozoic Somnur Formation, Pranhita-Godavari valley, south India 125
- Attenuation  
 Polarizations of quasi-waves in a general anisotropic porous solid saturated with viscous liquid 411
- Barmer basin  
 Mineralogy and trace element chemistry of the Siliceous Earth of Barmer basin, Rajasthan: Evidence for a volcanic origin 111
- Barren Measures Formation  
 Facies pattern of the middle Permian Barren Measures Formation, Jharia basin, India: The sedimentary response to basin tectonics 287
- Barrier layer  
 Hydrography of the eastern Arabian Sea during summer monsoon 2002 459
- Basin tectonics  
 Pull-apart origin of the Satpura Gondwana basin, central India 259
- Basin tectonics  
 Facies pattern of the middle Permian Barren Measures Formation, Jharia basin, India: The sedimentary response to basin tectonics 287
- Baspa river  
 Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381
- Bengal fan  
 Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species *Epistominella exigua* in sub-surface sediments from distal Bay of Bengal fan 453
- Biogenic opal  
 Biological productivity, terrigenous influence and noncrustal elements supply to the Central Indian Ocean Basin: Paleocyanography during the past ~ 1 Ma 63
- Bistatic radar  
 The Clementine mission – A 10-year perspective 645
- Blind fault  
 A note on 2-D lithospheric deformation due to a blind strike-slip fault 105
- Bogus vortex  
 Impact of bogus vortex for track and intensity prediction of tropical cyclone 427
- Bulk  
 Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Calcium carbonate  
 Biological productivity, terrigenous influence and noncrustal elements supply to the Central Indian Ocean Basin: Paleocyanography during the past ~ 1 Ma 63
- Carbonate silt  
 Climbing ripple structure and associated storm-lamination from a Proterozoic carbonate platform succession: Their environmental and petrogenetic significance 199
- Carbonate tempestite  
 Climbing ripple structure and associated storm-lamination from a Proterozoic carbonate platform

- succession: Their environmental and petrogenetic significance 199  
 Cauvery Shear Zone  
   Contrasting metamorphism across Cauvery Shear Zone, south India 143  
 Central Indian Ocean Basin  
   Biological productivity, terrigenous influence and noncrustal elements supply to the Central Indian Ocean Basin: Paleooceanography during the past ~ 1 Ma 63  
 Central peak exploration  
   Japanese lunar robotics exploration by co-operation with lander and rover 777  
 Chandarpur Group  
   Provenance, tectonics and palaeoclimate of Proterozoic Chandarpur sandstones, Chattisgarh basin: A petrographic view 227  
 Chandrayaan-1  
   Chandrayaan-1: Science goals 699  
   High energy X- $\gamma$  ray spectrometer on the Chandrayaan-1 mission to the Moon 733  
   Imaging and power generation strategies for Chandrayaan-1 739  
 Chang'E program  
   Space operation system for Chang'E program and its capability evaluation 795  
 Chang'E-1  
   Scientific objectives and payloads of Chang'E-1 lunar satellite 787  
 Channel geometry  
   Tides in the Mandovi and Zuari estuaries, Goa, west coast of India 493  
 Chattisgarh  
   Provenance, tectonics and palaeoclimate of Proterozoic Chandarpur sandstones, Chattisgarh basin: A petrographic view 227  
 Chattisgarh basin  
   River water quality in weathered limestone: A case study in upper Mahanadi basin, India 533  
 Chemical characteristics  
   Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37  
 Chemical composition  
   Lunar science: An overview 587  
   High energy X- $\gamma$  ray spectrometer on the Chandrayaan-1 mission to the Moon 733  
   Origin of the Earth-Moon system 593  
 Chlorophyll  
   Water quality assessment of Gautami-Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185  
 Circulation  
   Hydrography and water masses in the southeastern Arabian Sea during March-June 2003 475  
 Clay minerals  
   Climatic control on clay mineral formation: Evidence from weathering profiles developed on either side of the Western Ghats 545  
 Clementine  
   Advances in lunar science from the Clementine mission: A decadal perspective 669  
   The Clementine mission - A 10-year perspective 645  
 Climate  
   Climatic control on clay mineral formation: Evidence from weathering profiles developed on either side of the Western Ghats 545  
 Climbing ripple-lamination  
   Climbing ripple structure and associated storm-lamination from a Proterozoic carbonate platform succession: Their environmental and petrogenetic significance 199  
 Combined flow bedforms  
   Evidence of lacustrine sedimentation in the Upper Permian Bijori Formation, Satpura Gondwana basin: Palaeogeographic and tectonic implications 303  
 Combined-flow  
   Climbing ripple structure and associated storm-lamination from a Proterozoic carbonate platform succession: Their environmental and petrogenetic significance 199  
 Composition  
   Compositional variation and genesis of ferromanganese crusts of the Afanasiy-Nikitin Seamount, Equatorial Indian Ocean 51  
 Compressive strength  
   A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75  
 Continental crust  
   A moving boundary solution for solidification of lava lake and magma intrusion in the presence of time-varying contact temperature 169  
 Controlled random search  
   Analysis of optimal strategies for soft landing on the Moon from lunar parking orbits 807  
 Coseismic deformation  
   A note on 2-D lithospheric deformation due to a blind strike-slip fault 105  
 Craters  
   Determination of lunar surface ages from crater frequency-size distribution 609  
 Cretaceous/Tertiary boundary  
   Mineralogy and trace element chemistry of the Siliceous Earth of Barmer basin, Rajasthan: Evidence for a volcanic origin 111  
 Currents  
   Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37  
 Deformation  
   Deformation of two welded elastic half-spaces due to a long inclined tensile fault 97  
 Density  
   A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75  
 Depositional environment  
   Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381  
 'Detour' lunar trajectories  
   Low energy trajectories for the Moon-to-Earth space flight 613  
 Detrital elements  
   Biological productivity, terrigenous influence and noncrustal elements supply to the Central Indian Ocean Basin: Paleooceanography during the past ~ 1 Ma 63  
 Diagenesis  
   Facies, dissolution seams and stable isotope compositions of the Rohtas Limestone (Vindhyan Supergroup) in the Son valley area, central India 87

- Dielectric constants of lunar soil  
 Microwave brightness temperature imaging and dielectric properties of lunar soil 627
- Digital elevation map  
 Terrain mapping camera for Chandrayaan-1 717
- Dispersion coefficient  
 Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37
- Dissolution seams  
 Facies, dissolution seams and stable isotope compositions of the Rohtas Limestone (Vindhyan Supergroup) in the Son valley area, central India 87
- Dockum  
 Depositional setting and vertebrate biostratigraphy of the Triassic Dockum Group of Texas 325
- DVP  
 A GIS based hydrogeomorphic approach for identification of site-specific artificial-recharge techniques in the Deccan Volcanic Province 505
- Dyke injection  
 Deformation of two welded elastic half-spaces due to a long inclined tensile fault 97
- Eddy  
 Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Electric power  
 Energy conversion evolution at lunar polar sites 633
- Energetic Neutral Atom (ENA)  
 Low energy neutral atom imaging on the Moon with the SARA instrument aboard Chandrayaan-1 mission 749
- Energy generation  
 Energy conversion evolution at lunar polar sites 633
- Epistominella exigua*  
 Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species *Epistominella exigua* in sub-surface sediments from distal Bay of Bengal fan 453
- EPS  
 Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Equatorial Indian Ocean  
 Compositional variation and genesis of ferromanganese crusts of the Afanasiy-Nikitin Seamount, Equatorial Indian Ocean 51
- Escape  
 Low energy trajectories for the Moon-to-Earth space flight 613
- Escape rate  
 Escape of atmospheric gases from the Moon 637
- Estuarine point bar  
 Sedimentary structures of tidal flats: A journey from coast to inner estuarine region of eastern India 353
- Estuary  
 Water quality assessment of Gautami-Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185
- Facies analysis  
 Evidence of lacustrine sedimentation in the Upper Permian Bijori Formation, Satpura Gondwana basin: Palaeogeographic and tectonic implications 303
- Facies pattern  
 Facies pattern of the middle Permian Barren Measures Formation, Jharia basin, India: The sedimentary response to basin tectonics 287
- Ferromanganese crusts  
 Compositional variation and genesis of ferromanganese crusts of the Afanasiy-Nikitin Seamount, Equatorial Indian Ocean 51
- Fluvio-lacustrine  
 Significance of transition between Talchir Formation and Karharbari Formation in Lower Gondwana basin evolution – A study in West Bokaro Coal basin, Jharkhand, India 275
- Framboid  
 Nannobacteria and the formation of framboidal pyrite: Textural evidence 369
- Gamma-ray spectrometry  
 Scientific objectives and payloads of Chang'E-1 lunar satellite 787
- Genetic algorithm  
 Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- Geoelectrical methods  
 Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515
- Geomagnetic storms  
 Geomagnetic activity control on VHF scintillations over an Indian low latitude station, Waltair (17.7°N, 83.3°E, 20°N dip) 437
- Geothermobarometry  
 Contrasting metamorphism across Cauvery Shear Zone, south India 143
- GIS  
 A GIS based hydrogeomorphic approach for identification of site-specific artificial-recharge techniques in the Deccan Volcanic Province 505
- Glaciogenic sediments  
 Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381
- Glacio-isostasy  
 Significance of transition between Talchir Formation and Karharbari Formation in Lower Gondwana basin evolution – A study in West Bokaro Coal basin, Jharkhand, India 275
- Glacio-marine sediments  
 Significance of transition between Talchir Formation and Karharbari Formation in Lower Gondwana basin evolution – A study in West Bokaro Coal basin, Jharkhand, India 275
- Gondwana Supergroup  
 Significance of transition between Talchir Formation and Karharbari Formation in Lower Gondwana basin evolution – A study in West Bokaro Coal basin, Jharkhand, India 275
- Gondwanaland  
 Contrasting metamorphism across Cauvery Shear Zone, south India 143
- Granulites  
 Contrasting metamorphism across Cauvery Shear Zone, south India 143

- Gravitational perturbations  
 Low energy trajectories for the Moon-to-Earth space flight 613
- Groundwater  
 Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515
- Haldia channel  
 Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37
- Hardness  
 A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75
- Harmonic analysis  
 Tides in the Mandovi and Zuari estuaries, Goa, west coast of India 493
- Heat flow  
 Lunar-A mission: Outline and current status 761
- Helium  
 Escape of atmospheric gases from the Moon 637
- High energy X-rays  
 High energy X- $\gamma$  ray spectrometer on the Chandrayaan-1 mission to the Moon 733
- Himachal Pradesh  
 Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381
- Himalaya  
 Evidence of paleoearthquakes from trench investigations along Pinjore Garden fault in Pinjore Dun, NW Himalaya 387
- Hooghly estuary  
 Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37
- Hummocky cross-stratification  
 Climbing ripple structure and associated storm-lamination from a Proterozoic carbonate platform succession: Their environmental and petrogenetic significance 199
- Hybrid symplectic integrator  
 Capture of interplanetary bodies in geocentric orbits and early lunar evolution 601
- Hydrogeology  
 A GIS based hydrogeomorphic approach for identification of site-specific artificial-recharge techniques in the Deccan Volcanic Province 505
- Hydromorphic soil  
 Evidence of lacustrine sedimentation in the Upper Permian Bijori Formation, Satpura Gondwana basin: Palaeogeographic and tectonic implications 303
- Hyper-Spectral Imager  
 Hyper-Spectral Imager in visible and near-infrared band for lunar compositional mapping 721
- Imaging payloads  
 SMART-1 after lunar capture: First results and perspectives 687  
 Chandrayaan-1: Science goals 699
- India  
 Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- INDOEX  
 Development and propagation of a pollution gradient in the marine boundary layer during INDOEX (1999) 3
- Inhomogeneity  
 Acceleration of near-field scattering from an inhomogeneous spherical shell 401
- Interplanetary magnetic field  
 IMF B $_y$  dependence of the extent of substorm westward electrojet 177
- IOP  
 Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Isotopic fractionation  
 Origin of the Earth-Moon system 593
- Jharia basin  
 Facies pattern of the middle Permian Barren Measures Formation, Jharia basin, India: The sedimentary response to basin tectonics 287
- Kansapathar Sandstone  
 Tidal shelf sedimentation in the Neoproterozoic Chattisgarh succession of central India 211
- Kinematic history  
 Kinematics of large scale asymmetric folds and associated smaller scale brittle-ductile structures in the Proterozoic Somnur Formation, Pranhita-Godavari valley, south India 125
- Kinetic energy  
 Energetics of lower tropospheric planetary waves over mid latitudes: Precursor for Indian summer monsoon 557
- Kinnaur district  
 Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381
- Lander and rover co-operation  
 Japanese lunar robotics exploration by co-operation with lander and rover 777
- Laser altimeter  
 Lunar ranging instrument for Chandrayaan-1 725
- Late heavy bombardment  
 Lunar science: An overview 587
- Late Quaternary  
 Glacial meltwater impounding: Evidence from the late Quaternary glaciogenic sediments in the Sangla valley, district Kinnaur, Himachal Pradesh, India 381  
 Changes in the source and transport mechanism of terrigenous input to the Indian sector of Southern Ocean during the late Quaternary and its palaeoceanographic implications 443
- Limestone weathering  
 River water quality in weathered limestone: A case study in upper Mahanadi basin, India 533
- Lineament  
 Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515
- Long tensile fault  
 Deformation of two welded elastic half-spaces due to a long inclined tensile fault 97

- Low pressure system  
Some characteristics of very heavy rainfall over Orissa during summer monsoon season 17
- Luna-Gondwana  
Facies pattern of the middle Permian Barren Measures Formation, Jharia basin, India: The sedimentary response to basin tectonics 287  
Evidence of lacustrine sedimentation in the Upper Permian Bijori Formation, Satpura Gondwana basin: Palaeogeographic and tectonic implications 303
- Luna-Glob mission  
Luna-Glob project in the context of the past and present lunar exploration in Russia 801
- Lunar atmosphere  
Escape of atmospheric gases from the Moon 637
- Lunar basins  
Determination of lunar surface ages from crater frequency-size distribution 609
- Lunar core  
Luna-Glob project in the context of the past and present lunar exploration in Russia 801
- Lunar elemental composition  
Low energy neutral atom imaging on the Moon with the SARA instrument aboard Chandrayaan-1 mission 749
- Lunar environment  
Energy conversion evolution at lunar polar sites 633
- Lunar exploration  
Lunar-A mission: Outline and current status 761  
SELENE project status 769  
Scientific objectives and payloads of Chang'E-1 lunar satellite 787  
Space operation system for Chang'E program and its capability evaluation 795
- Lunar exploration development  
Telerobotic exploration and development of the Moon 815
- Lunar gravity model  
An analysis of near-circular lunar mapping orbits 619
- Lunar imaging  
Imaging and power generation strategies for Chandrayaan-1 739  
SELENE project status 769
- Lunar interior  
Lunar-A mission: Outline and current status 761
- Lunar magnetic anomalies  
Low energy neutral atom imaging on the Moon with the SARA instrument aboard Chandrayaan-1 mission 749
- Lunar mapping  
An analysis of near-circular lunar mapping orbits 619
- Lunar parking orbit  
Analysis of optimal strategies for soft landing on the Moon from lunar parking orbits 807
- Lunar robotics exploration  
Japanese lunar robotics exploration by co-operation with lander and rover 777
- Lunar seismology  
Lunar-A mission: Outline and current status 761
- Lunar surface mineralogy  
Advances in lunar science from the Clementine mission: A decadal perspective 669
- Lunar topography  
Terrain mapping camera for Chandrayaan-1 717
- Lunar transfer trajectory  
Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- Lunar-A  
Lunar-A mission: Outline and current status 761
- Macrotidal  
Tidal shelf sedimentation in the Neoproterozoic Chattisgarh succession of central India 211
- Magma ocean  
Lunar science: An overview 587
- Magnetic susceptibility  
Changes in the source and transport mechanism of terrigenous input to the Indian sector of Southern Ocean during the late Quaternary and its palaeo-oceanographic implications 443
- Magnetotelluric  
Normalized impedance function and the straightforward inversion scheme for magnetotelluric data 523
- Manganese carbonate  
Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Mangrove  
Water quality assessment of Gautami-Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185
- Marine boundary layer  
Development and propagation of a pollution gradient in the marine boundary layer during INDOEX (1999) 3
- Mass diffusion  
Reflection of P and SV waves from free surface of an elastic solid with generalized thermodiffusion 159
- Maximum Dst excursion  
Geomagnetic activity control on VHF scintillations over an Indian low latitude station, Waltair (17.7°N, 83.3°E, 20°N dip) 437
- Mean proloculus diameter  
Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species *Epistominella exigua* in sub-surface sediments from distal Bay of Bengal fan 453
- Micro manipulator  
Japanese lunar robotics exploration by co-operation with lander and rover 777
- Micro rover  
Japanese lunar robotics exploration by co-operation with lander and rover 777
- Microbial  
Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Micrometeorite impact  
Nanophase Fe<sup>0</sup> in lunar soils 375
- Micrometeorites  
Mineralogy and trace element chemistry of the Siliceous Earth of Barmer basin, Rajasthan: Evidence for a volcanic origin 111
- Microwave brightness temperature  
Microwave brightness temperature imaging and dielectric properties of lunar soil 627
- Microwave radiometer  
Microwave brightness temperature imaging and dielectric properties of lunar soil 627

- Scientific objectives and payloads of Chang'E-1 lunar satellite 787
- Mineral mapping  
Hyper-Spectral Imager in visible and near-infrared band for lunar compositional mapping 721  
The Clementine mission – A 10-year perspective 645
- Mineralogy  
SMART-1 after lunar capture: First results and perspectives 687  
Chandrayaan-1: Science goals 699
- MM5  
Impact of bogus vortex for track and intensity prediction of tropical cyclone 427
- Momentum transport  
Energetics of lower tropospheric planetary waves over mid latitudes: Precursor for Indian summer monsoon 557
- Monsoon  
Some characteristics of very heavy rainfall over Orissa during summer monsoon season 17  
Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species *Epistominella exigua* in sub-surface sediments from distal Bay of Bengal fan 453  
Hydrography and water masses in the southeastern Arabian Sea during March–June 2003 475
- Monsoon effects  
Sedimentary structures of tidal flats: A journey from coast to inner estuarine region of eastern India 353
- Moon  
Nanophase Fe<sup>0</sup> in lunar soils 375  
Low energy neutral atom imaging on the Moon with the SARA instrument aboard Chandrayaan-1 mission 749  
The Clementine mission – A 10-year perspective 645
- Moon mapping  
Imaging and power generation strategies for Chandrayaan-1 739
- Moon–Earth flight  
Low energy trajectories for the Moon-to-Earth space flight 613
- Moonlets  
Capture of interplanetary bodies in geocentric orbits and early lunar evolution 601
- Moon–solar wind interaction  
Low energy neutral atom imaging on the Moon with the SARA instrument aboard Chandrayaan-1 mission 749
- Moving boundary problem  
A moving boundary solution for solidification of lava lake and magma intrusion in the presence of time-varying contact temperature 169
- Multispectral imaging  
Advances in lunar science from the Clementine mission: A decadal perspective 669
- Nannobacteria  
Nannobacteria and the formation of framboidal pyrite: Textural evidence 369
- Nd:YAG laser  
Lunar ranging instrument for Chandrayaan-1 725
- Near-field  
Acceleration of near-field scattering from an inhomogeneous spherical shell 401
- Neoproterozoic  
Tidal shelf sedimentation in the Neoproterozoic Chattisgarh succession of central India 211  
Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Neuro-fuzzy  
A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75
- Non-uniform solidification  
A moving boundary solution for solidification of lava lake and magma intrusion in the presence of time-varying contact temperature 169
- Northeast monsoon  
Development and propagation of a pollution gradient in the marine boundary layer during INDOEX (1999) 3
- Nutrient  
Water quality assessment of Gautami–Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185
- Open sea tidal flats  
Sedimentary structures of tidal flats: A journey from coast to inner estuarine region of eastern India 353
- Orbit life time  
An analysis of near-circular lunar mapping orbits 619
- Orbit maintenance  
An analysis of near-circular lunar mapping orbits 619
- Organic carbon  
Biological productivity, terrigenous influence and noncrustal elements supply to the Central Indian Ocean Basin: Palaeoceanography during the past ~ 1 Ma 63
- Organotemplate  
Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Origin of Moon  
Lunar science: An overview 587  
Origin of the Earth–Moon system 593
- Orissa  
Some characteristics of very heavy rainfall over Orissa during summer monsoon season 17
- Orography  
Some characteristics of very heavy rainfall over Orissa during summer monsoon season 17
- p*-wave velocity  
A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass 75
- Palaeoclimate  
Provenance, tectonics and palaeoclimate of Proterozoic Chandrapur sandstones, Chattisgarh basin: A petrographic view 227
- Paleoearthquakes  
Evidence of paleoearthquakes from trench investigations along Pinjore Garden fault in Pinjore Dun, NW Himalaya 387
- Parking orbit  
Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- Penetrator  
Lunar-A mission: Outline and current status 761

- Penetrators  
Luna-Glob project in the context of the past and present lunar exploration in Russia 801
- Penganga Group  
Organotemplate structures in sedimentary manganese carbonates of the Neoproterozoic Penganga Group, Adilabad, India 247
- Persian Gulf Water  
Hydrography of the eastern Arabian Sea during summer monsoon 2002 459
- Physical characteristics  
Seasonal variability of physico-chemical characteristics of the Haldia channel of Hooghly estuary, India 37
- Phytoplankton  
Water quality assessment of Gautami-Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185
- Pinjore  
Evidence of paleoearthquakes from trench investigations along Pinjore Garden fault in Pinjore Dun, NW Himalaya 387
- Planetary exploration technology  
SMART-1 after lunar capture: First results and perspectives 687
- Planetary formation  
Capture of interplanetary bodies in geocentric orbits and early lunar evolution 601
- Planetesimals  
Capture of interplanetary bodies in geocentric orbits and early lunar evolution 601
- Planetoids  
Capture of interplanetary bodies in geocentric orbits and early lunar evolution 601
- Polar deposits  
The Clementine mission – A 10-year perspective 645
- Polarisation  
Polarisations of quasi-waves in a general anisotropic porous solid saturated with viscous liquid 411
- Pollution gradient  
Development and propagation of a pollution gradient in the marine boundary layer during INDOEX (1999) 3
- Pontryagin's maximum principle  
Analysis of optimal strategies for soft landing on the Moon from lunar parking orbits 807
- Poroelasticity  
Polarisations of quasi-waves in a general anisotropic porous solid saturated with viscous liquid 411
- Power generation  
Imaging and power generation strategies for Chandrayaan-1 739
- Predictions  
Experimental technique of calibration of symmetrical air pollution models 565
- Profile  
Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Proterozoic Somnur Formation  
Kinematics of large scale asymmetric folds and associated smaller scale brittle-ductile structures in the Proterozoic Somnur Formation, Pranhita-Godavari valley, south India 125
- Provenance  
Provenance, tectonics and palaeoclimate of Proterozoic Chandrapur sandstones, Chattisgarh basin: A petrographic view 227
- Pyrite  
Nannobacteria and the formation of framboidal pyrite: Textural evidence 369
- Radioactivity  
Escape of atmospheric gases from the Moon 637  
Chandrayaan-1: Science goals 699
- Radon  
Chandrayaan-1: Science goals 699
- Receptors layout  
Experimental technique of calibration of symmetrical air pollution models 565
- Red Sea Water  
Hydrography of the eastern Arabian Sea during summer monsoon 2002 459
- Reflection  
Reflection of P and SV waves from free surface of an elastic solid with generalized thermodiffusion 159
- Reflection coefficients  
Reflection of P and SV waves from free surface of an elastic solid with generalized thermodiffusion 159
- Regolith  
Nanophase Fe<sup>0</sup> in lunar soils 375
- Remote sensing  
Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515  
Advances in lunar science from the Clementine mission: A decadal perspective 669
- Resistivity  
Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515
- Ring current  
IMF B<sub>y</sub> dependence of the extent of substorm westward electrojet 177
- River water quality modeling  
River water quality in weathered limestone: A case study in upper Mahanadi basin, India 533
- Rock-water interaction  
River water quality in weathered limestone: A case study in upper Mahanadi basin, India 533
- Rohtas Limestone  
Facies, dissolution seams and stable isotope compositions of the Rohtas Limestone (Vindhyan Supergroup) in the Son valley area, central India 87
- Sandstones  
Provenance, tectonics and palaeoclimate of Proterozoic Chandrapur sandstones, Chattisgarh basin: A petrographic view 227
- SAPMI  
Experimental technique of calibration of symmetrical air pollution models 565
- Satpura basin  
Evidence of lacustrine sedimentation in the Upper Permian Bijori Formation, Satpura Gondwana basin: Palaeogeographic and tectonic implications 303
- Scattering  
Acceleration of near-field scattering from an inhomogeneous spherical shell 401
- Seamount  
Compositional variation and genesis of ferromanganese crusts of the Afanasy-Nikitin Seamount, Equatorial Indian Ocean 51

- Sediment  
 Biological productivity, terrigenous influence and oceanic elements supply to the Central Indian Ocean Basin: Paleooceanography during the past ~ 1 Ma 63
- Sedimentary structures  
 Sedimentary structures of tidal flats: A journey from coast to inner estuarine region of eastern India 353
- Sedimentology  
 Depositional setting and vertebrate biostratigraphy of the Triassic Dockum Group of Texas 325
- Seismology  
 Luna-Glob project in the context of the past and present lunar exploration in Russia 801
- SELENE  
 SELENE project status 769
- SEM  
 Nanophase Fe<sup>0</sup> in lunar soils 375
- Shelf sedimentation  
 Tidal shelf sedimentation in the Neoproterozoic Chattisgarh succession of central India 211
- SHF  
 Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Si APD  
 Lunar ranging instrument for Chandrayaan-1 725
- Siliceous Earth  
 Mineralogy and trace element chemistry of the Siliceous Earth of Barmer basin, Rajasthan: Evidence for a volcanic origin 111
- SMART-1  
 SMART-1 after lunar capture: First results and perspectives 687
- Soft landing  
 Analysis of optimal strategies for soft landing on the Moon from lunar parking orbits 807
- Solar energy  
 Energy conversion evolution at lunar polar sites 633
- South India  
 Contrasting metamorphism across Cauvery Shear Zone, south India 143
- Southern Ocean  
 Changes in the source and transport mechanism of terrigenous input to the Indian sector of Southern Ocean during the late Quaternary and its palaeo-oceanographic implications 443
- Space operations  
 Space operation system for Chang'E program and its capability evaluation 795
- Spectral bands  
 Hyper-Spectral Imager in visible and near-infrared band for lunar compositional mapping 721
- Spherical harmonics  
 An analysis of near-circular lunar mapping orbits 619
- Stable isotopes  
 Facies, dissolution seams and stable isotope compositions of the Rohtas Limestone (Vindhyan Super-group) in the Son valley area, central India 87
- Step-over  
 Pull-apart origin of the Satpura Gondwana basin, central India 259
- Straightforward inversion  
 Normalized impedance function and the straightforward inversion scheme for magnetotelluric data 523
- Strike-slip basin  
 Pull-apart origin of the Satpura Gondwana basin, central India 259
- Strike-slip fault  
 A note on 2-D lithospheric deformation due to a blind strike-slip fault 105
- Subsidence  
 Pull-apart origin of the Satpura Gondwana basin, central India 259
- Substrom  
 IMF B<sub>y</sub> dependence of the extent of substorm westward electrojet 177
- Surface composition  
 SMART-1 after lunar capture: First results and perspectives 687  
 Chandrayaan-1: Science goals 699
- Talchir Formation  
 Significance of transition between Talchir Formation and Karharbari Formation in Lower Gondwana basin evolution – A study in West Bokaro Coal basin, Jharkhand, India 275
- Targeting  
 Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- TCC  
 Interrelationship between cloud cover and sensible heat flux over land during MONTBLEX-1990 421
- Tectonics  
 Provenance, tectonics and palaeoclimate of Proterozoic Chandrapur sandstones, Chattisgarh basin: A petrographic view 227  
 Identification of groundwater prospective zones by using remote sensing and geoelectrical methods in Jharia and Raniganj coalfields, Dhanbad district, Jharkhand state 515
- Telerobotics  
 Telerobotic exploration and development of the Moon 815
- Terrain mapping  
 Terrain mapping camera for Chandrayaan-1 717
- Terrigenous flux  
 Changes in the source and transport mechanism of terrigenous input to the Indian sector of Southern Ocean during the late Quaternary and its palaeo-oceanographic implications 443
- Texas  
 Depositional setting and vertebrate biostratigraphy of the Triassic Dockum Group of Texas 325
- Thermodiffusion  
 Reflection of P and SV waves from free surface of an elastic solid with generalized thermodiffusion 159
- Thermoelasticity  
 Reflection of P and SV waves from free surface of an elastic solid with generalized thermodiffusion 159
- Thorium distribution on Moon  
 High energy X- $\gamma$  ray spectrometer on the Chandrayaan-1 mission to the Moon 733
- Thrust related folding  
 Kinematics of large scale asymmetric folds and associated smaller scale brittle-ductile structures in the Proterozoic Somnur Formation, Pranhita-Godavari valley, south India 125
- Tidal constituents  
 Tides in the Mandovi and Zuari estuaries, Goa, west coast of India 493

- Tide-pole  
Tides in the Mandovi and Zuari estuaries, Goa, west coast of India 493
- Time series  
Hydrography of the eastern Arabian Sea during summer monsoon 2002 459
- Time-varying contact temperature  
A moving boundary solution for solidification of lava lake and magma intrusion in the presence of time-varying contact temperature 169
- Transcurrent zone  
Pull-apart origin of the Satpura Gondwana basin, central India 259
- Translunar injection  
Launch strategy for Indian lunar mission and precision injection to the Moon using genetic algorithm 711
- Trench  
Evidence of paleoearthquakes from trench investigations along Pinjore Garden fault in Pinjore Dun, NW Himalaya 387
- Triassic  
Depositional setting and vertebrate biostratigraphy of the Triassic Dockum Group of Texas 325
- Tropical cyclone  
Impact of bogus vortex for track and intensity prediction of tropical cyclone 427
- TT&C design  
Space operation system for Chang'E program and its capability evaluation 795
- Two-dimensional  
A note on 2-D lithospheric deformation due to a blind strike-slip fault 105
- Two-point boundary value problem  
Analysis of optimal strategies for soft landing on the Moon from lunar parking orbits 807
- Upwelling  
Hydrography and water masses in the southeastern Arabian Sea during March–June 2003 475
- Validation  
Experimental technique of calibration of symmetrical air pollution models 565
- Vapor deposit  
Nanophase Fe<sup>0</sup> in lunar soils 375
- Vertebrate biostratigraphy  
Depositional setting and vertebrate biostratigraphy of the Triassic Dockum Group of Texas 325
- Very heavy rainfall  
Some characteristics of very heavy rainfall over Orissa during summer monsoon season 17
- VHF scintillations  
Geomagnetic activity control on VHF scintillations over an Indian low latitude station, Waltair (17.7°N, 83.3°E, 20°N dip) 437
- Volatile depletion  
Origin of the Earth–Moon system 593
- Volatile transport  
High energy X- $\gamma$  ray spectrometer on the Chandrayaan-1 mission to the Moon 733
- Volcanic ash  
Mineralogy and trace element chemistry of the Siliceous Earth of Barmer basin, Rajasthan: Evidence for a volcanic origin 111
- Volcanic source  
Deformation of two welded elastic half-spaces due to a long inclined tensile fault 97
- Warm pool  
Hydrography and water masses in the southeastern Arabian Sea during March–June 2003 475
- Water masses  
Hydrography of the eastern Arabian Sea during summer monsoon 2002 459
- Water quality  
Water quality assessment of Gautami–Godavari mangrove estuarine ecosystem of Andhra Pradesh, India during September 2001 185
- Weathering  
Climatic control on clay mineral formation: Evidence from weathering profiles developed on either side of the Western Ghats 545
- Wedge filter  
Hyper-Spectral Imager in visible and near-infrared band for lunar compositional mapping 721
- Welded half-spaces  
Deformation of two welded elastic half-spaces due to a long inclined tensile fault 97
- Western Ghats  
Climatic control on clay mineral formation: Evidence from weathering profiles developed on either side of the Western Ghats 545
- Westward auroral electrojet  
IMF B<sub>y</sub> dependence of the extent of substorm westward electrojet 177
- X-ray spectrometry  
Scientific objectives and payloads of Chang'E-1 lunar satellite 787
- XRD  
Climatic control on clay mineral formation: Evidence from weathering profiles developed on either side of the Western Ghats 545
- Zonal waves  
Energetics of lower tropospheric planetary waves over mid latitudes: Precursor for Indian summer monsoon 557