

SUBJECT INDEX

- 1.6 Ga-old Chorhat Sandstone
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Aerosol
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Air mass factor
 Retrieval of stratospheric O₃ and NO₂ vertical profiles using zenith scattered light observations 333
- Air pollutants
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Airglow intensity
 Ozone decline and its effect on night airglow intensity of Na 5893 Å at Dumdum (22.5°N, 88.5°E) and Halley Bay (76°S, 27°W) 607
- Amino sugars
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Anisotropy
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Arabian Sea
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Attenuation
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- A-type granitoid
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Auto-correlation
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Bacteria
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Bay of Bengal
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Bedrock gorges
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Bengal Fan
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Biogeochemistry
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Black shales
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Blind fault
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Calibration
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Carbon
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Catagenesis
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Central Arabian Sea
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Chlorophyll
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Chuaria circularis*
Chuaria circularis from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis-gas chromatography 99
- Clay minerals
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Cloudburst
 Simulation of a Himalayan cloudburst event 299
- Cluster computer
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315

- Coastal geomorphology
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Coastal processes
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
- Coccolithophores
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Compositional space
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Conserved variable diagrams
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Cooling history
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur-Harra-Amarwara, central India: Implications for cooling history 631
- Coupled processes
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- Cyanobacteria
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Cyclonic storm
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Deccan
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Deccan Traps
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur-Harra-Amarwara, central India: Implications for cooling history 631
- Deglacial
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695
- Depositional environments
 Proterozoic intracontinental basin: The Vindhyan example 3
- Diagenesis
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Diamond
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Dike
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Dip-slip fault
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Discriminant function analysis
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Dispersal patterns
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Eastern Ghat Mobile Belt
 Structure of Charnockitic basement in a part of the Krishna-Godavari basin, Andhra Pradesh 387
- Effective strength index
 Spatial monsoon variability with respect to NAO and SO 601
- Electromagnetic response
 Fast computation of Hankel Transform using orthonormal exponential approximation of complex kernel function 267
- Energy density spectra
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
- Estuaries
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Exponential approximation of kernel function
 Fast computation of Hankel Transform using orthonormal exponential approximation of complex kernel function 267
- Facies
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Flash floods
 Simulation of a Himalayan cloudburst event 299
- FLIC
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Flood basalt
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Fluxes
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Fractal geometry
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Fracture
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Frequency ratio
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Geochemistry
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Geochronology
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Geographic Information System
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Global surface temperature anomaly
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349

- Granulite facies rocks
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Great Boundary Fault
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Groundwater modeling
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Group velocity
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Gujarat
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Hankel Transform
 Fast computation of Hankel Transform using orthogonal exponential approximation of complex kernel function 267
- Hawaii
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Heat and mass transport
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- High resolution regional models
 High resolution numerical weather prediction over the Indian subcontinent 529
- Himalayan sources
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Hinota
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Holocene
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695
- Hydrogeological systems
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- Hydrography
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- India
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Indian Ocean
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Indian Ocean Dipole
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Indian summer monsoon
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Indian summer monsoon rainfall
 Spatial monsoon variability with respect to NAO and SO 601
- Intracratonic basin
 Proterozoic intracontinental basin: The Vindhyan example 3
- Intraseasonal oscillation
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Isotherm
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Isotope stratigraphy
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Kachchh
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Kerogen
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Kilauea
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Kimberlite
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Lamproite
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Landscape evolution
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Landslide
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Landslide hazard
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Last glacial maximum
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695

- Lava
The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Lava flows
Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Log-transformation
Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log–ratio transformation of major-element data 485
- Macro-algal zone
Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Magnetic basement
Structure of Charnockitic basement in a part of the Krishna–Godavari basin, Andhra Pradesh 387
- Magnetic survey
Structure of Charnockitic basement in a part of the Krishna–Godavari basin, Andhra Pradesh 387
- Majhgawan
Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Marine boundary layer
Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Marine notches
Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Mat-induced structures
Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Maturation
Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Mesoproterozoic
Chuarina circularis from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis–gas chromatography 99
- Mesoscale
Simulation of a Himalayan cloudburst event 299
- Mesoscale model
A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Meteoric water
Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Methane emission
Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Mexico
Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log–ratio transformation of major-element data 485
- Microbial mat
Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Microfossils
Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Micro-organisms
Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- MM5
Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Modal composition
Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Models
The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Modflow
Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Monsoon
Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203
Coccolithophores from the central Arabian Sea: Sediment trap results 415
Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Monsoon transition
Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Mujib basin–Jordan
Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Multilayered half-space
Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Multimodel superensemble forecasts
High resolution numerical weather prediction over the Indian subcontinent 529
- Narmada–Son lineament
Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Neoproterozoic
Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Nitrogen dioxide
Retrieval of stratospheric O₃ and NO₂ vertical profiles using zenith scattered light observations 333
- Nomenclature
Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239

- North Atlantic oscillation
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349
 Spatial monsoon variability with respect to NAO and SO 601
- Northeast monsoon rainfall
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349
- Numerical weather prediction
 High resolution numerical weather prediction over the Indian subcontinent 529
- Onset phase of monsoon
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Onset/active/break cycle of monsoon
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Operational mesoscale dispersion model
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Orangeite
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Organic matter
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Orissa
 Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203
- Ozone
 Retrieval of stratospheric O₃ and NO₂ vertical profiles using zenith scattered light observations 333
- Ozone depletion
 Ozone decline and its effect on night airglow intensity of Na 5893 Å at Dumdum (22.5°N, 88.5°E) and Halley Bay (76°S, 27°W) 607
- Palaeobiology
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Paleoenvironment
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Panna
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Particle-associated carbohydrates
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Particulate nitrogen
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Phase velocity
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Physical initialization
 High resolution numerical weather prediction over the Indian subcontinent 529
- Physical model
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Phytoplankton
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Plane strain
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Poisson's ratio
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Poroelastic
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Potholes
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Power law
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Pre-stress
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Propagator matrix
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Proterozoic
 Proterozoic intracontinental basin: The Vindhyan example 3
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Proxies
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Pulicat lake
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Pyrite
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Pyrolysis-gas chromatography
Chuaria circularis from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis-gas chromatography 99
- Quartz-syenite
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239

- Quaternary sea level
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Rainfall variability
 Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203
- Reflection band
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Regression
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Remote sensing
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Rewa Group
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Risk analysis
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Rocky terraces
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- RSL
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Sea breeze
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Sea level
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Seaweeds
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Sediment trap
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Sedimentation
 Proterozoic intracontinental basin: The Vindhyan example 3
- Semri Group
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Sequence stratigraphy
 Proterozoic intracontinental basin: The Vindhyan example 3
- Significant wave height
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Siliciclastics
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Similarity index
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Singhbhum Craton
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Size-distribution
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Sodar
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Solar zenith angle
 Retrieval of stratospheric O₃ and NO₂ vertical profiles using zenith scattered light observations 333
- Southern oscillation
 Spatial monsoon variability with respect to NAO and SO 601
- Spatial and temporal variation
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Species diversity
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Spectral modeling
 High resolution numerical weather prediction over the Indian subcontinent 529
- Standard igneous norm and volcanic rock classification system computer program
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Surface energy balance
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Surface loads
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Suspended particulate matter
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Synoptic flow
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Tectonic uplift
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Tectonics
 Structure of Charnockitic basement in a part of the Krishna-Godavari basin, Andhra Pradesh 387
- Teeth and socket structures
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Teleconnection
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349

- Temporal variability
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Tether balloon
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Thermal internal boundary layer
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Thermodynamic structure
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Total column density
 Retrieval of stratospheric O₃ and NO₂ vertical profiles using zenith scattered light observations 333
- Trace gases
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Trace metal
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Transition in Bowen ratio
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Transparent exopolymeric particles
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Tropical rainfall measuring mission
 Simulation of a Himalayan cloudburst event 299
- Tsunami
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Two dimensional
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- U–Pb zircon dating
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Upwelling and dissolution
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Validation
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Velocities
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Vindhyan
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Vindhyan basin
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Vindhyan Supergroup
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
Chuaria circularis from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis–gas chromatography 99
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Volcanism
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Wavelet analysis
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Wavy laminae
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Welded half-spaces
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Whole-rock XRD
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Wind-wave
 Impact of sea breeze on wind-seas off Goa, west coast of India 229