

SUBJECT INDEX

- Ab initio* structure
 Structure determination at room temperature and phase transition studies above T_c in $ABi_4Ti_4O_{15}$ (A = Ba, Sr or Pb) 275
- A.c. conductivity
 Structural, dielectric and electrical properties of Sm-modified $Pb(SnTi)O_3$ ferroelectric system 517
 A simple technique for a.c. conductivity measurements 647
- A.c. electrical conductivity
 Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- Acetone conversion
 Catalytic characterization of bi-functional catalysts derived from Pd–Mg–Al layered double hydroxides 283
- Acid-base properties
 Promoting effect of CeO_2 on cyclohexanol conversion over CeO_2 –ZnO mixed oxide materials prepared by amorphous citrate process 155
- Acoustic emission
 Evaluation of thermal shock resistance of cordierite honeycombs 127
- Activation energy
 Crystal structure transformation of TiO_2 in presence of Fe_2O_3 and NiO in air atmosphere 267
 Formation of oxygen related donors in step-annealed CZ–silicon 589
- AFM
 Thermal sensor properties of PANI(EB)– CSA_X ($X = 0.4 \pm 0.1$ mol) polymer thin films 521
- Alkaline hydrolysis
 Development of nano indium tin oxide (ITO) grains by alkaline hydrolysis of In(III) and Sn(IV) salts 505
- II–VI and III–V alloys
 New semiconductor materials for magnetoelectronics at room temperature 541
- Al–Si alloy
 Development of diamond coated tool and its performance in machining Al–11% Si alloy 487
- Aluminium alloys
 Effect of alloying with zinc on SFE of aluminium by study of lattice imperfections in cold worked Al–Zn alloys 315
- Aluminium nitride
 Sintering of nano crystalline α silicon carbide doping with aluminium nitride 121
- Aluminium oxide
 Carbonaceous alumina films deposited by MOCVD from aluminium acetylacetonate: a spectroscopic ellipsometry study 163
- Ambient temperature
 Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- Ammonium halide mixed crystals
 Systematic hardness measurements on $CsCl_xBr_{(1-x)}$ and NH_4
 $Cl_xBr_{(1-x)}$ mixed crystals 31
- Amorphous and nanocrystalline
 Influence of quench rates on the properties of rapidly solidified FeNbCuSiB alloy 573
- Anatase
 Crystal structure transformation of TiO_2 in presence of Fe_2O_3 and NiO in air atmosphere 267
- Annealing
 UV-photoactivation technique for size and shape controlled synthesis and annealing of stable gold nanoparticles in micelle 509
 Formation of oxygen related donors in step-annealed CZ–silicon 589
- Anomalous dispersion
 Experimental f'' of As at 170, 200, 250 and 300 K from the Bijvoet pairs of GaAs 325
- ARE
 Deposition of silicon films in presence of nitrogen plasma—A feasibility study 399
- Arsenic
 Silver and gold nanocluster catalyzed reduction of methylene blue by arsine in micellar medium 577
- Ash disposal
 Utilization of mixed pond ash in integrated steel plant for manufacturing superior quality bricks 443
- Ash utilization
 Dielectric properties of fly ash 37
- Aurivillius phases
 Structure determination at room temperature and phase transition studies above T_c in $ABi_4Ti_4O_{15}$ (A = Ba, Sr or Pb) 275
- Austenite–martensite
 Mössbauer studies on athermal martensite formation in an Fe–Ni–Mn alloy 359
- Barium ferrite
 Effect of boric acid sintering aid on densification of barium ferrite 569
- Bi_2O_3 – Eu_2O_3 binary system
 Synthesis and characterization of **b** type solid solution in the binary system of Bi_2O_3 – Eu_2O_3 583
- Bifunctional catalyst
 Catalytic characterization of bi-functional catalysts derived from Pd–Mg–Al layered double hydroxides 283
- Bioactive glass–ceramic
 Preliminary *in vitro* and *in vivo* characterizations of a sol–gel derived bioactive glass–ceramic system 419
- Bismuth trioxide polymorphs
 Synthesis and characterization of **b** type solid solution in the binary system of Bi_2O_3 – Eu_2O_3 583
- Blends
 Mechanical and microstructure studies on the modification of CA film by blending with PS 25
- Boehmite sol

- Rheological properties of boehmite sols during ageing at room temperature ($30 \pm 1^\circ\text{C}$) under closed condition 115
- Boron carbide
Sintering of nano crystalline α silicon carbide by doping with boron carbide 181
- BPSCCO superconductor
Non-destructive evaluation of defects in ferromagnetic plates using a sensitive magnetic sensor based on second harmonic response of superconducting $\text{Bi}_{1.6}\text{Pb}_{0.4}\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+d}$ pellet 101
- Building materials
Utilization of mixed pond ash in integrated steel plant for manufacturing superior quality bricks 443
- Bulk resistance
A simple technique for a.c. conductivity measurements 647
- Cast iron
Cast iron deterioration with time in various aqueous salt solutions 53
- Cation distribution
Infrared absorption spectroscopic study of Nd^{3+} substituted Zn-Mg ferrites 351
- Cell attachment
Cell attachment on diamond-like carbon coating 7
- Cellulose acetate
Mechanical and microstructure studies on the modification of CA film by blending with PS 25
- $\text{CeO}_2\text{-ZnO}$
Promoting effect of CeO_2 on cyclohexanol conversion over $\text{CeO}_2\text{-ZnO}$ mixed oxide materials prepared by amorphous citrate process 155
- Ceramic foam
Shape forming of ceramics via gelcasting of aqueous particulate slurries 565
- Ceramics
Preparation of $\text{Si}_3\text{N}_4\text{-SiC}$ composites by microwave route 593
- Ceria stabilized zirconia
Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
- Cesium halide mixed crystals
Systematic hardness measurements on $\text{CsCl}_x\text{Br}_{(1-x)}$ and $\text{NH}_4\text{Cl}_x\text{Br}_{(1-x)}$ mixed crystals 31
- Cesium halides
Systematic hardness measurements on single crystals and polycrystalline blanks of cesium halides 203
- Chalcogenide glasses
Simultaneous measurements of thermal conductivity and diffusivity of $\text{Se}_{80}\text{Te}_{20-x}\text{In}_x$ ($x = 2, 4, 6$ and 10) chalcogenide glasses at room temperature 241
- Characterization
Characteristics of HgCdTe epilayer grown by LPE using horizontal slider 483
- Charpy impact toughness
Impact toughness of high strength low alloy TMT reinforcement ribbed bar 319
- Chemically amplified resist
Progress in deep-UV photo resists 553
- Chloride
Stress corrosion cracking of AISI 321 stainless steel in acidic chloride solution 47
- Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
- Chloride induced corrosion
Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- Chromite ore fines
Flocculation of chromite ore fines suspension using polysaccharide based graft copolymers 477
- Citrate process
Promoting effect of CeO_2 on cyclohexanol conversion over $\text{CeO}_2\text{-ZnO}$ mixed oxide materials prepared by amorphous citrate process 155
- Coal suspension
Grafted hydroxypropyl guar gum: Development, characterization and application as flocculating agent 537
- Cold working
Effect of alloying with zinc on SFE of aluminium by study of lattice imperfections in cold worked Al-Zn alloys 315
- Combustion temperature
Self-propagating high temperature synthesis and magnetic properties of $\text{Ni}_{0.35}\text{Zn}_{0.65}\text{Fe}_2\text{O}_4$ powders 263
- Complex impedance spectroscopy
A simple technique for a.c. conductivity measurements 647
- Complex shape
Shape forming of ceramics via gelcasting of aqueous particulate slurries 565
- Composites
Ion transport in some solid state proton conducting composites studied from volta cell e.m.f. and complex impedance spectroscopy 197
Studies of properties of rubber wood with impregnation of polymer 527
Preparation of $\text{Si}_3\text{N}_4\text{-SiC}$ composites by microwave route 593
- III-V compound semiconductor
Experimental f'' of As at 170, 200, 250 and 300 K from the Bijvoet pairs of GaAs 325
- Concrete
Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
- Concrete reinforcement
Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- Conductivity
Metal oxalate complexes as novel inorganic dopants: Studies on their effect on conducting polyaniline 613
- Contact load
Fretting fatigue in AISI 1015 steel 109
- Copper
Thermodynamic investigation of the MOCVD of copper films from *bis*(2,2,6,6-tetramethyl-3,5-heptadionato) copper(II) 391
- Copper clusters
Organization of copper nanoclusters in Langmuir-Blodgett films 1
- Copper metallization
Semiconductor applications of plasma immersion ion implantation technology 549

- Copper–chromium–zirconium alloy
Effect of thermomechanical treatment on mechanical properties and electrical conductivity of a CuCrZr alloy 59
- Cordierite
Evaluation of thermal shock resistance of cordierite honeycombs 127
- Corrosion
Cast iron deterioration with time in various aqueous salt solutions 53
Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
Influence of quench rates on the properties of rapidly solidified FeNbCuSiB alloy 573
- Corrosion rate
Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- Cortical bone
Characterization of silane coated hollow sphere alumina-reinforced ultra high molecular weight polyethylene composite as a possible bone substitute material 609
- Cr–K-edge
Comparative study of the electronic structure of natural and synthetic rubies using XAFS and EDAX analyses 653
- Crosslinker
Studies of properties of rubber wood with impregnation of polymer 527
- Crystallization
Influence of quench rates on the properties of rapidly solidified FeNbCuSiB alloy 573
- Crystallization temperature
Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol–gel derived ZrO_2 –2 mol% RE_2O_3 spun fibres calcined at 1300°C 413
- Crystallographic rearrangement
Crystal structure transformation of TiO_2 in presence of Fe_2O_3 and NiO in air atmosphere 267
- C steels
Metadynamic recrystallization in C steels 291
- CVD diamond coating
Development of diamond coated tool and its performance in machining Al–11% Si alloy 487
- Cyclohexanol conversion
Promoting effect of CeO_2 on cyclohexanol conversion over CeO_2 –ZnO mixed oxide materials prepared by amorphous citrate process 155
- Degree of cold deformation
Effect of thermomechanical treatment on mechanical properties and electrical conductivity of a CuCrZr alloy 59
- Delay cycles
Fatigue crack growth retardation in spot heated mild steel sheet 301
- Densification
Effect of boric acid sintering aid on densification of barium ferrite 569
- Detection limits
Development of a total reflection X-ray fluorescence spectrometer for ultra-trace element analysis 435
- Diamond like carbon
Cell attachment on diamond-like carbon coating 7
- Dielectric constant
Dielectric properties of fly ash 37
Synthesis, structure and characterization of ceramic $Ca_4Bi_2Ti_4Nb_6O_{30}$ 133
Structural, dielectric and transport properties of $Pb(Mn_{0.5}W_{0.5})O_3$ 347
- Dielectric permittivity
Structural, dielectric and electrical properties of Sm-modified $Pb(SnTi)O_3$ ferroelectric system 517
- Dielectric properties
Synthesis of $Ba_3ZnNb_2O_9$ – $Sr_3ZnNb_2O_9$ solid solution and their dielectric properties 259
- Diffusion barrier
Semiconductor applications of plasma immersion ion implantation technology 549
- Diluted magnetic semiconductor
New semiconductor materials for magnetoelectronics at room temperature 541
- Dimethylamine
Improved zinc oxide film for gas sensor applications 513
- Direct laser fabrication
Microstructural characterization of the g -TiAl alloy samples fabricated by direct laser fabrication rapid prototype technique 619
- Dislocations
Effect of alloying with zinc on SFE of aluminium by study of lattice imperfections in cold worked Al–Zn alloys 315
- Displacement sensor
A novel method for sensing rotational speed, linear displacement and current using superconducting BPSCCO magnetic sensor 463
- 3-D mapping
3-D mapping with ellipsometrically determined physical thickness/refractive index of spin coated sol–gel silica layer 557
- Ductile-brittle transition
Impact toughness of high strength low alloy TMT reinforcement ribbed bar 319
- DUV lithography
Progress in deep-UV photoresists 553
- Electrical conductivity
Electrical properties of silver selenide thin films prepared by reactive evaporation 407
- Electrical properties
Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- Electrolytic effect
Evolution, dissolution and reversible generation of gold and silver nanoclusters in micelle by UV-activation 581
- Electron diffraction
Fine structures in Fe_3Al alloy layer of a new hot dip aluminized steel 635
- Electron microscopy
TEM observation and fracture morphology in the CGHAZ of a new 0Cr18Mo2Ti ferritic stainless steel 361
- Ellipsometric studies
3-D mapping with ellipsometrically determined physical

- thickness/refractive index of spin coated sol-gel silica layer 557
- Ellipsometry
 Carbonaceous alumina films deposited by MOCVD from aluminium acetylacetonate: a spectroscopic ellipsometry study 163
 Deposition of silicon films in presence of nitrogen plasma—A feasibility study 399
- Epoxy
 Analysis of filler-fibre interaction in fly ash filled short fibre-epoxy composites using ultrasonic NDE 137
- ESR
 Synthesis and characterization of sol-gel derived ZnS: Mn²⁺ nanocrystallites embedded in a silica matrix 175
- EXAFS
 Comparative study of the electronic structure of natural and synthetic rubies using XAFS and EDAX analyses 653
- Failure mechanism
 Fretting fatigue in AISI 1015 steel 109
- Fast ion conductors
 Phonons in mixed superionic fluorites (BaF₂)_{1-x}(LaF₃)_x 459
- Fatigue crack growth retardation
 Fatigue crack growth retardation in spot heated mild steel sheet 301
- fcc* transition metals
 Volume variation of Gruneisen parameters of *fcc* transition metals 63
- Fe₃Al/Q235 diffusion-bonded zone
 Micro-image analysis in the diffusion-bonded zone of Fe₃Al/Q235 carbon steel dissimilar materials 367
- FEM
 Evaluation of thermal shock resistance of cordierite honeycombs 127
- Ferritic stainless steel
 TEM observation and fracture morphology in the CGHAZ of a new 0Cr18Mo2Ti ferritic stainless steel 361
- Fe-Si
 Microstructure characterization of fluidized bed nitrided Fe-Si and Fe-Si-Al foils 219
- Fe-Si-Al foils
 Microstructure characterization of fluidized bed nitrided Fe-Si and Fe-Si-Al foils 219
- Fibre
 Analysis of filler-fibre interaction in fly ash filled short fibre-epoxy composites using ultrasonic NDE 137
- Fibre reinforced ceramic matrix composites
 A novel technique for fabrication of near-net-shape CMCs 493
- Fibroblast cells
 Bone growth response with porous hydroxyapatite granules in a critical sized lapine tibial-defect model 141
 Preliminary *in vitro* and *in vivo* characterizations of a sol-gel derived bioactive glass-ceramic system 419
- Filler
 Analysis of filler-fibre interaction in fly ash filled short fibre-epoxy composites using ultrasonic NDE 137
- Filler-fibre interaction
 Analysis of filler-fibre interaction in fly ash filled short fibre-epoxy composites using ultrasonic NDE 137
- Fine structure
 XRD and TEM analysis of microstructure in the welding zone of 9Cr-1Mo-V-Nb heat-resisting steel 213
- First order phase transition
 Synthesis and characterization of tetraethylammonium tetrachlorocobaltate crystals 41
- Flocculation
 Flocculation of chromite ore fines suspension using polysaccharide based graft copolymers 477
 Grafted hydroxypropyl guar gum: Development, characterization and application as flocculating agent 537
- Fluidized-bed
 Microstructure characterization of fluidized bed nitrided Fe-Si and Fe-Si-Al foils 219
- Fly ash
 Dielectric properties of fly ash 37
 Analysis of filler-fibre interaction in fly ash filled short fibre-epoxy composites using ultrasonic NDE 137
 Utilization of mixed pond ash in integrated steel plant for manufacturing superior quality bricks 443
- Fly ash bricks
 Utilization of mixed pond ash in integrated steel plant for manufacturing superior quality bricks 443
- Force constants
 Infrared absorption spectroscopic study of Nd³⁺ substituted Zn-Mg ferrites 351
- Foreword 449
- Fracture
 TEM observation and fracture morphology in the CGHAZ of a new 0Cr18Mo2Ti ferritic stainless steel 361
- Fretting fatigue
 Fretting fatigue in AISI 1015 steel 109
- FTIR and XRD studies
 Development of nano indium tin oxide (ITO) grains by alkaline hydrolysis of In(III) and Sn(IV) salts 505
- Functionally gradient
 Bi-layer functionally gradient thick film semiconducting methane sensors 497
- GaAs
 Experimental f'' of As at 170, 200, 250 and 300 K from the Bijvoet pairs of GaAs 325
- Gas sensor
 Study of YSZ-based electrochemical sensors with oxide electrodes for high temperature applications 451
 Improved zinc oxide film for gas sensor applications 513
- Gate dielectric
 Semiconductor applications of plasma immersion ion implantation technology 549
- Gel point
 Rheological properties of boehmite sols during ageing at room temperature (30 ± 1°C) under closed condition 115
- Gelcasting
 Shape forming of ceramics via gelcasting of aqueous particulate slurries 565
- Gold nanoparticles
 UV-photoactivation technique for size and shape controlled synthesis and annealing of stable gold nanoparticles in micelle 509

- Graft copolymer
 Flocculation of chromite ore fines suspension using poly-saccharide based graft copolymers 477
 Grafted hydroxypropyl guar gum: Development, characterization and application as flocculating agent 537
- Grain boundaries
 A simple technique for a.c. conductivity measurements 647
- Grain boundary segregation
 Impact toughness of high strength low alloy TMT reinforcement ribbed bar 319
- Green machining
 Shape forming of ceramics via gelcasting of aqueous particulate slurries 565
- Green's function
 On the symmetry of phosphorous doped ZnSe 329
- Gruneisen parameter
 Volume variation of Gruneisen parameters of *fcc* transition metals 63
- Hardening
 Surface modification on PMMA : PVDF polyblend: hardening under different chemical environment 21
- Hardness
 Systematic hardness measurements on $\text{CsCl}_x\text{Br}_{(1-x)}$ and $\text{NH}_4\text{Cl}_x\text{Br}_{(1-x)}$ mixed crystals 31
- Heat-affected zone
 TEM observation and fracture morphology in the CGHAZ of a new 0Cr18Mo2Ti ferritic stainless steel 361
- Heat-resisting steel
 XRD and TEM analysis of microstructure in the welding zone of 9Cr-1Mo-V-Nb heat-resisting steel 213
- Heavy metal
 Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
- Heusler alloys
 Hyperfine field distributions in disordered Mn_2CoSn and Mn_2NiSn Heusler alloys 309
- Hexagonal ferrite
 A study on the behaviour of M-type barium hexagonal ferrite based microwave absorbing paints 169
- HgCdTe
 Characteristics of HgCdTe epilayer grown by LPE using horizontal slider 483
- High-*k* dielectric
 ZrO_2 as a high-*k* dielectric for strained SiGe MOS devices 455
- High pure cadmium
 Purification of cadmium up to 5N+ by vacuum distillation 479
- High purity tellurium
 Preparation of high purity tellurium by zone refining 79
- Honeycomb
 Evaluation of thermal shock resistance of cordierite honeycombs 127
- HTPB
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Hydrogen embrittlement
 Effect of hydrogen on the mechanical behaviour of carbon-alloyed Fe_3Al -based iron aluminides 209
- Hydrotalcite
 Catalytic characterization of bi-functional catalysts derived from Pd-Mg-Al layered double hydroxides 283
- Hydroxyapatite granules
 Bone growth response with porous hydroxyapatite granules in a critical sized lapine tibial-defect model 141
- Hydroxypropyl guar gum-g-polyacrylamide
 Grafted hydroxypropyl guar gum: Development, characterization and application as flocculating agent 537
- Hyperfine field distribution
 Hyperfine field distributions in disordered Mn_2CoSn and Mn_2NiSn Heusler alloys 309
- Impurity diffusion
 Si diffusion in GaAs 335
- Indentation
 Microhardness studies on as-grown faces of NaClO_3 and NaBrO_3 crystals 641
- Inhibitor
 Stress corrosion cracking of AISI 321 stainless steel in acidic chloride solution 47
- Integrated steel plant
 Utilization of mixed pond ash in integrated steel plant for manufacturing superior quality bricks 443
- Interface
 Ion transport in some solid state proton conducting composites studied from volta cell e.m.f. and complex impedance spectroscopy 197
- Ion beam assisted deposition
 Cell attachment on diamond-like carbon coating 7
- Ionic size
 Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol-gel derived ZrO_2 -2 mol% RE_2O_3 spun fibres calcined at 1300 C 413
- Ionic transport
 Ion transport in some solid state proton conducting composites studied from volta cell e.m.f. and complex impedance spectroscopy 197
- Ion-implantation
 Ion-beam modifications of the surface morphology and conductivity in some polymer thin films 403
- Iono-covalent bond
 Simultaneous measurements of thermal conductivity and diffusivity of $\text{Se}_{80}\text{Te}_{20-x}\text{In}_x$ ($x = 2, 4, 6$ and 10) chalcogenide glasses at room temperature 241
- IR absorption
 Infrared absorption spectroscopic study of Nd^{3+} substituted Zn-Mg ferrites 351
- Iron aluminides
 Effect of hydrogen on the mechanical behaviour of carbon-alloyed Fe_3Al -based iron aluminides 209
 Fine structures in Fe_3Al alloy layer of a new hot dip aluminized steel 635
- Isomer shift
 Mössbauer studies on athermal martensite formation in an Fe-Ni-Mn alloy 359

- ITO nanoparticles
 Development of nano indium tin oxide (ITO) grains by alkaline hydrolysis of In(III) and Sn(IV) salts 505
- I*-z spectroscopy
 A method employing STM for the estimation of relative changes in the work function of modified metal tips 247
- Jahn Teller distortion
 On the symmetry of phosphorous doped ZnSe 329
- Knoop hardness
 Systematic hardness measurements on single crystals and polycrystalline blanks of cesium halides 203
- Lateral acetyloxy group
 Azomesogens with 1,2,4-trisubstituted benzene moiety 355
- Lattice dynamics
 Si diffusion in GaAs 335
- Lattice strain
 Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol-gel derived ZrO₂-2 mol% RE₂O₃ spun fibres calcined at 1300°C 413
- LB films
 Organization of copper nanoclusters in Langmuir-Blodgett films 1
- Lead borate glasses
 Infrared spectra of zinc doped lead borate glasses 75
- Localized vibrational modes
 On the symmetry of phosphorous doped ZnSe 329
- Loss tangent
 Structural, dielectric and electrical properties of Sm-modified Pb(SnTi)O₃ ferroelectric system 517
- Low temperature preparation
 Low temperature preparation of nanocrystalline solid solution of strontium barium niobate by chemical process 501
- Low-thermal expansion
 Synthesis and thermal expansion hysteresis of Ca_{1-x}Sr_xZr₄P₆O₂₄ 191
- LPE
 Characteristics of HgCdTe epilayer grown by LPE using horizontal slider 483
- Luminescence
 Synthesis and characterization of sol-gel derived ZnS: Mn²⁺ nanocrystallites embedded in a silica matrix 175
- Machining
 Development of diamond coated tool and its performance in machining Al-11% Si alloy 487
- Magnetic materials
 Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- Magnetic properties
 Self-propagating high temperature synthesis and magnetic properties of Ni_{0.35}Zn_{0.65}Fe₂O₄ powders 263
 Influence of quench rates on the properties of rapidly solidified FeNbCuSiB alloy 573
- Magnetic sensor
 Non-destructive evaluation of defects in ferromagnetic plates using operating magnetic sensor based on second harmonic response of superconducting Bi_{1.6}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+d} pellet 101
- A novel method for sensing rotational speed, linear displacement and current using superconducting BPSCCO magnetic sensor 463
- Materials
 Synthesis of Ba₃ZnNb₂O₉-Sr₃ZnNb₂O₉ solid solution and their dielectric properties 259
- Mechanical properties
 Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
 Effect of hydrogen on the mechanical behaviour of carbon-alloyed Fe₃Al-based iron aluminides 209
- Membrane
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Mercuric iodide
 Photoelectronic properties of HgI₂ crystals for nuclear radiation detection 85
- Metadynamic recrystallization
 Metadynamic recrystallization in C steels 291
- Metal oxalate complex dopant
 Metal oxalate complexes as novel inorganic dopants: Studies on their effect on conducting polyaniline (MF₂)_{1-x}(RF₃)_x 613
 Phonons in mixed superionic fluorites (BaF₂)_{1-x}(LaF₃)_x 459
- MIBK
 Catalytic characterization of bi-functional catalysts derived from Pd-Mg-Al layered double hydroxides 283
- Micelle
 Silver and gold nanocluster catalyzed reduction of methylene blue by arsine in micellar medium 577
 Evolution, dissolution and reversible generation of gold and silver nanoclusters in micelle by UV-activation 581
- Microhardness
 Surface modification on PMMA : PVDF polyblend: hardening under chemical environment 21
 Microhardness studies on as-grown faces of NaClO₃ and NaBrO₃ crystals 641
- Microstructure
 Effect of hydrogen on the mechanical behaviour of carbon-alloyed Fe₃Al-based iron aluminides 209
 TEM observation and fracture morphology in the CGHAZ of a new 0Cr18Mo2Ti ferritic stainless steel 361
 Effect of microstructure on the high temperature strength of nitride bonded silicon carbide composite 387
 Microstructural characterization of the g-TiAl alloy samples fabricated by direct laser fabrication rapid prototype technique 619
- Microwave absorbing paint
 A study on the behaviour of M-type barium hexagonal ferrite based microwave absorbing paints 169
- Microwave processing
 Preparation of Si₃N₄-SiC composites by microwave route 593
- Microwave properties
 Microwave properties of vanadium borate glasses 431
- Microwave sintering
 Preparation of Si₃N₄-SiC composites by microwave route

- 593
- Mineral industry effluent
 Flocculation of chromite ore fines suspension using polysaccharide based graft copolymers 477
- Mixed ferrites
 Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- MOCVD
 Carbonaceous alumina films deposited by MOCVD from aluminium acetylacetonate: a spectroscopic ellipsometry study 163
 Thermodynamic investigation of the MOCVD of copper films from *bis*(2,2,6,6-tetramethyl-3,5-heptadionato)copper(II) 391
- Molecular model
 On the symmetry of phosphorous doped ZnSe 329
- Mössbauer spectroscopy
 Mössbauer studies on athermal martensite formation in an Fe–Ni–Mn alloy 359
- Mullite–cordierite–cristobalite
 Paper pulp waste—A new source of raw material for the synthesis of a porous ceramic composite 381
- Musa paradisiaca* (banana) plant
 Mechanical and microstructure studies on the modification of CA film by blending with PS 25
- NaBrO₃
 Microhardness studies on as-grown faces of NaClO₃ and NaBrO₃ crystals 641
- NaClO₃
 Microhardness studies on as-grown faces of NaClO₃ and NaBrO₃ crystals 641
- Nanocrystalline
 Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
- Nanocrystalline solid solution
 Low temperature preparation of nanocrystalline solid solution of strontium barium niobate by chemical process 501
- Nanoparticle
 Synthesis and characterization of sol–gel derived ZnS: Mn²⁺ nanocrystallites embedded in a silica matrix 175
 Silver and gold nanocluster catalyzed reduction of methylene blue by arsine in micellar medium 577
 Evolution, dissolution and reversible generation of gold and silver nanoclusters in micelle by UV-activation 581
- Natural and synthetic rubies
 Comparative study of the electronic structure of natural and synthetic rubies using XAFS and EDAX analyses 653
- NDE
 Analysis of filler–fibre interaction in fly ash filled short fibre–epoxy composites using ultrasonic NDE 137
- Near-net-shape
 Shape forming of ceramics via gelcasting of aqueous particulate slurries 565
- Nematic mesophase
 Azomesogens with 1,2,4-trisubstituted benzene moiety 355
- New bone
 Bone growth response with porous hydroxyapatite granules in a critical sized lapine tibial-defect model 141
- New donors
 Formation of oxygen related donors in step-annealed Cz–silicon 589
- Nitridation
 Effect of microstructure on the high temperature strength of nitride bonded silicon carbide composite 387
- Nitride bonded silicon carbide composite
 Effect of microstructure on the high temperature strength of nitride bonded silicon carbide composite 387
- Nitriding mechanism
 Microstructure characterization of fluidized bed nitrided Fe–Si and Fe–Si–Al foils 219
- Ni–Zn ferrite powders
 Self-propagating high temperature synthesis and magnetic properties of Ni_{0.35}Zn_{0.65}Fe₂O₄ powders 263
- Nomex
 Thermally induced structural changes in Nomex fibres 341
- Non-destructive
 Characterization of silane coated hollow sphere alumina-reinforced ultra high molecular weight polyethylene composite as a possible bone substitute material 609
- Non-destructive evaluation
 Non-destructive evaluation of defects in ferromagnetic plates using a sensitive magnetic sensor based on second harmonic response of superconducting Bi_{1.6}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+d} pellet 101
- Nuclear radiation detector
 Photoelectronic properties of HgI₂ crystals for nuclear radiation detection 85
- NZP ceramics
 Synthesis and thermal expansion hysteresis of Ca_{1-x}Sr_xZr₄P₆O₂₄ 191
- Optical materials
 Spectroscopic studies of Cu²⁺ ions in sol–gel derived silica matrix 69
- Optical microscopy
 Ion-beam modifications of the surface morphology and conductivity in some polymer thin films 403
- Optical properties
 Spectroscopic studies of Cu²⁺ ions in sol–gel derived silica matrix 69
 Carbonaceous alumina films deposited by MOCVD from aluminium acetylacetonate: a spectroscopic ellipsometry study 163
- Osteogenesis
 Preliminary *in vitro* and *in vivo* characterizations of a sol–gel derived bioactive glass–ceramic system 419
- Overloading
 Fatigue crack growth retardation in spot heated mild steel sheet 301
- Oxidation rate
 Semiconductor applications of plasma immersion ion implantation technology 549
- Oxide electrode
 Study of YSZ-based electrochemical sensors with oxide electrodes for high temperature applications 451
- Oxides
 Synthesis of Ba₃ZnNb₂O₉–Sr₃ZnNb₂O₉ solid solution and their dielectric properties 259
 Electrochemical activity of heavy metal oxides in the process of

- chloride induced corrosion of steel reinforcement 371
 New semiconductor materials for magnetoelectronics at room temperature 541
- Oxygen
 Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- Palladium
 Catalytic characterization of bi-functional catalysts derived from Pd–Mg–Al layered double hydroxides 283
- Particle size
 Self-propagating high temperature synthesis and magnetic properties of $\text{Ni}_{0.35}\text{Zn}_{0.65}\text{Fe}_2\text{O}_4$ powders 263
- Perovskite
 Superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ thick film ($T_c(0) = 92$ K) on a newly developed perovskite ceramic substrate 95
- Perovskite structure
 Structural, dielectric and transport properties of $\text{Pb}(\text{Mn}_{0.5}\text{W}_{0.5})\text{O}_3$ 347
- Pervaporation
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Phase composition
 Self-propagating high temperature synthesis and magnetic properties of $\text{Ni}_{0.35}\text{Zn}_{0.65}\text{Fe}_2\text{O}_4$ powders 263
- Phase transformation
 Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol–gel derived ZrO_2 –2 mol% RE_2O_3 spun fibres calcined at 1300°C 413
- Phase transition
 Synthesis, structure and characterization of ceramic $\text{Ca}_4\text{Bi}_2\text{Ti}_4\text{Nb}_6\text{O}_{30}$ 133
 Structural, dielectric and transport properties of $\text{Pb}(\text{Mn}_{0.5}\text{W}_{0.5})\text{O}_3$ 347
- Phenol
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Phosphorus
 Impact toughness of high strength low alloy TMT reinforcement ribbed bar 319
- Photoconductivity
 Photoelectronic properties of HgI_2 crystals for nuclear radiation detection 85
- Photolysis
 Evolution, dissolution and reversible generation of gold and silver nanoclusters in micelle by UV-activation 581
- Photoresists
 Progress in deep-UV photoresists 553
- Photovoltaics
 Transparent conducting zinc oxide thin film prepared by off-axis rf magnetron sputtering 227
- Physical and mechanical properties
 Analysis of filler–fibre interaction in fly ash filled short fibre–epoxy composites using ultrasonic NDE 137
- Physical thickness
 3-D mapping with ellipsometrically determined physical thickness/refractive index of spin coated sol–gel silica layer 557
- Plasma immersion ion implantation
 Semiconductor applications of plasma immersion ion implantation technology 549
- Plasticization
 Surface modification on PMMA : PVDF polyblend: hardening under chemical environment 21
- Poly (aniline-co-o-anisidine)
 Influence of copolymer composition on the transport properties of conducting copolymers: poly (aniline-co-o-anisidine) 235
- Polyaniline
 Influence of copolymer composition on the transport properties of conducting copolymers: poly (aniline-co-o-anisidine) 235
 Metal oxalate complexes as novel inorganic dopants: Studies on their effect on conducting polyaniline 613
- Polyaniline(EB)
 Thermal sensor properties of $\text{PANI}(\text{EB})\text{--CSA}_x$ ($X = 0.4 \pm 0.1$ mol) polymer thin films 521
- Polyblend
 Surface modification on PMMA : PVDF polyblend: hardening under chemical environment 21
- Polycrystalline ferrites
 Infrared absorption spectroscopic study of Nd^{3+} substituted Zn–Mg ferrites 351
- Polymer films
 Ion-beam modifications of the surface morphology and conductivity in some polymer thin films 403
- Polymer magnets
 Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- Polymers
 Studies of properties of rubber wood with impregnation of polymer 527
- Polystyrene
 Mechanical and microstructure studies on the modification of CA film by blending with PS 25
- Polytype
 Sintering of nano crystalline α silicon carbide doping with aluminium nitride 121
 Sintering of nano crystalline α silicon carbide by doping with boron carbide 181
- Polyurethane
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Porous ceramic composite
 Paper pulp waste—A new source of raw material for the synthesis of a porous ceramic composite 381
- Powder processing
 Characterization of silane coated hollow sphere alumina-reinforced ultra high molecular weight polyethylene composite as a possible bone substitute material 609
- Powder XRD
 Structure determination at room temperature and phase transition studies above T_c in $\text{ABi}_4\text{Ti}_4\text{O}_{15}$ (A = Ba, Sr or Pb) 275
- Precursor
 Thermodynamic investigation of the MOCVD of copper films from *bis*(2,2,6,6-tetramethyl-3,5-heptadionato)copper(II) 391

- Pseudopotential
Volume variation of Gruneisen parameters of *fcc* transition metals 63
- Pulp waste
Paper pulp waste—A new source of raw material for the synthesis of a porous ceramic composite 381
- Radar cross-section
A study on the behaviour of M-type barium hexagonal ferrite based microwave absorbing paints 169
- Rapid prototyping
Microstructural characterization of the *g*-TiAl alloy samples fabricated by direct laser fabrication rapid prototype technique 619
- Rare earth
Infrared absorption spectroscopic study of Nd³⁺ substituted Zn–Mg ferrites 351
Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol–gel derived ZrO₂–2 mol% RE₂O₃ spun fibres calcined at 1300°C 413
- Reactive evaporation
Electrical properties of silver selenide thin films prepared by reactive evaporation 407
- Refractive index
3-D mapping with ellipsometrically determined physical thickness/refractive index of spin coated sol–gel silica layer 557
- Reinforcement
Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
- Residual stress
Fatigue crack growth retardation in spot heated mild steel sheet 301
- Response time
Alcohol sensing of tin oxide thin film prepared by sol–gel process 231
- Rheology
Rheological properties of boehmite sols during ageing at room temperature (30 ± 1°C) under closed condition 115
- Rice husk
Synthesis of SiC from rice husk in a plasma reactor 561
- Rietveld refinement
Structure determination at room temperature and phase transition studies above *T*_c in ABi₄Ti₄O₁₅ (A = Ba, Sr or Pb) 275
- Rotational speed sensor
A novel method for sensing rotational speed, linear displacement and current using superconducting BPSCCO magnetic sensor 463
- Rubber ferrite composites
Evaluation of a.c. conductivity of rubber ferrite composites from dielectric measurements 599
- Rutile
Crystal structure transformation of TiO₂ in presence of Fe₂O₃ and NiO in air atmosphere 267
- Salts
Cast iron deterioration with time in various aqueous salt solutions 53
- Scanning electron microscopy
Effect of hydrogen on the mechanical behaviour of carbon-alloyed Fe₃Al-based iron aluminides 209
Mössbauer studies on athermal martensite formation in an Fe–Ni–Mn alloy 359
- Scanning tunneling microscope
A method employing STM for the estimation of relative changes in the work function of modified metal tips 247
- Second harmonic response
Non-destructive evaluation of defects in ferromagnetic plates using a sensitive magnetic sensor based on second harmonic response of superconducting Bi_{1.6}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+d} pellet 101
- Segmental mobility
Surface modification on PMMA : PVDF polyblend: hardening under chemical environment 21
- Selenium
Preparation of high purity tellurium by zone refining 79
- SEM
Deposition of silicon films in presence of nitrogen plasma—A feasibility study 399
- Semiconducting glass
Microwave properties of vanadium borate glasses 431
- Semiconductor
Bi-layer functionally gradient thick film semiconducting methane sensors 497
Formation of oxygen related donors in step-annealed CZ–silicon 589
- Semiconductor detector
Photoelectronic properties of HgI₂ crystals for nuclear radiation detection 85
- Semiconductor superlattices
Tunneling of electrons through semiconductor superlattices 469
- Sensitivity
Alcohol sensing of tin oxide thin film prepared by sol–gel process 231
- Sensor
Bi-layer functionally gradient thick film semiconducting methane sensors 497
- Settling velocity
Flocculation of chromite ore fines suspension using polysaccharide based graft copolymers 477
- Shear thinning
Rheological properties of boehmite sols during ageing at room temperature (30 ± 1°C) under closed condition 115
- SHS
Self-propagating high temperature synthesis and magnetic properties of Ni_{0.35}Zn_{0.65}Fe₂O₄ powders 263
- SiGe MOS devices
ZrO₂ as a high-*k* dielectric for strained SiGe MOS devices 455
- Silicon carbide
Sintering of nano crystalline *a* silicon carbide doping with aluminium nitride 121
Sintering of nano crystalline *a* silicon carbide by doping with boron carbide 181
Synthesis of SiC from rice husk in a plasma reactor 561
- Silicon nitride (*b*-phase)
Deposition of silicon films in presence of nitrogen plasma—A feasibility study 399

- Silicone rubber
Investigations of surface characterization of silicone rubber due to tracking phenomena under a.c. and d.c. voltages 473
- Silver selenide
Electrical properties of silver selenide thin films prepared by reactive evaporation 407
- Single crystals
Synthesis and characterization of tetraethylammonium tetrachlorocobaltate crystals 41
- Sintering aid
Effect of boric acid sintering aid on densification of barium ferrite 569
- Sintering mechanism
Sintering of nano crystalline **a** silicon carbide doping with aluminium nitride 121
- Sintering mechanism
Sintering of nano crystalline **a** silicon carbide by doping with boron carbide 181
- Size-strain analysis
Voigt modelling of size-strain analysis: Application to **a**-Al₂O₃ prepared by combustion technique 251
- Small polaron hopping
Structural, dielectric and transport properties of Pb(Mn_{0.5}W_{0.5})O₃ 347
- Sn-119 Mössbauer spectroscopy
Hyperfine field distributions in disordered Mn₂CoSn and Mn₂NiSn Heusler alloys 309
- SnO₂
Alcohol sensing of tin oxide thin film prepared by sol-gel process 231
- Sol-gel
Synthesis and characterization of sol-gel derived ZnS : Mn²⁺ nanocrystallites embedded in a silica matrix 175
Alcohol sensing of tin oxide thin film prepared by sol-gel process 231
A novel technique for fabrication of near-net-shape CMCs 493
- Sol-gel glasses
Spectroscopic studies of Cu²⁺ ions in sol-gel derived silica matrix 69
- Sol-gel silica layer
3-D mapping with ellipsometrically determined physical thickness/refractive index of spin coated sol-gel silica layer 557
- Solid solution
Synthesis and characterization of **b** type solid solution in the binary system of Bi₂O₃-Eu₂O₃ 583
- Solid state diffusion
Si diffusion in GaAs 335
- Solution casting techniques
Thermal sensor properties of PANI(EB)-CSA_x (X = 0.4 ± 0.1 mol) polymer thin films 521
- Specific heat
Simultaneous measurements of thermal conductivity and diffusivity of Se₈₀Te_{20-x}In_x (x = 2, 4, 6 and 10) chalcogenide glasses at room temperature 241
- Spectral, structural and thermal characterization
Metal oxalate complexes as novel inorganic dopants: Studies on their effect on conducting polyaniline 613
- Spin-coating method
Alcohol sensing of tin oxide thin film prepared by sol-gel process 231
- Spot heating
Fatigue crack growth retardation in spot heated mild steel sheet 301
- Spray drying
Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
- Sr_xBa_{1-x}Nb₂O₆
Low temperature preparation of nanocrystalline solid solution of strontium barium niobate by chemical process 501
- Stainless steel
Stress corrosion cracking of AISI 321 stainless steel in acidic chloride solution 47
- Steel
Electrochemical activity of heavy metal oxides in the process of chloride induced corrosion of steel reinforcement 371
- Stress corrosion cracking
Stress corrosion cracking of AISI 321 stainless steel in acidic chloride solution 47
- Structural changes
Thermally induced structural changes in Nomex fibres 341
- Structural steel
Fretting fatigue in AISI 1015 steel 109
- Structure
Microstructure characterization of fluidized bed nitrated Fe-Si and Fe-Si-Al foils 219
- Styrene-glycidyl methacrylate
Studies of properties of rubber wood with impregnation of polymer 527
- Superconductor
A novel method for sensing rotational speed, linear displacement and current using superconducting BPSCCO magnetic sensor 463
- Superionic properties
Phonons in mixed superionic fluorites (BaF₂)_{1-x}(LaF₃)_x 459
- Surface alloying
Fine structures in Fe₃Al alloy layer of a new hot dip aluminized steel 635
- Surface conductivity
Ion-beam modifications of the surface morphology and conductivity in some polymer thin films 403
- Surface degradation
Investigations of surface characterization of silicone rubber due to tracking phenomena under a.c. and d.c. voltages 473
- Surface modification
Surface modification on PMMA : PVDF polyblend: hardening under different chemical environment 21
- T_d and C_{3v} symmetries
On the symmetry of phosphorous doped ZnSe 329
- Tellurium purification
Tellurium purification: various techniques and limitations 545
- Temperature coefficient of resistance
Thermal sensor properties of PANI(EB)-CSA_x (X = 0.4 ± 0.1 mol) polymer thin films 521

- Tensile strength
 Role of some rare earth (RE) ions (RE = La, Pr, Nd, Sm, Gd and Dy) in crystal and mechanical behaviours of sol-gel derived ZrO_2 -2 mol% RE_2O_3 spun fibres calcined at $1300^\circ C$ 413
- Tetragonal lattice
 Synthesis and characterization of tetraethylammonium tetrachlorocobaltate crystals 41
- TG-DTA
 Investigations of surface characterization of silicone rubber due to tracking phenomena under a.c. and d.c. voltages 473
- Thermal ageing
 Thermally induced structural changes in Nomex fibres 341
- Thermal analysis
 Development of nano indium tin oxide (ITO) grains by alkaline hydrolysis of In(III) and Sn(IV) salts 505
- Thermal anomaly
 Synthesis and characterization of tetraethylammonium tetrachlorocobaltate crystals 41
- Thermal conductivity
 Simultaneous measurements of thermal conductivity and diffusivity of $Se_{80}Te_{20-x}In_x$ ($x = 2, 4, 6$ and 10) chalcogenide glasses at room temperature 241
- Thermal donors
 Formation of oxygen related donors in step-annealed CZ-silicon 589
- Thermal expansion hysteresis
 Synthesis and thermal expansion hysteresis of $Ca_{1-x}Sr_xZr_4P_6O_{24}$ 191
- Thermal plasma
 Synthesis of SiC from rice husk in a plasma reactor 561
- Thermal precipitation during ageing
 Effect of thermomechanical treatment on mechanical properties and electrical conductivity of a CuCrZr alloy 59
- Thermal sensor
 Thermal sensor properties of PANI(EB)- CSA_X ($X = 0.4 \pm 0.1$ mol) polymer thin films 521
- Thermal shock resistance
 Evaluation of thermal shock resistance of cordierite honeycombs 127
- Thermochemical nitriding treatment
 Microstructure characterization of fluidized bed nitrided Fe-Si and Fe-Si-Al foils 219
- Thermodynamics
 Thermodynamic investigation of the MOCVD of copper films from *bis*(2,2,6,6-tetramethyl-3,5-heptadionato)copper(II) 391
- Thin film
 Thermodynamic investigation of the MOCVD of copper films from *bis*(2,2,6,6-tetramethyl-3,5-heptadionato)copper(II) 391
 Electrical properties of silver selenide thin films prepared by reactive evaporation 407
- Tibia bone
 Preliminary *in vitro* and *in vivo* characterizations of a sol-gel derived bioactive glass-ceramic system 419
- Tin dioxide
 Bi-layer functionally gradient thick film semiconducting methane sensors 497
- Titanium aluminide
 Microstructural characterization of the g -TiAl alloy samples fabricated by direct laser fabrication rapid prototype technique 619
- TMT rebar
 Impact toughness of high strength low alloy TMT reinforcement ribbed bar 319
- Top surface imaging
 Progress in deep-UV photoresists 553
- Toughened ceramics
 Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
- Tracking
 Investigations of surface characterization of silicone rubber due to tracking phenomena under a.c. and d.c. voltages 473
- Transformation
 Crystal structure transformation of TiO_2 in presence of Fe_2O_3 and NiO in air atmosphere 267
- Transparent conductors
 Transparent conducting zinc oxide thin film prepared by off-axis rf magnetron sputtering 227
- Transport properties
 Influence of copolymer composition on the transport properties of conducting copolymers: poly(aniline-co-o-anisidine) 235
- 1,2,4-Trisubstituted benzene
 Azomesogens with 1,2,4-trisubstituted benzene moiety 355
- Tungsten bronze structure
 Synthesis, structure and characterization of ceramic $Ca_4Bi_2Ti_4Nb_6O_{30}$ 133
- Tunneling
 Tunneling of electrons through semiconductor superlattices 469
- TX-100
 UV-photoactivation technique for size and shape controlled synthesis and annealing of stable gold nanoparticles in micelle 509
- TXRF
 Development of a total reflection X-ray fluorescence spectrometer for ultra-trace element analysis 435
- UHMWPE
 Characterization of silane coated hollow sphere alumina-reinforced ultra high molecular weight polyethylene composite as a possible bone substitute material 609
- Ultrasonic
 Characterization of silane coated hollow sphere alumina-reinforced ultra high molecular weight polyethylene composite as a possible bone substitute material 609
- Unit cell parameters
 Synthesis and characterization of tetraethylammonium tetrachlorocobaltate crystals 41
- Vacuum diffusion bonding
 Micro-image analysis in the diffusion-bonded zone of $Fe_3Al/Q235$ carbon steel dissimilar materials 367
- Vacuum distillation
 Purification of cadmium up to 5N+ by vacuum distillation 479
 Tellurium purification: various techniques and limitations 545
- Vacuum infiltration
 A novel technique for fabrication of near-net-shape CMCs

- 493
- Vickers hardness
 Systematic hardness measurements on single crystals and polycrystalline blanks of cesium halides 203
- Viscoelasticity
 Rheological properties of boehmite sols during ageing at room temperature ($30 \pm 1^\circ\text{C}$) under closed condition 115
- $\text{V}_2\text{O}_5\text{-B}_2\text{O}_3$
 Microwave properties of vanadium borate glasses 431
- Voigt function
 Voigt modelling of size-strain analysis: Application to $\alpha\text{-Al}_2\text{O}_3$ prepared by combustion technique 251
- Volume variation of Gruneisen parameter
 Volume variation of Gruneisen parameters of *fcc* transition metals 63
- Waste water
 Synthesis and performance of a novel polyurethaneurea as pervaporation membrane for the selective removal of phenol from industrial waste water 533
- Water
 Cast iron deterioration with time in various aqueous salt solutions 53
 Significance and influence of the ambient temperature as a rate factor of steel reinforcement corrosion 375
- WAXD
 Investigations of surface characterization of silicone rubber due to tracking phenomena under a.c. and d.c. voltages 473
- Welding
 XRD and TEM analysis of microstructure in the welding zone of 9Cr-1Mo-V-Nb heat-resisting steel 213
- Wood
 Studies of properties of rubber wood with impregnation of polymer 527
- Workfunction
 A method employing STM for the estimation of relative changes in the work function of modified metal tips 247
- XANES
 Comparative study of the electronic structure of natural and synthetic rubies using XAFS and EDAX analyses 653
- XPS
 Organization of copper nanoclusters in Langmuir-Blodgett films 1
- X-ray
 Experimental f'' of As at 170, 200, 250 and 300 K from the Bijvoet pairs of GaAs 325
- X-ray diffraction
 Synthesis, structure and characterization of ceramic $\text{Ca}_4\text{Bi}_2\text{Ti}_4\text{Nb}_6\text{O}_{30}$ 133
 Voigt modelling of size-strain analysis: Application to $\alpha\text{-Al}_2\text{O}_3$ prepared by combustion technique 251
 Synthesis of $\text{Ba}_3\text{ZnNb}_2\text{O}_9\text{-Sr}_3\text{ZnNb}_2\text{O}_9$ solid solution and their dielectric properties 259
 Thermally induced structural changes in Nomex fibres 341
- Structural, dielectric and transport properties of $\text{Pb}(\text{Mn}_{0.5}\text{W}_{0.5})\text{O}_3$ 347
- Fine structures in Fe_3Al alloy layer of a new hot dip aluminumized steel 635
- X-ray spectrometry
 Development of a total reflection X-ray fluorescence spectrometer for ultra-trace element analysis 435
- XRD
 Effect of alloying with zinc on SFE of aluminium by study of lattice imperfections in cold worked Al-Zn alloys 315
 Deposition of silicon films in presence of nitrogen plasma—A feasibility study 399
 Structural, dielectric and electrical properties of Sm-modified $\text{Pb}(\text{SnTi})\text{O}_3$ ferroelectric system 517
- XRF
 Development of a total reflection X-ray fluorescence spectrometer for ultra-trace element analysis 435
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ superconducting film
 Superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ thick film ($T_c(0) = 92\text{ K}$) on a newly developed perovskite ceramic substrate 95
- Yield stress
 Rheological properties of boehmite sols during ageing at room temperature ($30 \pm 1^\circ\text{C}$) under closed condition 115
- YSZ
 Study of YSZ-based electrochemical sensors with oxide electrodes for high temperature applications 451
- Ytterbium barium niobate
 Superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ thick film ($T_c(0) = 92\text{ K}$) on a newly developed perovskite ceramic substrate 95
- Zinc oxide film
 Improved zinc oxide film for gas sensor applications 513
- Zinc sulphide
 Synthesis and characterization of sol-gel derived $\text{ZnS}:\text{Mn}^{2+}$ nanocrystallites embedded in a silica matrix 175
- Zirconia
 Synthesis, microstructure and mechanical properties of ceria stabilized tetragonal zirconia prepared by spray drying technique 15
- Zn
 Infrared spectra of zinc doped lead borate glasses 75
- ZnO thin films
 Transparent conducting zinc oxide thin film prepared by off-axis rf magnetron sputtering 227
- ZnSe
 On the symmetry of phosphorous doped ZnSe 329
- Zone refining
 Preparation of high purity tellurium by zone refining 79
 Tellurium purification: various techniques and limitations 545
- ZrO_2
 ZrO_2 as a high-*k* dielectric for strained SiGe MOS devices 455