

## SUBJECT INDEX

- Ab initio*  
Electronic properties of magnetically doped nanotubes 105
- Ab initio* calculation  
Tight-binding model for carbon from the third-generation LMTO method: A study of transferability 27  
Application of genetic algorithms to hydrogenated silicon clusters 127  
Electronic structure and optical properties of thorium mononictides 165  
Variations in first principles calculated defect energies in GaAs and their effect on practical predictions 169
- Ab initio* computer simulation  
Realization of prediction of materials properties by *ab initio* computer simulation 13
- Ab initio* molecular dynamics  
Projector augmented wave method: *ab initio* molecular dynamics with full wave functions 33
- A.c. susceptibility  
A.c. susceptibility study of CaCl<sub>2</sub> doped copper–zinc ferrite system 493  
Structural and magnetic properties of Co<sub>1+y</sub>Sn<sub>y</sub>Fe<sub>2-2y-x</sub>Cr<sub>x</sub>O<sub>4</sub> ferrite system 517
- Activation energy  
Ion transport in Au<sup>+</sup> doped/undoped KDP crystals with KI/NaI as additives 255  
Kinetics of Ge<sub>20</sub>Se<sub>80-x</sub>As<sub>x</sub> ( $x = 0, 5, 10, 15$  and  $20$ ) in glass transition 543
- AFM  
Deposition of TiN/CrN hard superlattices by reactive d.c. magnetron sputtering 233  
Electrical characterization of low temperature deposited oxide films on ZnO/n-Si substrate 693
- Aggregate  
Effect of sillimanite beach sand composition on mullitization and properties of Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub> system 217
- Al-alloys  
Tribological behaviour of conventional Al–Sn and equivalent Al–Pb alloys under lubrication 315
- AlB<sub>2</sub>  
Theoretical study of superconductivity in MgB<sub>2</sub> and its alloys 131
- Alkoxide  
Role of binder in the synthesis of titania membrane 221
- Alloy design  
Alloy design of ductile phosphoric iron: Ideas from archaeometallurgy 483
- Alloys  
Effect of alloying on the electronic structure and magnetic properties of Fe, Co and Ni with Au and Ag 199
- Ambient temperature  
Influence of *w/c* ratio on rate of chloride induced corrosion of steel reinforcement and its dependence on ambient temperature 471
- Aminonaphthalene  
Synthesis and characterization of conducting poly (1-aminonaphthalene), poly (2-aminonaphthalene) and poly (aniline-co-1-aminonaphthalene) 633
- Amorphous alloys  
Corrosion behaviour of amorphous Ti<sub>48</sub>Cu<sub>52</sub>, Ti<sub>50</sub>Cu<sub>50</sub> and Ti<sub>60</sub>Ni<sub>40</sub> alloys investigated by potentiodynamic polarization method 609
- Amorphous phase  
Devitrification of rapidly quenched Al–Cu–Ti amorphous alloys 553
- Ancient Indian copper  
Material characterization of ancient Indian copper 593
- Ancient Indian ore  
Alloy design of ductile phosphoric iron: Ideas from archaeometallurgy 483
- Anharmonicity  
Exchange–correlation errors at harmonic and anharmonic orders: the case of bulk Cu 75
- Anisotropy  
Anisotropic behaviour of semiconducting tin monosulphoselenide single crystals 569
- Anneal hardening  
Influence of degree of deformation in rolling on anneal hardening effect of a cast copper alloy 601
- Antiferroelectrics  
Dielectric properties of Na<sub>1-x</sub>K<sub>x</sub>NbO<sub>3</sub> in orthorhombic phase 619
- Antireflection coatings  
Studies on thin film materials on acrylics for optical applications 239
- Augmented wave methods  
Projector augmented wave method: *ab initio* molecular dynamics with full wave functions 33
- Average lattices  
Orthorhombic rational approximants for decagonal quasicrystals 627
- Bain path  
On the stability of rhenium up to 1 TPa pressure against transition to the *bcc* structure 183
- Band gap  
Optical band gap of Sn<sub>0.2</sub>Bi<sub>1.8</sub>Te<sub>3</sub> thin films 683
- Band structure  
Third-generation muffin–tin orbitals 19
- Barium titanate  
Dielectric properties of piezoelectric 3–0 composites of lithium ferrite/barium titanate 745
- BaTiO<sub>3</sub>  
Total energy calculation of perovskite, BaTiO<sub>3</sub>, by self-consistent tight binding method 155
- Beach sand  
Effect of sillimanite beach sand composition on mullitization and properties of Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub> system 217

- Bearing materials  
Tribological behaviour of conventional Al–Sn and equivalent Al–Pb alloys under lubrication 315
- BeB<sub>2</sub>  
Theoretical study of superconductivity in MgB<sub>2</sub> and its alloys 131
- Binary alloys  
A first-principles thermodynamic approach to ordering in binary alloys 79
- Binary phase diagrams  
Existence domains for invariant reactions in binary regular solution phase diagrams exhibiting two phases 423
- Binders  
Role of binder in the synthesis of titania membrane 221
- Bioceramics  
Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415  
Synthesis and characterization of biocompatible hydroxyapatite coated ferrite 655
- Biocompatibility  
Influence of N atomic percentages on cell attachment for CN<sub>x</sub> coatings 371
- Biocompatible coating  
Synthesis and characterization of biocompatible hydroxyapatite coated ferrite 655
- Blend  
Role of PET in improving wear properties of PP in dry sliding condition 579
- BLSF  
Impedance spectroscopy study of polycrystalline Bi<sub>6</sub>Fe<sub>2</sub>Ti<sub>3</sub>O<sub>18</sub> 247
- Bond-order potentials  
Environmentally dependent bond-order potentials: New developments and applications 43
- Bone substitute  
Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415  
Heat-deproteinated xenogeneic bone from slaughterhouse waste: Physico-chemical properties 523
- Border trap density  
Electrical characterization of low temperature deposited oxide films on ZnO/*n*-Si substrate 693
- c/a* anomaly  
On the electronic structure and equation of state in high pressure studies of solids 175
- Cahn–Hilliard equations  
A study of phase separation in ternary alloys 193
- Calcium phosphate cements  
Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415
- Carbon films  
Nanoindentation and AFM studies of PECVD DLC and reactively sputtered Ti containing carbon films 585
- Carbon materials  
Tight-binding model for carbon from the third-generation LMTO method: A study of transferability 27  
Environmentally dependent bond-order potentials: New developments and applications 43
- Carbon nanotubes  
Electronic properties of magnetically doped nanotubes 105
- Carbon nitride  
Influence of N atomic percentages on cell attachment for CN<sub>x</sub> coatings 371
- Carbonation  
Corrosion of reinforcement induced by environment containing chloride and carbon dioxide 605
- Carbonization  
Carbonization and demineralization of coals: A study by means of FT–IR spectroscopy 721
- Carboxylic acids  
Conductivity behaviour of polymer gel electrolytes: Role of polymer 321
- Car–Parrinello  
Ground state structures and properties of small hydrogenated silicon clusters 117
- Car–Parrinello molecular dynamics  
Ground state structures and properties of Si<sub>3</sub>H<sub>*n*</sub> (*n* = 1–6) clusters 123
- CaSiO<sub>3</sub>  
Preparation and characterization of Eu<sup>3+</sup> activated CaSiO<sub>3</sub>, (CaA)SiO<sub>3</sub> [A = Ba or Sr] phosphors 377
- Cast copper alloy  
Influence of degree of deformation in rolling on anneal hardening effect of a cast copper alloy 601
- Catalytic activity  
A simple red-ox titrimetric method for the evaluation of photo-catalytic activity of titania based catalysts 667
- Cation distribution  
Structural and magnetic properties of Co<sub>1+y</sub>Sn<sub>*y*</sub>Fe<sub>2–2y–x</sub>Cr<sub>*x*</sub>O<sub>4</sub> ferrite system 517
- Cation vacancy  
Solid state sintering of lime in presence of La<sub>2</sub>O<sub>3</sub> and CeO<sub>2</sub> 703
- CdSe thin film  
Space charge limited conduction in CdSe thin films 613
- Cell attachment  
Influence of N atomic percentages on cell attachment for CN<sub>x</sub> coatings 371
- Cement  
Leaching of <sup>60</sup>Co and <sup>137</sup>Cs from spent ion exchange resins in cement–bentonite clay matrix 699
- Ceramics  
Comparative study of dielectric properties of MgNb<sub>2</sub>O<sub>6</sub> prepared by molten salt and ceramic method 741
- Chalcogenide glasses  
Crystallization study of Te–Bi–Se glasses 547
- Charge transport  
Charge dynamics in conducting polyaniline–metal oxalate composites 529
- Chemical homogeneity  
Dielectric, electrical and infrared studies of *g*-Fe<sub>2</sub>O<sub>3</sub> prepared by combustion method 391
- Chloride induced corrosion  
Influence of *w/c* ratio on rate of chloride induced corrosion of steel reinforcement and its dependence on ambient temperature 471
- Chloride ion  
Effect of Cl<sup>–</sup> on the corrosive wear of AISI 321 stainless steel in H<sub>2</sub>SO<sub>4</sub> solution 431
- Chlorides  
Corrosion of reinforcement induced by environment containing chloride and carbon dioxide 605

- Clusters  
Structures of Mn clusters 115
- Co alloying  
Effect of Co on the magnetism and phase stability of lithiated manganese oxides 147
- Coals  
Carbonization and demineralization of coals: A study by means of FT-IR spectroscopy 721
- Coatings on acrylics  
Studies on thin film materials on acrylics for optical applications 239
- Cobalt ferrite  
Mössbauer effect studies and X-ray diffraction analysis of cobalt ferrite prepared in powder form by thermal decomposition method 509
- Coherence length  
Electronic structure and superconductivity of  $MgB_2$  137
- Combustion synthesis  
Dielectric, electrical and infrared studies of  $g-Fe_2O_3$  prepared by combustion method 391
- Complex anodic alumina films  
Formation of complex anodic films on porous alumina matrices 349
- Composite  
Leaching of  $^{60}Co$  and  $^{137}Cs$  from spent ion exchange resins in cement-bentonite clay matrix 699  
Dielectric properties of piezoelectric 3-0 composites of lithium ferrite/barium titanate 745
- Composition dependence  
Kinetics of  $Ge_{20}Se_{80-x}As_x$  ( $x = 0, 5, 10, 15$  and  $20$ ) in glass transition 543
- Conducting polymer  
Electrochemical synthesis and characterization of chloride doped polyaniline 329
- Conductivity  
Conductivity behaviour of polymer gel electrolytes: Role of polymer 321  
Synthesis and characterization of conducting poly (1-aminonaphthalene), poly (2-aminonaphthalene) and poly (aniline-co-1-aminonaphthalene) 633  
Synthesis, characterization and low frequency a.c. conduction of polyaniline/fly ash composites 733
- Conductivity studies  
Conductivity studies in  $SnO-NaPO_3$  glasses 407
- Connectivity  
Dielectric properties of piezoelectric 3-0 composites of lithium ferrite/barium titanate 745
- Controlled rolling  
Effect of heat treatments on the hydrogen embrittlement susceptibility of API X-65 grade line-pipe steel 435
- Conventional sintering  
Development of low-power loss Mn-Zn ferrites using microwave sintering method 499
- Co-polymer  
Synthesis and characterization of conducting poly (1-aminonaphthalene), poly (2-aminonaphthalene) and poly (aniline-co-1-aminonaphthalene) 633
- Copper  
Exchange-correlation errors at harmonic and anharmonic orders: the case of bulk Cu 75
- Correlation  
Exchange-correlation errors at harmonic and anharmonic orders: the case of bulk Cu 75
- Corrosion  
Performance characteristics of a gelled-electrolyte valve-regulated lead-acid battery 465  
Corrosion of reinforcement induced by environment containing chloride and carbon dioxide 605  
Corrosion behaviour of amorphous  $Ti_{48}Cu_{52}$ ,  $Ti_{50}Cu_{50}$  and  $Ti_{60}Ni_{40}$  alloys investigated by potentiodynamic polarization method 609
- Corrosion rate  
Material characterization of ancient Indian copper 593
- Corrosion simulation  
Study on corrosion simulation device for marine structural steel 307
- Corrosive wear  
Effect of  $Cl^-$  on the corrosive wear of AISI 321 stainless steel in  $H_2SO_4$  solution 431
- Coulomb blockade  
Many electron effects in semiconductor quantum dots 63
- Crosslinking  
Development of hardened PVF : PMMA polyblend: effect of gamma and electron irradiation 401
- Crystal growth  
Anisotropic behaviour of semiconducting tin monosulphoselenide single crystals 569
- Crystal morphology  
On the morphology of  $SrCO_3$  crystals grown at the interface between two immiscible liquids 283
- Crystallinity  
Heat-deproteinated xenogeneic bone from slaughterhouse waste: Physico-chemical properties 523
- Crystallization  
Devitrification of rapidly quenched Al-Cu-Ti amorphous alloys 553
- Cu-bearing steel  
Aging of a copper bearing HSLA-100 steel 441
- Cubic  
Novel caged clusters of silicon: Fullerenes, Frank-Kasper polyhedron and cubic 109
- Curie temperature  
A.c. susceptibility study of  $CaCl_2$  doped copper-zinc ferrite system 493  
Structural and magnetic properties of  $Co_{1+y}Sn_yFe_{2-2y-x}Cr_xO_4$  ferrite system 517
- Cyclic voltammetry  
Electrochemical synthesis and characterization of chloride doped polyaniline 329
- D.c. reactive magnetron sputtering  
Deposition of TiN/CrN hard superlattices by reactive d.c. magnetron sputtering 233
- Dark current  
Photoconductivity and dielectric studies of potassium pentaborate crystal (KB5) 383
- Decagonal quasicrystals  
Orthorhombic rational approximants for decagonal quasicrystals 627
- Degradation  
Development of hardened PVF : PMMA polyblend: effect of gamma and electron irradiation 401

- Degree of deformation  
 Influence of degree of deformation in rolling on anneal hardening effect of a cast copper alloy 601
- Delayed failure  
 Effect of heat treatments on the hydrogen embrittlement susceptibility of API X-65 grade line-pipe steel 435
- Demineralization  
 Carbonization and demineralization of coals: A study by means of FT-IR spectroscopy 721
- Density functional  
 Third-generation muffin-tin orbitals 19  
 Obtaining Kohn-Sham potential without taking the functional derivative 69
- Density functional calculations  
 Double stripe reconstruction of the Pt(111) surface 91
- Density functional theory  
 Density functional theory and multiscale materials modeling 3  
 Exchange-correlation errors at harmonic and anharmonic orders: the case of bulk Cu 75
- Dental  
 Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415
- Deproteination  
 Heat-deproteinized xenogeneic bone from slaughterhouse waste: Physico-chemical properties 523
- Dielectric behaviour  
 Dielectric, electrical and infrared studies of  $g\text{-Fe}_2\text{O}_3$  prepared by combustion method 391
- Dielectric constant  
 Ion transport in  $\text{Au}^+$  doped/undoped KDP crystals with KI/NaI as additives 255  
 Thermally stimulated discharge current (TSDC) and dielectric constant of semiconducting glasses 267  
 Photoconductivity and dielectric studies of potassium pentaborate crystal (KB5) 383  
 Preparation, characterization and dielectric behaviour of some yttrium doped strontium stannates 461  
 Comparative study of dielectric properties of  $\text{MgNb}_2\text{O}_6$  prepared by molten salt and ceramic method 741  
 Dielectric properties of piezoelectric 3-0 composites of lithium ferrite/barium titanate 745
- Dielectric constant and loss  
 Dielectric properties of  $\text{Na}_{1-x}\text{K}_x\text{NbO}_3$  in orthorhombic phase 619
- Dielectric loss  
 Comparative study of dielectric properties of  $\text{MgNb}_2\text{O}_6$  prepared by molten salt and ceramic method 741
- Dielectric thin films  
 Studies on thin film materials on acrylics for optical applications 239
- Differential evolution  
 Application of genetic algorithms to hydrogenated silicon clusters 127
- Diffraction efficiency  
 Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly (vinyl chloride) films 343
- Direct imaging  
 Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly (vinyl chloride) films 343
- Direct methanol fuel cells  
 The promise of fuel cell-based automobiles 207
- Doped rubidium halide crystals  
 Systematic hardness measurements on mixed and doped crystals of rubidium halides 261
- DOS  
 Oscillatory interlayer magnetic coupling and induced magnetism in Fe/Nb multilayers 143
- Droplets  
 Modeling of droplet dynamic and thermal behaviour during spray deposition 355
- Eddy current loss  
 Development of low-power loss Mn-Zn ferrites using microwave sintering method 499
- Effect of additives  
 A.c. susceptibility study of  $\text{CaCl}_2$  doped copper-zinc ferrite system 493
- Electrical conductivity  
 Ion transport in  $\text{Au}^+$  doped/undoped KDP crystals with KI/NaI as additives 255  
 Dielectric, electrical and infrared studies of  $g\text{-Fe}_2\text{O}_3$  prepared by combustion method 391
- Electrochemical behaviour  
 Material characterization of ancient Indian copper 593
- Electrochemical synthesis  
 Electrochemical synthesis and characterization of chloride doped polyaniline 329
- Electromechanical parameters  
 Dielectric and piezoelectric properties of neodymium oxide doped lead zirconate titanate ceramics 397
- Electronic ceramics  
 Preparation, characterization and dielectric behaviour of some yttrium doped strontium stannates 461
- Electronic properties  
 Electronic properties of magnetically doped nanotubes 105
- Electronic structure  
 Tight-binding model for carbon from the third-generation LMTO method: A study of transferability 27  
 Electronic structure and superconductivity of  $\text{MgB}_2$  137  
 Electronic structure and optical properties of thorium monopnictides 165  
 On the electronic structure and equation of state in high pressure studies of solids 175  
 On the stability of rhenium up to 1 TPa pressure against transition to the *bcc* structure 183
- Electronic structure calculation  
 Ground state structures and properties of  $\text{Si}_3\text{H}_n$  ( $n = 1-6$ ) clusters 123  
 Projector augmented wave method: *ab initio* molecular dynamics with full wave functions 33
- Electronic topological transition  
 On the electronic structure and equation of state in high pressure studies of solids 175
- Environmental dependence  
 Environmentally dependent bond-order potentials: New developments and applications 43
- Equivalent circuit  
 Impedance spectroscopy study of polycrystalline  $\text{Bi}_6\text{Fe}_2\text{Ti}_3\text{O}_{18}$  247

- Evolved gas analysis  
 Thermogravimetry-evolved gas analysis–mass spectrometry system for materials research 449
- Exchange  
 Exchange–correlation errors at harmonic and anharmonic orders: the case of bulk Cu 75
- Fe<sub>3</sub>Al  
 Sliding wear resistance of iron aluminides 311
- Ferrite  
 Development of low-power loss Mn–Zn ferrites using microwave sintering method 499  
 Synthesis and characterization of biocompatible hydroxyapatite coated ferrite 655
- Ferroelectric  
 Impedance spectroscopy study of polycrystalline Bi<sub>6</sub>Fe<sub>2</sub>Ti<sub>3</sub>O<sub>18</sub> 247
- Ferroelectric materials  
 Dielectric and piezoelectric properties of neodymium oxide doped lead zirconate titanate ceramics 397
- Ferroelectrics  
 Dielectric properties of Na<sub>1-x</sub>K<sub>x</sub>NbO<sub>3</sub> in orthorhombic phase 619
- Film thickness  
 Optical band gap of Sn<sub>0.2</sub>Bi<sub>1.8</sub>Te<sub>3</sub> thin films 683
- Fine structure  
 Fine structure in the inter-critical heat-affected zone of HQ130 super-high strength steel 273  
 Effect of weld heat input on toughness and structure of HAZ of a new super-high strength steel 301
- Finite elements  
 Multi-scale modeling strategies in materials science—The quasicontinuum method 53
- First principles calculations  
 Site preference of Zr in Ti<sub>3</sub>Al and phase stability of Ti<sub>2</sub>ZrAl 97  
 Effect of Co on the magnetism and phase stability of lithiated manganese oxides 147  
 Linear and nonlinear optical properties of borate crystals as calculated from the first principles 159
- Fluorescent characteristic  
 Optical absorption and fluorescent behaviour of titanium ions in silicate glasses 335
- Fly ash  
 Synthesis, characterization and low frequency a.c. conduction of polyaniline/fly ash composites 733
- Foreword 1
- Fracture  
 Effect of weld heat input on toughness and structure of HAZ of a new super-high strength steel 301
- Frank–Kasper polyhedron  
 Novel caged clusters of silicon: Fullerenes, Frank–Kasper polyhedron and cubic 109
- Frenkel-Kontorova model  
 Double stripe reconstruction of the Pt(111) surface 91
- Fretting fatigue  
 Influence of fretting on the fatigue strength at the vise clamp–specimen interface 749
- FT–IR  
 An improved process for the synthesis of VPI-5 molecular sieve 279
- Electrochemical synthesis and characterization of chloride doped polyaniline 329
- Fuel cell vehicles  
 The promise of fuel cell-based automobiles 207
- Fuel cell-based automobiles  
 The promise of fuel cell-based automobiles 207
- g*-Fe<sub>2</sub>O<sub>3</sub>  
 Dielectric, electrical and infrared studies of *g*-Fe<sub>2</sub>O<sub>3</sub> prepared by combustion method 391
- Gas-solid interaction  
 Thermogravimetry-evolved gas analysis–mass spectrometry system for materials research 449
- Generalized gradient approximation  
 Obtaining Kohn–Sham potential without taking the functional derivative 69
- Genetic algorithms  
 Application of genetic algorithms to hydrogenated silicon clusters 127
- Glass forming ability  
 Crystallization study of Te–Bi–Se glasses 547
- Glass transition temperature  
 Kinetics of Ge<sub>20</sub>Se<sub>80-x</sub>As<sub>x</sub> (*x* = 0, 5, 10, 15 and 20) in glass transition 543  
 Crystallization study of Te–Bi–Se glasses 547  
 Morphology and conductivity studies of a new solid polymer electrolyte: (PEG)<sub>x</sub>LiClO<sub>4</sub> 707
- GMR  
 Oscillatory interlayer magnetic coupling and induced magnetism in Fe/Nb multilayers 143
- Gold doping  
 Ion transport in Au<sup>+</sup> doped/undoped KDP crystals with KI/NaI as additives 255
- Grain boundary effects  
 Spinodal decomposition in fine grained materials 189
- Ground state  
 Ground state structures and properties of small hydrogenated silicon clusters 117
- <sup>1</sup>H and <sup>7</sup>Li NMR spectra  
 Morphology and conductivity studies of a new solid polymer electrolyte: (PEG)<sub>x</sub>LiClO<sub>4</sub> 707
- Hardness  
 Systematic hardness measurements on mixed and doped crystals of rubidium halides 261
- Heat absorbed  
 Kinetics of Ge<sub>20</sub>Se<sub>80-x</sub>As<sub>x</sub> (*x* = 0, 5, 10, 15 and 20) in glass transition 543
- Heat treatment  
 Heat-deproteinated xenogeneic bone from slaughterhouse waste: Physico-chemical properties 523
- Heat-affected zone  
 Fine structure in the inter-critical heat-affected zone of HQ130 super-high strength steel 273  
 Effect of weld heat input on toughness and structure of HAZ of a new super-high strength steel 301
- High frequency applications  
 Development of low-power loss Mn–Zn ferrites using microwave sintering method 499
- High pressure  
 On the electronic structure and equation of state in high pressure studies of solids 175

- On the stability of rhenium up to 1 TPa pressure against transition to the *bcc* structure 183
- High strength steel
- Fine structure in the inter-critical heat-affected zone of HQ130 super-high strength steel 273
- Microstructure characterization in the weld metals of HQ130 + QJ63 high strength steels 295
- High-*k*
- Electrical properties of Ta<sub>2</sub>O<sub>5</sub> films deposited on ZnO 365
- HSLA steel
- Effect of heat treatments on the hydrogen embrittlement susceptibility of API X-65 grade line-pipe steel 435
- Aging of a copper bearing HSLA-100 steel 441
- Hubbard 'U'
- Many electron effects in semiconductor quantum dots 63
- Hydration resistance
- Solid state sintering of lime in presence of La<sub>2</sub>O<sub>3</sub> and CeO<sub>2</sub> 703
- Hydrogenated silicon
- Ground state structures and properties of small hydrogenated silicon clusters 117
- Ground state structures and properties of Si<sub>3</sub>H<sub>*n*</sub> (*n* = 1–6) clusters 123
- Application of genetic algorithms to hydrogenated silicon clusters 127
- Hydrogen embrittlement
- Effect of heat treatments on the hydrogen embrittlement susceptibility of API X-65 grade line-pipe steel 435
- Hydroxyapatite
- Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415
- Heat-deproteinated xenogeneic bone from slaughterhouse waste: Physico-chemical properties 523
- Hyperthermia
- Synthesis and characterization of biocompatible hydroxyapatite coated ferrite 655
- Hysteresis
- Electrical characterization of low temperature deposited oxide films on ZnO/*n*-Si substrate 693
- Hysteresis loss
- Development of low-power loss Mn–Zn ferrites using microwave sintering method 499
- Icosahedral phase
- Devitrification of rapidly quenched Al–Cu–Ti amorphous alloys 553
- Impedance
- Impedance spectroscopy study of polycrystalline Bi<sub>6</sub>Fe<sub>2</sub>Ti<sub>3</sub>O<sub>18</sub> 247
- Impurity added KDP crystals
- Ion transport in Au<sup>+</sup> doped/undoped KDP crystals with KI/NaI as additives 255
- Infrared spectroscopy
- Carbonization and demineralization of coals: A study by means of FT–IR spectroscopy 721
- Interfaces
- On the morphology of SrCO<sub>3</sub> crystals grown at the interface between two immiscible liquids 283
- Interlayer magnetic coupling
- Oscillatory interlayer magnetic coupling and induced magnetism in Fe/Nb multilayers 143
- Intermetallic alloys
- Environmentally dependent bond-order potentials: New developments and applications 43
- Intermetallics
- Sliding wear resistance of iron aluminides 311
- Internal-combustion engine vehicles
- The promise of fuel cell-based automobiles 207
- Invariant reactions
- Existence domains for invariant reactions in binary regular solution phase diagrams exhibiting two phases 423
- Ion dissociation
- Conductivity behaviour of polymer gel electrolytes: Role of polymer 321
- Ion exchange
- Effect of silica sol of different routes on the properties of low cement castables 227
- Ionic conductivity
- Morphology and conductivity studies of a new solid polymer electrolyte: (PEG)<sub>*x*</sub>LiClO<sub>4</sub> 707
- Iron aluminide
- Sliding wear resistance of iron aluminides 311
- Irradiation
- Irradiation induced grain growth and surface emission enhancement of chemically tailored ZnS : Mn/PVOH nanoparticles by Cl<sup>+9</sup> ion impact 289
- Development of hardened PVF : PMMA polyblend: effect of gamma and electron irradiation 401
- Ising model
- Simple explanation for the reentrant magnetic phase transition in Pr<sub>0.5</sub>Sr<sub>0.41</sub>Ca<sub>0.09</sub>MnO<sub>3</sub> perovskite 151
- I*–*V* characteristics
- Space charge limited conduction in CdSe thin films 613
- Kohn–Sham potential
- Obtaining Kohn–Sham potential without taking the functional derivative 69
- Layered double hydroxides
- Aging of trivalent metal hydroxide/oxide gels in divalent metal salt solutions: Mechanism of formation of layered double hydroxides (LDHs) 661
- Layered structure
- Anisotropic behaviour of semiconducting tin monosulphoselenide single crystals 569
- Lead bismuth glasses
- Optical properties of lead–bismuth cuprous glasses 639
- Liquid phase epitaxy
- Modified technique of using conventional slider boat for liquid phase epitaxy of silicon for solar cell application 643
- Influence of growth parameters on the surface morphology and crystallinity of InSb epilayers grown by liquid phase epitaxy 685
- Lithiated manganese oxides
- Effect of Co on the magnetism and phase stability of lithiated manganese oxides 147
- Lithium ferrite
- Dielectric properties of piezoelectric 3–0 composites of lithium ferrite/barium titanate 745
- Lithium microbattery
- Electrochemical properties of tungsten oxysulphide thin films as positive electrodes for lithium microbatteries 673

- Lithocholic acid  
 Synthesis and mesomorphic behaviour of lithocholic acid derivatives 559
- LMTO  
 Third-generation muffin-tin orbitals 19
- Localized traps  
 Space charge limited conduction in CdSe thin films 613
- London penetration depth  
 Electronic structure and superconductivity of MgB<sub>2</sub> 137
- Low-carbon steel  
 Influence of fretting on the fatigue strength at the vise clamp-specimen interface 749
- Low cement Al<sub>2</sub>O<sub>3</sub> castable  
 Effect of silica sol of different routes on the properties of low cement castables 227
- Low temperature coatings  
 Studies on thin film materials on acrylics for optical applications 239
- M-A constituent  
 Fine structure in the inter-critical heat-affected zone of HQ130 super-high strength steel 273
- Magnesium diboride  
 Electronic structure and superconductivity of MgB<sub>2</sub> 137
- Magnetic doping  
 Electronic properties of magnetically doped nanotubes 105
- Magnetic properties with CaCl<sub>2</sub> doping  
 A.c. susceptibility study of CaCl<sub>2</sub> doped copper-zinc ferrite system 493
- Magnetism  
 Structures of Mn clusters 115  
 Effect of alloying on the electronic structure and magnetic properties of Fe, Co and Ni with Au and Ag 199
- Magnetization  
 Structural and magnetic properties of Co<sub>1+y</sub>Sn<sub>y</sub>Fe<sub>2-2y-x</sub>Cr<sub>x</sub>O<sub>4</sub> ferrite system 517
- Marine structural steel  
 Study on corrosion simulation device for marine structural steel 307
- MASNMR  
 An improved process for the synthesis of VPI-5 molecular sieve 279
- Mass spectrometry  
 Thermogravimetry-evolved gas analysis-mass spectrometry system for materials research 449
- Material characterization  
 Material characterization of ancient Indian copper 593
- Materials modeling  
 Density functional theory and multiscale materials modeling 3
- Materials properties  
 Realization of prediction of materials properties by *ab initio* computer simulation 13
- Mechanical properties  
 Studies on POM/graphite/Ekonol composites 575
- Mesomorphic  
 Synthesis and mesomorphic behaviour of lithocholic acid derivatives 559
- Metal oxalate composites  
 Charge dynamics in conducting polyaniline-metal oxalate composites 529
- Methylene blue  
 Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly (vinyl chloride) films 343
- MgB<sub>2</sub>  
 Theoretical study of superconductivity in MgB<sub>2</sub> and its alloys 131
- Microcontroller  
 Linear heating system for measurement of thermoluminescence using 8031/51 microcontroller 565
- Microhardness  
 Development of hardened PVF : PMMA polyblend: effect of gamma and electron irradiation 401  
 Charge dynamics in conducting polyaniline-metal oxalate composites 537  
 Preparation and studies of some thermal, mechanical and optical properties of xAl<sub>2</sub>O<sub>3</sub>(1-x)NaPO<sub>3</sub> glass system 715
- Microstructure  
 Alloy design of ductile phosphoric iron: Ideas from archaeo-metallurgy 483  
 Solid state sintering of lime in presence of La<sub>2</sub>O<sub>3</sub> and CeO<sub>2</sub> 703
- Microstructure characterization  
 Microstructure characterization in the weld metals of HQ130 + QJ63 high strength steels 295
- Microwave dielectric  
 Preparation of microwave dielectric, Sn<sub>0.2</sub>Zr<sub>0.8</sub>TiO<sub>4</sub> 215
- Microwave plasma  
 Electrical properties of Ta<sub>2</sub>O<sub>5</sub> films deposited on ZnO 365
- Microwave processing  
 A simple red-ox titrimetric method for the evaluation of photocatalytic activity of titania based catalysts 667
- Microwave sintering  
 Development of low-power loss Mn-Zn ferrites using microwave sintering method 499
- Minerals  
 On the morphology of SrCO<sub>3</sub> crystals grown at the interface between two immiscible liquids 283
- Mn-Zn ferrites  
 Mössbauer studies of Sn<sup>4+</sup>/Nb<sup>5+</sup> substituted Mn-Zn ferrites 505
- Mobile and fixed spins  
 Charge dynamics in conducting polyaniline-metal oxalate composites 529
- Molten salt route  
 Comparative study of dielectric properties of MgNb<sub>2</sub>O<sub>6</sub> prepared by molten salt and ceramic method 741
- Morphology  
 Role of binder in the synthesis of titania membrane 221
- Mössbauer effect  
 Mössbauer effect studies and X-ray diffraction analysis of cobalt ferrite prepared in powder form by thermal decomposition method 509
- Mössbauer studies  
 Mössbauer studies of Sn<sup>4+</sup>/Nb<sup>5+</sup> substituted Mn-Zn ferrites 505
- Mullite  
 Effect of sillimanite beach sand composition on mullitization and properties of Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system 217
- Multi-scale models  
 Multi-scale modeling strategies in materials science—The quasicontinuum method 53

- NaB<sub>2</sub>  
Theoretical study of superconductivity in MgB<sub>2</sub> and its alloys 131
- Nanocomposite  
Band gap determination of Ni–Zn ferrites 387
- Nanoindentation  
Deposition of TiN/CrN hard superlattices by reactive d.c. magnetron sputtering 233  
Nanoindentation and AFM studies of PECVD DLC and reactively sputtered Ti containing carbon films 585
- Nano-materials  
Thermogravimetry-evolved gas analysis–mass spectrometry system for materials research 449
- Nd doped lead zirconate titanate  
Dielectric and piezoelectric properties of neodymium oxide doped lead zirconate titanate ceramics 397
- Non linear behaviour  
Optical properties of lead–bismuth cuprous glasses 639
- Nonlinear optical crystals  
Linear and nonlinear optical properties of borate crystals as calculated from the first principles 159
- Optical  
Optical absorption and fluorescent behaviour of titanium ions in silicate glasses 335
- Optical absorbance  
Optical band gap of Sn<sub>0.2</sub>Bi<sub>1.8</sub>Te<sub>3</sub> thin films 683
- Optical coatings  
Studies on thin film materials on acrylics for optical applications 239
- Optical gap  
Preparation and studies of some thermal, mechanical and optical properties of  $x\text{Al}_2\text{O}_3(1-x)\text{NaPO}_3$  glass system 715
- Optical properties  
Linear and nonlinear optical properties of borate crystals as calculated from the first principles 159  
Electronic structure and optical properties of thorium mononictides 165  
Band gap determination of Ni–Zn ferrites 387  
Optical properties of lead–bismuth cuprous glasses 639
- Ordered structures  
Sliding wear resistance of iron aluminides 311
- Orthopedic  
Development of a fully injectable calcium phosphate cement for orthopedic and dental applications 415
- Orthorhombic rational approximants  
Orthorhombic rational approximants for decagonal quasicrystals 627
- Oxide films  
Studies on thin film materials on acrylics for optical applications 239
- Partial crystallinity  
Effects of partial crystallinity and quenched-in defects on corrosion of a rapidly solidified Ti–Cu alloy 477
- Passivity  
Effects of partial crystallinity and quenched-in defects on corrosion of a rapidly solidified Ti–Cu alloy 477
- PECVD  
Electrical properties of Ta<sub>2</sub>O<sub>5</sub> films deposited on ZnO 365
- (PEG)<sub>x</sub>LiClO<sub>4</sub>  
Morphology and conductivity studies of a new solid polymer electrolyte: (PEG)<sub>x</sub>LiClO<sub>4</sub> 707
- Perovskite  
Simple explanation for the reentrant magnetic phase transition in Pr<sub>0.5</sub>Sr<sub>0.41</sub>Ca<sub>0.09</sub>MnO<sub>3</sub> perovskite 151  
Total energy calculation of perovskite, BaTiO<sub>3</sub>, by self-consistent tight binding method 155  
Dielectric properties of Na<sub>1-x</sub>K<sub>x</sub>NbO<sub>3</sub> in orthorhombic phase 619
- PET  
Role of PET in improving wear properties of PP in dry sliding condition 579
- Peukert plots  
Performance characteristics of a gelled-electrolyte valve-regulated lead-acid battery 465
- pH  
Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly (vinyl chloride) films 343
- pH metric titrations  
Aging of trivalent metal hydroxide/oxide gels in divalent metal salt solutions: Mechanism of formation of layered double hydroxides (LDHs) 661
- Phase field models  
Spinodal decomposition in fine grained materials 189
- Phase segregation  
A first-principles thermodynamic approach to ordering in binary alloys 79
- Phase stability  
A first-principles thermodynamic approach to ordering in binary alloys 79  
Site preference of Zr in Ti<sub>3</sub>Al and phase stability of Ti<sub>2</sub>ZrAl 97  
Effect of Co on the magnetism and phase stability of lithiated manganese oxides 147
- Phase transition  
Simple explanation for the reentrant magnetic phase transition in Pr<sub>0.5</sub>Sr<sub>0.41</sub>Ca<sub>0.09</sub>MnO<sub>3</sub> perovskite 151
- Phosphate glass  
Preparation and studies of some thermal, mechanical and optical properties of  $x\text{Al}_2\text{O}_3(1-x)\text{NaPO}_3$  glass system 715
- Phosphor  
Preparation and characterization of Eu<sup>3+</sup> activated CaSiO<sub>3</sub>, (CaA)SiO<sub>3</sub> [A = Ba or Sr] phosphors 377
- Phosphoric iron  
Alloy design of ductile phosphoric iron: Ideas from archaeo-metallurgy 483
- Photo-catalysis  
A simple red-ox titrimetric method for the evaluation of photocatalytic activity of titania based catalysts 667
- Photoconductivity  
Photoconductivity and dielectric studies of potassium pentaborate crystal (KB5) 383
- Photoluminescence  
Preparation and characterization of Eu<sup>3+</sup> activated CaSiO<sub>3</sub>, (CaA)SiO<sub>3</sub> [A = Ba or Sr] phosphors 377
- Photoplastic effect  
Photoplastic effect in polycarbonate using microhardness measurements 537

- Piezoelectric properties  
Dielectric and piezoelectric properties of neodymium oxide doped lead zirconate titanate ceramics 397
- Pitting  
Effects of partial crystallinity and quenched-in defects on corrosion of a rapidly solidified Ti–Cu alloy 477
- Plain fatigue  
Influence of fretting on the fatigue strength at the vise clamp–specimen interface 749
- Platinum  
Double stripe reconstruction of the Pt(111) surface 91
- Point defects  
Variations in first principles calculated defect energies in GaAs and their effect on practical predictions 169
- Polarization  
Corrosion behaviour of amorphous  $\text{Ti}_{48}\text{Cu}_{52}$ ,  $\text{Ti}_{50}\text{Cu}_{50}$  and  $\text{Ti}_{60}\text{Ni}_{40}$  alloys investigated by potentiodynamic polarization method 609
- Polaron hopping  
Impedance spectroscopy study of polycrystalline  $\text{Bi}_6\text{Fe}_2\text{Ti}_3\text{O}_{18}$  247
- Polarons  
Synthesis, characterization and low frequency a.c. conduction of polyaniline/fly ash composites 733
- Poly(vinyl chloride)  
Optimization of pH and direct imaging conditions of complexed methylene blue sensitized poly (vinyl chloride) films 343
- Polyaniline  
Electrochemical synthesis and characterization of chloride doped polyaniline 329  
Charge dynamics in conducting polyaniline–metal oxalate composites 529  
Synthesis, characterization and low frequency a.c. conduction of polyaniline/fly ash composites 733
- Polyblend  
Development of hardened PVF : PMMA polyblend: effect of gamma and electron irradiation 401
- Polycarbonate  
Charge dynamics in conducting polyaniline–metal oxalate composites 537
- Polycrystalline deposition  
On the morphology of  $\text{SrCO}_3$  crystals grown at the interface between two immiscible liquids 283
- Polycrystalline ferrites  
A.c. susceptibility study of  $\text{CaCl}_2$  doped copper–zinc ferrite system 493
- Polymer–electrolyte fuel cells  
The promise of fuel cell-based automobiles 207
- Polymer gel electrolytes  
Conductivity behaviour of polymer gel electrolytes: Role of polymer 321
- POM/graphite/Ekonol composites  
Studies on POM/graphite/Ekonol composites 575
- Pore filling  
Formation of complex anodic films on porous alumina matrices 349
- Positive temperature coefficient of resistivity  
Dielectric properties of  $\text{Na}_{1-x}\text{K}_x\text{NbO}_3$  in orthorhombic phase 619
- Potentiodynamic  
Corrosion behaviour of amorphous  $\text{Ti}_{48}\text{Cu}_{52}$ ,  $\text{Ti}_{50}\text{Cu}_{50}$  and  $\text{Ti}_{60}\text{Ni}_{40}$  alloys investigated by potentiodynamic polarization method 609
- Power loss  
Development of low-power loss Mn–Zn ferrites using microwave sintering method 499
- PP  
Role of PET in improving wear properties of PP in dry sliding condition 579
- Pseudopotentials  
Projector augmented wave method: *ab initio* molecular dynamics with full wave functions 33
- Quantum dot  
Many electron effects in semiconductor quantum dots 63  
Irradiation induced grain growth and surface emission enhancement of chemically tailored ZnS : Mn/PVOH nanoparticles by  $\text{Cl}^{+9}$  ion impact 289
- Quasicontinuum method  
Multi-scale modeling strategies in materials science—The quasicontinuum method 53
- Radioactive waste  
Leaching of  $^{60}\text{Co}$  and  $^{137}\text{Cs}$  from spent ion exchange resins in cement–bentonite clay matrix 699
- Ramp cooling  
Influence of growth parameters on the surface morphology and crystallinity of InSb epilayers grown by liquid phase epitaxy 685
- Rapidly solidified  
Effects of partial crystallinity and quenched-in defects on corrosion of a rapidly solidified Ti–Cu alloy 477
- Rate  
Influence of *w/c* ratio on rate of chloride induced corrosion of steel reinforcement and its dependence on ambient temperature 471
- Rate prediction  
Influence of *w/c* ratio on rate of chloride induced corrosion of steel reinforcement and its dependence on ambient temperature 471
- Re-anodization  
Formation of complex anodic films on porous alumina matrices 349
- Red-ox titration  
A simple red-ox titrimetric method for the evaluation of photo-catalytic activity of titania based catalysts 667
- Redshift  
Irradiation induced grain growth and surface emission enhancement of chemically tailored ZnS : Mn/PVOH nanoparticles by  $\text{Cl}^{+9}$  ion impact 289
- Reflection spectra  
Band gap determination of Ni–Zn ferrites 387
- Regular solution model  
Existence domains for invariant reactions in binary regular solution phase diagrams exhibiting two phases 423
- Resistivity  
Anisotropic behaviour of semiconducting tin monosulphoselenide single crystals 569
- rf magnetron sputtering  
Electrical properties of  $\text{Ta}_2\text{O}_5$  films deposited on ZnO 365

- Rhenium  
On the stability of rhenium up to 1 TPa pressure against transition to the *bcc* structure 183
- Rubidium halide mixed crystals  
Systematic hardness measurements on mixed and doped crystals of rubidium halides 261
- Rust analysis  
Material characterization of ancient Indian copper 593
- Sandwich method  
Modified technique of using conventional slider boat for liquid phase epitaxy of silicon for solar cell application 643
- SCLC mechanism  
Space charge limited conduction in CdSe thin films 613
- Secondary dendrite arm spacing  
Modeling of droplet dynamic and thermal behaviour during spray deposition 355
- SEM  
An improved process for the synthesis of VPI-5 molecular sieve 279
- Semiconducting glass  
Thermally stimulated discharge current (TSDC) and dielectric constant of semiconducting glasses 267
- Semi-insulating GaAs  
Variations in first principles calculated defect energies in GaAs and their effect on practical predictions 169
- Sensors  
Preparation, characterization and dielectric behaviour of some yttrium doped strontium stannates 461
- Silica sol  
Effect of silica sol of different routes on the properties of low cement castables 227
- Silicate glasses  
Optical absorption and fluorescent behaviour of titanium ions in silicate glasses 335
- Silicon  
Novel caged clusters of silicon: Fullerenes, Frank-Kasper polyhedron and cubic 109  
Modified technique of using conventional slider boat for liquid phase epitaxy of silicon for solar cell application 643
- Sillimanite  
Effect of sillimanite beach sand composition on mullitization and properties of  $\text{Al}_2\text{O}_3$ - $\text{SiO}_2$  system 217
- Simulated annealing  
Ground state structures and properties of small hydrogenated silicon clusters 117
- Sintered lime  
Solid state sintering of lime in presence of  $\text{La}_2\text{O}_3$  and  $\text{CeO}_2$  703
- Sintering  
Dielectric properties of  $\text{Na}_{1-x}\text{K}_x\text{NbO}_3$  in orthorhombic phase 619
- Site preference  
Site preference of Zr in  $\text{Ti}_3\text{Al}$  and phase stability of  $\text{Ti}_2\text{ZrAl}$  97
- Size effect  
Optical band gap of  $\text{Sn}_{0.2}\text{Bi}_{1.8}\text{Te}_3$  thin films 683
- Slider boat  
Modified technique of using conventional slider boat for liquid phase epitaxy of silicon for solar cell application 643
- Sliding wear  
Sliding wear resistance of iron aluminides 311  
Role of PET in improving wear properties of PP in dry sliding condition 579
- Slow evaporation  
Ion transport in  $\text{Au}^+$  doped/undoped KDP crystals with KI/NaI as additives 255
- $\text{SnO}_2$   
Preparation of microwave dielectric,  $\text{Sn}_{0.2}\text{Zr}_{0.8}\text{TiO}_4$  215
- $\text{SnO-NaPO}_3$   
Conductivity studies in  $\text{SnO-NaPO}_3$  glasses 407
- Soft condensed matter  
Density functional theory and multiscale materials modeling 3
- Sol-gel  
Preparation and characterization of  $\text{Eu}^{3+}$  activated  $\text{CaSiO}_3$ ,  $(\text{CaA})\text{SiO}_3$  [A = Ba or Sr] phosphors 377
- Solid fraction  
Modeling of droplet dynamic and thermal behaviour during spray deposition 355
- Solid polymer electrolyte  
Morphology and conductivity studies of a new solid polymer electrolyte:  $(\text{PEG})_x\text{LiClO}_4$  707
- Solid-state controller  
Linear heating system for measurement of thermoluminescence using 8031/51 microcontroller 565
- Solvents  
On the morphology of  $\text{SrCO}_3$  crystals grown at the interface between two immiscible liquids 283
- Spectroscopic studies  
Dielectric, electrical and infrared studies of  $\alpha\text{-Fe}_2\text{O}_3$  prepared by combustion method 391
- Spinel ferrite  
Structural and magnetic properties of  $\text{Co}_{1+y}\text{Sn}_y\text{Fe}_{2-2y-x}\text{Cr}_x\text{O}_4$  ferrite system 517
- Spinodal decomposition  
Spinodal decomposition in fine grained materials 189  
A study of phase separation in ternary alloys 193
- Sputtering  
Electrochemical properties of tungsten oxysulphide thin films as positive electrodes for lithium microbatteries 673
- Stacking disorder  
Anisotropic behaviour of semiconducting tin monosulphoselenide single crystals 569
- Stainless steel  
Effect of  $\text{Cl}^-$  on the corrosive wear of AISI 321 stainless steel in  $\text{H}_2\text{SO}_4$  solution 431  
Influence of fretting on the fatigue strength at the vise clamp-specimen interface 749
- Steel reinforcement  
Influence of *w/c* ratio on rate of chloride induced corrosion of steel reinforcement and its dependence on ambient temperature 471  
Corrosion of reinforcement induced by environment containing chloride and carbon dioxide 605
- Step-cooling  
Influence of growth parameters on the surface morphology and crystallinity of InSb epilayers grown by liquid phase epitaxy 685
- Strontium stannate  
Preparation, characterization and dielectric behaviour of some yttrium doped strontium stannates 461

- Structural and mechanical properties  
 Deposition of TiN/CrN hard superlattices by reactive d.c. magnetron sputtering 233
- Structural transition  
 On the stability of rhenium up to 1 TPa pressure against transition to the *bcc* structure 183
- Superconductivity  
 Theoretical study of superconductivity in MgB<sub>2</sub> and its alloys 131  
 Electronic structure and superconductivity of MgB<sub>2</sub> 137
- Super-high strength steel  
 Effect of weld heat input on toughness and structure of HAZ of a new super-high strength steel 301
- Supersonic atomization  
 Modeling of droplet dynamic and thermal behaviour during spray deposition 355
- Surface morphology  
 Influence of growth parameters on the surface morphology and crystallinity of InSb epilayers grown by liquid phase epitaxy 685
- Surface reconstruction  
 Double stripe reconstruction of the Pt(111) surface 91
- Surface tension  
 Role of binder in the synthesis of titania membrane 221
- Synthesis  
 An improved process for the synthesis of VPI-5 molecular sieve 279
- Synthesis of titania  
 A simple red-ox titrimetric method for the evaluation of photo-catalytic activity of titania based catalysts 667
- Ta<sub>2</sub>O<sub>5</sub>  
 Electrical properties of Ta<sub>2</sub>O<sub>5</sub> films deposited on ZnO 365
- Temperature measurement  
 Linear heating system for measurement of thermoluminescence using 8031/51 microcontroller 565
- Temperature programmed decomposition  
 Thermogravimetry-evolved gas analysis–mass spectrometry system for materials research 449
- TEOS  
 Electrical characterization of low temperature deposited oxide films on ZnO/*n*-Si substrate 693
- Ternary systems  
 A study of phase separation in ternary alloys 193
- TG/DTA  
 An improved process for the synthesis of VPI-5 molecular sieve 279
- Thermal decomposition  
 Mössbauer effect studies and X-ray diffraction analysis of cobalt ferrite prepared in powder form by thermal decomposition method 509
- Thermal expansion coefficient  
 Preparation and studies of some thermal, mechanical and optical properties of *x*Al<sub>2</sub>O<sub>3</sub>(1-*x*)NaPO<sub>3</sub> glass system 715
- Thermal history  
 Modeling of droplet dynamic and thermal behaviour during spray deposition 355
- Thermal stability  
 Crystallization study of Te–Bi–Se glasses 547  
 Synthesis and characterization of conducting poly (1-aminonaphthalene), poly (2-aminonaphthalene) and poly (aniline-co-1-aminonaphthalene) 633
- Thermogravimetry  
 Thermogravimetry-evolved gas analysis–mass spectrometry system for materials research 449
- Thermoluminescence  
 Linear heating system for measurement of thermoluminescence using 8031/51 microcontroller 565
- Thermomechanical aging  
 Aging of a copper bearing HSLA-100 steel 441
- Thin film  
 Electrochemical properties of tungsten oxysulphide thin films as positive electrodes for lithium microbatteries 673  
 Optical band gap of Sn<sub>0.2</sub>Bi<sub>1.8</sub>Te<sub>3</sub> thin films 683
- Ti<sub>3</sub>Al  
 Site preference of Zr in Ti<sub>3</sub>Al and phase stability of Ti<sub>2</sub>ZrAl 97
- Tight binding  
 Tight-binding model for carbon from the third-generation LMTO method: A study of transferability 27  
 Total energy calculation of perovskite, BaTiO<sub>3</sub>, by self-consistent tight binding method 155
- TiN/CrN superlattices  
 Deposition of TiN/CrN hard superlattices by reactive d.c. magnetron sputtering 233
- TiO<sub>2</sub>  
 Preparation of microwave dielectric, Sn<sub>0.2</sub>Zr<sub>0.8</sub>TiO<sub>4</sub> 215
- Titania  
 Optical absorption and fluorescent behaviour of titanium ions in silicate glasses 335
- Titanium dioxide  
 A simple red-ox titrimetric method for the evaluation of photo-catalytic activity of titania based catalysts 667
- Topography  
 Nanoindentation and AFM studies of PECVD DLC and reactively sputtered Ti containing carbon films 585
- Transferability  
 Tight-binding model for carbon from the third-generation LMTO method: A study of transferability 27  
 Environmentally dependent bond-order potentials: New developments and applications 43
- Transformer  
 Development of low-power loss Mn–Zn ferrites using microwave sintering method 499
- Transition temperature  
 Synthesis and mesomorphic behaviour of lithocholic acid derivatives 559
- Transmission electron microscopy  
 Alloy design of ductile phosphoric iron: Ideas from archaeometallurgy 483
- Trap energy  
 Thermally stimulated discharge current (TSDC) and dielectric constant of semiconducting glasses 267
- Tribology  
 Tribological behaviour of conventional Al–Sn and equivalent Al–Pb alloys under lubrication 315
- Tribology performance  
 Studies on POM/graphite/Ekonol composites 575
- TSDC  
 Thermally stimulated discharge current (TSDC) and dielectric constant of semiconducting glasses 267
- Tungsten oxysulphide  
 Electrochemical properties of tungsten oxysulphide thin films as positive electrodes for lithium microbatteries 673

- UV-visible range  
 Optical absorption and fluorescent behaviour of titanium ions  
 in silicate glasses 335
- Valve-regulated lead-acid (VRLA) batteries  
 Performance characteristics of a gelled-electrolyte valve-  
 regulated lead-acid battery 465
- VASP  
 Effect of Co on the magnetism and phase stability of lithiated  
 manganese oxides 147
- Vector impedance measurements  
 Dielectric and piezoelectric properties of neodymium oxide  
 doped lead zirconate titanate ceramics 397
- Viscosity  
 Role of binder in the synthesis of titania membrane 221
- VPI-5  
 An improved process for the synthesis of VPI-5 molecular  
 sieve 279
- VRH conduction mechanism  
 Charge dynamics in conducting polyaniline–metal oxalate com-  
 posites 529
- Wannier functions  
 Third-generation muffin–tin orbitals 19
- Waste management  
 Leaching of  $^{60}\text{Co}$  and  $^{137}\text{Cs}$  from spent ion exchange resins  
 in cement–bentonite clay matrix 699
- Water–cement ratio  
 Influence of  $w/c$  ratio on rate of chloride induced corrosion  
 of steel reinforcement and its dependence on ambient tem-  
 perature 471
- Wear  
 Sliding wear resistance of iron aluminides 311
- Wear mechanism  
 Studies on POM/graphite/Ekonol composites 575
- Weld metals  
 Microstructure characterization in the weld metals of HQ130  
 + QJ63 high strength steels 295
- Xenogeneic bone  
 Heat-deproteinated xenogeneic bone from slaughterhouse waste:  
 Physico-chemical properties 523
- X-ray diffraction  
 Mössbauer effect studies and X-ray diffraction analysis of  
 cobalt ferrite prepared in powder form by thermal decompo-  
 sition method 509
- X-ray photoelectron spectroscopy  
 Electrochemical properties of tungsten oxysulphide thin films  
 as positive electrodes for lithium microbatteries 673
- XRD  
 An improved process for the synthesis of VPI-5 molecular  
 sieve 279
- Zirconium titanate  
 Preparation of microwave dielectric,  $\text{Sn}_{0.2}\text{Zr}_{0.8}\text{TiO}_4$  215
- Zn  
 On the electronic structure and equation of state in high pres-  
 sure studies of solids 175
- ZnO  
 Electrical properties of  $\text{Ta}_2\text{O}_5$  films deposited on ZnO 365  
 Electrical characterization of low temperature deposited oxide  
 films on ZnO/ $n$ -Si substrate 693
- ZrO<sub>2</sub>  
 Preparation of microwave dielectric,  $\text{Sn}_{0.2}\text{Zr}_{0.8}\text{TiO}_4$  215