

SUBJECT INDEX

- AAO template
Nanowires: properties, applications and synthesis via porous anodic aluminium oxide template 271
- Absorption coefficient
Optical properties of CeO₂ thin films 315
- Acid chloride bath
Effect of condensation product on electrodeposition of zinc on mild steel 463
- Acrylamide
Selective absorption of water from different oil–water emulsions with Psy-cl-poly (AAM) synthesized using irradiation copolymerization method 387
- Activated carbon
Photocatalytic degradation of indigo carmine dye using TiO₂ impregnated activated carbon 37
- Additives
Influence of additives on electrodeposition of bright Zn–Ni alloy on mild steel from acid sulphate bath 455
- Adhesion strength
Adhesive B-doped DLC films on biomedical alloys used for bone fixation 301
- Al₂O₃ doped ZnO
Ethanol gas sensing properties of Al₂O₃-doped ZnO thick film resistors 553
- Al₂O₃–TiC
Interfacial microstructure and strength of diffusion brazed joint between Al₂O₃–TiC and 9Cr1MoV steel 415
- AlSb
Study of annealing effects in Al–Sb bilayer thin films 5
- Al–Si alloys
Effect of melt treatment on microstructure and impact properties of Al–7Si and Al–7Si–2.5Cu cast alloys 439
- Al–7Si–2.5Cu cast alloys
Influence of melt treatments and polished CVD diamond coated insert on cutting force and surface integrity in turning of Al–7Si and Al–7Si–2.5Cu cast alloys 427
- Al–7Si
Influence of melt treatments and polished CVD diamond coated insert on cutting force and surface integrity in turning of Al–7Si and Al–7Si–2.5Cu cast alloys 427
- Al–Si–Cu alloys
Effect of melt treatment on microstructure and impact properties of Al–7Si and Al–7Si–2.5Cu cast alloys 439
- Aluminium particle
Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- Ammonia gas sensor
Studies on gas sensing performance of pure and modified barium strontium titanate thick film resistors 9
- Amorphous silicon
Film adhesion in amorphous silicon solar cells 329
- Assam coal
XRD and FT–IR investigations of sub-bituminous Assam coals 421
- (Ba_{0.87}Sr_{0.13})TiO₃ thick films
Studies on gas sensing performance of pure and modified barium strontium titanate thick film resistors 9
- B₄C
Production of boron carbide powder by carbothermal synthesis of gel material 93
- Band gap
Study of annealing effects in In–Sb bilayer thin films 117
- Beam evaporation
Structural and optical properties of electron beam evaporated CdSe thin films 547
- Benzopyran
X-ray study of weak interactions in two flavonoids 469
- BFP glasses
Spectral analysis of Cu²⁺ and Mn²⁺ ions doped borofluorophosphate glasses 481
- Biomedical materials
Adhesive B-doped DLC films on biomedical alloys used for bone fixation 301
- Biomorphic
Facile synthesis of ZnO hollow fibres 571
- Biphenyl
Effect of size of copper nanoparticles on its catalytic behaviour in Ullman reaction 535
- Bismuth
Studies on relative catalytic efficiencies of zinc and aluminium on nucleation of dispersed bismuth droplets 81
- Boron-doped DLC
Adhesive B-doped DLC films on biomedical alloys used for bone fixation 301
- Brightener
Effect of condensation product on electrodeposition of zinc on mild steel 463
- Cadmium ferrite
Bulk magnetic properties of CdFe₂O₄ in nano-regime 197
- Calcination
Studies on CdIn₂O₄ derived from CdIn₂S₄ prepared by flux method 141
- Calculated glass basicity
Redox ratio and optical absorption of polyvalent ions in industrial glasses 487
- Carbon nanotube
Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene–ferrocene mixtures 23
Carbon nanotube reinforced polymer composites—A state of the art 379
- Carbothermal synthesis
Production of boron carbide powder by carbothermal synthesis of gel material 93
- Cathode current efficiency
Influence of additives on electrodeposition of bright Zn–Ni alloy on mild steel from acid sulphate bath 455

- CaTiO₃
 Synthesis of CaTiO₃ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
- Cation distribution
 Bulk magnetic properties of CdFe₂O₄ in nano-regime 197
- CBD method
 Size dependent optical characteristics of chemically deposited nanostructured ZnS thin films 147
- CdIn₂S₄
 Studies on CdIn₂O₄ derived from CdIn₂S₄ prepared by flux method 141
- CdSe films
 Structural and optical properties of electron beam evaporated CdSe thin films 547
- Ce_{0.9}Gd_{0.1}O_{1.95}
 Effect of sintering temperature on structural and electrical properties of gadolinium doped ceria (Ce_{0.9}Gd_{0.1}O_{1.95}) 97
- Ceramic composite coatings
 Ceramic coated Y1 magnesium alloy surfaces by microarc oxidation process for marine applications 399
- Ceramic dielectric resonators
 A re-look at critical factors influencing single-phase formation of Ba₂Ti₉O₂₀ microwave dielectrics 333
- Ceramics
 A novel method for synthesizing nano-crystalline MgTiO₃ geikielite 19
 Synthesis of CaTiO₃ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
- C–H... π hydrogen bond
 X-ray study of weak interactions in two flavonoids 469
- Chalcogens
 Use of ionic liquids in synthesis of nanocrystals, nanorods and nanowires of elemental chalcogens 179
- Chalcopyrite
 A facile synthesis of MInSe₂ (M = Cu, Ag) via low temperature pyrolysis of single source molecular precursors, [(R₃P)₂MIn(SeCOAr)₄] 173
- Characterization
 Synthesis, characterization and ion exchange properties of zirconium(IV) tungstiodophosphate, a new cation exchanger 43
- Chemical bath deposition technique
 Electrical properties of chemically prepared nonstoichiometric CuIn(S, Se)₂ thin films 135
- Chemical method
 Synthesis of nanocrystalline CdS thin films in PVA matrix 123
- Chemical synthesis
 Low voltage varistor ceramics based on SnO₂ 583
- Chitosan
 Effect of a new condensation product on electrodeposition of zinc from a non-cyanide bath 219
- Coal structure
 XRD and FT-IR investigations of sub-bituminous Assam coals 421
- Coating
 Characteristics of porous zirconia coated with hydroxyapatite as human bones 309
- Cobaltous oxide
 Synthesis, transport and dielectric properties of polyaniline/Co₃O₄ composites 89
- Colloidal nanoparticles
 Zinc nanoparticles in solution by laser ablation technique 291
- Column
 A study on leaching behaviour of cement blocks used as matrix for fixation of Cs activity along with ferric 521
- Combustion
 Nanocrystalline TiO₂ by three different synthetic approaches: A comparison 263
- Composites
 Synthesis, transport and dielectric properties of polyaniline/Co₃O₄ composites 89
- Compressive strength
 Characteristics of porous zirconia coated with hydroxyapatite as human bones 309
- Condensation product
 Effect of a new condensation product on electrodeposition of zinc from a non-cyanide bath 219
 Effect of condensation product on electrodeposition of zinc on mild steel 463
- Conduction mechanism
 Structural and optical properties of ZnO films grown on silicon and their applications in MOS devices in conjunction with ZrO₂ as a gate dielectric 247
- Conductivity
 Electrical conductivity of polyaniline doped PVC-PMMA polymer blends 51
 Study of microhardness and electrical properties of proton irradiated polyethersulfone (PES) 477
- Copper
 A facile synthesis of MInSe₂ (M = Cu, Ag) via low temperature pyrolysis of single source molecular precursors, [(R₃P)₂MIn(SeCOAr)₄] 173
- Copper nanoparticles
 Effect of size of copper nanoparticles on its catalytic behaviour in Ullman reaction 535
- Co-precipitation
 A re-look at critical factors influencing single-phase formation of Ba₂Ti₉O₂₀ microwave dielectrics 333
- Corrosion
 Pulsed nanocrystalline plasma electrolytic boriding as a novel method for corrosion protection of CP-Ti (Part I: Different frequency and duty cycle) 601
- Corrosion resistance
 Ceramic coated Y1 magnesium alloy surfaces by microarc oxidation process for marine applications 399
- Cotton fibres
 Crystal structure and elastic constants of Dharwar cotton fibre using WAXS data 503
 Facile synthesis of ZnO hollow fibres 571
- Crystal growth
 Influence of microgravity on Ce-doped Bi₁₂SiO₂₀ crystal defect 211
 Growth and characterization of pure and lithium doped strontium tartrate tetrahydrate crystals by solution-gel technique 349
- Cu²⁺, Mn²⁺ ions
 Spectral analysis of Cu²⁺ and Mn²⁺ ions doped borofluorophosphate glasses 481
- Cu-based powder
 Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157

- CuIn(S, Se)₂
Electrical properties of chemically prepared nonstoichiometric CuIn(S, Se)₂ thin films 135
- D.C. conductivity
Electrical properties of chemically prepared nonstoichiometric CuIn(S, Se)₂ thin films 135
- Depolarization temperature
Depolarization temperature and piezoelectric properties of Na_{1/2}Bi_{1/2}TiO₃-Na_{1/2}Bi_{1/2}(Zn_{1/3}Nb_{2/3})O₃ ceramics by two-stage calcination method 579
- Diamond like carbon films
Diamond like carbon coatings deposited by microwave plasma CVD: XPS and ellipsometric studies 541
- Dielectric properties
Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4-δ}+Ba_{0.8}Pb_{0.2}TiO₃ 357
Structural phase transitions and piezoelectric anomalies in ordered Sc_{0.5}Ga_{0.5}N alloys 407
Dielectric properties and relaxation of Bi_{0.5}Na_{0.5}TiO₃-BaNb₂O₆ lead-free ceramics 575
- Dielectric relaxation
Conductivity studies of lithium zinc silicate glasses with varying lithium contents 497
- Dielectric response
Study of microhardness and electrical properties of proton irradiated polyethersulfone (PES) 477
- Differential scanning calorimetry
Thermal and IR studies on copper doped polyvinyl alcohol 215
- Different polyimide substrates
Film adhesion in amorphous silicon solar cells 329
- Diffusion
A study on leaching behaviour of cement blocks used as matrix for fixation of Cs activity along with ferric 521
- Diffusion brazing
Interfacial microstructure and strength of diffusion brazed joint between Al₂O₃-TiC and 9Cr1MoV steel 415
- Diffusion fields
Modelling of soft impingement during solidification 403
- Diffusion phase transitions
Dielectric properties and relaxation of Bi_{0.5}Na_{0.5}TiO₃-BaNb₂O₆ lead-free ceramics 575
- Direct methods
X-ray study of weak interactions in two flavonoids 469
- Dislocation
Influence of microgravity on Ce-doped Bi₁₂SiO₂₀ crystal defect 211
- Disordered magnetic state
Bulk magnetic properties of CdFe₂O₄ in nano-regime 197
- Dispersion
Carbon nanotube reinforced polymer composites—A state of the art 379
- Dolomite
Thermal decomposition of natural dolomite 339
- Doping
Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
Surface characterization of silver and palladium modified glassy carbon 587
- Double-Voigt method
Study of microstructure in vanadium-palladium alloys by X-ray diffraction technique 447
- Durability
Magnesium oxychloride cement concrete 239
- EDAX
Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- Efficiency
Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
- Elastic behaviour
Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4-δ}+Ba_{0.8}Pb_{0.2}TiO₃ 357
- Elastic constants
Crystal structure and elastic constants of Dharwar cotton fibre using WAXS data 503
- Electrical conductivity
Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4-δ}+Ba_{0.8}Pb_{0.2}TiO₃ 357
- Electrical modulus
Conductivity studies of lithium zinc silicate glasses with varying lithium contents 497
- Electrodeposition
Polynitroaniline as brightener for zinc-nickel alloy plating from non-cyanide sulphate bath 57
Nanowires: properties, applications and synthesis via porous anodic aluminium oxide template 271
Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
Effect of condensation product on electrodeposition of zinc on mild steel 463
- Electron
Structural and optical properties of electron beam evaporated CdSe thin films 547
- Electronic materials
Synthesis of CaTiO₃ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
Low voltage varistor ceramics based on SnO₂ 583
- Electroplating of zinc
Effect of a new condensation product on electrodeposition of zinc from a non-cyanide bath 219
- Electropolymerization
Polynitroaniline as brightener for zinc-nickel alloy plating from non-cyanide sulphate bath 57
- Emission
Spectral analysis of Cu²⁺ and Mn²⁺ ions doped borofluorophosphate glasses 481
- Energy band gap
Synthesis of nanocrystalline CdS thin films in PVA matrix 123
Structural and optical properties of electron beam evaporated CdSe thin films 547
- Etching
Etching of GaAs substrates to create As-rich surface 561

- Ethanol gas sensor
Ethanol gas sensing properties of Al₂O₃-doped ZnO thick film resistors 553
- Ethanol vapour
Ethanol vapour sensing properties of screen printed WO₃ thick films 129
- Excitation
Spectral analysis of Cu²⁺ and Mn²⁺ ions doped borofluorophosphate glasses 481
- Fe contamination
Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157
- Ferroelectromagnetic
Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4-δ}+Ba_{0.8}Pb_{0.2}TiO₃ 357
- FeRu alloy
Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene-ferrocene mixtures 23
- Field intensity
Theoretical analysis of effect of temperature on threshold parameters and field intensity in GaN material based heterostructure 255
- Figure of merit
Effect of nickel substitution on thermal properties of Na_{0.9}CoO₂ 345
- Fill factor
Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
- Film adhesion
Film adhesion in amorphous silicon solar cells 329
- Fine particle
Bulk magnetic properties of CdFe₂O₄ in nano-regime 197
- Flavonoid
X-ray study of weak interactions in two flavonoids 469
- Flexural strength
Magnesium oxychloride cement concrete 239
- Fluoride crystals
Thermoluminescence characteristics of Sm³⁺ doped NaYF₄ crystals 1
- Flux method
Studies on CdIn₂O₄ derived from CdIn₂S₄ prepared by flux method 141
- Fourier transform infrared spectroscopy
Thermal and IR studies on copper doped polyvinyl alcohol 215
- FTIR
Synthesis and characterization of *in situ* prepared poly(methyl methacrylate) nanocomposites 31
Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
Instrumental characterization of clay by XRF, XRD and FTIR 235
Thermal decomposition of natural dolomite 339
Study of microhardness and electrical properties of proton irradiated polyethersulfone (PES) 477
- Functionalization
Carbon nanotube reinforced polymer composites—A state of the art 379
- GaN material
Theoretical analysis of effect of temperature on threshold parameters and field intensity in GaN material based heterostructure 255
- Gas response
Ethanol gas sensing properties of Al₂O₃-doped ZnO thick film resistors 553
- Gas sensing
Studies on CdIn₂O₄ derived from CdIn₂S₄ prepared by flux method 141
Synthesis, characterization and gas sensitivity of MoO₃ nanoparticles 183
- Gas sensitivity
CO₂ gas sensitivity of sputtered zinc oxide thin films 113
- Gauche
X-ray study of weak interactions in two flavonoids 469
- Geikielite
A novel method for synthesizing nano-crystalline MgTiO₃ geikielite 19
- Gel material
Production of boron carbide powder by carbothermal synthesis of gel material 93
- Giant dielectrics
Microwave synthesis and sintering characteristics of CaCu₃Ti₄O₁₂ 567
- Glasses
Conductivity studies of lithium zinc silicate glasses with varying lithium contents 497
- Glass-like carbon
Surface characterization of silver and palladium modified glassy carbon 587
- Glass transition temperature (T_g)
Structural characterization and thermally stimulated discharge conductivity (TSDC) study in polymer thin films 163
- Grain refinement
Influence of melt treatments and polished CVD diamond coated insert on cutting force and surface integrity in turning of Al-7Si and Al-7Si-2.5Cu cast alloys 427
Effect of melt treatment on microstructure and impact properties of Al-7Si and Al-7Si-2.5Cu cast alloys 439
- H₂S gas sensor
Studies on gas sensing performance of pure and modified barium strontium titanate thick film resistors 9
- Heat treatment
Titania doped triaxial porcelain: Enhancement of strength by controlled heat treatment 231
- Heterogeneous system
Synthesis of silica nanosphere from homogeneous and heterogeneous systems 615
- Heterostructure
Theoretical analysis of effect of temperature on threshold parameters and field intensity in GaN material based heterostructure 255
- High field electrical behaviour
High field electrical behaviour in lithium-phospho-vanadate glass system 65
- High-*k* gate dielectric
Structural and optical properties of ZnO films grown on silicon and their applications in MOS devices in conjunction with ZrO₂ as a gate dielectric 247

- Homogeneous system
 Synthesis of silica nanosphere from homogeneous and heterogeneous systems 615
- HSS drill bits
 Performance evaluation of reactive direct current unbalanced magnetron sputter deposited nanostructured TiN coated high-speed steel drill bits 607
- Hull cell studies
 Effect of a new condensation product on electrodeposition of zinc from a non-cyanide bath 219
 Influence of additives on electrodeposition of bright Zn–Ni alloy on mild steel from acid sulphate bath 455
- Hydrogel
 Selective absorption of water from different oil–water emulsions with Psy-cl-poly (AAM) synthesized using irradiation copolymerization method 387
- Hydrolysis
 Macrovoids formation and light scattering of PMMA 365
- Hydrothermal preparation
 Photocatalytic degradation of indigo carmine dye using TiO₂ impregnated activated carbon 37
- Hydroxyapatite
 Characteristics of porous zirconia coated with hydroxyapatite as human bones 309
- Impact toughness
 Effect of melt treatment on microstructure and impact properties of Al–7Si and Al–7Si–2.5Cu cast alloys 439
- Impedance analysis
 A comparative study of proton transport properties of zirconium phosphate and its metal exchanged phases 205
- Impingement
 Modelling of soft impingement during solidification 403
- Indigo carmine
 Photocatalytic degradation of indigo carmine dye using TiO₂ impregnated activated carbon 37
- Indium
 A facile synthesis of MInSe₂ (M = Cu, Ag) via low temperature pyrolysis of single source molecular precursors, [(R₃P)₂MIn(SeCOAr)₄] 173
- InSb
 Study of annealing effects in In–Sb bilayer thin films 117
- Instrumental characterization
 Instrumental characterization of clay by XRF, XRD and FTIR 235
- π – π interaction
 X-ray study of weak interactions in two flavonoids 469
- Interfacial strength
 Interfacial microstructure and strength of diffusion brazed joint between Al₂O₃–TiC and 9Cr1MoV steel 415
- Internal friction loss
 Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4- δ} + Ba_{0.8}Pb_{0.2}TiO₃ 357
- Ion beam mixing
 Structural and electrical properties of swift heavy ion beam irradiated Fe/Si interface 153
- Ionic conductivity
 Conductivity studies of lithium zinc silicate glasses with varying lithium contents 497
- Ionic liquids
 Use of ionic liquids in synthesis of nanocrystals, nanorods and nanowires of elemental chalcogens 179
- IT–SOFC
 Effect of sintering temperature on structural and electrical properties of gadolinium doped ceria (Ce_{0.9}Gd_{0.1}O_{1.95}) 97
- I–V* characteristics
 Study of annealing effects in In–Sb bilayer thin films 117
- Kinetic parameters
 Thermal, FT–IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- LALS
 Crystal structure and elastic constants of Dharwar cotton fibre using WAXS data 503
- Lead-free piezoelectric ceramics
 Depolarization temperature and piezoelectric properties of Na_{1/2}Bi_{1/2}TiO₃–Na_{1/2}Bi_{1/2}(Zn_{1/3}Nb_{2/3})O₃ ceramics by two-stage calcination method 579
- Lithium ion
 Growth and characterization of pure and lithium doped strontium tartrate tetrahydrate crystals by solution–gel technique 349
- Lithium–phospho–vanadate glass system
 High field electrical behaviour in lithium–phospho–vanadate glass system 65
- Log-normal distribution
 Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- Lunar minerals
 A novel method for synthesizing nano-crystalline MgTiO₃ geikielite 19
- Machining
 Influence of melt treatments and polished CVD diamond coated insert on cutting force and surface integrity in turning of Al–7Si and Al–7Si–2.5Cu cast alloys 427
- Macrovoids
 Macrovoids formation and light scattering of PMMA 365
- Magnesium alloy
 Ceramic coated Y1 magnesium alloy surfaces by microarc oxidation process for marine applications 399
- Magnesium sulphate
 Magnesium oxychloride cement concrete 239
- Mass spectroscopy
 Surface characterization of silver and palladium modified glassy carbon 587
- Mechanical milling
 Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157
- Mechanical properties
 Effect of transient change in strain rate on plastic flow behaviour of low carbon steel 69
- Mechanochemical
 Nanocrystalline TiO₂ by three different synthetic approaches: A comparison 263
- Mechano-chemical reaction
 Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157

- Metal matrix composites
 Separation of matrix alloy and reinforcement from aluminum metal matrix composites scrap by salt flux addition 393
- Metal oxide
 Synthesis, characterization and gas sensitivity of MoO₃ nanoparticles 183
- Metallocene
 Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene-ferrocene mixtures 23
- Metallurgy
 Effect of transient change in strain rate on plastic flow behaviour of low carbon steel 69
- Metals and alloys
 Study of microstructure in vanadium-palladium alloys by X-ray diffraction technique 447
- Microalloyed steels
 Effect of cold work and aging on mechanical properties of a copper bearing microalloyed HSLA-100 (GPT) steel 73
- Microarc oxidation
 Ceramic coated Y1 magnesium alloy surfaces by microarc oxidation process for marine applications 399
- Microgravity
 Influence of microgravity on Ce-doped Bi₁₂SiO₂₀ crystal defect 211
- Microhardness
 Study of microhardness and electrical properties of proton irradiated polyethersulfone (PES) 477
- Microstructural characterization
 Interfacial microstructure and strength of diffusion brazed joint between Al₂O₃-TiC and 9Cr1MoV steel 415
- Microstructure
 Study of microstructure in vanadium-palladium alloys by X-ray diffraction technique 447
 Microwave synthesis and sintering characteristics of CaCu₃Ti₄O₁₂ 567
 Low voltage varistor ceramics based on SnO₂ 583
- Microwave assisted CVD
 Diamond like carbon coatings deposited by microwave plasma CVD: XPS and ellipsometric studies 541
- Microwave materials
 A re-look at critical factors influencing single-phase formation of Ba₂Ti₉O₂₀ microwave dielectrics 333
- Microwave processing
 Microwave synthesis and sintering characteristics of CaCu₃Ti₄O₁₂ 567
- Microwave synthesis
 Synthesis of CaTiO₃ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
- Mineral
 A novel method for synthesizing nano-crystalline MgTiO₃ geikielite 19
- Modification
 Influence of melt treatments and polished CVD diamond coated insert on cutting force and surface integrity in turning of Al-7Si and Al-7Si-2.5Cu cast alloys 427
 Effect of melt treatment on microstructure and impact properties of Al-7Si and Al-7Si-2.5Cu cast alloys 439
- Monotectic
 Studies on relative catalytic efficiencies of zinc and aluminium on nucleation of dispersed bismuth droplets 81
- Multi valent
 A study on leaching behaviour of cement blocks used as matrix for fixation of Cs activity along with ferric 521
- Nanocomposite
 Carbon nanotube reinforced polymer composites—A state of the art 379
- Nanocrystalline
 Nanocrystalline TiO₂ by three different synthetic approaches: A comparison 263
 Pulsed nanocrystalline plasma electrolytic boriding as a novel method for corrosion protection of CP-Ti (Part 1: Different frequency and duty cycle) 601
- Nanomaterials
 A novel method for synthesizing nano-crystalline MgTiO₃ geikielite 19
- Nanoparticles
 Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene-ferrocene mixtures 23
 A facile synthesis of MInSe₂ (M = Cu, Ag) via low temperature pyrolysis of single source molecular precursors, [(R₃P)₂MIn(SeCOAr)₄] 173
 Synthesis, characterization and gas sensitivity of MoO₃ nanoparticles 183
 Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- Nano-powder
 Zinc nanoparticles in solution by laser ablation technique 291
- Nanorods
 Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene-ferrocene mixtures 23
- Nanostructured TiN coatings
 Performance evaluation of reactive direct current unbalanced magnetron sputter deposited nanostructured TiN coated high-speed steel drill bits 607
- Nanostructures
 Use of ionic liquids in synthesis of nanocrystals, nanorods and nanowires of elemental chalcogens 179
- Nanowire
 Nanowires: properties, applications and synthesis via porous anodic aluminium oxide template 271
- Naphthalene
 Structural characterization and thermally stimulated discharge conductivity (TSDC) study in polymer thin films 163
- Near α -titanium alloy
 Role of Ti₃Al/silicides on tensile properties of Timetal 834 at various temperatures 595
- NLO material
 Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- Nucleation
 Studies on relative catalytic efficiencies of zinc and aluminium on nucleation of dispersed bismuth droplets 81

- Oil–water emulsions
 Selective absorption of water from different oil–water emulsions with Psy-cl-poly (AAM) synthesized using irradiation copolymerization method 387
- Optical band gap
 Study of annealing effects in Al–Sb bilayer thin films 5
 Optical properties of CeO₂ thin films 315
- Optical density
 Redox ratio and optical absorption of polyvalent ions in industrial glasses 487
- Optical properties
 Size dependent optical characteristics of chemically deposited nanostructured ZnS thin films 147
- Ordered Sc_{0.5}Ga_{0.5}N alloys
 Structural phase transitions and piezoelectric anomalies in ordered Sc_{0.5}Ga_{0.5}N alloys 407
- Oxide ion activity
 Redox ratio and optical absorption of polyvalent ions in industrial glasses 487
- Oxides
 Influence of microgravity on Ce-doped Bi₁₂SiO₂₀ crystal defect 211
- Oxychloride cement concrete
 Magnesium oxychloride cement concrete 239
- Oxygen sensors
 Thermochemical behaviour of Ru(II) complex–SiO₂ micro-composites 511
- Paranitroaniline
 Study of d.c. electrical conductivity of paranitroaniline doped (1:1) polyvinylchloride and poly (methyl methacrylate) polyblends 167
- Peak aging
 Effect of cold work and aging on mechanical properties of a copper bearing microalloyed HSLA-100 (GPT) steel 73
- PEC
 Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
- PECVD
 Structural and optical properties of ZnO films grown on silicon and their applications in MOS devices in conjunction with ZrO₂ as a gate dielectric 247
- Performance evaluation
 Performance evaluation of reactive direct current unbalanced magnetron sputter deposited nanostructured TiN coated high-speed steel drill bits 607
- Perovskite structure
 Depolarization temperature and piezoelectric properties of Na_{1/2}Bi_{1/2}TiO₃–Na_{1/2}Bi_{1/2}(Zn_{1/3}Nb_{2/3})O₃ ceramics by two-stage calcination method 579
- Perovskites
 Synthesis of CaTiO₃ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
- Phase transitions
 Structural phase transitions and piezoelectric anomalies in ordered Sc_{0.5}Ga_{0.5}N alloys 407
- Photoacoustics
 Effect of nickel substitution on thermal properties of Na_{0.9}CoO₂ 345
- Photocatalysis
 Photocatalytic degradation of indigo carmine dye using TiO₂ impregnated activated carbon 37
- Photoluminescence
 Photoluminescence and thermoluminescence properties of tricalcium phosphate phosphors doped with dysprosium and europium 527
- Piezoelectric coefficients
 Structural phase transitions and piezoelectric anomalies in ordered Sc_{0.5}Ga_{0.5}N alloys 407
- Piezoelectric constants
 Piezoelectric properties of Sr₃Ga₂Ge₄O₁₄ single crystals 101
- Piezoelectric materials
 Piezoelectric properties of Sr₃Ga₂Ge₄O₁₄ single crystals 101
- Piezoelectric properties
 Depolarization temperature and piezoelectric properties of Na_{1/2}Bi_{1/2}TiO₃–Na_{1/2}Bi_{1/2}(Zn_{1/3}Nb_{2/3})O₃ ceramics by two-stage calcination method 579
- PLAAM
 Zinc nanoparticles in solution by laser ablation technique 291
- Planetary ball mill
 Nanocrystalline TiO₂ by three different synthetic approaches: A comparison 263
- Plastic flow
 Effect of transient change in strain rate on plastic flow behaviour of low carbon steel 69
- PMMA
 Synthesis and characterization of *in situ* prepared poly (methyl methacrylate) nanocomposites 31
 Macrovoids formation and light scattering of PMMA 365
- Polarizability of oxide (–II) species
 Redox ratio and optical absorption of polyvalent ions in industrial glasses 487
- Polaron hopping
 Dielectric, elastic, anelastic and conductivity behaviour of ferroelectromagnetic composites, Ni_{0.5}Zn_{0.5}Fe_{1.95}O_{4-δ}+Ba_{0.8}Pb_{0.2}TiO₃ 357
- Poly (methyl methacrylate)
 Study of d.c. electrical conductivity of paranitroaniline doped (1:1) polyvinylchloride and poly (methyl methacrylate) poly-blends 167
- Polyaniline
 Synthesis, transport and dielectric properties of polyaniline/Co₃O₄ composites 89
- Polyaniline doped PVC–PMMA polymer blends
 Electrical conductivity of polyaniline doped PVC–PMMA polymer blends 51
- Polyethersulfone
 Study of microhardness and electrical properties of proton irradiated polyethersulfone (PES) 477
- Polymer
 Carbon nanotube reinforced polymer composites—A state of the art 379
- Polymer nanocomposite
 Synthesis and characterization of *in situ* prepared poly (methyl methacrylate) nanocomposites 31

- Polynitroaniline
 Polynitroaniline as brightener for zinc–nickel alloy plating from non-cyanide sulphate bath 57
- Polytitanates
 A re-look at critical factors influencing single-phase formation of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ microwave dielectrics 333
- Polyvinyl alcohol
 Thermal and IR studies on copper doped polyvinyl alcohol 215
- Polyvinylchloride
 Study of d.c. electrical conductivity of pararnitroaniline doped (1:1) polyvinylchloride and poly (methyl methacrylate) polyblends 167
- Porosity
 Characteristics of porous zirconia coated with hydroxyapatite as human bones 309
- Potentiostatic
 Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
- Properties
 Nanowires: properties, applications and synthesis via porous anodic aluminium oxide template 271
- Proton conduction
 A comparative study of proton transport properties of zirconium phosphate and its metal exchanged phases 205
- Proton transport properties
 A comparative study of proton transport properties of zirconium phosphate and its metal exchanged phases 205
- PS
 Structural characterization and thermally stimulated discharge conductivity (TSDC) study in polymer thin films 163
- Psyllium
 Selective absorption of water from different oil–water emulsions with Psy-cl-poly (AAM) synthesized using irradiation copolymerization method 387
- Pulsed plasma electrolytic boriding
 Pulsed nanocrystalline plasma electrolytic boriding as a novel method for corrosion protection of CP-Ti (Part 1: Different frequency and duty cycle) 601
- Pyrolysis
 Carbon nanostructures and graphite-coated metal nanostructures obtained by pyrolysis of ruthenocene and ruthenocene–ferrocene mixtures 23
- Quantum-confinement
 Nanowires: properties, applications and synthesis via porous anodic aluminium oxide template 271
- Radiation dosimetry
 Photoluminescence and thermoluminescence properties of tricalcium phosphate phosphors doped with dysprosium and europium 527
- Raman spectroscopy
 Raman study on single-walled carbon nanotubes with different laser excitation energies 295
- γ -ray dosimetry
 Thermoluminescence characteristics of Sm^{3+} doped NaYF_4 crystals 1
- RBS
 Study of annealing effects in Al–Sb bilayer thin films 5
 Study of annealing effects in In–Sb bilayer thin films 117
- RDF of coal
 XRD and FT–IR investigations of sub-bituminous Assam coals 421
- Recrystallization
 Titania doped triaxial porcelain: Enhancement of strength by controlled heat treatment 231
- Recycling
 Separation of matrix alloy and reinforcement from aluminum metal matrix composites scrap by salt flux addition 393
- Redox ratio
 Redox ratio and optical absorption of polyvalent ions in industrial glasses 487
- Refractive index
 Optical properties of CeO_2 thin films 315
- Relaxor characteristics
 Dielectric properties and relaxation of $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ – BaNb_2O_6 lead-free ceramics 575
- Rietveld method
 Study of microstructure in vanadium–palladium alloys by X-ray diffraction technique 447
- Ru(II) complexes
 Thermochemical behaviour of Ru(II) complex– SiO_2 microcomposites 511
- Salt flux
 Separation of matrix alloy and reinforcement from aluminum metal matrix composites scrap by salt flux addition 393
- Scattering
 Macrovoids formation and light scattering of PMMA 365
- Schottky barrier height
 Structural and electrical properties of swift heavy ion beam irradiated Fe/Si interface 153
- Screen printing
 Ethanol vapour sensing properties of screen printed WO_3 thick films 129
- Selectivity
 Studies on gas sensing performance of pure and modified barium strontium titanate thick film resistors 9
- Selenocarboxylates
 A facile synthesis of MInSe_2 ($\text{M} = \text{Cu}, \text{Ag}$) via low temperature pyrolysis of single source molecular precursors, $[(\text{R}_3\text{P})_2\text{MIn}(\text{SeCOAr})_4]$ 173
- SEM
 Synthesis and characterization of *in situ* prepared poly (methyl methacrylate) nanocomposites 31
 Effect of sintering temperature on structural and electrical properties of gadolinium doped ceria ($\text{Ce}_{0.9}\text{Gd}_{0.1}\text{O}_{1.95}$) 97
 Synthesis, characterization and gas sensitivity of MoO_3 nanoparticles 183
- SEM studies
 Polynitroaniline as brightener for zinc–nickel alloy plating from non-cyanide sulphate bath 57
- Semi-industrial unbalanced magnetron sputtering system
 Performance evaluation of reactive direct current unbalanced magnetron sputter deposited nanostructured TiN coated high-speed steel drill bits 607
- Semi-insulating
 Etching of GaAs substrates to create As-rich surface 561
- Sensitivity
 Studies on gas sensing performance of pure and modified barium strontium titanate thick film resistors 9

- Separation
 Separation of matrix alloy and reinforcement from aluminum metal matrix composites scrap by salt flux addition 393
- Series resistance
 Structural and electrical properties of swift heavy ion beam irradiated Fe/Si interface 153
- SHG efficiency
 Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- Silica nanosphere
 Synthesis of silica nanosphere from homogeneous and heterogeneous systems 615
- Silver
 A facile synthesis of $MInSe_2$ ($M = Cu, Ag$) via low temperature pyrolysis of single source molecular precursors, $[(R_3P)_2MIn(SeCOAr)_4]$ 173
- Sintering
 Microwave synthesis and sintering characteristics of $CaCu_3Ti_4O_{12}$ 567
- SiO_2 -based matrix
 Thermochemical behaviour of Ru(II) complex- SiO_2 micro-composites 511
- Size dependent catalytic behaviour
 Effect of size of copper nanoparticles on its catalytic behaviour in Ullman reaction 535
- Sodium cobaltate
 Effect of nickel substitution on thermal properties of $Na_{0.9}CoO_2$ 345
- Sol-gel
 Synthesis and characterization of *in situ* prepared poly (methyl methacrylate) nanocomposites 31
- Sol-gel citrate
 Synthesis, characterization and gas sensitivity of MoO_3 nanoparticles 183
- Sol-gel technology
 Thermochemical behaviour of Ru(II) complex- SiO_2 micro-composites 511
- Solid electrolytes
 A comparative study of proton transport properties of zirconium phosphate and its metal exchanged phases 205
- Solution-gel technique
 Growth and characterization of pure and lithium doped strontium tartrate tetrahydrate crystals by solution-gel technique 349
- Solution growth
 Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- Spectral response
 Synthesis of nanocrystalline CdS thin films in PVA matrix 123
- Spectroscopic ellipsometry
 Diamond like carbon coatings deposited by microwave plasma CVD: XPS and ellipsometric studies 541
- Spectroscopic studies
 A novel method for synthesizing nano-crystalline $MgTiO_3$ geikielite 19
- Spent resin
 A study on leaching behaviour of cement blocks used as matrix for fixation of Cs activity along with ferric 521
- Spheroidal grains
 Modelling of soft impingement during solidification 403
- Sputtering
 CO_2 gas sensitivity of sputtered zinc oxide thin films 113
- $Sr_3Ga_2Ge_4O_{14}$
 Piezoelectric properties of $Sr_3Ga_2Ge_4O_{14}$ single crystals 101
- Stainless steel
 Adhesive B-doped DLC films on biomedical alloys used for bone fixation 301
- Steels
 Effect of transient change in strain rate on plastic flow behaviour of low carbon steel 69
- Stir casting
 Modelling of soft impingement during solidification 403
- Stress-strain measurement
 Effect of transient change in strain rate on plastic flow behaviour of low carbon steel 69
- Striations
 Effect of cold work and aging on mechanical properties of a copper bearing microalloyed HSLA-100 (GPT) steel 73
- Strontium tartrate tetrahydrate crystals
 Growth and characterization of pure and lithium doped strontium tartrate tetrahydrate crystals by solution-gel technique 349
- Structural properties
 Structural and optical properties of electron beam evaporated CdSe thin films 547
- Structure
 CO_2 gas sensitivity of sputtered zinc oxide thin films 113
- Surface erosion
 Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157
- Surface modification
 Surface characterization of silver and palladium modified glassy carbon 587
- Surface properties
 Surface characterization of silver and palladium modified glassy carbon 587
- Surfactant
 Nanocrystalline TiO_2 by three different synthetic approaches: A comparison 263
- SWCNTs
 Raman study on single-walled carbon nanotubes with different laser excitation energies 295
- Synroc
 Synthesis of $CaTiO_3$ from calcium titanyl oxalate hexahydrate (CTO) as precursor employing microwave heating technique 225
- Synthesis
 Synthesis, characterization and ion exchange properties of zirconium(IV) tungstodiphosphate, a new cation exchanger 43
- Facile synthesis of ZnO hollow fibres 571
- Synthesis of silica nanosphere from homogeneous and heterogeneous systems 615
- TEM
 Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- Temperature programmed desorption
 Surface characterization of silver and palladium modified glassy carbon 587

- Templating
Nanocrystalline TiO₂ by three different synthetic approaches:
A comparison 263
- Tensile properties
Role of Ti₃Al/silicides on tensile properties of Timetal 834 at various temperatures 595
- Tetravalent metal acid salts
A comparative study of proton transport properties of zirconium phosphate and its metal exchanged phases 205
- TGA
Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- TGA-DTA
Thermal decomposition of natural dolomite 339
- Thermal bleaching
Thermoluminescence characteristics of Sm³⁺ doped NaYF₄ crystals 1
- Thermal conductivity
Effect of nickel substitution on thermal properties of Na_{0.9}CoO₂ 345
- Thermal parameters
Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals 105
- Thermo-electrets
Structural characterization and thermally stimulated discharge conductivity (TSDC) study in polymer thin films 163
- Thermoelectric power
Electrical properties of chemically prepared nonstoichiometric CuIn(S, Se)₂ thin films 135
Effect of nickel substitution on thermal properties of Na_{0.9}CoO₂ 345
- Thermogravimetric analysis
Thermal and IR studies on copper doped polyvinyl alcohol 215
- Thermoluminescence
Thermoluminescence characteristics of Sm³⁺ doped NaYF₄ crystals 1
Photoluminescence and thermoluminescence properties of tricalcium phosphate phosphors doped with dysprosium and europium 527
- Thick film
Studies on CdIn₂O₄ derived from CdIn₂S₄ prepared by flux method 141
Ethanol gas sensing properties of Al₂O₃-doped ZnO thick film resistors 553
- Thin film
Study of annealing effects in Al-Sb bilayer thin films 5
CO₂ gas sensitivity of sputtered zinc oxide thin films 113
Study of annealing effects in In-Sb bilayer thin films 117
Electrical properties of chemically prepared nonstoichiometric CuIn(S, Se)₂ thin films 135
Size dependent optical characteristics of chemically deposited nanostructured ZnS thin films 147
- Throwing power
Influence of additives on electrodeposition of bright Zn-Ni alloy on mild steel from acid sulphate bath 455
- Ti₃Al/silicide precipitates
Role of Ti₃Al/silicides on tensile properties of Timetal 834 at various temperatures 595
- Timetal 834
Role of Ti₃Al/silicides on tensile properties of Timetal 834 at various temperatures 595
- Tin oxide
Low voltage varistor ceramics based on SnO₂ 583
- TiO₂
Photocatalytic degradation of indigo carmine dye using TiO₂ impregnated activated carbon 37
- Titania
Titania doped triaxial porcelain: Enhancement of strength by controlled heat treatment 231
- Titanium
Pulsed nanocrystalline plasma electrolytic boriding as a novel method for corrosion protection of CP-Ti (Part 1: Different frequency and duty cycle) 601
- Titanium alloys
Adhesive B-doped DLC films on biomedical alloys used for bone fixation 301
- TLD-100
Thermoluminescence characteristics of Sm³⁺ doped NaYF₄ crystals 1
- Transmission
Study of annealing effects in In-Sb bilayer thin films 117
- Transmittance
Optical properties of CeO₂ thin films 315
Macrovoids formation and light scattering of PMMA 365
- Transport properties
Synthesis, transport and dielectric properties of polyaniline/Co₃O₄ composites 89
- Traps
Thermoluminescence characteristics of Sm³⁺ doped NaYF₄ crystals 1
- Triaxial porcelain
Titania doped triaxial porcelain: Enhancement of strength by controlled heat treatment 231
- TSDC
Structural characterization and thermally stimulated discharge conductivity (TSDC) study in polymer thin films 163
- Ullman reaction
Effect of size of copper nanoparticles on its catalytic behaviour in Ullman reaction 535
- Undercooling
Studies on relative catalytic efficiencies of zinc and aluminium on nucleation of dispersed bismuth droplets 81
- UV spectra
Synthesis of nanocrystalline CdS thin films in PVA matrix 123
- Warren-Averbach method
Study of microstructure in vanadium-palladium alloys by X-ray diffraction technique 447
- Water absorption
Selective absorption of water from different oil-water emulsions with Psy-cl-poly (AAM) synthesized using irradiation copolymerization method 387
- Wavelength dependent spectra
Raman study on single-walled carbon nanotubes with different laser excitation energies 295

- WAXD
 Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- WAXS
 Crystal structure and elastic constants of Dharwar cotton fibre using WAXS data 503
- Wire explosion process
 Generation and characterization of nano aluminium powder obtained through wire explosion process 187
- WO₃ thick film
 Ethanol vapour sensing properties of screen printed WO₃ thick films 129
- XPS spectrum
 Etching of GaAs substrates to create As-rich surface 561
- X-ray diffraction
 Thermal decomposition of natural dolomite 339
 Study of microstructure in vanadium–palladium alloys by X-ray diffraction technique 447
 Low voltage varistor ceramics based on SnO₂ 583
- X-ray photoelectron spectroscopy
 Diamond like carbon coatings deposited by microwave plasma CVD: XPS and ellipsometric studies 541
- X-ray techniques
 Application of mechano-chemical synthesis for protective coating on steel grinding media prior to ball milling of copper 157
- XRD
 Effect of sintering temperature on structural and electrical properties of gadolinium doped ceria (Ce_{0.9}Gd_{0.1}O_{1.95}) 97
 Study of annealing effects in In–Sb bilayer thin films 117
 Structural and electrical properties of swift heavy ion beam irradiated Fe/Si interface 153
 Instrumental characterization of clay by XRF, XRD and FTIR 235
- Photoelectrochemical (PEC) studies on CdSe thin films electrodeposited from non-aqueous bath on different substrates 321
- XRD patterns
 CO₂ gas sensitivity of sputtered zinc oxide thin films 113
- XRF
 Instrumental characterization of clay by XRF, XRD and FTIR 235
- Zinc nanoparticles
 Zinc nanoparticles in solution by laser ablation technique 291
- Zinc–nickel alloys
 Influence of additives on electrodeposition of bright Zn–Ni alloy on mild steel from acid sulphate bath 455
- Zirconia
 Characteristics of porous zirconia coated with hydroxyapatite as human bones 309
- Zirconium(IV) tungstiodophosphate
 Synthesis, characterization and ion exchange properties of zirconium(IV) tungstiodophosphate, a new cation exchanger 43
- Zn–Ni alloy
 Polynitroaniline as brightener for zinc–nickel alloy plating from non-cyanide sulphate bath 57
- ZnO
 CO₂ gas sensitivity of sputtered zinc oxide thin films 113
 Structural and optical properties of ZnO films grown on silicon and their applications in MOS devices in conjunction with ZrO₂ as a gate dielectric 247
- ZnO hollow fibres
 Facile synthesis of ZnO hollow fibres 571
- ZrO₂
 Structural and optical properties of ZnO films grown on silicon and their applications in MOS devices in conjunction with ZrO₂ as a gate dielectric 247