

## SUBJECT INDEX

- AFM  
 Wavelength dependent laser-induced etching of Cr–O doped GaAs: Morphology studies by SEM and AFM 31  
 Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135  
 Nano-tribological characteristics of TiO<sub>2</sub> films on 3-mercaptopropyl trimethoxysilane sulfonated self-assembled monolayer 481
- Air induction melting  
 Effect of cerium and thermomechanical processing on microstructure and mechanical properties of Fe–10.5Al–0.8C alloy 531
- Al<sub>2</sub>O<sub>3</sub>  
 Photoluminescence and Raman studies in swift heavy ion irradiated polycrystalline aluminum oxide 515
- Al–Si–Cu alloys  
 Study on hardness and microstructural characteristics of sand cast Al–Si–Cu alloys 617
- Amorphization  
 Photoluminescence and Raman studies in swift heavy ion irradiated polycrystalline aluminum oxide 515
- Anisotropic etching  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- Antimicrobial activity  
 Spectroscopic, thermal and biological studies of coordination compounds of sulfasalazine drug: Mn(II), Hg(II), Cr(III), ZrO(II), VO(II) and Y(III) transition metal complexes 205
- Antimony  
 Effect of external energy on atomic, crystalline and powder characteristics of antimony and bismuth powders 471
- APCVD  
 Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135
- Aqueous media  
 Surface degradation behaviour of sodium borophosphate glass in aqueous media: Some studies 329
- Aqueous solution route  
 Synthesis and characterization of nano-sized Ba<sub>x</sub>Sr<sub>1-x</sub>SO<sub>4</sub> (0 ≤ x ≤ 1) solid solution by a simple surfactant-free aqueous solution route 149
- Atomic force microscopy  
 Effect of microstructural evolution on magnetic properties of Ni thin films 263
- Average internal stress  
 Structural characterization of lead sulfide thin films by means of X-ray line profile analysis 43
- Backscattering  
 Estimation of scattering from a moist rough surface with spheroidal dust particles 459
- Ba<sub>x</sub>Ca<sub>(1-x)</sub>(IO<sub>3</sub>)<sub>4</sub>  
 Study of gel grown mixed crystals of Ba<sub>x</sub>Ca<sub>(1-x)</sub>(IO<sub>3</sub>)<sub>4</sub> 187
- Ba<sub>x</sub>Sr<sub>1-x</sub>SO<sub>4</sub> (0 ≤ x ≤ 1) solid solution  
 Synthesis and characterization of nano-sized Ba<sub>x</sub>Sr<sub>1-x</sub>SO<sub>4</sub> (0 ≤ x ≤ 1) solid solution by a simple surfactant-free aqueous solution route 149
- B–C–N composite nanotube  
 3d Transition metal decorated B–C–N composite nanostructures for efficient hydrogen storage: A first-principles study 353
- Bearings  
 Investigation of tribological and mechanical properties of metal bearings 451
- BiFeO<sub>3</sub>  
 Structure, synthesis and multiferroic nature of BiFeO<sub>3</sub> and 0.9BiFeO<sub>3</sub>–0.1BaTiO<sub>3</sub>: An overview 361
- Biologically active HTPB  
 Functionalization of hydroxyl terminated polybutadiene with biologically active fluorescent molecule 507
- Biomedical applications  
 Preparation of diamond like carbon thin film on stainless steel and its SEM characterization 563
- Bis(4-carboxyphenyl) phenyl phosphine oxide  
 Fabrication and thermal stability studies of polyamide 66 containing triaryl phosphine oxide 375
- Bismuth  
 Effect of external energy on atomic, crystalline and powder characteristics of antimony and bismuth powders 471
- Borate glasses  
 Elastic properties of Na<sub>2</sub>O–ZnO–ZnF<sub>2</sub>–B<sub>2</sub>O<sub>3</sub> oxyfluoride glasses 597
- Borates  
 Influence of seeding on crystallization behaviour of BaNaB<sub>9</sub>O<sub>15</sub> glasses 93
- Borophosphate glass  
 Surface degradation behaviour of sodium borophosphate glass in aqueous media: Some studies 329
- Bridgman method  
 Growth of Nd<sup>3+</sup> doped LiNbO<sub>3</sub> crystals using Bridgman method and its spectral properties 183
- Buffer layer  
 Preparation of diamond like carbon thin film on stainless steel and its SEM characterization 563
- Cadmium selenide thin film  
 Mobility activation in thermally deposited CdSe thin films 369
- Calcination  
 Preparation and characterization of nano-hydroxyapatite powder using sol–gel technique 465
- Calciothermic reduction of TiO<sub>2</sub>  
 Phase diagram of the system Ca–Ti–O at 1200 K 611
- Carbon nanospheres  
 Resorcinol–formaldehyde based carbon nanospheres by electrospinning 239

- Carbon nanostructures  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- Carbon nanotubes  
 Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135
- Carboxyl terminated butadiene acrylonitrile  
 Studies on blends of cycloaliphatic epoxy resin with varying concentrations of carboxyl terminated butadiene acrylonitrile copolymer I: Thermal and morphological properties 199
- Catalytic growth  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- Ca–Ti–O  
 Phase diagram of the system Ca–Ti–O at 1200 K 611
- CdFe<sub>2</sub>O<sub>4</sub>  
 Li-storage and cycling properties of spinel, CdFe<sub>2</sub>O<sub>4</sub>, as an anode for lithium ion batteries 295
- CdTe  
 Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487
- Ceramics  
 Prospects of microwave processing: An overview 1  
 Effect of sintering condition on properties of Cr-doped Pb<sub>0.95</sub>Sr<sub>0.05</sub>(Zr<sub>0.53</sub>Ti<sub>0.47</sub>)O<sub>3</sub> ceramics 381
- Cerium addition  
 Effect of cerium and thermomechanical processing on microstructure and mechanical properties of Fe–10.5Al–0.8C alloy 531
- Characterization  
 Fabrication and thermal stability studies of polyamide 66 containing triaryl phosphine oxide 375  
 Preparation of copper and silicon/copper powders by a gas evaporation-condensation method 543
- Charge transfer resistance  
 A comprehensive study on the effect of Ru addition to Pt electrodes for direct ethanol fuel cell 643
- Charges per particle  
 Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning the particle size and surface charge density 633
- Chemical bath deposition  
 Structural, optical and electrical properties of chemically deposited copper selenide films 37  
 Structural and optical properties of chemically deposited Cd(S–Se): CdCl<sub>2</sub>, Sm films 125
- Chemical synthesis  
 Magnetic and photocatalytic properties of nanocrystalline ZnMn<sub>2</sub>O<sub>4</sub> 231  
 Effect of sintering condition on properties of Cr-doped Pb<sub>0.95</sub>Sr<sub>0.05</sub>(Zr<sub>0.53</sub>Ti<sub>0.47</sub>)O<sub>3</sub> ceramics 381
- Chitosan  
 Preparation of dual-sensitive graft copolymer hydrogel based on N-maleoyl-chitosan and poly(N-isopropylacrylamide) by electron beam radiation 521
- Chronoamperometry  
 Electrochemical and SEM properties of Co<sup>2+</sup> ion in hexagonal mesophase of pluronic lyotropic liquid crystal template 555
- Clay  
 Effects of talc and clay addition on pressureless sintering of porous Si<sub>3</sub>N<sub>4</sub> ceramics 177
- Co–Al–ferrites  
 Dielectric properties of Al-substituted Co ferrite nanoparticles 575
- ‘112’ Cobaltites  
 Ordered oxygen deficient ‘112’ perovskites, LnBaCo<sub>2</sub>O<sub>5.50+δ</sub>: complex magnetism and transport properties 305
- Co-doping  
 High rate performance of LiFePO<sub>4</sub> cathode materials co-doped with C and Ti<sup>4+</sup> by microwave synthesis 579
- Cold compaction  
 Cracking cone fracture after cold compaction of argillaceous particles 607
- Colloidal particle  
 Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning particle size and surface charge density 633
- Composite  
 Prospects of microwave processing: An overview 1  
 Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77  
 Application of new tool material for electrical discharge machining (EDM) 401
- Composite material  
 Study of variation of thermal diffusivity of advanced composite materials of E-glass fibre reinforced plastic (GFRP) in temperature range 5–300 K 89
- Composite membrane  
 Nafion and modified-Nafion membranes for polymer electrolyte fuel cells: An overview 285
- Composites  
 Fabrication and characterization of *S. cilliare* fibre reinforced polymer composites 49  
 Influence of fibre-surface treatment on structural, thermal and mechanical properties of jute fibre and its composite 65
- Compressive stress  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393
- Copper alloys  
 Discontinuous precipitation in copper base alloys 413
- Copper powder  
 Preparation of copper and silicon/copper powders by a gas evaporation-condensation method 543
- Copper selenide  
 Structural, optical and electrical properties of chemically deposited copper selenide films 37
- Co-precipitation  
 Growth, characterization and transport properties of Pb<sub>x</sub>Zn<sub>1-x</sub>S mixed crystals 109
- Cracking cone  
 Cracking cone fracture after cold compaction of argillaceous particles 607
- Critical micelle concentration  
 Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning the particle size and surface charge density 633

- Cryogenic temperature  
 Study of variation of thermal diffusivity of advanced composite materials of E-glass fibre reinforced plastic (GFRP) in temperature range 5–300 K 89
- Crystal growth  
 Growth of  $\text{Nd}^{3+}$  doped  $\text{LiNbO}_3$  crystals using Bridgman method and its spectral properties 183  
 Hydrothermal synthesis of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  powders at low temperature and low alkaline concentration 193  
 Synthesis, structure and photocatalytic properties of  $\beta\text{-ZrMo}_2\text{O}_8$  337
- Crystal structure  
 Synthesis, structure and photocatalytic properties of  $\beta\text{-ZrMo}_2\text{O}_8$  337  
 Synthesis, structural and ferromagnetic properties of  $\text{La}_{1-x}\text{K}_x\text{MnO}_3$  ( $0.0 \leq x \leq 0.25$ ) phases by solution combustion method 443
- Crystallinity  
 Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique 465
- Crystallization  
 Influence of seeding on crystallization behaviour of  $\text{BaNaB}_9\text{O}_{15}$  glasses 93
- Crystallization kinetics  
 Kinetics of crystallization of a Fe-based multicomponent amorphous alloy 527
- CTAB  
 Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487
- Cu content  
 Study on hardness and microstructural characteristics of sand cast Al-Si-Cu alloys 617
- Cutout  
 Effect of ellipse orientation on the thermoelastic behaviour of skew laminated composite plate with elliptical cutout 59
- Cyclic oxidation  
 High-temperature oxidation behaviour of  $\text{Ti}_3\text{Si}_{(1-x)}\text{Al}_x\text{C}_2$  in air 549
- Cycling properties  
 Li-storage and cycling properties of spinel,  $\text{CdFe}_2\text{O}_4$ , as an anode for lithium ion batteries 295
- Cycloaliphatic epoxy resin  
 Studies on blends of cycloaliphatic epoxy resin with varying concentrations of carboxyl terminated butadiene acrylonitrile copolymer I: Thermal and morphological properties 199
- Deduced convolutive voltammetry  
 Electrochemical and SEM properties of  $\text{Co}^{2+}$  ion in hexagonal mesophase of pluronic lyotropic liquid crystal template 555
- Density functional  
 3d Transition metal decorated B-C-N composite nano-structures for efficient hydrogen storage: A first-principles study 353
- Diamond-like carbon  
 Preparation of diamond like carbon thin film on stainless steel and its SEM characterization 563
- Dielectric constant  
 Dielectric properties of Al-substituted Co ferrite nanoparticles 575
- Dielectric loss tangent  
 Dielectric properties of Al-substituted Co ferrite nanoparticles 575
- Dielectric properties  
 Effect of sintering condition on properties of Cr-doped  $\text{Pb}_{0.95}\text{Sr}_{0.05}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3$  ceramics 381
- Differential scanning calorimetry  
 Studies on blends of cycloaliphatic epoxy resin with varying concentrations of carboxyl terminated butadiene acrylonitrile copolymer I: Thermal and morphological properties 199  
 Heat capacity measurements on  $\text{Yb}_x\text{Gd}_{2-x}\text{Zr}_2\text{O}_7$  ( $x = 0, 1, 2$ ) ceramics by differential scanning calorimetry 603
- Diffuse reflectance spectra  
 Preparation and characterization studies of metaborates,  $\text{Cu}_{1-x}\text{M}_x\text{B}_2\text{O}_4$  ( $\text{M} = \text{Ni}, \text{Co}$  and  $\text{Mn}$ ;  $x = 0, 0.1$  and  $0.5$ ) 421
- DSC  
 Influence of seeding on crystallization behaviour of  $\text{BaNaB}_9\text{O}_{15}$  glasses 93
- Dual role of  $\text{Zn}^{2+}$   
 Elastic properties of  $\text{Na}_2\text{O-ZnO-ZnF}_2\text{-B}_2\text{O}_3$  oxyfluoride glasses 597
- Dust particles  
 Estimation of scattering from a moist rough surface with spheroidal dust particles 459
- Dye degradation  
 Synthesis, structure and photocatalytic properties of  $\beta\text{-ZrMo}_2\text{O}_8$  337
- Dynamic mechanical analysis  
 Studies on blends of cycloaliphatic epoxy resin with varying concentrations of carboxyl terminated butadiene acrylonitrile copolymer I: Thermal and morphological properties 199
- EB irradiation  
 Preparation of dual-sensitive graft copolymer hydrogel based on N-maleoyl-chitosan and poly(N-isopropylacrylamide) by electron beam radiation 521
- EBSD  
 Recrystallization microstructure modelling from superimposed deformed microstructure on microstructure model 415
- EDAX  
 Study of gel grown mixed crystals of  $\text{Ba}_x\text{Ca}_{(1-x)}(\text{IO}_3)_4$  187
- EDM  
 Application of new tool material for electrical discharge machining (EDM) 401
- EDTA-citric acid  
*In situ* templating synthesis of conic  $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$  perovskite at elevated temperature 407
- Elastic properties  
 Elastic properties of  $\text{Na}_2\text{O-ZnO-ZnF}_2\text{-B}_2\text{O}_3$  oxyfluoride glasses 597  
 Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 621
- Electrical conductivity  
 Enhancement in electrical conductivity of  $\text{Li}_2\text{O: B}_2\text{O}_3: \text{V}_2\text{O}_5$  glasses 83

- Electrical properties  
 Synthesis, structural and ferromagnetic properties of  $\text{La}_{1-x}\text{K}_x\text{MnO}_3$  ( $0.0 \leq x \leq 0.25$ ) phases by solution combustion method 443
- Electro catalytic activity  
 A comprehensive study on the effect of Ru addition to Pt electrodes for direct ethanol fuel cell 643
- Electrocaloric effect  
 Electrocaloric effect of PMN-PT thin films near morphotropic phase boundary 259
- Electrochemical properties  
 Electrochemical and SEM properties of  $\text{Co}^{2+}$  ion in hexagonal mesophase of pluronic lyotropic liquid crystal template 555
- Electron microscopy  
 Magnetic and photocatalytic properties of nanocrystalline  $\text{ZnMn}_2\text{O}_4$  231
- Electron spin resonance  
 Preparation and characterization studies of metaborates,  $\text{Cu}_{1-x}\text{M}_x\text{B}_2\text{O}_4$  ( $\text{M} = \text{Ni}, \text{Co}$  and  $\text{Mn}$ ;  $x = 0, 0.1$  and  $0.5$ ) 421
- Electronic spectra  
 Spectroscopic, thermal and biological studies of coordination compounds of sulfasalazine drug:  $\text{Mn(II)}$ ,  $\text{Hg(II)}$ ,  $\text{Cr(III)}$ ,  $\text{ZrO(II)}$ ,  $\text{VO(II)}$  and  $\text{Y(III)}$  transition metal complexes 205
- Electronic structure  
 $3d$  Transition metal decorated B-C-N composite nanostructures for efficient hydrogen storage: A first-principles study 353
- Electroslag remelting  
 Effect of cerium and thermomechanical processing on microstructure and mechanical properties of Fe-10.5Al-0.8C alloy 531
- Electrospinning  
 Bicomponent AgCl/PVP nanofibre fabricated by electrospinning with gel-sol method 161  
 Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487
- Electrospraying  
 Resorcinol-formaldehyde based carbon nanospheres by electrospraying 239
- Emulsion polymerization  
 Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning the particle size and surface charge density 633
- Energy bandgap  
 Structural and optical properties of chemically deposited Cd(S-Se):  $\text{CdCl}_2$ , Sm films 125
- Enthalpy  
 Heat capacity measurements on  $\text{Yb}_x\text{Gd}_{2-x}\text{Zr}_2\text{O}_7$  ( $x = 0, 1, 2$ ) ceramics by differential scanning calorimetry 603
- EPMA  
 Effect of cerium and thermomechanical processing on microstructure and mechanical properties of Fe-10.5Al-0.8C alloy 531
- Erratum 561
- Ethanol electrooxidation  
 A comprehensive study on the effect of Ru addition to Pt electrodes for direct ethanol fuel cell 643
- External energy  
 Effect of external energy on atomic, crystalline and powder characteristics of antimony and bismuth powders 471
- Fabrication  
 Fabrication and thermal stability studies of polyamide 66 containing triaryl phosphine oxide 375
- Fast breeder reactors  
 Materials science research for sodium cooled fast reactors 271
- Fe-based metallic glass  
 Kinetics of crystallization of a Fe-based multicomponent amorphous alloy 527
- FEM  
 Effect of ellipse orientation on the thermoelastic behaviour of skew laminated composite plate with elliptical cutout 59
- Ferromagnetic cobaltites  
 Ordered oxygen deficient '112' perovskites,  $\text{LnBaCo}_2\text{O}_{5.50+\delta}$ : complex magnetism and transport properties 305
- Fibre content  
 Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77
- Fluorescent active hydroxyl terminated polybutadiene  
 Functionalization of hydroxyl terminated polybutadiene with biologically active fluorescent molecule 507
- Foreword 215
- Fluorides  
 Synthesis of nanocrystalline mixed metal fluorides in nonaqueous medium 583
- Fracture  
 Cracking cone fracture after cold compaction of argillaceous particles 607
- Fracture behaviour  
 Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77
- FT-IR  
 Study of gel grown mixed crystals of  $\text{Ba}_x\text{Ca}_{(1-x)}(\text{IO}_3)_4$  187
- Functionalization of polymers  
 Functionalization of hydroxyl terminated polybutadiene with biologically active fluorescent molecule 507
- Gas evaporation-condensation method  
 Preparation of copper and silicon/copper powders by a gas evaporation-condensation method 543
- Gas permeation  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537
- Gel method  
 Study of gel grown mixed crystals of  $\text{Ba}_x\text{Ca}_{(1-x)}(\text{IO}_3)_4$  187
- Geopolymer  
 Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77
- Glass  
 Prospects of microwave processing: An overview 1
- Glasses  
 Influence of seeding on crystallization behaviour of  $\text{BaNaB}_9\text{O}_{15}$  glasses 93

- Glass transition temperature  
 Enhancement in electrical conductivity of  $\text{Li}_2\text{O}:\text{B}_2\text{O}_3:\text{V}_2\text{O}_5$  glasses 83
- Grain boundary migration  
 Discontinuous precipitation in copper base alloys 413
- Grain growth  
 Modeling nano-scale grain growth of intermetallics 19
- Halogen-free flame retardant copolyamide 66  
 Fabrication and thermal stability studies of polyamide 66 containing triaryl phosphine oxide 375
- Heat capacity  
 Heat capacity measurements on  $\text{Yb}_x\text{Gd}_{2-x}\text{Zr}_2\text{O}_7$  ( $x = 0, 1, 2$ ) ceramics by differential scanning calorimetry 603
- Heat-treatment  
 Study on hardness and microstructural characteristics of sand cast Al–Si–Cu alloys 617
- Hexagonal mesophase  
 Electrochemical and SEM properties of  $\text{Co}^{2+}$  ion in hexagonal mesophase of pluronic lyotropic liquid crystal template 555
- High rate discharge  
 High rate performance of  $\text{LiFePO}_4$  cathode materials co-doped with C and  $\text{Ti}^{4+}$  by microwave synthesis 579
- HRTEM  
 Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135
- Hydrogel  
 Preparation of dual-sensitive graft copolymer hydrogel based on N-maleoyl-chitosan and poly(N-isopropylacrylamide) by electron beam radiation 521
- Hydrogen storage  
 3d Transition metal decorated B–C–N composite nanostructures for efficient hydrogen storage: A first-principles study 353
- Hydrophilic  
 Resorcinol–formaldehyde based carbon nanospheres by electrospraying 239
- Hydrothermal method  
 Hydrothermal synthesis of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  powders at low temperature and low alkaline concentration 193
- Hydroxyapatite  
 Preparation and characterization of nano-hydroxyapatite powder using sol–gel technique 465
- Hydroxyl terminated polybutadiene  
 Functionalization of hydroxyl terminated polybutadiene with biologically active fluorescent molecule 507
- Ilmenite  
 Syntheses of Fe–TiC nanocomposite from ilmenite concentrate via microwave heating 155
- Infiltration  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393
- Infrared spectra  
 Spectroscopic, thermal and biological studies of coordination compounds of sulfasalazine drug: Mn(II), Hg(II), Cr(III), ZrO(II), VO(II) and Y(III) transition metal complexes 205  
 Preparation and characterization studies of metaborates,  $\text{Cu}_{1-x}\text{M}_x\text{B}_2\text{O}_4$  ( $\text{M} = \text{Ni}, \text{Co}$  and  $\text{Mn}$ ;  $x = 0, 0.1$  and  $0.5$ ) 421
- Inorganic crystal  
 Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 621
- Interface reactions  
 Compatibility of  $\text{RuO}_2$  electrodes with PZT ceramics 313
- Interlaminar stresses  
 Effect of ellipse orientation on the thermoelastic behaviour of skew laminated composite plate with elliptical cutout 59
- Intermediate state  
 Wavelength dependent laser-induced etching of Cr–O doped GaAs: Morphology studies by SEM and AFM 31
- Intermolecular hydrogen bonding  
 Functionalization of hydroxyl terminated polybutadiene with biologically active fluorescent molecule 507
- Ionic conductivity  
 Ionic transport in P(VDF–HFP)–PEO based novel microporous polymer electrolytes 627
- Iron aluminides  
 Effect of cerium and thermomechanical processing on microstructure and mechanical properties of Fe–10.5Al–0.8C alloy 531
- Isothermal oxidation  
 High-temperature oxidation behaviour of  $\text{Ti}_3\text{Si}_{(1-x)}\text{Al}_x\text{C}_2$  in air 549
- Jute fibre  
 Influence of fibre-surface treatment on structural, thermal and mechanical properties of jute fibre and its composite 65  
 Continuous jute fibre reinforced laminated paper composite and reinforcement-fibre free paper laminate 589
- LAA  
 Growth and characterization of pure and doped NLO L-arginine acetate single crystals 431
- Laminated paper composite  
 Continuous jute fibre reinforced laminated paper composite and reinforcement-fibre free paper laminate 589
- Laser-induced etching  
 Wavelength dependent laser-induced etching of Cr–O doped GaAs: Morphology studies by SEM and AFM 31
- Layered compounds  
 Structural variations in layered alkaline earth metal cyclohexyl phosphonates 321
- Lead-free piezoelectric ceramics  
 Effect of substitution of titanium by magnesium and niobium on structure and piezoelectric properties in  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$  ceramics 99
- $\text{LiFePO}_4$   
 High rate performance of  $\text{LiFePO}_4$  cathode materials co-doped with C and  $\text{Ti}^{4+}$  by microwave synthesis 579
- Liquid crystal  
 Electrochemical and SEM properties of  $\text{Co}^{2+}$  ion in hexagonal mesophase of pluronic lyotropic liquid crystal template 555
- Li-storage  
 Li-storage and cycling properties of spinel,  $\text{CdFe}_2\text{O}_4$ , as an anode for lithium ion batteries 295
- Lithium conducting glasses  
 Enhancement in electrical conductivity of  $\text{Li}_2\text{O}:\text{B}_2\text{O}_3:\text{V}_2\text{O}_5$  glasses 83

- Lithium ion batteries  
Li-storage and cycling properties of spinel,  $\text{CdFe}_2\text{O}_4$ , as an anode for lithium ion batteries 295
- Magnetic materials  
Synthesis, structural and ferromagnetic properties of  $\text{La}_{1-x}\text{K}_x\text{MnO}_3$  ( $0.0 \leq x \leq 0.25$ ) phases by solution combustion method 443
- Magnetic thin films  
Effect of microstructural evolution on magnetic properties of Ni thin films 263
- Magnetic transitions  
Ordered oxygen deficient '112' perovskites,  $\text{LnBaCo}_2\text{O}_{5.50+\delta}$ : complex magnetism and transport properties 305
- Magnetoelectrics  
Structure, synthesis and multiferroic nature of  $\text{BiFeO}_3$  and  $0.9\text{BiFeO}_3-0.1\text{BaTiO}_3$ : An overview 361
- Magnetoresistive cobaltites  
Ordered oxygen deficient '112' perovskites,  $\text{LnBaCo}_2\text{O}_{5.50+\delta}$ : complex magnetism and transport properties 305
- Materials science  
Materials science research for sodium cooled fast reactors 271
- Mechanical and functional properties  
On stability of NiTi wire during thermo-mechanical cycling 343
- Mechanical properties  
Fabrication and characterization of *S. cilliare* fibre reinforced polymer composites 49  
Influence of fibre-surface treatment on structural, thermal and mechanical properties of jute fibre and its composite 65  
Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77  
Effects of talc and clay addition on pressureless sintering of porous  $\text{Si}_3\text{N}_4$  ceramics 177  
Investigation of tribological and mechanical properties of metal bearings 451  
Cracking cone fracture after cold compaction of argillaceous particles 607
- Mechanically activated  
Syntheses of Fe-TiC nanocomposite from ilmenite concentrate via microwave heating 155
- Metal  
Prospects of microwave processing: An overview 1
- Metal phosphonates  
Structural variations in layered alkaline earth metal cyclohexyl phosphonates 321
- Metal removal rate  
Application of new tool material for electrical discharge machining (EDM) 401
- Metal-semiconductor nanojunctions  
Metal-semiconductor nanojunctions and their rectification characteristics 227
- Micro Raman spectroscopy  
Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135
- Microporous membrane  
Ionic transport in P(VDF-HFP)-PEO based novel microporous polymer electrolytes 627
- Microstrain  
Structural characterization of lead sulfide thin films by means of X-ray line profile analysis 43
- Microstructural characterization  
Microstructural characteristics and mechanical properties of magnetron sputtered nanocrystalline TiN films on glass substrate 117
- Microstructure  
Recrystallization microstructure modelling from superimposed deformed microstructure on microstructure model 415  
Study on hardness and microstructural characteristics of sand cast Al-Si-Cu alloys 617
- Microwave heating  
High rate performance of  $\text{LiFePO}_4$  cathode materials co-doped with C and  $\text{Ti}^{4+}$  by microwave synthesis 579
- Microwave processing  
Prospects of microwave processing: An overview 1
- Microwave sintering  
Syntheses of Fe-TiC nanocomposite from ilmenite concentrate via microwave heating 155
- Mixed crystals  
Study of gel grown mixed crystals of  $\text{Ba}_x\text{Ca}_{(1-x)}(\text{IO}_3)_4$  187
- Mixed semiconductors  
Growth, characterization and transport properties of  $\text{Pb}_x\text{Zn}_{1-x}\text{S}$  mixed crystals 109
- Mo foil  
X-ray absorption spectroscopy of  $\text{PbMoO}_4$  single crystals 103
- Modified Angstrom method  
Study of variation of thermal diffusivity of advanced composite materials of E-glass fibre reinforced plastic (GFRP) in temperature range 5–300 K 89
- Molecular dynamics  
3d Transition metal decorated B-C-N composite nanostructures for efficient hydrogen storage: A first-principles study 353
- Molecular lattices  
Molecule-based magnets 217
- Monte Carlo  
Modeling nano-scale grain growth of intermetallics 19
- Morphotropic phase boundary  
Electrocaloric effect of PMN-PT thin films near morphotropic phase boundary 259
- Mössbauer study  
Kinetics of crystallization of a Fe-based multicomponent amorphous alloy 527
- Multiferroics  
Structure, synthesis and multiferroic nature of  $\text{BiFeO}_3$  and  $0.9\text{BiFeO}_3-0.1\text{BaTiO}_3$ : An overview 361
- Nanocomposite  
Role of particle size in visible light photocatalysis of Congo Red using  $\text{TiO}_2(\text{ZnFe}_2\text{O}_4)_x$  nanocomposites 499
- Nano-crystal  
Syntheses of Fe-TiC nanocomposite from ilmenite concentrate via microwave heating 155
- Nanocrystals  
Swift heavy ion irradiation effect on Cu-doped CdS nanocrystals embedded in PMMA 569

- Nanofibre  
 Bicomponent AgCl/PVP nanofibre fabricated by electrospinning with gel-sol method 161  
 Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487
- Nanoindentation  
 Microstructural characteristics and mechanical properties of magnetron sputtered nanocrystalline TiN films on glass substrate 117
- Nanomaterials  
 Synthesis and characterization of nano-sized  $Ba_xSr_{1-x}SO_4$  ( $0 \leq x \leq 1$ ) solid solution by a simple surfactant-free aqueous solution route 149  
 Synthesis and optical characteristics of ZnO nanocrystals 165  
 Synthesis of nanocrystalline mixed metal fluorides in non-aqueous medium 583
- Nanoparticles  
 Bicomponent AgCl/PVP nanofibre fabricated by electrospinning with gel-sol method 161  
 Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487  
 Dielectric properties of Al-substituted Co ferrite nanoparticles 575
- Nanorods  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- Nanosized mixed ferrites  
 Low temperature synthesis of nanosized  $Mn_{1-x}Zn_xFe_2O_4$  ferrites and their characterizations 141
- Nanostructure  
 Wavelength dependent laser-induced etching of Cr–O doped GaAs: Morphology studies by SEM and AFM 31  
 Magnetic and photocatalytic properties of nanocrystalline  $ZnMn_2O_4$  231
- Nanostructure systems  
 Metal–semiconductor nanojunctions and their rectification characteristics 227
- Nanostructured intermetallics  
 Modeling nano-scale grain growth of intermetallics 19
- Nanostructured thin film  
 Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water 23
- Nano-tribological characteristics  
 Nano-tribological characteristics of  $TiO_2$  films on 3-mercaptopropyl trimethoxysilane sulfonated self-assembled monolayer 481
- $Nd^{3+}$ -doped  $LiNbO_3$   
 Growth of  $Nd^{3+}$  doped  $LiNbO_3$  crystals using Bridgman method and its spectral properties 183
- Negative refractive medium  
 Radiation from a current sheet at the interface between a conventional medium and anisotropic negative refractive medium 437
- Ni-catalysed growth  
 Carbon nanotube synthesis from propane decomposition on a pre-treated Ni overlayer 135
- N-isopropylacrylamide  
 Preparation of dual-sensitive graft copolymer hydrogel based on N-maleoyl-chitosan and poly(N-isopropylacrylamide) by electron beam radiation 521
- NiTi  
 On stability of NiTi wire during thermo-mechanical cycling 343
- Nitric acid  
*In situ* templating synthesis of conic  $Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_{3-\delta}$  perovskite at elevated temperature 407
- NLO  
 Growth and characterization of pure and doped NLO L-arginine acetate single crystals 431
- Non-ferrous metals  
 Investigation of tribological and mechanical properties of metal bearings 451
- Nonlinear optic materials  
 Influence of seeding on crystallization behaviour of  $BaNaB_9O_{15}$  glasses 93
- Non-stoichiometry  
 Synthesis of nanocrystalline mixed metal fluorides in non-aqueous medium 583
- Nonvolatile memories  
 Studies on nonvolatile resistance memory switching in ZnO thin films 247
- Nuclear energy  
 Materials science research for sodium cooled fast reactors 271
- Nucleation and crystallization  
 Enhancement in electrical conductivity of  $Li_2O : B_2O_3 : V_2O_5$  glasses 83
- Optical characterization  
 Growth, characterization and transport properties of  $Pb_xZn_{1-x}S$  mixed crystals 109
- Optical materials  
 Synthesis and optical characteristics of ZnO nanocrystals 165
- Optimization  
 Fabrication and characterization of *S. cilliare* fibre reinforced polymer composites 49
- Ordered oxygen deficient perovskites  
 Ordered oxygen deficient ‘112’ perovskites,  $LnBaCo_2O_{5.50+\delta}$ : complex magnetism and transport properties 305
- Oxidation kinetics  
 High-temperature oxidation behaviour of  $Ti_3Si_{(1-x)}Al_xC_2$  in air 549
- Oxyfluoride glasses  
 Elastic properties of  $Na_2O-ZnO-ZnF_2-B_2O_3$  oxyfluoride glasses 597
- Particle size  
 Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique 465
- Patterned wafer  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- $Pb(Zr_xTi_{1-x})O_3$  (PZT) solid solution  
 Compatibility of  $RuO_2$  electrodes with PZT ceramics 313
- $Pb_2Ru_2O_{6.5}$  formation  
 Compatibility of  $RuO_2$  electrodes with PZT ceramics 313
- $PbMoO_4$  crystal  
 X-ray absorption spectroscopy of  $PbMoO_4$  single crystals 103
- PbS thin films  
 Structural characterization of lead sulfide thin films by means of X-ray line profile analysis 43

- PEFC  
Nafion and modified-Nafion membranes for polymer electrolyte fuel cells: An overview 285
- Perovskite structure  
Effect of substitution of titanium by magnesium and niobium on structure and piezoelectric properties in  $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$  ceramics 99
- Perovskites  
Hydrothermal synthesis of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  powders at low temperature and low alkaline concentration 193  
*In situ* templating synthesis of conic  $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$  perovskite at elevated temperature 407  
Synthesis, structural and ferromagnetic properties of  $\text{La}_{1-x}\text{K}_x\text{MnO}_3$  ( $0.0 \leq x \leq 0.25$ ) phases by solution combustion method 443  
Synthesis of nanocrystalline mixed metal fluorides in nonaqueous medium 583
- Phase contrast imaging  
Effect of microstructural evolution on magnetic properties of Ni thin films 263
- Phase diagram  
Phase diagram of the system Ca–Ti–O at 1200 K 611
- Phase difference  
Study of variation of thermal diffusivity of advanced composite materials of E-glass fibre reinforced plastic (GFRP) in temperature range 5–300 K 89
- Phase inversion technique  
Ionic transport in P(VDF–HFP)–PEO based novel microporous polymer electrolytes 627
- Phase purity  
Preparation and characterization of nano-hydroxyapatite powder using sol–gel technique 465
- Phase separation  
Ordered oxygen deficient ‘112’ perovskites,  $\text{LnBaCo}_2\text{O}_{5.50+\delta}$ : complex magnetism and transport properties 305
- Photocatalysis  
Synthesis, structure and photocatalytic properties of  $\beta\text{-ZrMo}_2\text{O}_8$  337  
Role of particle size in visible light photocatalysis of Congo Red using  $\text{TiO}_2(\text{ZnFe}_2\text{O}_4)_x$  nanocomposites 499
- Photoconduction  
Structural and optical properties of chemically deposited Cd(S–Se): CdCl<sub>2</sub>, Sm films 125
- Photocurrent decay  
Mobility activation in thermally deposited CdSe thin films 369
- Photoelectrochemical cell  
Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water 23
- Photo-induced magnetism  
Molecule-based magnets 217
- Photoluminescence  
Structural and optical properties of chemically deposited Cd(S–Se): CdCl<sub>2</sub>, Sm films 125  
Photoluminescence and Raman studies in swift heavy ion irradiated polycrystalline aluminum oxide 515  
Swift heavy ion irradiation effect on Cu-doped CdS nanocrystals embedded in PMMA 569
- Photoluminescence intensity  
Characterization and photoluminescence studies of CdTe nanoparticles before and after transfer from liquid phase to polystyrene 487
- Plasma CVD  
Preparation of diamond like carbon thin film on stainless steel and its SEM characterization 563
- Plastic bag pollution  
Continuous jute fibre reinforced laminated paper composite and reinforcement-fibre free paper laminate 589
- Platinum complexes  
2-Methoxycycloocta-1,5-dienyl platinum complexes as precursors for platinum nanoparticles 15
- Platinum nanoparticles  
2-Methoxycycloocta-1,5-dienyl platinum complexes as precursors for platinum nanoparticles 15
- PLD  
Electrocaloric effect of PMN–PT thin films near morphotropic phase boundary 259
- PMN–PT  
Electrocaloric effect of PMN–PT thin films near morphotropic phase boundary 259
- Polymer  
Prospects of microwave processing: An overview 1
- Polymethylmethacrylate  
Swift heavy ion irradiation effect on Cu-doped CdS nanocrystals embedded in PMMA 569
- Polystyrene  
Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning the particle size and surface charge density 633
- Porosity  
Ionic transport in P(VDF–HFP)–PEO based novel microporous polymer electrolytes 627
- Porous Si<sub>3</sub>N<sub>4</sub>  
Effects of talc and clay addition on pressureless sintering of porous Si<sub>3</sub>N<sub>4</sub> ceramics 177
- Powder  
Effect of external energy on atomic, crystalline and powder characteristics of antimony and bismuth powders 471
- Powder technology  
Cracking cone fracture after cold compaction of argillaceous particles 607
- Powder XRD  
Preparation and characterization studies of metaborates,  $\text{Cu}_{1-x}\text{M}_x\text{B}_2\text{O}_4$  (M = Ni, Co and Mn;  $x = 0, 0.1$  and  $0.5$ ) 421
- Poynting vector  
Radiation from a current sheet at the interface between a conventional medium and anisotropic negative refractive medium 437
- Precipitation  
Discontinuous precipitation in copper base alloys 413
- Pressureless sintering  
Effects of talc and clay addition on pressureless sintering of porous Si<sub>3</sub>N<sub>4</sub> ceramics 177
- Processing  
On stability of NiTi wire during thermo-mechanical cycling 343
- Properties  
Synthesis and optical characteristics of ZnO nanocrystals 165
- PtRu alloy catalysts  
A comprehensive study on the effect of Ru addition to Pt electrodes for direct ethanol fuel cell 643

- Pulsed laser deposition  
 Studies on nonvolatile resistance memory switching in ZnO thin films 247  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- P(VDF-HFP)  
 Ionic transport in P(VDF-HFP)-PEO based novel microporous polymer electrolytes 627
- Pyrolysis  
 2-Methoxycycloocta-1,5-dienyl platinum complexes as precursors for platinum nanoparticles 15  
 Resorcinol-formaldehyde based carbon nanospheres by electrospinning 239
- PZT  
 Hydrothermal synthesis of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  powders at low temperature and low alkaline concentration 193
- Radiation  
 Radiation from a current sheet at the interface between a conventional medium and anisotropic negative refractive medium 437
- Raman spectra  
 Photoluminescence and Raman studies in swift heavy ion irradiated polycrystalline aluminum oxide 515
- Reaction pathway  
 Phase diagram of the system Ca-Ti-O at 1200 K 611
- Reactive laser ablation  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- Recrystallization  
 Recrystallization microstructure modelling from superimposed deformed microstructure on microstructure model 415
- Rectification characteristics  
 Metal-semiconductor nanojunctions and their rectification characteristics 227
- Reinforcements  
 Fabrication and characterization of *S. cilliare* fibre reinforced polymer composites 49
- Relative humidity  
 Nafion and modified-Nafion membranes for polymer electrolyte fuel cells: An overview 285
- Resistive switching  
 Studies on nonvolatile resistance memory switching in ZnO thin films 247
- $\text{RuO}_2$  electrode  
 Compatibility of  $\text{RuO}_2$  electrodes with PZT ceramics 313
- SAM  
 Nano-tribological characteristics of  $\text{TiO}_2$  films on 3-mercaptopropyl trimethoxysilane sulfonated self-assembled monolayer 481
- Scanning electron microscopy  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537
- Secondary growth  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537
- SEM  
 Wavelength dependent laser-induced etching of Cr-O doped GaAs: Morphology studies by SEM and AFM 31
- Sensor material  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- Shape memory alloy  
 On stability of NiTi wire during thermo-mechanical cycling 343
- SHG  
 Growth and characterization of pure and doped NLO L-arginine acetate single crystals 431
- Short carbon fibre  
 Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites 77
- SHS  
 Application of new tool material for electrical discharge machining (EDM) 401
- Si/Cu composite particle  
 Preparation of copper and silicon/copper powders by a gas evaporation-condensation method 543
- Silicalite-1 membranes  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537
- Silver chloride  
 Bicomponent AgCl/PVP nanofibre fabricated by electrospinning with gel-sol method 161
- Simulation  
 Modeling nano-scale grain growth of intermetallics 19
- Single molecule magnets  
 Molecule-based magnets 217
- Single-walled carbon nanotubes  
 Metal-semiconductor nanojunctions and their rectification characteristics 227
- Sintering  
 Sintering behaviour of spinel-alumina composites 169
- Sintering  
 Application of new tool material for electrical discharge machining (EDM) 401
- Skew laminate  
 Effect of ellipse orientation on the thermoelastic behaviour of skew laminated composite plate with elliptical cutout 59
- Sodium  
 Materials science research for sodium cooled fast reactors 271
- Soft synthesis  
 Synthesis of nanocrystalline mixed metal fluorides in non-aqueous medium 583
- Sol-gel  
 Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water 23  
 Resorcinol-formaldehyde based carbon nanospheres by electrospinning 239  
*In situ* templating synthesis of conic  $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$  perovskite at elevated temperature 407  
 Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique 465  
 Dielectric properties of Al-substituted Co ferrite nanoparticles 575
- Solid-solution  
 Sintering behaviour of spinel-alumina composites 169
- Solution growth  
 Growth and characterization of pure and doped NLO L-arginine acetate single crystals 431

- Spectral properties  
 Growth of Nd<sup>3+</sup> doped LiNbO<sub>3</sub> crystals using Bridgman method and its spectral properties 183
- Spinel phase  
 Low temperature synthesis of nanosized Mn<sub>1-x</sub>Zn<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> ferrites and their characterizations 141
- Spinel–alumina composites  
 Sintering behaviour of spinel–alumina composites 169
- Spin–spin interaction  
 Molecule-based magnets 217
- Stability  
 On stability of NiTi wire during thermo-mechanical cycling 343
- Stability fields  
 Compatibility of RuO<sub>2</sub> electrodes with PZT ceramics 313
- Stainless steels  
 Materials science research for sodium cooled fast reactors 271
- Stoichiometric spinel  
 Sintering behaviour of spinel–alumina composites 169
- Strength  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393
- Structural transition  
 Synthesis and characterization of nano-sized Ba<sub>x</sub>Sr<sub>1-x</sub>SO<sub>4</sub> (0 ≤ x ≤ 1) solid solution by a simple surfactant-free aqueous solution route 149
- Substitution  
 Effect of substitution of titanium by magnesium and niobium on structure and piezoelectric properties in (Bi<sub>1/2</sub>Na<sub>1/2</sub>)TiO<sub>3</sub> ceramics 99
- Substrate temperature  
 Effect of microstructural evolution on magnetic properties of Ni thin films 263
- Sulfasalazine  
 Spectroscopic, thermal and biological studies of coordination compounds of sulfasalazine drug: Mn(II), Hg(II), Cr(III), ZrO(II), VO(II) and Y(III) transition metal complexes 205
- Superparamagnetism  
 Low temperature synthesis of nanosized Mn<sub>1-x</sub>Zn<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> ferrites and their characterizations 141
- Surface area  
 Nafion and modified-Nafion membranes for polymer electrolyte fuel cells: An overview 285
- Surface characterization  
 Preparation of diamond like carbon thin film on stainless steel and its SEM characterization 563
- Surface charge density  
 Synthesis of crosslinked poly(styrene-co-divinylbenzene-co-sulfopropyl methacrylate) nanoparticles by emulsion polymerization: Tuning the particle size and surface charge density 633
- Surface degradation  
 Surface degradation behaviour of sodium borophosphate glass in aqueous media: Some studies 329
- Surface enhanced Raman scattering  
 Catalytic synthesis of ZnO nanorods on patterned silicon wafer—An optimum material for gas sensor 493
- Surface modification  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537
- Surface permittivity  
 Estimation of scattering from a moist rough surface with spheroidal dust particles 459
- Surface reactivity  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- Surface roughness  
 Application of new tool material for electrical discharge machining (EDM) 401  
 Estimation of scattering from a moist rough surface with spheroidal dust particles 459
- Surfactant-free  
 Synthesis and characterization of nano-sized Ba<sub>x</sub>Sr<sub>1-x</sub>SO<sub>4</sub> (0 ≤ x ≤ 1) solid solution by a simple surfactant-free aqueous solution route 149
- Swift heavy ions  
 Photoluminescence and Raman studies in swift heavy ion irradiated polycrystalline aluminum oxide 515
- Synchrotron radiation  
 X-ray absorption spectroscopy of PbMoO<sub>4</sub> single crystals 103
- Synthesis  
*In situ* templating synthesis of conic Ba<sub>0.5</sub>Sr<sub>0.5</sub>Co<sub>0.8</sub>Fe<sub>0.2</sub>O<sub>3-δ</sub> perovskite at elevated temperature 407
- Talc  
 Effects of talc and clay addition on pressureless sintering of porous Si<sub>3</sub>N<sub>4</sub> ceramics 177
- TEM  
 2-Methoxycycloocta-1,5-dienyl platinum complexes as precursors for platinum nanoparticles 15
- Texture  
 Recrystallization microstructure modelling from superimposed deformed microstructure on microstructure model 415
- Thermal analysis  
 Spectroscopic, thermal and biological studies of coordination compounds of sulfasalazine drug: Mn(II), Hg(II), Cr(III), ZrO(II), VO(II) and Y(III) transition metal complexes 205
- Thermal diffusivity  
 Study of variation of thermal diffusivity of advanced composite materials of E-glass fibre reinforced plastic (GFRP) in temperature range 5–300 K 89
- Thermal evaporation  
 Effect of microstructural evolution on magnetic properties of Ni thin films 263
- Thermal expansion  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393
- Thermal properties  
 Influence of fibre-surface treatment on structural, thermal and mechanical properties of jute fibre and its composite 65
- Thermal shock  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393
- Thermal stability  
 Fabrication and thermal stability studies of polyamide 66 containing triaryl phosphine oxide 375
- Thermo- and pH-sensitive  
 Preparation of dual-sensitive graft copolymer hydrogel based on N-maleoyl-chitosan and poly(N-isopropylacrylamide) by electron beam radiation 521

- Thermodynamic analysis  
 Compatibility of RuO<sub>2</sub> electrodes with PZT ceramics 313
- Thermoelectric power  
 Growth, characterization and transport properties of Pb<sub>x</sub>Zn<sub>1-x</sub>S mixed crystals 109
- Thermogravimetric analysis  
 Studies on blends of cycloaliphatic epoxy resin with varying concentrations of carboxyl terminated butadiene acrylonitrile copolymer I: Thermal and morphological properties 199
- Thin films  
 Structural, optical and electrical properties of chemically deposited copper selenide films 37  
 Mobility activation in thermally deposited CdSe thin films 369
- Ti<sub>3</sub>SiC<sub>2</sub>  
 High-temperature oxidation behaviour of Ti<sub>3</sub>Si<sub>(1-x)</sub>Al<sub>x</sub>C<sub>2</sub> in air 549
- TiN thin films  
 Microstructural characteristics and mechanical properties of magnetron sputtered nanocrystalline TiN films on glass substrate 117
- Titanium carbide  
 Syntheses of Fe–TiC nanocomposite from ilmenite concentrate via microwave heating 155
- Titanium dioxide  
 Role of particle size in visible light photocatalysis of Congo Red using TiO<sub>2</sub>·(ZnFe<sub>2</sub>O<sub>4</sub>)<sub>x</sub> nanocomposites 499
- Trap depth  
 Mobility activation in thermally deposited CdSe thin films 369
- Tribology  
 Investigation of tribological and mechanical properties of metal bearings 451
- Ultra violet-visible  
 Swift heavy ion irradiation effect on Cu-doped CdS nanocrystals embedded in PMMA 569
- Ultrasonics  
 Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 621
- Vegard's law  
 Discontinuous precipitation in copper base alloys 413
- Water splitting  
 Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water 23
- Weibull distribution  
 Effects of talc and clay addition on pressureless sintering of porous Si<sub>3</sub>N<sub>4</sub> ceramics 177
- Wire  
 On stability of NiTi wire during thermo-mechanical cycling 343
- X-ray absorption spectroscopy  
 X-ray absorption spectroscopy of PbMoO<sub>4</sub> single crystals 103
- X-ray diffraction  
 Structural characterization of lead sulfide thin films by means of X-ray line profile analysis 43  
 Synthesis, structure and photocatalytic properties of β-ZrMo<sub>2</sub>O<sub>8</sub> 337  
 Silicalite-1 zeolite membranes on unmodified and modified surfaces of ceramic supports: A comparative study 537  
 Swift heavy ion irradiation effect on Cu-doped CdS nanocrystals embedded in PMMA 569  
 Synthesis of nanocrystalline mixed metal fluorides in non-aqueous medium 583
- X-ray structures  
 Structural variations in layered alkaline earth metal cyclohexyl phosphonates 321
- XRD  
 2-Methoxycycloocta-1,5-dienyl platinum complexes as precursors for platinum nanoparticles 15  
 Study of gel grown mixed crystals of Ba<sub>x</sub>Ca<sub>(1-x)</sub>(IO<sub>3</sub>)<sub>4</sub> 187  
 Synthesis, structural and ferromagnetic properties of La<sub>1-x</sub>K<sub>x</sub>MnO<sub>3</sub> (0.0 ≤ x ≤ 0.25) phases by solution combustion method 443
- Yb<sub>x</sub>Gd<sub>2-x</sub>Zr<sub>2</sub>O<sub>7</sub>  
 Heat capacity measurements on Yb<sub>x</sub>Gd<sub>2-x</sub>Zr<sub>2</sub>O<sub>7</sub> (x = 0, 1, 2) ceramics by differential scanning calorimetry 603
- Zinc oxide  
 Preparation and characterization of nanostructured ZnO thin films for photoelectrochemical splitting of water 23
- Zirconium molybdate  
 Synthesis, structure and photocatalytic properties of β-ZrMo<sub>2</sub>O<sub>8</sub> 337
- ZnO  
 Synthesis and optical characteristics of ZnO nanocrystals 165
- ZnO films  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- ZnO thin film  
 Studies on nonvolatile resistance memory switching in ZnO thin films 247
- ZnO(101)  
 ZnO(101) films by pulsed reactive crossed-beam laser ablation 253
- ZTA  
 Effect of high thermal expansion glass infiltration on mechanical properties of alumina–zirconia composite 393