

SUBJECT INDEX

- (Pb_{1-x}La_x)(Zr_{1-y}Ti_y)O₃(PLBZT)
Effects of Bi doping on dielectric and ferroelectric properties of PLBZT ferroelectric thin films synthesized by sol-gel processing 389
- (PbSr)TiO₃ borosilicate glasses
Synthesis, IR, crystallization and dielectric study of (Pb, Sr)TiO₃ borosilicate glass-ceramics 461
- (Ti, Al)N
Effect of bias voltage on microstructure and mechanical properties of arc evaporated (Ti, Al)N hard coatings 429
- 2,2'-bithiophene
Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- AA5182
Effect of temperature and displacement rate on behaviour of as-cast AA5182 and Al-3.3%Cu alloys under tensile loading near solidus temperature 623
- Ablation
Oxidation of ZnO thin films during pulsed laser deposition process 385
- Absorption coefficient
Study of optical characteristics of tin oxide thin film prepared by sol-gel method 1231
- Accelerated durability test
Pt-Ru decorated self-assembled TiO₂-carbon hybrid nanostructure for enhanced methanol electrooxidation 353
- Acid leaching
An efficient method combining thermal annealing and acid leaching for impurities removal from silica intended for photovoltaic application 1097
- Activated carbon
Studies on electrical double layer capacitor with a low-viscosity ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as electrolyte 729
- Active sites disintegration
Carbon nanotubes purification constrains due to large Fe-Ni/Al₂O₃ catalyst particles encapsulation 1
- Additive
Crystalline perfection and optical properties of rapid grown KH₂PO₄ crystal with chromate additive 939
- Adhesion
Fabrication of polystyrene/agave particle biocomposites using compression molding technique: evaluation of flammability, biodegradability, mechanical and thermal behaviour 1207
- Adhesion property
Adhesion enhancement for liquid silicone rubber and different surface by organosilane and Pt catalyst at room temperature 1013
- AFM
Optimization of process parameter for synthesis of silicon quantum dots using low pressure chemical vapour deposition 483
- Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
- Air pressure CVD
An economic CVD technique for pure SnO₂ thin films deposition: Temperature effects 217
- Al₂O₃
Preparation of continuous alumina gel fibres by aqueous sol-gel process 153
- Al-3.3%Cu
Effect of temperature and displacement rate on behaviour of as-cast AA5182 and Al-3.3%Cu alloys under tensile loading near solidus temperature 623
- Alkali activation
Effect of curing time on microstructure and mechanical strength development of alkali activated binders based on vitreous calcium aluminosilicate (VCAS) 245
- Alkylation
Influence of Al content on textural properties and catalytic activity of hierarchical porous aluminosilicate materials 1291
- Aluminides
Zirconium influence on microstructure of aluminide coatings deposited on nickel substrate by CVD method 1043
- Aluminium
Effect of plating time on growth of nanocrystalline Ni-P from sulphate/glycine bath by electroless deposition method 719
- Aluminum
Aluminum alloy nanosecond vs femtosecond laser marking 1037
- Amino acids
Structural features of bionanocomposite derived from novel designed poly(ester-imide) based on natural amino acids with hydroxyl segments tailored for better dispersion of TiO₂ nanofiller 203
- Amorphous alloy
Preparation of Zr₅₀Al_{15-x}Ni₁₀Cu₂₅Y_x amorphous powders by mechanical alloying and thermodynamic calculation 1275
- Amorphous material
X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9
- Amorphous
Role of aluminium addition on structure of Fe substituted Fe_{73.5-x}Si_{13.5}B₉Nb₃Cu₁Al_x alloy ribbons 613
- Amorphous wires
Low-field magnetization process and complex permeability of FeCoBSiTa wires coated with hard magnetic CoNi layer 559
- Analytical model
Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251
- Anisotropy
Microhardness studies on nonlinear optical *L*-alanine single crystals 471
- Annealing
Optimization of process parameter for synthesis of silicon quantum dots using low pressure chemical vapour deposition 483

- Anode catalyst
Pt–Ru decorated self-assembled TiO₂–carbon hybrid nanostructure for enhanced methanol electrooxidation 353
- Anodization
Effect of plating time on growth of nanocrystalline Ni–P from sulphate/glycine bath by electroless deposition method 719
Effect of anodization on corrosion behaviour and biocompatibility of Cp-titanium in simulated body fluid 931
- Antibacterial activity
Synthesis, characterization and evaluation of bioactivity and antibacterial activity of quinary glass system (SiO₂–CaO–P₂O₅–MgO–ZnO): *In vitro* study 1339
- Antimicrobial activity
Antimicrobial coatings — obtaining and characterization 183
- Antimicrobial coatings
Antimicrobial coatings — obtaining and characterization 183
- Antimonates
Single step hydrothermal based synthesis of M(II)Sb₂O₆ (M = Cd and Zn) type antimonates and their photocatalytic properties 287
- a-SiC:H thin films
High growth rate of a-SiC:H films using ethane carbon source by HW-CVD method 1177
- Asphaltenes
Pyrolysis of petroleum asphaltenes from different geological origins and use of methyl-naphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- Athermal kinetics
New observations on formation of thermally induced martensite in Fe–30%Ni–1%Pd alloy 93
- Atomic force microscopy (AFM)
Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
Swift heavy ion irradiation induced modification of structure and surface morphology of BiFeO₃ thin film 813
- Automotive steels
Nucleus geometry and mechanical properties of resistance spot welded coated–uncoated DP automotive steels 1049
- AZ91D magnesium alloy
Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99
- Ba(Pr_{1/2}Nb_{1/2})O₃
Impedance and a.c. conductivity studies of Ba(Pr_{1/2}Nb_{1/2})O₃ ceramic 591
- Bader charge analysis
Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Barium zirconate titanate
Electrical characterization of zirconium substituted barium titanate using complex impedance spectroscopy 135
- Basal spacing
Preparation of polystyrene–clay nanocomposite by solution intercalation technique 361
- Battery cycle-life
A soluble-lead redox flow battery with corrugated graphite sheet and reticulated vitreous carbon as positive and negative current collectors 163
- Bi doping
Effects of Bi doping on dielectric and ferroelectric properties of PLBZT ferroelectric thin films synthesized by sol–gel processing 389
- BiFeO₃
Swift heavy ion irradiation induced modification of structure and surface morphology of BiFeO₃ thin film 813
- Bioactivity
Synthesis, characterization and evaluation of bioactivity and antibacterial activity of quinary glass system (SiO₂–CaO–P₂O₅–MgO–ZnO): *In vitro* study 1339
- Biocompatibility
Effect of anodization on corrosion behaviour and biocompatibility of Cp-titanium in simulated body fluid 931
- Biomaterials
In situ ring-opening polymerization of hydroxyapatite/poly(ethylene adipate)-*co*-(ethylene terephthalate) biomimetic composites 121
Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Biomedical applications
Influence of surfactant concentration on nanohydroxyapatite growth 799
- Bionanocomposite polymer
Structural features of bionanocomposite derived from novel designed poly(ester-imide) based on natural amino acids with hydroxyl segments tailored for better dispersion of TiO₂ nanofiller 203
- Biosynthesis
Biological synthesis and characterization of intracellular gold nanoparticles using biomass of *Aspergillus fumigatus* 1201
- Biphase wires
Low-field magnetization process and complex permeability of FeCoBSiTa wires coated with hard magnetic CoNi layer 559
- Bismuth oxide
Synthesis, characterization and oxide ionic conductivity of β -type solid solution in bismuth oxide doped with ytterbium oxide binary system 491
- Bismuth telluride
Reduction in thermal conductivity of Bi–Te alloys through grain refinement method 853
- Bone cement
Development of hydroxyapatite bone cement for controlled drug release via tetracycline hydrochloride 171
- Boron doped TiO₂
Investigation of optical, structural and morphological properties of nanostructured boron doped TiO₂ thin films 1239
- Boron
Structural characterization of electrodeposited boron 1323
- Boson
Low-energy excitations in a low-viscous glass-forming liquid 607
- Cadmium-nickel oxide
Study of high mobility carriers in Ni-doped CdO films 819
- Calcination
Influence of surfactant concentration on nanohydroxyapatite growth 799
- Calcium phosphate
Development of hydroxyapatite bone cement for controlled drug release via tetracycline hydrochloride 171
- Capacitance–voltage
Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251
- Carbon materials
Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547

- Identification of β -SiC surrounded by reliable surrounding diamond medium using weak Raman surface phonons 1087
- Carbon nanotubes
Effect of different carbon fillers and dopant acids on electrical properties of polyaniline nanocomposites 37
- Catalyst Fe–Ni/Al₂O₃ particles encapsulation
Carbon nanotubes purification constrains due to large Fe–Ni/Al₂O₃ catalyst particles encapsulation 1
- Cathodes
Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Cathodic arc evaporation
Effect of bias voltage on microstructure and mechanical properties of arc evaporated (Ti, Al)N hard coatings 429
- Cd–Co ferrites
Structural properties of Cd–Co ferrites 919
- CdO
Study of high mobility carriers in Ni-doped CdO films 819
- CdSe
Preparation and characteristics of nanotetrapods CdSe-polymer hybrid solar cells 1161
- CdS
Preparation of novel CdS-graphene/TiO₂ composites with high photocatalytic activity for methylene blue dye under visible light 869
- CeO₂
Sol–gel deposited ceria thin films as gate dielectric for CMOS technology 259
- Ceramic matrix composites
Properties of porous FeAlO_y/FeAl_x ceramic matrix composite influenced by mechanical activation of FeAl powder 1195
- Ceramics
Investigation on microstructure and dielectric behaviour of (Ba_{0.999-x}Gd_{0.001}Cr_x)TiO₃ ceramics 601
Rietveld analysis, dielectric and impedance behaviour of Mn³⁺/Fe³⁺ ion-modified Pb(Zr_{0.65}Ti_{0.35})O₃ perovskite 699
Relaxor behaviour and dielectric properties of BiFeO₃ doped Ba(Zr_{0.1}Ti_{0.9})O₃ ceramics 893
High temperature impedance spectroscopy of barium stannate, BaSnO₃ 1019
- Cermet
Sintering behaviour and mechanical properties of Cr₃C₂–NiCr cermets 907
- Chain conformation
Effect of chain conformation on micro-mechanical behaviour of MEH–PPV thin film 833
- Chamber oven
Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Characterization
Synthesis of copper telluride nanowires using template-based electrodeposition method as chemical sensor 535
Biological synthesis and characterization of intracellular gold nanoparticles using biomass of *Aspergillus fumigatus* 1201
- Charge–discharge properties
Supercapacitive performance of hydrous ruthenium oxide (RuO₂·*n*H₂O) thin films synthesized by chemical route at low temperature 1171
- Chemical bath deposition (CBD)
Supercapacitive performance of hydrous ruthenium oxide (RuO₂·*n*H₂O) thin films synthesized by chemical route at low temperature 1171
- Chemical synthesis
Investigation on microstructure and dielectric behaviour of (Ba_{0.999-x}Gd_{0.001}Cr_x)TiO₃ ceramics 601
Morphological evolution in single-crystalline Bi₂Te₃ nanoparticles, nanosheets and nanotubes with different synthesis temperatures 765
Optimum synthesis conditions of nanometric Fe₅₀Ni₅₀ alloy formed by chemical reduction in aqueous solution 845
- Chitosan film
Characterization and *in vitro* and *in vivo* evaluation of cross-linked chitosan films as implant for controlled release of citalopram 175
- Circuit model
Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- Citalopram
Characterization and *in vitro* and *in vivo* evaluation of cross-linked chitosan films as implant for controlled release of citalopram 175
- CNTs purification
Carbon nanotubes purification constrains due to large Fe–Ni/Al₂O₃ catalyst particles encapsulation 1
- Co_{0.75}Zn_{0.25}Fe₂O₄
Synthesis, non-isothermal crystallization and magnetic properties of Co_{0.75}Zn_{0.25}Fe₂O₄/poly(ethylene-co-vinyl alcohol) nanocomposite 417
- Coatings
Electrochemical passivation behaviour of nanocrystalline Fe₈₀Si₂₀ coating in borate buffer solution 51
Deposition and characterization of diamond-like nanocomposite coatings grown by plasma enhanced chemical vapour deposition over different substrate materials 193
Enhanced high temperature performance of LiMn₂O₄ coated with Li₃BO₃ solid electrolyte 687
- Cobalt hydroxide
Hydrothermal synthesis of porous Co(OH)₂ nanoflake array film and its supercapacitor application 239
- Co-doped ZnO nanoparticles
Optical, magnetic and structural characterization of Zn_{1-x}Co_xO nanoparticles synthesized by solvothermal method 997
- Collagen
Iron nanoparticles from blood coated with collagen as a matrix for synthesis of nanohydroxyapatite 1165
- Combustion reaction
Combustion reaction of Ti–Al–C–N system 673
- Combustion synthesis
Combustion synthesis of graphene and ultracapacitor performance 667
- Complex impedance spectroscopy
Electrical characterization of zirconium substituted barium titanate using complex impedance spectroscopy 135
- Composites
Synthesis and characterization of MoO₃–WO₃ composite thin films by liquid phase deposition technique: Investigation of its photochromic properties 45
Tribological performance of polymer composites used in electrical engineering applications 341
Optimization of mechanical properties of non-woven short sisal fibre-reinforced vinyl ester composite using factorial design and GA method 575
Graphene composites containing chemically bonded metal oxides 585

- Effect of TiN particulate reinforcement on corrosive behaviour of aluminium 6061 composites in chloride medium 1057
- Fabrication of polystyrene/agave particle biocomposites using compression molding technique: evaluation of flammability, biodegradability, mechanical and thermal behaviour 1207
- Composite materials
- Exploring a novel approach to fabricate vanadium carbide encapsulated into carbon nanotube (VC@C) with large specific surface area 345
 - Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547
- Compressive
- Compressive properties of sandwiches with functionally graded rubber core and jute-epoxy skins 319
- Compressive strength
- Effect of curing time on microstructure and mechanical strength development of alkali activated binders based on vitreous calcium aluminosilicate (VCAS) 245
 - Structural and mechanical behaviour of 5% Al₂O₃-reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
- Conducting polymers
- Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547
 - Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- Conductivity
- Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-co-butylmethacrylate), poly(4-vinyl pyridine-co-butylacrylate) 635
 - Synthesis and characterization of electrochemically-reduced graphene 1315
- Conductivity spectra
- Structural characterization and complex impedance studies on fast ion conducting mixed system (SbI₃)_x-(Ag₂CrO₄)_{1-x} 1297
- Conjugated polymer
- Preparation and characteristics of nanotetrapods CdSe-polymer hybrid solar cells 1161
- Contact angle
- Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
- Continuous gel fibre
- Preparation of continuous alumina gel fibres by aqueous sol-gel process 153
- Copolyester
- In situ* ring-opening polymerization of hydroxyapatite/poly(ethylene adipate)-*co*-(ethylene terephthalate) biomimetic composites 121
- Copolymers
- Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-co-butylmethacrylate), poly(4-vinyl pyridine-co-butylacrylate) 635
 - Poly(aniline-*co-m*-aminobenzoic acid) deposited on poly(vinyl alcohol): Synthesis and characterization 641
 - Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- Copper grafted TiO₂
- Effect of crystal structure on photoinduced superhydrophilicity of copper grafted TiO₂ nanostructure thin film 59
- Copper
- Twinning in copper deformed at high strain rates 157
- Co-precipitation
- Synthesis, microstructure and thermal expansion studies on Ca_{0.5+x/2}Sr_{0.5+x/2}Zr₄P_{6-2x}Si_{2x}O₂₄ system prepared by co-precipitation method 87
- Core-shell structure
- Exploring a novel approach to fabricate vanadium carbide encapsulated into carbon nanotube (VC@C) with large specific surface area 345
- Corrosion behaviour
- Thermal characteristics and corrosion behaviour of Mg-*x*Zn alloys for biomedical applications 1103
- Corrosion
- Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99
 - Effect of TiN particulate reinforcement on corrosive behaviour of aluminium 6061 composites in chloride medium 1057
- Corrosion resistance
- Effect of anodization on corrosion behaviour and biocompatibility of Cp-titanium in simulated body fluid 931
- Corrugated graphite sheet
- A soluble-lead redox flow battery with corrugated graphite sheet and reticulated vitreous carbon as positive and negative current collectors 163
- Co-spray pyrolysis
- Use of co-spray pyrolysis for synthesizing nitrogen-doped TiO₂ films 827
- Co-sputtering
- Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
- Cr K edge
- Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Cr₃C₂-NiCr
- Sintering behaviour and mechanical properties of Cr₃C₂-NiCr cermets 907
- Critical current density
- Pinning enhancement in MgB₂ superconducting thin films by magnetic nanoparticles of Fe₂O₃ 961
- CrO₂²⁻
- Crystalline perfection and optical properties of rapid grown KH₂PO₄ crystal with chromate additive 939
- Crystal growth
- Phase transitions and their co-existence in TiGaSe₂-TiCrS₂(Se₂) systems 693
- Crystal structure
- Effect of crystal structure on photoinduced superhydrophilicity of copper grafted TiO₂ nanostructure thin film 59
 - Crystal structure studies on plate/shelf like disodium ditungstate 149
 - Rietveld analysis, dielectric and impedance behaviour of Mn³⁺/Fe³⁺ ion-modified Pb(Zr_{0.65}Ti_{0.35})O₃ perovskite 699
 - Structural, magnetic and electronic transport studies of RAgSn₂ compounds (R = Y, Tb, Dy, Ho and Er) with Cu₃Au-type 1247
 - Phonon, magnon and electron contributions to low temperature specific heat in metallic state of La_{0.85}Sr_{0.15}MnO₃ and Er_{0.8}Y_{0.2}MnO₃ manganites 1255
- Crystalline perfection
- Crystalline perfection and optical properties of rapid grown KH₂PO₄ crystal with chromate additive 939

- Crystallite size
X-ray determination of crystallite size and effect of lattice strain on Debye–Waller factors of platinum nano powders 973
- Cu-doped LSM
Mn valence state and electrode performance of perovskite-type cathode $\text{La}_{0.8}\text{Sr}_{0.2}\text{Mn}_{1-x}\text{Cu}_x\text{O}$ ($x = 0, 0.2$) for intermediate-temperature solid oxide fuel cells 1261
- CuInGaSe (CIGS)
Effect of electrodeposition potential on composition and morphology of CIGS absorber thin film 735
- CuTe
Synthesis of copper telluride nanowires using template-based electrodeposition method as chemical sensor 535
- CV
Sol–gel deposited ceria thin films as gate dielectric for CMOS technology 259
- CVD
Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
Zirconium influence on microstructure of aluminide coatings deposited on nickel substrate by CVD method 1043
- Cyclic voltammetry
Studies on electrical double layer capacitor with a low-viscosity ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as electrolyte 729
Effect of electrodeposition potential on composition and morphology of CIGS absorber thin film 735
- Cyclodextrin
Preparation and properties of polyrotaxane from α -cyclodextrin and poly(ethylene glycol) with poly(vinyl alcohol) 989
- DCPD
Electrodeposition of dicalcium phosphate dihydrate coatings on stainless steel substrates 475
- Debye–Waller factor
X-ray determination of crystallite size and effect of lattice strain on Debye–Waller factors of platinum nano powders 973
- Densification
An investigation on microwave sintering of Fe, Fe–Cu and Fe–Cu–C alloys 447
- Density
Structural and mechanical behaviour of 5% Al_2O_3 -reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
- Density functional theory
Investigation of superhalogen behaviour of RuF_n ($n = 1-7$) clusters: density functional theory (DFT) study 743
Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Density of states
Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Design of experiments
Optimization of process parameters for synthesis of silica–Ni nanocomposite by design of experiment 1187
- Diamagnetic
Discrepancy of room temperature ferromagnetism in Mo-doped In_2O_3 25
- Diamond like carbon
X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9
- Diamond-like carbon
Deposition and characterization of diamond-like nanocomposite coatings grown by plasma enhanced chemical vapour deposition over different substrate materials 193
- Diborate glass
A new approach for understanding ion transport in glasses; example of complex alkali diborate glasses containing lead, bismuth and tellurium oxides 71
- Dielectric properties
Investigation on microstructure and dielectric behaviour of $(\text{Ba}_{0.999-x}\text{Gd}_{0.001}\text{Cr}_x)\text{TiO}_3$ ceramics 601
Phase transitions and their co-existence in $\text{TlGaSe}_2\text{–TlCrS}_2(\text{Se}_2)$ systems 693
Rietveld analysis, dielectric and impedance behaviour of $\text{Mn}^{3+}/\text{Fe}^{3+}$ ion-modified $\text{Pb}(\text{Zr}_{0.65}\text{Ti}_{0.35})\text{O}_3$ perovskite 699
Electrical and dielectric properties of TiO_2 and Fe_2O_3 doped fly ash 1225
- Diffusion
Zirconium influence on microstructure of aluminide coatings deposited on nickel substrate by CVD method 1043
- Dip coating
Study of optical characteristics of tin oxide thin film prepared by sol–gel method 1231
- Dipolar and space charge mechanism
Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Disodium ditungstate
Crystal structure studies on plate/shelf like disodium ditungstate 149
- Dissociation energy
Investigation of superhalogen behaviour of RuF_n ($n = 1-7$) clusters: density functional theory (DFT) study 743
- DLC/ $\text{SiO}_2/\text{Al}_2\text{O}_3$ membrane
Preparation and characterization of DLC/ $\text{SiO}_2/\text{Al}_2\text{O}_3$ nanofiltration membrane 1133
- DMFC
Pt–Ru decorated self-assembled TiO_2 –carbon hybrid nanostructure for enhanced methanol electrooxidation 353
- Dopant
Effect of different carbon fillers and dopant acids on electrical properties of polyaniline nanocomposites 37
- Doped-zinc oxide
Influence of In doping on electro-optical properties of ZnO films 231
- Drude carriers
Interpretation of anomalous normal state optical conductivity of K_3C_{60} fullerides 65
- Drug delivery
Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
Development of hydroxyapatite bone cement for controlled drug release via tetracycline hydrochloride 171
- DSC
Structural characterization and complex impedance studies on fast ion conducting mixed system $(\text{SbI}_3)_x\text{–}(\text{Ag}_2\text{CrO}_4)_{1-x}$ 1297
- DTA/TG
Yellow phosphors doping with Gd^{3+} , Tb^{3+} and Lu^{3+} in MTiO_3 ($\text{M}=\text{Mg}$ and Sr) luminescence properties 1079
- DTA
Synthesis, IR, crystallization and dielectric study of $(\text{Pb}, \text{Sr})\text{TiO}_3$ borosilicate glass–ceramics 461

- Dye degradation
 Study on photocatalysis of TiO₂ nanotubes prepared by methanol-thermal synthesis at low temperature 779
- EDX
 Effect of TiN particulate reinforcement on corrosive behaviour of aluminium 6061 composites in chloride medium 1057
- Effective charge
 Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Effective mass approximation
 Electrostatic model of semiconductor nanoparticles trapped in polymer electrolytes 977
- EIS
 Effect of TiN particulate reinforcement on corrosive behaviour of aluminium 6061 composites in chloride medium 1057
- Elastic properties
 Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 143
- Electric properties
 Structural, magnetic and electronic transport studies of RAgSn₂ compounds (R = Y, Tb, Dy, Ho and Er) with Cu₃Au-type 1247
- Electrical conductivity
 Effect of different carbon fillers and dopant acids on electrical properties of polyaniline nanocomposites 37
 Influence of In doping on electro-optical properties of ZnO films 231
 Electrical conductivity and chemical stability of BaCe_{0.8-x}A_xGd_{0.2}O_{3-δ} (A = In, Zr, Ta; x = 0, 0.1) ceramics 395
 Impedance and a.c. conductivity studies of Ba(Pr_{1/2}Nb_{1/2})O₃ ceramic 591
 Rietveld analysis, dielectric and impedance behaviour of Mn³⁺/Fe³⁺ ion-modified Pb(Zr_{0.65}Ti_{0.35})O₃ perovskite 699
 Structural, dielectric and electrical properties of Li₂Pb₂La₂W₂Ti₄Nb₄O₃₀ ceramic 883
 High temperature impedance spectroscopy of barium stannate, BaSnO₃ 1019
 Mn valence state and electrode performance of perovskite-type cathode La_{0.8}Sr_{0.2}Mn_{1-x}Cu_xO (x = 0, 0.2) for intermediate-temperature solid oxide fuel cells 1261
 Structural characterization and complex impedance studies on fast ion conducting mixed system (SbI₃)_x-(Ag₂CrO₄)_{1-x} 1297
- Electrical double layer capacitor
 Studies on electrical double layer capacitor with a low-viscosity ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as electrolyte 729
- Electrical properties
 Microstructure, dielectric and piezoelectric properties of lead-free Bi_{0.5}Na_{0.5}TiO₃Bi_{0.5}K_{0.5}TiO₃-BiMnO₃ ceramics 265
 High temperature impedance spectroscopy of barium stannate, BaSnO₃ 1019
 Electrical and dielectric properties of TiO₂ and Fe₂O₃ doped fly ash 1225
- Electrical resistivity
 Spin canting phenomenon in cadmium doped cobalt ferrites, CoCd_xFe_{2-x}O₄ (x = 0.0, 0.2, 0.4, 0.6, 0.8 and 1.0), synthesized using sol-gel auto combustion method 107
- Electric
 Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
- Electroceraic
 Microstructure, dielectric and piezoelectric properties of lead-free Bi_{0.5}Na_{0.5}TiO₃-Bi_{0.5}K_{0.5}TiO₃-BiMnO₃ ceramics 265
- Electrochemical deposition
 Synthesis and characterization of electrochemically-reduced graphene 1315
- Electrochemical impedance spectroscopy
 Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- Electrochemical performances
 Influence of conductive electroactive polymer polyaniline on electrochemical performance of LiMn_{1.95}Al_{0.05}O₄ cathode for lithium ion batteries 1005
- Electrochemical potential
 Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Electrochemical properties
 Iron-substituted AB₅-type MH electrode 1267
- Electrodeposition
 Electrodeposition of dicalcium phosphate dihydrate coatings on stainless steel substrates 475
 Synthesis of copper telluride nanowires using template-based electrodeposition method as chemical sensor 535
 Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547
 Effect of electrodeposition potential on composition and morphology of CIGS absorber thin film 735
 Structural characterization of electrodeposited boron 1323
- Electroless deposition
 Effect of plating time on growth of nanocrystalline Ni-P from sulphate/glycine bath by electroless deposition method 719
- Electroluminescence
 Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Electrolyte
 Evidence for high ionic conductivity in lithium-lanthanum titanate, Li_{0.29}La_{0.57}TiO₃ 1115
- Electron affinity
 Investigation of superhalogen behaviour of RuF_{*n*} (n = 1-7) clusters: density functional theory (DFT) study 743
- Electron cyclotron resonance
 X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9
- Electron diffraction pattern
 Effect of variation of precursor concentration on structural, microstructural, optical and gas sensing properties of nanocrystalline TiO₂ thin films prepared by spray pyrolysis techniques 1153
- Electron microscopy
 New observations on formation of thermally induced martensite in Fe-30%Ni-1%Pd alloy 93
 Graphene composites containing chemically bonded metal oxides 585
 Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
- Electron paramagnetic resonance spectroscopy
 Magnetic resonance in superparamagnetic zinc ferrite 751
- Electronic spectroscopy
 Electronic spectra of anions intercalated in layered double hydroxides 923

- Electronic structure calculations
 Structural, magnetic and electronic transport studies of RAgSn_2 compounds (R = Y, Tb, Dy, Ho and Er) with Cu_3Au -type 1247
- Electrospinning
 Preparation and gas-sensing property of parallel-aligned ZnO nanofibrous films 505
- Encapsulation
 Electrostatic model of semiconductor nanoparticles trapped in polymer electrolytes 977
- Energy dispersive spectroscopy
 Biological synthesis and characterization of intracellular gold nanoparticles using biomass of *Aspergillus fumigatus* 1201
- Energy shift
 Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Energy storage and conversion
 Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547
- Equivalent free energy
 Preparation of $\text{Zr}_{50}\text{Al}_{15-x}\text{Ni}_{10}\text{Cu}_{25}\text{Y}_x$ amorphous powders by mechanical alloying and thermodynamic calculation 1275
- Eu^{3+} and Eu^{2+} doped SrBPO_5
 Thermally stimulated luminescence and photoluminescence investigations of Eu^{3+} and Eu^{2+} doped SrBPO_5 913
- EXAFS
 Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Exotherm behaviour
 Influence of curing agents on gelation and exotherm behaviour of an unsaturated polyester resin 1217
- Extrusion
 Microstructures and mechanical properties of Mg–Zn–Zr–Dy wrought magnesium alloys 437
- F-doped SnO_2
 Fast response time alcohol gas sensor using nanocrystalline F-doped SnO_2 films derived via sol–gel method 521
- Fe_2O_3 nanoparticles
 Pinning enhancement in MgB_2 superconducting thin films by magnetic nanoparticles of Fe_2O_3 961
- FeAl alloys
 Properties of porous $\text{FeAlO}_y/\text{FeAl}_x$ ceramic matrix composite influenced by mechanical activation of FeAl powder 1195
- Fe–CNT/ TiO_2 composites
 UV and visible light photodegradation effect on Fe–CNT/ TiO_2 composite catalysts 293
- Femtosecond
 Aluminum alloy nanosecond vs femtosecond laser marking 1037
- FeNi alloys
 Optimum synthesis conditions of nanometric $\text{Fe}_{50}\text{Ni}_{50}$ alloy formed by chemical reduction in aqueous solution 845
- Fe–Ni–Pd alloy
 New observations on formation of thermally induced martensite in Fe–30%Ni–1%Pd alloy 93
- Ferroelectric properties
 Structural, dielectric and electrical properties of $\text{Li}_2\text{Pb}_2\text{La}_2\text{W}_2\text{Ti}_4\text{Nb}_4\text{O}_{30}$ ceramic 883
- Ferroelectric thin film
 Effects of Bi doping on dielectric and ferroelectric properties of PLBZT ferroelectric thin films synthesized by sol–gel processing 389
- Ferroelectrics
 Electrical characterization of zirconium substituted barium titanate using complex impedance spectroscopy 135
 Phase transitions and their co-existence in $\text{TlGaSe}_2\text{–TiCrS}_2(\text{Se}_2)$ systems 693
 Relaxor behaviour and dielectric properties of BiFeO_3 doped $\text{Ba}(\text{Zr}_{0.1}\text{Ti}_{0.9})\text{O}_3$ ceramics 893
- Ferromagnets
 Phase transitions and their co-existence in $\text{TlGaSe}_2\text{–TiCrS}_2(\text{Se}_2)$ systems 693
- FFM
 Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
- Film deposition
 Oxidation of ZnO thin films during pulsed laser deposition process 385
- Finemet
 Role of aluminium addition on structure of Fe substituted $\text{Fe}_{73.5-x}\text{Si}_{13.5}\text{B}_9\text{Nb}_3\text{Cu}_1\text{Al}_x$ alloy ribbons 613
- Finite element
 Compressive properties of sandwiches with functionally graded rubber core and jute–epoxy skins 319
- Flux and rejection
 Modification of polysulfone with pendant carboxylic acid functionality for ultrafiltration membrane applications 271
- Fourier transform infrared spectroscopy (FTIR)
 Preparation of polystyrene–clay nanocomposite by solution intercalation technique 361
- Fracture toughness
 Microstructure and properties of Ti–Nb–V–Mo–alloyed high chromium cast iron 839
- Fracture
 Effect of temperature and displacement rate on behaviour of as-cast AA5182 and Al–3.3%Cu alloys under tensile loading near solidus temperature 623
 Fabrication of polystyrene/agave particle biocomposites using compression molding technique: evaluation of flammability, biodegradability, mechanical and thermal behaviour 1207
- Frictional property
 Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
- Friction
 Tribological performance of polymer composites used in electrical engineering applications 341
- FTIR
 Sol–gel deposited ceria thin films as gate dielectric for CMOS technology 259
 Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
 Electrical and dielectric properties of TiO_2 and Fe_2O_3 doped fly ash 1225
- FTIR spectroscopy
 High growth rate of a-SiC:H films using ethane carbon source by HW-CVD method 1177
- Fuel cell
 Sulfonated carbon black-based composite membranes for fuel cell applications 563
- Fumed silica
 Effect of plasticizer and fumed silica on ionic conductivity behaviour of proton conducting polymer electrolytes containing HPF_6 629

- Functionally graded
Compressive properties of sandwiches with functionally graded rubber core and jute-epoxy skins 319
- Fungal biomass
Biological synthesis and characterization of intracellular gold nanoparticles using biomass of *Aspergillus fumigatus* 1201
- Gas sensing
Impact of interfacial interactions on optical and ammonia sensing in zinc oxide/polyaniline structures 647
- Gas sensor
Fast response time alcohol gas sensor using nanocrystalline F-doped SnO₂ films derived via sol-gel method 521
- Gate dielectric
Sol-gel deposited ceria thin films as gate dielectric for CMOS technology 259
- GAXRD
Effect of bias voltage on microstructure and mechanical properties of arc evaporated (Ti, Al)N hard coatings 429
- Gd³⁺
Yellow phosphors doping with Gd³⁺, Tb³⁺ and Lu³⁺ in MTiO₃ (M=Mg and Sr) luminescence properties 1079
- Gd-deposition
Nanoindentation study on Gd-deposited YBaCuO superconductor 1339
- Gel time
Influence of curing agents on gelation and exotherm behaviour of an unsaturated polyester resin 1217
- Geopolymerization
Effect of curing time on microstructure and mechanical strength development of alkali activated binders based on vitreous calcium aluminosilicate (VCAS) 245
- Glass forming ability
Role of aluminium addition on structure of Fe substituted Fe_{73.5-x}Si_{13.5}B₉Nb₃Cu₁Al_x alloy ribbons 613
- Glass-forming ability
Thermodynamic and relative approach to compute glass-forming ability of oxides 457
Preparation of Zr₅₀Al_{15-x}Ni₁₀Cu₂₅Y_x amorphous powders by mechanical alloying and thermodynamic calculation 1275
- Gold nanoparticles
Biological synthesis and characterization of intracellular gold nanoparticles using biomass of *Aspergillus fumigatus* 1201
- Gold nanoparticles
Facile synthesis of Au/ZnO nanoparticles and their enhanced photocatalytic activity for hydroxylation of benzene 367
- Grain boundary
Reduction in thermal conductivity of Bi-Te alloys through grain refinement method 853
- Grain growth exponent
On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- Grain size distribution
On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- Grain sizes
Twinning in copper deformed at high strain rates 157
- Graphene
Combustion synthesis of graphene and ultracapacitor performance 667
Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
Synthesis and characterization of electrochemically-reduced graphene 1315
- Graphene oxide
Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
- Graphene photocatalysts
Preparation of novel CdS-graphene/TiO₂ composites with high photocatalytic activity for methylene blue dye under visible light 869
- Green synthesis
Green chemical incorporation of sulphate into polyoxoanions of molybdenum to nano level 981
- Growth mechanism
A novel method for massive synthesis of SnO₂ nanowires 953
- H₂S gas sensor
Detection of H₂S gas at lower operating temperature using sprayed nanostructured In₂O₃ thin films 967
- Hard coatings
Effect of bias voltage on microstructure and mechanical properties of arc evaporated (Ti, Al)N hard coatings 429
- Hardness
Effect of bias voltage on microstructure and mechanical properties of arc evaporated (Ti, Al)N hard coatings 429
Microhardness studies on nonlinear optical L-alanine single crystals 471
Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
Structural and mechanical behaviour of 5% Al₂O₃-reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
- Heat transfer fluid
Ion exchange synthesis and thermal characteristics of some [N⁺₂₂₂₂] based ionic liquids 1121
- Heat treatment
Synthesis and characterization of electrochemically-reduced graphene 1315
- Heavy metal ions
A new approach for understanding ion transport in glasses; example of complex alkali diborate glasses containing lead, bismuth and tellurium oxides 71
- Hexagonal microstructures
Preparation and properties of polyrotaxane from α -cyclodextrin and poly(ethylene glycol) with poly(vinyl alcohol) 989
- Hierarchical ZSM-5 zeolite catalyst
Influence of Al content on textural properties and catalytic activity of hierarchical porous aluminosilicate materials 1291
- High adhesive forces
Facile preparation of superhydrophobic surface with high adhesive forces based carbon/silica composite films 1091
- High chromium cast iron
Microstructure and properties of Ti-Nb-V-Mo-alloyed high chromium cast iron 839
- High-*k*
Sol-gel deposited ceria thin films as gate dielectric for CMOS technology 259
- Homojunction
Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251

- HOMO–LUMO gap
Investigation of superhalogen behaviour of RuF_n ($n = 1-7$) clusters: density functional theory (DFT) study 743
- Hopping carriers
Interpretation of anomalous normal state optical conductivity of K_3C_{60} fullerenes 65
- HW-CVD
High growth rate of a-SiC:H films using ethane carbon source by HW-CVD method 1177
- Hybrid solar cells
Preparation and characteristics of nanotetrapods CdSe-polymer hybrid solar cells 1161
- Hydrogen absorbing materials
Hydriding and dehydriding rates and hydrogen-storage capacity of $\text{Mg-14Ni-3Fe}_2\text{O}_3\text{-3Ti}$ prepared by reactive mechanical grinding 661
- Hydrolysis reaction
Facile preparation of superhydrophobic surface with high adhesive forces based carbon/silica composite films 1091
- Hydrothermal synthesis route
Facile preparation of superhydrophobic surface with high adhesive forces based carbon/silica composite films 1091
- Hydrothermal synthesis
Hydrothermal synthesis of porous Co(OH)_2 nanoflake array film and its supercapacitor application 239
- Hydrothermal
Single step hydrothermal based synthesis of $\text{M(II)Sb}_2\text{O}_6$ ($\text{M} = \text{Cd}$ and Zn) type antimonates and their photocatalytic properties 287
- Hydroxyapatite
In situ ring-opening polymerization of hydroxyapatite/poly(ethylene adipate)-*co*-(ethylene terephthalate) biomimetic composites 121
Electrodeposition of dicalcium phosphate dihydrate coatings on stainless steel substrates 475
Influence of surfactant concentration on nanohydroxyapatite growth 799
- ICP–AES
An efficient method combining thermal annealing and acid leaching for impurities removal from silica intended for photovoltaic application 1097
- Impedance
Structural, dielectric and electrical properties of $\text{Li}_2\text{Pb}_2\text{La}_2\text{W}_2\text{Ti}_4\text{Nb}_4\text{O}_{30}$ ceramic 883
Structural characterization and complex impedance studies on fast ion conducting mixed system $(\text{SbI}_3)_x\text{-(Ag}_2\text{CrO}_4)_{1-x}$ 1297
- Impedance analysis
Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
- Impedance spectroscopy
Electrical conductivity and chemical stability of $\text{BaCe}_{0.8-x}\text{A}_x\text{Gd}_{0.2}\text{O}_{3-\delta}$ ($\text{A} = \text{In, Zr, Ta}$; $x = 0, 0.1$) ceramics 395
Impedance and a.c. conductivity studies of $\text{Ba}(\text{Pr}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramic 591
Studies on electrical double layer capacitor with a low-viscosity ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as electrolyte 729
- In vitro* drug release
Characterization and *in vitro* and *in vivo* evaluation of cross-linked chitosan films as implant for controlled release of citalopram 175
- In vivo* biocompatibility
Comparison of *in vivo* biocompatibilities between parylene-C and polydimethylsiloxane for implantable microelectronic devices 1127
- Incubation
Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Indentation size effect
Nanoindentation study on Gd-deposited YBaCuO superconductor 1139
- Induced dipole polarization
Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Infrared spectroscopy
Synthesis, IR, crystallization and dielectric study of $(\text{Pb, Sr})\text{TiO}_3$ borosilicate glass–ceramics 461
Structural properties of Cd–Co ferrites 919
High temperature impedance spectroscopy of barium stannate, BaSnO_3 1019
- InGaN
Investigation of localization effect in GaN-rich InGaN alloys and modified band-tail model 619
- Inorganic crystal
Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 143
- Inorganic materials
Crystal structure studies on plate/shelf like disodium ditungstate 149
- Intercalated boron–nitride nanotubes
Structural, energetic and electronic properties of intercalated boron–nitride nanotubes 189
- Intercalation
Preparation of polystyrene–clay nanocomposite by solution intercalation technique 361
Electronic spectra of anions intercalated in layered double hydroxides 923
- Intermetallic compounds
Effect of nano- CeO_2 on microstructure properties of TiC/TiN+TiCN-reinforced composite coating 541
Mobilities and dislocation energies of planar faults in an ordered A_3B (D0_{19}) structure 677
- Intermetallics
Structural, magnetic and electronic transport studies of RAgSn_2 compounds ($\text{R} = \text{Y, Tb, Dy, Ho}$ and Er) with Cu_3Au -type 1247
- Ion conducting polymer
Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-*co*-butylmethacrylate), poly(4-vinyl pyridine-*co*-butylacrylate) 635
- Ion exchange synthesis
Ion exchange synthesis and thermal characteristics of some $[\text{N}^+_{2222}]$ based ionic liquids 1121
- Ion irradiation
Swift heavy ion irradiation induced modification of structure and surface morphology of BiFeO_3 thin film 813
- Ionic conductivity
Effect of plasticizer and fumed silica on ionic conductivity behaviour of proton conducting polymer electrolytes containing HPF₆ 629

- Evidence for high ionic conductivity in lithium–lanthanum titanate, $\text{Li}_{0.29}\text{La}_{0.57}\text{TiO}_3$ 1115
- Ionic liquid
 Studies on electrical double layer capacitor with a low-viscosity ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate as electrolyte 729
 Ion exchange synthesis and thermal characteristics of some $[\text{N}^+_{2222}]$ based ionic liquids 1121
- Iron nanoparticle
 Iron nanoparticles from blood coated with collagen as a matrix for synthesis of nanohydroxyapatite 1165
- Iron oxide
 Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
- Iron substitution
 Iron-substituted AB_5 -type MH electrode 1267
- Irregular CNTs morphology
 Carbon nanotubes purification constrains due to large Fe–Ni/ Al_2O_3 catalyst particles encapsulation 1
- Jahn–Teller effect
 Effect of CuO addition on structure and electrical properties of low temperature sintered quaternary piezoelectric ceramics 877
- KDP crystal
 Crystalline perfection and optical properties of rapid grown KH_2PO_4 crystal with chromate additive 939
- Kerogen
 Pyrolysis of petroleum asphaltenes from different geological origins and use of methylnaphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- Laponite
 Preparation of polystyrene–clay nanocomposite by solution intercalation technique 361
- Laser
 Aluminum alloy nanosecond vs femtosecond laser marking 1037
- Laser cladding
 Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99
 Effect of nano- CeO_2 on microstructure properties of TiC/TiN+TiCN-reinforced composite coating 541
- Lattice strain
 X-ray determination of crystallite size and effect of lattice strain on Debye–Waller factors of platinum nano powders 973
- Layered double hydroxides
 Electronic spectra of anions intercalated in layered double hydroxides 923
- Layered structure
 GITT studies on oxide cathode $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ synthesized by citric acid assisted high-energy ball milling 495
- Li diffusion
 GITT studies on oxide cathode $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ synthesized by citric acid assisted high-energy ball milling 495
- Li ion
 Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
- $\text{LiMn}_{1.95}\text{Al}_{0.05}\text{O}_4$
 Influence of conductive electroactive polymer polyaniline on electrochemical performance of $\text{LiMn}_{1.95}\text{Al}_{0.05}\text{O}_4$ cathode for lithium ion batteries 1005
- $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$
 GITT studies on oxide cathode $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ synthesized by citric acid assisted high-energy ball milling 495
- Liquid silicone rubber
 Adhesion enhancement for liquid silicone rubber and different surface by organosilane and Pt catalyst at room temperature 1013
- Liquids
 Low-energy excitations in a low-viscous glass-forming liquid 607
- Lithium ion batteries
 GITT studies on oxide cathode $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ synthesized by citric acid assisted high-energy ball milling 495
 Enhanced high temperature performance of LiMn_2O_4 coated with Li_3BO_3 solid electrolyte 687
 Influence of conductive electroactive polymer polyaniline on electrochemical performance of $\text{LiMn}_{1.95}\text{Al}_{0.05}\text{O}_4$ cathode for lithium ion batteries 1005
 Electrochemical potentials of layered oxide and olivine phosphate with aluminum substitution: A first principles study 1331
- Lithium manganese oxide
 Enhanced high temperature performance of LiMn_2O_4 coated with Li_3BO_3 solid electrolyte 687
- Localization effect
 Investigation of localization effect in GaN-rich InGaN alloys and modified band-tail model 619
- Lone pair electron
 A new approach for understanding ion transport in glasses; example of complex alkali diborate glasses containing lead, bismuth and tellurium oxides 71
- Low temperature
 Detection of H_2S gas at lower operating temperature using sprayed nanostructured In_2O_3 thin films 967
- Low-frequency Raman
 Low-energy excitations in a low-viscous glass-forming liquid 607
- Low-viscous liquid
 Low-energy excitations in a low-viscous glass-forming liquid 607
- LPCVD
 Optimization of process parameter for synthesis of silicon quantum dots using low pressure chemical vapour deposition 483
- LPD technique
 Synthesis and characterization of MoO_3 – WO_3 composite thin films by liquid phase deposition technique: Investigation of its photochromic properties 45
- Luminescence
 Multifunctional CNTs nanohybrids decorated with magnetic and fluorescent nanoparticles layer-by-layer 373
 Photoluminescence properties of $\text{X}_5\text{SiO}_4\text{Cl}_6:\text{Tb}^{3+}$ ($\text{X}=\text{Sr}, \text{Ba}$) green phosphor prepared via modified solid state method 715
 Luminescence properties of $\text{YAG}:\text{Nd}^{3+}$ nano-sized ceramic powders via co-microemulsion and microwave heating 1191
- Magnesium
 Hydriding and dehydriding rates and hydrogen-storage capacity of $\text{Mg-14Ni-3Fe}_2\text{O}_3\text{-3Ti}$ prepared by reactive mechanical grinding 661
- Magnetic
 Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
- Magnetic materials
 Multifunctional CNTs nanohybrids decorated with magnetic and fluorescent nanoparticles layer-by-layer 373

- Magnetic resonance in superparamagnetic zinc ferrite 751
- Magnetic properties
- Multifunctional CNTs nanohybrids decorated with magnetic and fluorescent nanoparticles layer-by-layer 373
 - Graphene composites containing chemically bonded metal oxides 585
 - Phase transitions and their co-existence in $\text{TlGaSe}_2\text{-TlCrS}_2(\text{Se}_2)$ systems 693
 - Optical, magnetic and structural characterization of $\text{Zn}_{1-x}\text{Co}_x\text{O}$ nanoparticles synthesized by solvothermal method 997
 - Structural, magnetic and electronic transport studies of RAgSn_2 compounds (R = Y, Tb, Dy, Ho and Er) with Cu_3Au -type 1247
- Magnetization
- Synthesis, non-isothermal crystallization and magnetic properties of $\text{Co}_{0.75}\text{Zn}_{0.25}\text{Fe}_2\text{O}_4/\text{poly}(\text{ethylene-co-vinyl alcohol})$ nanocomposite 417
- m*-aminobenzoic acid
- Poly(aniline-co-*m*-aminobenzoic acid) deposited on poly(vinyl alcohol): Synthesis and characterization 641
- Marking
- Aluminum alloy nanosecond vs femtosecond laser marking 1037
- Martensitic transformations
- New observations on formation of thermally induced martensite in Fe-30%Ni-1%Pd alloy 93
- Maturity
- Pyrolysis of petroleum asphaltenes from different geological origins and use of methylnaphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- Mechanical alloying
- Reduction in thermal conductivity of Bi-Te alloys through grain refinement method 853
 - Preparation of $\text{Zr}_{50}\text{Al}_{15-x}\text{Ni}_{10}\text{Cu}_{25}\text{Y}_x$ amorphous powders by mechanical alloying and thermodynamic calculation 1275
- Mechanical property
- Microstructures and mechanical properties of Mg-Zn-Zr-Dy wrought magnesium alloys 437
- Mechanical properties
- Characterization and *in vitro* and *in vivo* evaluation of cross-linked chitosan films as implant for controlled release of citalopram 175
 - Synthesis and characterization of saturated polyester and nanocomposites derived from glycolized PET waste with varied compositions 277
 - An investigation on microwave sintering of Fe, Fe-Cu and Fe-Cu-C alloys 447
 - Microhardness studies on nonlinear optical *L*-alanine single crystals 471
 - Optimization of mechanical properties of non-woven short sisal fibre-reinforced vinyl ester composite using factorial design and GA method 575
 - Effect of chain conformation on micro-mechanical behaviour of MEH-PPV thin film 833
 - Sintering behaviour and mechanical properties of $\text{Cr}_3\text{C}_2\text{-NiCr}$ cermets 907
 - Nucleus geometry and mechanical properties of resistance spot welded coated-uncoated DP automotive steels 1049
 - Properties of porous $\text{FeAlO}_y/\text{FeAl}_x$ ceramic matrix composite influenced by mechanical activation of FeAl powder 1195
- MEH-PPV
- Effect of chain conformation on micro-mechanical behaviour of MEH-PPV thin film 833
- Mesoporous material
- Exploring a novel approach to fabricate vanadium carbide encapsulated into carbon nanotube (VC@C) with large specific surface area 345
- Metal carboxylates
- Red-emitting alkaline-earth rare-earth pentaoxometallates powders prepared by metal carboxylates solution 499
- Metal hydride cell
- Iron-substituted AB_5 -type MH electrode 1267
- Metal matrix composite (MMC)
- Structural and mechanical behaviour of 5% Al_2O_3 -reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
- Metallurgical junction
- Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251
- Methanol oxidation
- Pt-Ru decorated self-assembled TiO_2 -carbon hybrid nanostructure for enhanced methanol electrooxidation 353
- Methylene blue
- Single step hydrothermal based synthesis of $\text{M(II)Sb}_2\text{O}_6$ (M = Cd and Zn) type antimonates and their photocatalytic properties 287
 - Preparation of novel CdS-graphene/ TiO_2 composites with high photocatalytic activity for methylene blue dye under visible light 869
- Methylnaphthalenes
- Pyrolysis of petroleum asphaltenes from different geological origins and use of methylnaphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- Methylphenanthrenes
- Pyrolysis of petroleum asphaltenes from different geological origins and use of methylnaphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- Metropolis algorithm
- On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- MG63 osteoblast cells
- Effect of anodization on corrosion behaviour and biocompatibility of Cp-titanium in simulated body fluid 931
- MgB_2 thin film
- Pinning enhancement in MgB_2 superconducting thin films by magnetic nanoparticles of Fe_2O_3 961
- MgO
- Effect of stabilizer on optical and structural properties of MgO thin films prepared by sol-gel method 899
- MgTiO_3
- Yellow phosphors doping with Gd^{3+} , Tb^{3+} and Lu^{3+} in MTiO_3 (M=Mg and Sr) luminescence properties 1079
- Micro and nano particle size
- Dependence of thermal conductivity in micro to nano silica 517
- Microcracking
- Synthesis, microstructure and thermal expansion studies on $\text{Ca}_{0.5+x/2}\text{Sr}_{0.5-x/2}\text{Zr}_4\text{P}_{6-2x}\text{Si}_{2x}\text{O}_{24}$ system prepared by co-precipitation method 87
- Microemulsion-microwave heating
- Luminescence properties of YAG:Nd^{3+} nano-sized ceramic powders via co-microemulsion and microwave heating 1191
- Microstructure
- Influence of In doping on electro-optical properties of ZnO films 231
 - Microstructures and mechanical properties of Mg-Zn-Zr-Dy wrought magnesium alloys 437

- Investigation on microstructure and dielectric behaviour of $(\text{Ba}_{0.999-x}\text{Gd}_{0.001}\text{Cr}_x)\text{TiO}_3$ ceramics 601
- Identification of β -SiC surrounded by relatable surrounding diamond medium using weak Raman surface phonons 1087
- Thermal characteristics and corrosion behaviour of Mg-xZn alloys for biomedical applications 1103
- Properties of porous $\text{FeAlO}_y/\text{FeAl}_x$ ceramic matrix composite influenced by mechanical activation of FeAl powder 1195
- Microstructure
- Effect of nano-CeO₂ on microstructure properties of TiC/TiN+TiCN-reinforced composite coating 541
- Microstructure-final
- Effect of CuO addition on structure and electrical properties of low temperature sintered quaternary piezoelectric ceramics 877
- Microstructure refinement
- Microstructure and properties of Ti-Nb-V-Mo-alloyed high chromium cast iron 839
- Microwave absorption properties
- Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
- Microwave processing
- Influence of surfactant concentration on nanohydroxyapatite growth 799
- Microwave sintering
- An investigation on microwave sintering of Fe, Fe-Cu and Fe-Cu-C alloys 447
- Mn K edge
- Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Mn:ZnO thin film
- Preparation of manganese-doped ZnO thin films and their characterization 223
- Mobile carriers
- Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251
- Mobility
- Mobilities and dislocation energies of planar faults in an ordered A₃B (D0₁₉) structure 677
- Modified band-tail model
- Investigation of localization effect in GaN-rich InGaN alloys and modified band-tail model 619
- Modified bioactive glass
- Synthesis, characterization and evaluation of bioactivity and antibacterial activity of quinary glass system (SiO_2 -CaO-P₂O₅-MgO-ZnO): *In vitro* study 1339
- Modified polysulfone
- Modification of polysulfone with pendant carboxylic acid functionality for ultrafiltration membrane applications 271
- Molybdenum-doped indium oxide
- Characterization of molybdenum-doped indium oxide thin films by spray pyrolysis technique 553
- Monte Carlo method
- On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- MoO₃-WO₃ thin films
- Synthesis and characterization of MoO₃-WO₃ composite thin films by liquid phase deposition technique: Investigation of its photochromic properties 45
- Morphological change
- Morphological evolution in single-crystalline Bi₂Te₃ nanoparticles, nanosheets and nanotubes with different synthesis temperatures 765
- Morphology
- Impact of interfacial interactions on optical and ammonia sensing in zinc oxide/polyaniline structures 647
- Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
- Effect of chain conformation on micro-mechanical behaviour of MEH-PPV thin film 833
- MTT assay
- Iron nanoparticles from blood coated with collagen as a matrix for synthesis of nanohydroxyapatite 1165
- Multilayers
- Multifunctional CNTs nanohybrids decorated with magnetic and fluorescent nanoparticles layer-by-layer 373
- Na(Y_{1.5}Na_{0.5})F₆
- Synthesis and up-conversion luminescence of Yb³⁺-Ho³⁺ co-doped Na(Y_{1.5}Na_{0.5})F₆ nanorods 513
- Nanocomposites
- Electrical and optical studies in polyaniline nanofibre-SnO₂ nanocomposites 31
- Synthesis and characterization of saturated polyester and nanocomposites derived from glycolized PET waste with varied compositions 277
- Preparation of polystyrene-clay nanocomposite by solution intercalation technique 361
- Facile synthesis of Au/ZnO nanoparticles and their enhanced photocatalytic activity for hydroxylation of benzene 367
- Synthesis, non-isothermal crystallization and magnetic properties of Co_{0.75}Zn_{0.25}Fe₂O₄/poly(ethylene-co-vinyl alcohol) nanocomposite 417
- Synthesis and properties of new polyimide/clay nanocomposite films 789
- Identification of β -SiC surrounded by relatable surrounding diamond medium using weak Raman surface phonons 1087
- Optimization of process parameters for synthesis of silica-Ni nanocomposite by design of experiment 1187
- Nanocrystalline
- Role of aluminium addition on structure of Fe substituted Fe_{73.5-x}Si_{13.5}B₉Nb₃Cu₁Al_x alloy ribbons 613
- Nanocrystalline alloy
- Optimum synthesis conditions of nanometric Fe₅₀Ni₅₀ alloy formed by chemical reduction in aqueous solution 845
- Nanocrystalline TiO₂
- Effect of variation of precursor concentration on structural, microstructural, optical and gas sensing properties of nanocrystalline TiO₂ thin films prepared by spray pyrolysis techniques 1153
- Nanocrystals
- In situ* ring-opening polymerization of hydroxyapatite/poly(ethylene adipate)-co-(ethylene terephthalate) biomimetic composites 121
- Electrostatic model of semiconductor nanoparticles trapped in polymer electrolytes 977
- Nanofiltration
- Preparation and characterization of DLC/SiO₂/Al₂O₃ nanofiltration membrane 1133
- Nanohydroxyapatite
- Iron nanoparticles from blood coated with collagen as a matrix for synthesis of nanohydroxyapatite 1165
- Nanoindentation
- Effect of chain conformation on micro-mechanical behaviour of MEH-PPV thin film 833
- Nanoindentation study on Gd-deposited YBaCuO superconductor 1139

- Nanomaterials
Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
- Nanoparticles
Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
Magnetic resonance in superparamagnetic zinc ferrite 751
Swift heavy ion irradiation induced modification of structure and surface morphology of BiFeO₃ thin film 813
Optimum synthesis conditions of nanometric Fe₅₀Ni₅₀ alloy formed by chemical reduction in aqueous solution 845
Yb³⁺ and Er³⁺ co-doped Y₂Ce₂O₇ nanoparticles: synthesis and spectroscopic properties 1147
Investigation of optical, structural and morphological properties of nanostructured boron doped TiO₂ thin films 1239
- Nanopowder
Discrepancy of room temperature ferromagnetism in Mo-doped In₂O₃ 25
- Nanorods
Synthesis and up-conversion luminescence of Yb³⁺-HO³⁺ co-doped Na(Y_{1.5}Na_{0.5})F₆ nanorods 513
- Nanosecond
Aluminum alloy nanosecond vs femtosecond laser marking 1037
- Nanosensors
Synthesis of copper telluride nanowires using template-based electrodeposition method as chemical sensor 535
- Nano-sized ceramic powders
Luminescence properties of YAG:Nd³⁺ nano-sized ceramic powders via co-microemulsion and microwave heating 1191
- Nanospheres
Electromagnetic and microwave absorbing properties of hollow carbon nanospheres 213
- Nanostructured In₂O₃
Detection of H₂S gas at lower operating temperature using sprayed nanostructured In₂O₃ thin films 967
- Nanostructured TiO₂
Study on photocatalysis of TiO₂ nanotubes prepared by methanol-thermal synthesis at low temperature 779
- Nanostructures
Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
Green chemical incorporation of sulphate into polyoxoanions of molybdenum to nano level 981
- Nanotechnology
Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
- Nanotetrapods
Preparation and characteristics of nanotetrapods CdSe-polymer hybrid solar cells 1161
- Nanowires
Synthesis of copper telluride nanowires using template-based electrodeposition method as chemical sensor 535
A novel method for massive synthesis of SnO₂ nanowires 953
- Natural hydroxyapatite
Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- NBO-BO switching
A new approach for understanding ion transport in glasses; example of complex alkali diborate glasses containing lead, bismuth and tellurium oxides 71
- NC-Ni-P
Effect of plating time on growth of nanocrystalline Ni-P from sulphate/glycine bath by electroless deposition method 719
- Needle probe method
Dependence of thermal conductivity in micro to nano silica 517
- Neural networks
Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Nickel
Zirconium influence on microstructure of aluminide coatings deposited on nickel substrate by CVD method 1043
- Ni
Optimization of process parameters for synthesis of silica-Ni nanocomposite by design of experiment 1187
- Ni-doped CdO
Study of high mobility carriers in Ni-doped CdO films 819
- Nitrogen-doping
Use of co-spray pyrolysis for synthesizing nitrogen-doped TiO₂ films 827
- N*-methylpyrrole
Electrochemical copolymerization of *N*-methylpyrrole and 2,2'-bithiophene: Characterization, micro-capacitor study and equivalent circuit model evaluation 1281
- Non-isothermal crystallization
Synthesis, non-isothermal crystallization and magnetic properties of Co_{0.75}Zn_{0.25}Fe₂O₄/poly(ethylene-co-vinyl alcohol) nanocomposite 417
- Nucleus geometry
Nucleus geometry and mechanical properties of resistance spot welded coated-uncoated DP automotive steels 1049
- Nyquist plots
Rietveld analysis, dielectric and impedance behaviour of Mn³⁺/Fe³⁺ ion-modified Pb(Zr_{0.65}Ti_{0.35})O₃ perovskite 699
- NZP ceramics
Synthesis, microstructure and thermal expansion studies on Ca_{0.5+x/2}Sr_{0.5+x/2}Zr₄P_{6-2x}Si_{2x}O₂₄ system prepared by co-precipitation method 87
- OLED
Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Optical and morphological characterizations
Investigation of optical, structural and morphological properties of nanostructured boron doped TiO₂ thin films 1239
- Optical bandgap
Preparation of manganese-doped ZnO thin films and their characterization 223
- Optical conductivity
Interpretation of anomalous normal state optical conductivity of K₃C₆₀ fullerides 65
- Optical parameters
Influence of In doping on electro-optical properties of ZnO films 231
- Optical properties
Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
Effect of Zn doping on optical properties and photoconductivity of SnS₂ nanocrystalline thin films 411

- Crystalline perfection and optical properties of rapid grown KH_2PO_4 crystal with chromate additive 939
- Organic compounds
- Microhardness studies on nonlinear optical *L*-alanine single crystals 471
- Organic dielectric
- Processing and performance of organic insulators as a gate layer in organic thin film transistors fabricated on polyethylene terephthalate substrate 653
- Organic materials
- Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Organic thin film transistors
- Processing and performance of organic insulators as a gate layer in organic thin film transistors fabricated on polyethylene terephthalate substrate 653
- Organoclay
- Synthesis and properties of new polyimide/clay nanocomposite films 789
- Orientation
- Electrodeposition of dicalcium phosphate dihydrate coatings on stainless steel substrates 475
- Oxidation state
- Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Oxide materials
- Phonon, magnon and electron contributions to low temperature specific heat in metallic state of $\text{La}_{0.85}\text{Sr}_{0.15}\text{MnO}_3$ and $\text{Er}_{0.8}\text{Y}_{0.2}\text{MnO}_3$ manganites 1255
- Oxides
- Thermodynamic and relative approach to compute glass-forming ability of oxides 457
 - Graphene composites containing chemically bonded metal oxides 585
 - High temperature impedance spectroscopy of barium stannate, BaSnO_3 1019
- Oxygen ionic conductivity
- Synthesis, characterization and oxide ionic conductivity of β -type solid solution in bismuth oxide doped with ytterbium oxide binary system 491
- Oxygen reduction reaction
- Mn valence state and electrode performance of perovskite-type cathode $\text{La}_{0.8}\text{Sr}_{0.2}\text{Mn}_{1-x}\text{Cu}_x\text{O}$ ($x = 0, 0.2$) for intermediate-temperature solid oxide fuel cells 1261
- P-4VP
- Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-co-butylmethacrylate), poly(4-vinyl pyridine-co-butylacrylate) 635
- Parallel-aligned nanofibrous film
- Preparation and gas-sensing property of parallel-aligned ZnO nanofibrous films 505
- Particle
- Fabrication of polystyrene/agave particle biocomposites using compression molding technique: evaluation of flammability, biodegradability, mechanical and thermal behaviour 1207
- Particle morphology
- An investigation on microwave sintering of Fe, Fe–Cu and Fe–Cu–C alloys 447
- Parylene-C
- Comparison of *in vivo* biocompatibilities between parylene-C and polydimethylsiloxane for implantable microelectronic devices 1127
- Passive layer
- Electrochemical passivation behaviour of nanocrystalline $\text{Fe}_{80}\text{Si}_{20}$ coating in borate buffer solution 51
- Percolation theory
- Influence of conductive electroactive polymer polyaniline on electrochemical performance of $\text{LiMn}_{1.95}\text{Al}_{0.05}\text{O}_4$ cathode for lithium ion batteries 1005
- Permittivity
- Impedance and a.c. conductivity studies of $\text{Ba}(\text{Pr}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramic 591
- Perovskite structure
- Impedance and a.c. conductivity studies of $\text{Ba}(\text{Pr}_{1/2}\text{Nb}_{1/2})\text{O}_3$ ceramic 591
- Perovskites
- Electrical conductivity and chemical stability of $\text{BaCe}_{0.8-x}\text{A}_x\text{Gd}_{0.2}\text{O}_{3-\delta}$ ($\text{A} = \text{In, Zr, Ta}; x = 0, 0.1$) ceramics 395
 - Microstructure, dielectric and piezoelectric properties of lead-free $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ – $\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3$ – BiMnO_3 ceramics 265
 - Effect of CuO addition on structure and electrical properties of low temperature sintered quaternary piezoelectric ceramics 877
 - Evidence for high ionic conductivity in lithium–lanthanum titanate, $\text{Li}_{0.29}\text{La}_{0.57}\text{TiO}_3$ 1115
- Peroxide initiator
- Influence of curing agents on gelation and exotherm behaviour of an unsaturated polyester resin 1217
- pH changes
- Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Phenol
- Influence of Al content on textural properties and catalytic activity of hierarchical porous aluminosilicate materials 1291
- Phonon
- Phonon, magnon and electron contributions to low temperature specific heat in metallic state of $\text{La}_{0.85}\text{Sr}_{0.15}\text{MnO}_3$ and $\text{Er}_{0.8}\text{Y}_{0.2}\text{MnO}_3$ manganites 1255
- Phosphors
- Red-emitting alkaline-earth rare-earth pentaoxometallates powders prepared by metal carboxylates solution 499
 - Photoluminescence properties of $\text{X}_5\text{SiO}_4\text{Cl}_6:\text{Tb}^{3+}$ ($\text{X} = \text{Sr, Ba}$) green phosphor prepared via modified solid state method 715
 - Yellow phosphors doping with Gd^{3+} , Tb^{3+} and Lu^{3+} in MTiO_3 ($\text{M} = \text{Mg and Sr}$) luminescence properties 1079
- Photocatalysis
- Facile synthesis of Au/ZnO nanoparticles and their enhanced photocatalytic activity for hydroxylation of benzene 367
 - Self-assembling behaviour of Pt nanoparticles onto surface of TiO_2 and their resulting photocatalytic activity 945
- Photocatalyst
- Study on photocatalysis of TiO_2 nanotubes prepared by methanol-thermal synthesis at low temperature 779
- Photocatalytic
- Single step hydrothermal based synthesis of $\text{M}(\text{II})\text{Sb}_2\text{O}_6$ ($\text{M} = \text{Cd and Zn}$) type antimonates and their photocatalytic properties 287
- Photocatalytic activity
- UV and visible light photodegradation effect on Fe–CNT/ TiO_2 composite catalysts 293
 - Use of co-spray pyrolysis for synthesizing nitrogen-doped TiO_2 films 827
 - Self-assembling behaviour of Pt nanoparticles onto surface of TiO_2 and their resulting photocatalytic activity 945

- Photochromism
 Synthesis and characterization of MoO₃–WO₃ composite thin films by liquid phase deposition technique: Investigation of its photochromic properties 45
- Photoconductivity
 Effect of Zn doping on optical properties and photoconductivity of SnS₂ nanocrystalline thin films 411
- Photodeposition
 Self-assembling behaviour of Pt nanoparticles onto surface of TiO₂ and their resulting photocatalytic activity 945
- Photoluminescence
 Electrical and optical studies in polyaniline nanofibre–SnO₂ nanocomposites 31
 Effect of Zn doping on optical properties and photoconductivity of SnS₂ nanocrystalline thin films 411
 Thermally stimulated luminescence and photoluminescence investigations of Eu³⁺ and Eu²⁺ doped SrBPO₅ 913
- Physical junction
 Accurate quasi-static capacitance for abrupt homojunction under forward and reverse polarization 251
- Physical properties
 Characterization and *in vitro* and *in vivo* evaluation of cross-linked chitosan films as implant for controlled release of citalopram 175
- Piece-wise linear
 Compressive properties of sandwiches with functionally graded rubber core and jute–epoxy skins 319
- Piezoelectric properties
 Effect of CuO addition on structure and electrical properties of low temperature sintered quaternary piezoelectric ceramics 877
- Piezoelectricity
 Microstructure, dielectric and piezoelectric properties of lead-free Bi_{0.5}Na_{0.5}TiO₃–Bi_{0.5}K_{0.5}TiO₃–BiMnO₃ ceramics 265
- Piezoelectric
 Relaxor behaviour and dielectric properties of BiFeO₃ doped Ba(Zr_{0.1}Ti_{0.9})O₃ ceramics 893
- Pitting resistance
 Effect of anodization on corrosion behaviour and biocompatibility of Cp-titanium in simulated body fluid 931
- Planar faults
 Mobilities and dislocation energies of planar faults in an ordered A₃B (D0₁₉) structure 677
- Plasma CVD
 Deposition and characterization of diamond-like nanocomposite coatings grown by plasma enhanced chemical vapour deposition over different substrate materials 193
- Plasticization effect
 Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Plasticizer
 Effect of plasticizer and fumed silica on ionic conductivity behaviour of proton conducting polymer electrolytes containing HPF₆ 629
- Platinum catalyst
 Adhesion enhancement for liquid silicone rubber and different surface by organosilane and Pt catalyst at room temperature 1013
- Polarization
 Electrochemical passivation behaviour of nanocrystalline Fe₈₀Si₂₀ coating in borate buffer solution 51
- Polarization resistance
 Mn valence state and electrode performance of perovskite-type cathode La_{0.8}Sr_{0.2}Mn_{1-x}Cu_xO (*x* = 0, 0.2) for intermediate-temperature solid oxide fuel cells 1261
- Poly(amic acid)
 Synthesis and properties of new polyimide/clay nanocomposite films 789
- Poly(ethylene glycol)
 Preparation and properties of polyrotaxane from α -cyclodextrin and poly(ethylene glycol) with poly(vinyl alcohol) 989
- Poly(ethylene glycol)s
 Modification of polysulfone with pendant carboxylic acid functionality for ultrafiltration membrane applications 271
- Poly(methyl methacrylate)
 Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Poly(vinyl alcohol)
 Preparation and properties of polyrotaxane from α -cyclodextrin and poly(ethylene glycol) with poly(vinyl alcohol) 989
- Poly(vinyl alcohol-co-ethylene)
 Synthesis, non-isothermal crystallization and magnetic properties of Co_{0.75}Zn_{0.25}Fe₂O₄/poly(ethylene-co-vinyl alcohol) nanocomposite 417
- Poly(vinyl chloride)
 Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Polyamide
 Tribological performance of polymer composites used in electrical engineering applications 341
- Polyaniline nanofibres
 Electrical and optical studies in polyaniline nanofibre–SnO₂ nanocomposites 31
- Polyaniline
 Effect of different carbon fillers and dopant acids on electrical properties of polyaniline nanocomposites 37
 Poly(aniline-co-*m*-aminobenzoic acid) deposited on poly(vinyl alcohol): Synthesis and characterization 641
 Impact of interfacial interactions on optical and ammonia sensing in zinc oxide/polyaniline structures 647
 Influence of conductive electroactive polymer polyaniline on electrochemical performance of LiMn_{1.95}Al_{0.05}O₄ cathode for lithium ion batteries 1005
- Polydimethylsiloxane
 Comparison of *in vivo* biocompatibilities between parylene-C and polydimethylsiloxane for implantable microelectronic devices 1127
- Polyelectrolyte
 Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-co-butylmethacrylate), poly(4-vinyl pyridine-co-butylacrylate) 635
- Polyethylene oxide
 Effect of plasticizer and fumed silica on ionic conductivity behaviour of proton conducting polymer electrolytes containing HPF₆ 629
- Polyethylene terephthalate substrate
 Processing and performance of organic insulators as a gate layer in organic thin film transistors fabricated on polyethylene terephthalate substrate 653
- Polyimide
 Synthesis and properties of new polyimide/clay nanocomposite films 789
- Polymer
 Tribological performance of polymer composites used in electrical engineering applications 341

- Polymer blend
Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
- Polymer electrolytes
Effect of plasticizer and fumed silica on ionic conductivity behaviour of proton conducting polymer electrolytes containing HPF₆ 629
Electrostatic model of semiconductor nanoparticles trapped in polymer electrolytes 977
- Polymer matrix
Optimization of mechanical properties of non-woven short sisal fibre-reinforced vinyl ester composite using factorial design and GA method 575
- Polyoxometalate
Green chemical incorporation of sulphate into polyoxoanions of molybdenum to nano level 981
- Polystyrene
Preparation of polystyrene–clay nanocomposite by solution intercalation technique 361
- Polysulphone
Tribological performance of polymer composites used in electrical engineering applications 341
- Polyvinylpyrrolidone
Preparation of continuous alumina gel fibres by aqueous sol–gel process 153
- Porous film
Hydrothermal synthesis of porous Co(OH)₂ nanoflake array film and its supercapacitor application 239
- Positive temperature coefficient of conductivity
Investigation on microstructure and dielectric behaviour of (Ba_{0.999-x}Gd_{0.001}Cr_x)TiO₃ ceramics 601
- Potts Q-states
On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- Powders
An investigation on microwave sintering of Fe, Fe–Cu and Fe–Cu–C alloys 447
- Processing
An investigation on microwave sintering of Fe, Fe–Cu and Fe–Cu–C alloys 447
- Proton conductive membranes
Sulfonated carbon black-based composite membranes for fuel cell applications 563
- Proton transport properties
Proton transport properties of tin phosphate, chromotropic acid anchored onto tin phosphate and tin phenyl phosphonate 129
- Pt–Ru
Pt–Ru decorated self-assembled TiO₂–carbon hybrid nanostructure for enhanced methanol electrooxidation 353
- Pulverization characteristics
Iron-substituted AB₅-type MH electrode 1267
- PVA–PVP
Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
- Pyrolysate
Pyrolysis of petroleum asphaltenes from different geological origins and use of methyl-naphthalenes and methylphenanthrenes as maturity indicators for asphaltenes 311
- QSPR
Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Quantum chemical calculations
Structural, energetic and electronic properties of intercalated boron–nitride nanotubes 189
- Quantum confinement
Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
- Quantum dot
Optimization of process parameter for synthesis of silicon quantum dots using low pressure chemical vapour deposition 483
- Raman
Identification of β -SiC surrounded by reliable surrounding diamond medium using weak Raman surface phonons 1087
- Raman spectroscopy
Low-energy excitations in a low-viscous glass-forming liquid 607
Relaxor behaviour and dielectric properties of BiFeO₃ doped Ba(Zr_{0.1}Ti_{0.9})O₃ ceramics 893
High growth rate of a-SiC:H films using ethane carbon source by HW-CVD method 1177
Structural characterization of electrodeposited boron 1323
- Rapid solidification
Role of aluminium addition on structure of Fe substituted Fe_{73.5-x}Si_{13.5}B₉Nb₃Cu₁Al_x alloy ribbons 613
- Rare-earth compounds
Effect of nano-CeO₂ on microstructure properties of TiC/TiN+TiCN-reinforced composite coating 541
- Reactive mechanical grinding
Hydriding and dehydriding rates and hydrogen-storage capacity of Mg–14Ni–3Fe₂O₃–3Ti prepared by reactive mechanical grinding 661
- Recycling
Synthesis and characterization of saturated polyester and nanocomposites derived from glycolized PET waste with varied compositions 277
- Relaxors
Relaxor behaviour and dielectric properties of BiFeO₃ doped Ba(Zr_{0.1}Ti_{0.9})O₃ ceramics 893
- Resin curing
Influence of curing agents on gelation and exotherm behaviour of an unsaturated polyester resin 1217
- Resistance spot welding
Nucleus geometry and mechanical properties of resistance spot welded coated–uncoated DP automotive steels 1049
- Resistivity
Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
- Reticulated vitreous carbon
A soluble-lead redox flow battery with corrugated graphite sheet and reticulated vitreous carbon as positive and negative current collectors 163
- Reverse micellar method
Anisotropic silica mesostructures for DNA encapsulation 329
- Ring-opening polymerization
In situ ring-opening polymerization of hydroxyapatite/poly(ethylene adipate)-*co*-(ethylene terephthalate) biomimetic composites 121
- Rotary calcining kiln
Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Roughness
X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9

- Roughness
 Processing and performance of organic insulators as a gate layer in organic thin film transistors fabricated on polyethylene terephthalate substrate 653
r-plane Al₂O₃ substrate
 Pinning enhancement in MgB₂ superconducting thin films by magnetic nanoparticles of Fe₂O₃ 961
- Sandwich
 Compressive properties of sandwiches with functionally graded rubber core and jute-epoxy skins 319
- Saturated polyester
 Synthesis and characterization of saturated polyester and nanocomposites derived from glycolized PET waste with varied compositions 277
- Scanning electron microscopy
 Electrochemical passivation behaviour of nanocrystalline Fe₈₀Si₂₀ coating in borate buffer solution 51
 Crystal structure studies on plate/shelf like disodium ditungstate 149
 Preparation of manganese-doped ZnO thin films and their characterization 223
 Hydriding and dehydriding rates and hydrogen-storage capacity of Mg-14Ni-3Fe₂O₃-3Ti prepared by reactive mechanical grinding 661
 Structural and mechanical behaviour of 5% Al₂O₃-reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
 Structural properties of Cd-Co ferrites 919
 Effect of TiN particulate reinforcement on corrosive behaviour of aluminium 6061 composites in chloride medium 1057
 Yellow phosphors doping with Gd³⁺, Tb³⁺ and Lu³⁺ in MTiO₃ (M = Mg and Sr) luminescence properties 1079
 Electrical and dielectric properties of TiO₂ and Fe₂O₃ doped fly ash 1225
- Self doping
 Poly(aniline-co-*m*-aminobenzoic acid) deposited on poly(vinyl alcohol): Synthesis and characterization 641
- Semiconductor (PbTe)
 Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
- Semiconductors
 Oxidation of ZnO thin films during pulsed laser deposition process 385
- Sensing characteristics
 Preparation and gas-sensing property of parallel-aligned ZnO nanofibrous films 505
- Sensitivity
 Fast response time alcohol gas sensor using nanocrystalline F-doped SnO₂ films derived via sol-gel method 521
- SILAR
 Preparation of manganese-doped ZnO thin films and their characterization 223
- Silica
 An efficient method combining thermal annealing and acid leaching for impurities removal from silica intended for photovoltaic application 1097
- Silica mesostructures
 Anisotropic silica mesostructures for DNA encapsulation 329
- Silver nanoparticles
 Antimicrobial coatings — obtaining and characterization 183
- Simulated body fluid
 Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99
- Simulated body fluid
 Effect of calcination conditions of pork bone sludge on behaviour of hydroxyapatite in simulated body fluid 755
- Sintering
 Effect of CuO addition on structure and electrical properties of low temperature sintered quaternary piezoelectric ceramics 877
 Sintering behaviour and mechanical properties of Cr₃C₂-NiCr cermets 907
- Sisal fibre
 Optimization of mechanical properties of non-woven short sisal fibre-reinforced vinyl ester composite using factorial design and GA method 575
- SnO₂
 A novel method for massive synthesis of SnO₂ nanowires 953
- SnO₂ thin films
 An economic CVD technique for pure SnO₂ thin films deposition: Temperature effects 217
- Sodium salt of lignosulfonic acid
 A soluble-lead redox flow battery with corrugated graphite sheet and reticulated vitreous carbon as positive and negative current collectors 163
- Soft magnetic properties
 Role of aluminium addition on structure of Fe substituted Fe_{73.5-x}Si_{13.5}B₉Nb₃Cu₁Al_x alloy ribbons 613
- Soft/hard magnetic materials
 Low-field magnetization process and complex permeability of FeCoBSiTa wires coated with hard magnetic CoNi layer 559
- Solar cell
 Effect of electrodeposition potential on composition and morphology of CIGS absorber thin film 735
- Sol-gel
 Sol-gel deposited ceria thin films as gate dielectric for CMOS technology 259
 Effects of Bi doping on dielectric and ferroelectric properties of PLBZT ferroelectric thin films synthesized by sol-gel processing 389
 Fast response time alcohol gas sensor using nanocrystalline F-doped SnO₂ films derived via sol-gel method 521
 Effect of stabilizer on optical and structural properties of MgO thin films prepared by sol-gel method 899
 Optimization of process parameters for synthesis of silica-Ni nanocomposite by design of experiment 1187
- Sol-gel synthesis
 Self-assembling behaviour of Pt nanoparticles onto surface of TiO₂ and their resulting photocatalytic activity 945
- Sol-gel method
 Preparation of continuous alumina gel fibres by aqueous sol-gel process 153
- Solid electrolyte
 Electrical conductivity and chemical stability of BaCe_{0.8-x}A_xGd_{0.2}O_{3-δ} (A = In, Zr, Ta; x = 0, 0.1) ceramics 395
- Solid state lighting
 Photoluminescence properties of X₅SiO₄Cl₆:Tb³⁺ (X = Sr, Ba) green phosphor prepared via modified solid state method 715
- Solid state method
 Enhanced high temperature performance of LiMn₂O₄ coated with Li₃BO₃ solid electrolyte 687

- Photoluminescence properties of $X_5\text{SiO}_4\text{Cl}_6:\text{Tb}^{3+}$ ($X = \text{Sr}, \text{Ba}$) green phosphor prepared via modified solid state method 715
- Solid-state reaction
- Exploring a novel approach to fabricate vanadium carbide encapsulated into carbon nanotube (VC@C) with large specific surface area 345
 - Structural, dielectric and electrical properties of $\text{Li}_2\text{Pb}_2\text{La}_2\text{W}_2\text{Ti}_4\text{Nb}_4\text{O}_{30}$ ceramic 883
- Solidus temperature
- Effect of temperature and displacement rate on behaviour of as-cast AA5182 and Al–3.3%Cu alloys under tensile loading near solidus temperature 623
- Soluble-lead redox flow battery
- A soluble-lead redox flow battery with corrugated graphite sheet and reticulated vitreous carbon as positive and negative current collectors 163
- Solvothermal
- Study on photocatalysis of TiO_2 nanotubes prepared by methanol-thermal synthesis at low temperature 779
- Sonication
- Preparation and properties of polyrotaxane from α -cyclodextrin and poly(ethylene glycol) with poly(vinyl alcohol) 989
- Specific heat
- Phonon, magnon and electron contributions to low temperature specific heat in metallic state of $\text{La}_{0.85}\text{Sr}_{0.15}\text{MnO}_3$ and $\text{Er}_{0.8}\text{Y}_{0.2}\text{MnO}_3$ manganites 1255
- Specific modulus
- Compressive properties of sandwiches with functionally graded rubber core and jute–epoxy skins 319
- Spectrophotometer
- Study of optical characteristics of tin oxide thin film prepared by sol–gel method 1231
- SPEEK
- Sulfonated carbon black-based composite membranes for fuel cell applications 563
- Spin canting
- Spin canting phenomenon in cadmium doped cobalt ferrites, $\text{CoCd}_x\text{Fe}_{2-x}\text{O}_4$ ($x = 0.0, 0.2, 0.4, 0.6, 0.8$ and 1.0), synthesized using sol–gel auto combustion method 107
- Spray pyrolysis
- Effect of Zn doping on optical properties and photoconductivity of SnS_2 nanocrystalline thin films 411
 - Characterization of molybdenum-doped indium oxide thin films by spray pyrolysis technique 553
 - Detection of H_2S gas at lower operating temperature using sprayed nanostructured In_2O_3 thin films 967
 - Effect of variation of precursor concentration on structural, microstructural, optical and gas sensing properties of nanocrystalline TiO_2 thin films prepared by spray pyrolysis techniques 1153
- $\text{Sr}_2\text{EuAlO}_5$
- Red-emitting alkaline-earth rare-earth pentaoxometallates powders prepared by metal carboxylates solution 499
- SrTiO_3
- Yellow phosphors doping with Gd^{3+} , Tb^{3+} and Lu^{3+} in MTiO_3 ($M = \text{Mg}$ and Sr) luminescence properties 1079
- Stability
- Mobilities and dislocation energies of planar faults in an ordered A_3B (D0_{19}) structure 677
- Stabilizer
- Effect of stabilizer on optical and structural properties of MgO thin films prepared by sol–gel method 899
- Starch
- Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
- STM
- Intrinsic structure and friction properties of graphene and graphene oxide nanosheets studied by scanning probe microscopy 1073
- Strain rates
- Twinning in copper deformed at high strain rates 157
- Structural characterization
- Iron-substituted AB_5 -type MH electrode 1267
- Structural characterization
- Optimum synthesis conditions of nanometric $\text{Fe}_{50}\text{Ni}_{50}$ alloy formed by chemical reduction in aqueous solution 845
- Sub-plantation model
- X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9
- Substrate temperature
- An economic CVD technique for pure SnO_2 thin films deposition: Temperature effects 217
- Sulfonated carbon black
- Sulfonated carbon black-based composite membranes for fuel cell applications 563
- Sun and Rawson criteria
- Thermodynamic and relative approach to compute glass-forming ability of oxides 457
- Supercapacitor
- Hydrothermal synthesis of porous $\text{Co}(\text{OH})_2$ nanoflake array film and its supercapacitor application 239
 - Supercapacitive performance of hydrous ruthenium oxide ($\text{RuO}_2 \cdot n\text{H}_2\text{O}$) thin films synthesized by chemical route at low temperature 1171
- Superhalogen
- Investigation of superhalogen behaviour of RuF_n ($n = 1-7$) clusters: density functional theory (DFT) study 743
- Superhydrophilicity
- Effect of crystal structure on photoinduced superhydrophilicity of copper grafted TiO_2 nanostructure thin film 59
- Superhydrophobic surface
- Facile preparation of superhydrophobic surface with high adhesive forces based carbon/silica composite films 1091
- Superparamagnetic
- Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles 15
- Surface area
- Anisotropic silica mesostructures for DNA encapsulation 329
 - Optical, magnetic and structural characterization of $\text{Zn}_{1-x}\text{Co}_x\text{O}$ nanoparticles synthesized by solvothermal method 997
- Surface energy
- Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
 - Processing and performance of organic insulators as a gate layer in organic thin film transistors fabricated on polyethylene terephthalate substrate 653
- Surface modification
- Effect of nano- CeO_2 on microstructure properties of $\text{TiC}/\text{TiN}+\text{TiCN}$ -reinforced composite coating 541
- Surfaces
- Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
- Surfactant
- Anisotropic silica mesostructures for DNA encapsulation 329

- Green chemical incorporation of sulphate into polyoxoanions of molybdenum to nano level 981
- SVM
Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules 1307
- Switch life
Tribological performance of polymer composites used in electrical engineering applications 341
- Synchrotron radiation
Chemical shift of Mn and Cr K-edges in X-ray absorption spectroscopy with synchrotron radiation 1067
- Tb³⁺ and Lu³⁺ luminescence
Yellow phosphors doping with Gd³⁺, Tb³⁺ and Lu³⁺ in MTiO₃ (M=Mg and Sr) luminescence properties 1079
- TEM
Electrical and optical studies in polyaniline nanofibre–SnO₂ nanocomposites 31
- Temperature dependence
Investigation of localization effect in GaN-rich InGaN alloys and modified band-tail model 619
- Tert-butyl alcohol
Influence of Al content on textural properties and catalytic activity of hierarchical porous aluminosilicate materials 1291
- Tetracycline hydrochloride
Development of hydroxyapatite bone cement for controlled drug release via tetracycline hydrochloride 171
- Texture
Properties of porous FeAlO_y/FeAl_x ceramic matrix composite influenced by mechanical activation of FeAl powder 1195
- Thermal analysis
Effect of high heating rate on thermal decomposition behaviour of titanium hydride (TiH₂) powder in air 301
Synthesis, characterization and oxide ionic conductivity of β -type solid solution in bismuth oxide doped with ytterbium oxide binary system 491
Thermal characteristics and corrosion behaviour of Mg–xZn alloys for biomedical applications 1103
- Thermal annealing
An efficient method combining thermal annealing and acid leaching for impurities removal from silica intended for photovoltaic application 1097
- Thermal conductivity
Dependence of thermal conductivity in micro to nano silica 517
Reduction in thermal conductivity of Bi–Te alloys through grain refinement method 853
- Thermal decomposition
Effect of high heating rate on thermal decomposition behaviour of titanium hydride (TiH₂) powder in air 301
- Thermal energy storage
Ion exchange synthesis and thermal characteristics of some [N⁺₂₂₂₂] based ionic liquids 1121
- Thermal expansion
Synthesis, microstructure and thermal expansion studies on Ca_{0.5+x/2}Sr_{0.5+x/2}Zr₄P_{6–2x}Si_{2x}O₂₄ system prepared by co-precipitation method 87
- Thermal properties
Fabrication of polystyrene/agave particle biocomposites using compression molding technique: evaluation of flammability, biodegradability, mechanical and thermal behaviour 1207
- Thermally stimulated discharge current
Study of polarization and relaxation phenomena of polyblend films of poly(vinyl chloride) and poly(methyl methacrylate) 115
- Thermally stimulated luminescence
Thermally stimulated luminescence and photoluminescence investigations of Eu³⁺ and Eu²⁺ doped SrBPO₅ 913
- Thermite reaction
A novel method for massive synthesis of SnO₂ nanowires 953
- Thermoelectric nanostructures
Morphological evolution in single-crystalline Bi₂Te₃ nanoparticles, nanosheets and nanotubes with different synthesis temperatures 765
- Thin films
Effect of Zn doping on optical properties and photoconductivity of SnS₂ nanocrystalline thin films 411
Optimization of process parameter for synthesis of silicon quantum dots using low pressure chemical vapour deposition 483
Characterization of molybdenum-doped indium oxide thin films by spray pyrolysis technique 553
Composite supercapacitor electrodes made of activated carbon/PEDOT:PSS and activated carbon/doped PEDOT 547
Graphene composites containing chemically bonded metal oxides 585
Effect of electrodeposition potential on composition and morphology of CIGS absorber thin film 735
Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
Effect of stabilizer on optical and structural properties of MgO thin films prepared by sol–gel method 899
Detection of H₂S gas at lower operating temperature using sprayed nanostructured In₂O₃ thin films 967
Identification of β -SiC surrounded by relatable surrounding diamond medium using weak Raman surface phonons 1087
Preparation and characterization of DLC/SiO₂/Al₂O₃ nanofiltration membrane 1133
Supercapacitive performance of hydrous ruthenium oxide (RuO₂·*n*H₂O) thin films synthesized by chemical route at low temperature 1171
Investigation of optical, structural and morphological properties of nanostructured boron doped TiO₂ thin films 1239
- Ti₃Al
Mobilities and dislocation energies of planar faults in an ordered A₃B (D0₁₉) structure 677
- Ti–Al–C–N system
Combustion reaction of Ti–Al–C–N system 673
- Tin oxide
Electrical and optical studies in polyaniline nanofibre–SnO₂ nanocomposites 31
- Tin phenyl phosphonate
Proton transport properties of tin phosphate, chromotropic acid anchored onto tin phosphate and tin phenyl phosphonate 129
- Tin phosphate
Proton transport properties of tin phosphate, chromotropic acid anchored onto tin phosphate and tin phenyl phosphonate 129
- Tin sulfide
Effect of Zn doping on optical properties and photoconductivity of SnS₂ nanocrystalline thin films 411
- TiO₂
Use of co-spray pyrolysis for synthesizing nitrogen-doped TiO₂ films 827

- Preparation of novel CdS-graphene/TiO₂ composites with high photocatalytic activity for methylene blue dye under visible light 869
- Self-assembling behaviour of Pt nanoparticles onto surface of TiO₂ and their resulting photocatalytic activity 945
- TiO₂ nanoparticles
Structural features of bionanocomposite derived from novel designed poly(ester-imide) based on natural amino acids with hydroxyl segments tailored for better dispersion of TiO₂ nanofiller 203
- Tissue engineering
Synthesis, characterization and evaluation of bioactivity and antibacterial activity of quinary glass system (SiO₂-CaO-P₂O₅-MgO-ZnO): *In vitro* study 1339
- Titanium hydride
Effect of high heating rate on thermal decomposition behaviour of titanium hydride (TiH₂) powder in air 301
- Titanium oxynitride
Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
- Transmission electron microscopy
Spin canting phenomenon in cadmium doped cobalt ferrites, CoCd_xFe_{2-x}O₄ ($x = 0.0, 0.2, 0.4, 0.6, 0.8$ and 1.0), synthesized using sol-gel auto combustion method 107
Optical, magnetic and structural characterization of Zn_{1-x}Co_xO nanoparticles synthesized by solvothermal method 997
Structural characterization of electrodeposited boron 1323
- Transmittance
Study of optical characteristics of tin oxide thin film prepared by sol-gel method 1231
- Transparent conducting
Discrepancy of room temperature ferromagnetism in Mo-doped In₂O₃ 25
- Transport number
Conductivity study of solid polyelectrolytes based on hydroiodide salt of poly(4-vinyl pyridine-co-butylmethacrylate), poly(4-vinyl pyridine-co-butylacrylate) 635
- Tribology
Deposition and characterization of diamond-like nanocomposite coatings grown by plasma enhanced chemical vapour deposition over different substrate materials 193
- Twinning
Twinning in copper deformed at high strain rates 157
- Ultracapacitor performance
Combustion synthesis of graphene and ultracapacitor performance 667
- Ultrafiltration membranes
Modification of polysulfone with pendant carboxylic acid functionality for ultrafiltration membrane applications 271
- Ultrasonic irradiation
Structural features of bionanocomposite derived from novel designed poly(ester-imide) based on natural amino acids with hydroxyl segments tailored for better dispersion of TiO₂ nanofiller 203
- Ultrasonics
Anisotropy in elastic properties of lithium sodium sulphate hexahydrate single crystal—An ultrasonic study 143
- Ultraviolet
UV and visible light photodegradation effect on Fe-CNT/TiO₂ composite catalysts 293
- Unsaturated polyester resin
Influence of curing agents on gelation and exotherm behaviour of an unsaturated polyester resin 1217
- Upconversion emissions
Yb³⁺ and Er³⁺ co-doped Y₂Ce₂O₇ nanoparticles: synthesis and spectroscopic properties 1147
- Up-conversion
Synthesis and up-conversion luminescence of Yb³⁺-Ho³⁺ co-doped Na(Y_{1.5}Na_{0.5})F₆ nanorods 513
- UV-vis spectroscopy
Electrical and optical studies in polyaniline nanofibre-SnO₂ nanocomposites 31
- Vacancy formation energy
X-ray determination of crystallite size and effect of lattice strain on Debye-Waller factors of platinum nano powders 973
- Valence state
Mn valence state and electrode performance of perovskite-type cathode La_{0.8}Sr_{0.2}Mn_{1-x}Cu_xO ($x = 0, 0.2$) for intermediate-temperature solid oxide fuel cells 1261
- VC@C
Exploring a novel approach to fabricate vanadium carbide encapsulated into carbon nanotube (VC@C) with large specific surface area 345
- Vinyltrimethoxysilane
Adhesion enhancement for liquid silicone rubber and different surface by organosilane and Pt catalyst at room temperature 1013
- Visible light
UV and visible light photodegradation effect on Fe-CNT/TiO₂ composite catalysts 293
Facile synthesis of Au/ZnO nanoparticles and their enhanced photocatalytic activity for hydroxylation of benzene 367
Preparation of novel CdS-graphene/TiO₂ composites with high photocatalytic activity for methylene blue dye under visible light 869
- Visible light responsibility
Use of co-spray pyrolysis for synthesizing nitrogen-doped TiO₂ films 827
- Vitreous calcium aluminosilicate
Effect of curing time on microstructure and mechanical strength development of alkali activated binders based on vitreous calcium aluminosilicate (VCAS) 245
- Wear
Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99
Tribological performance of polymer composites used in electrical engineering applications 341
- Wet precipitation method
Iron nanoparticles from blood coated with collagen as a matrix for synthesis of nanohydroxyapatite 1165
- Wrought magnesium alloys
Microstructures and mechanical properties of Mg-Zn-Zr-Dy wrought magnesium alloys 437
- X-ray analysis
Structural properties of Cd-Co ferrites 919
- X-ray diffraction
New observations on formation of thermally induced martensite in Fe-30%Ni-1%Pd alloy 93
Crystal structure studies on plate/shelf like disodium ditungstate 149
Effect of nano-CeO₂ on microstructure properties of TiC/TiN+TiCN-reinforced composite coating 541
Hydriding and dehydriding rates and hydrogen-storage capacity of Mg-14Ni-3Fe₂O₃-3Ti prepared by reactive mechanical grinding 661

- Rietveld analysis, dielectric and impedance behaviour of $\text{Mn}^{3+}/\text{Fe}^{3+}$ ion-modified $\text{Pb}(\text{Zr}_{0.65}\text{Ti}_{0.35})\text{O}_3$ perovskite 699
- Photoluminescence properties of $\text{X}_3\text{SiO}_4\text{Cl}_6:\text{Tb}^{3+}$ (X = Sr, Ba) green phosphor prepared via modified solid state method 715
- Synthesis of PbTe nanocubes, worm-like structures and nanoparticles by simple thermal evaporation method 771
- Thickness effect on properties of titanium film deposited by d.c. magnetron sputtering and electron beam evaporation techniques 807
- X-ray determination of crystallite size and effect of lattice strain on Debye–Waller factors of platinum nano powders 973
- Electrical and dielectric properties of TiO_2 and Fe_2O_3 doped fly ash 1225
- X-ray line broadening
- Preparation of manganese-doped ZnO thin films and their characterization 223
- X-ray methods
- Influence of surfactant concentration on nanohydroxyapatite growth 799
 - Structural, dielectric and electrical properties of $\text{Li}_2\text{Pb}_2\text{La}_2\text{W}_2\text{Ti}_4\text{Nb}_4\text{O}_{30}$ ceramic 883
- X-ray photoelectron spectroscopy (XPS)
- High growth rate of a-SiC:H films using ethane carbon source by HW-CVD method 1177
- X-ray reflectivity
- X-ray reflectivity study of bias graded diamond like carbon film synthesized by ECR plasma 9
- X-ray techniques
- Synthesis, characterization and oxide ionic conductivity of β -type solid solution in bismuth oxide doped with ytterbium oxide binary system 491
- XRD
- Sol–gel deposited ceria thin films as gate dielectric for CMOS technology 259
 - Lithium ion conducting solid polymer blend electrolyte based on bio-degradable polymers 333
 - Structural and mechanical behaviour of 5% Al_2O_3 -reinforced Fe metal matrix composites (MMCs) produced by powder metallurgy (P/M) route 859
 - Yellow phosphors doping with Gd^{3+} , Tb^{3+} and Lu^{3+} in MTiO_3 (M = Mg and Sr) luminescence properties 1079
 - Structural characterization and complex impedance studies on fast ion conducting mixed system $(\text{SbI}_3)_x-(\text{Ag}_2\text{CrO}_4)_{1-x}$ 1297
- XRD and SEM
- Synthesis, IR, crystallization and dielectric study of (Pb, Sr) TiO_3 borosilicate glass–ceramics 461
- $\text{Y}_2\text{Ce}_2\text{O}_7$
- Yb^{3+} and Er^{3+} co-doped $\text{Y}_2\text{Ce}_2\text{O}_7$ nanoparticles: synthesis and spectroscopic properties 1147
- Yb^{3+} and Er^{3+}
- Yb^{3+} and Er^{3+} co-doped $\text{Y}_2\text{Ce}_2\text{O}_7$ nanoparticles: synthesis and spectroscopic properties 1147
- YBaCuO superconductor
- Nanoindentation study on Gd-deposited YBaCuO superconductor 1139
- Ytterbium oxide
- Synthesis, characterization and oxide ionic conductivity of β -type solid solution in bismuth oxide doped with ytterbium oxide binary system 491
- Yttrium aluminum garnet
- Luminescence properties of YAG: Nd^{3+} nano-sized ceramic powders via co-microemulsion and microwave heating 1191
- Zener pinning
- On grain growth kinetics in two-phase polycrystalline materials through Monte Carlo simulation 709
- Zinc
- Synthesis, characterization and evaluation of bioactivity and antibacterial activity of quinary glass system (SiO_2 –CaO– P_2O_5 –MgO–ZnO): *In vitro* study 1339
- Zinc oxide
- Facile synthesis of Au/ZnO nanoparticles and their enhanced photocatalytic activity for hydroxylation of benzene 367
 - Impact of interfacial interactions on optical and ammonia sensing in zinc oxide/polyaniline structures 647
- Zirconium
- Zirconium influence on microstructure of aluminide coatings deposited on nickel substrate by CVD method 1043
- Zirconium oxynitride
- Effect of power variation on wettability and optical properties of co-sputtered titanium and zirconium oxynitride films 403
- ZnO
- Preparation and gas-sensing property of parallel-aligned ZnO nanofibrous films 505
- ZnO thin film
- Oxidation of ZnO thin films during pulsed laser deposition process 385
- Zr-based coating
- Laser cladding of Zr-based coating on AZ91D magnesium alloy for improvement of wear and corrosion resistance 99