

# Journal of Biosciences

Volume 27, 2002

## SUBJECT INDEX

|   |     |  |     |
|---|-----|--|-----|
| Acanthamoeba  |     |  |     |
| Catecholamine in <i>Entamoebae</i> : recent (re)discoveries   | 589 | deletion polymorphism in Indian populations of different ethnic origins  | 67  |
| Acetylcholine   |     | Antigen detection  |     |
| Role of norepinephrine in the regulation of rapid eye movement sleep  | 539 | The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>  | 573 |
| Acid phosphatase  |     | Apoptosis  |     |
| Epigenetics of dominance for enzyme activity  | 127 | Characterization of <i>Entamoeba histolytica</i> -induced dephosphorylation in Jurkat cells  | 615 |
| Affinity-purification   |     | Aquatic plants   |     |
| Monoclonal antibody affinity purification of a 78 kDa membrane protein of <i>Leishmania donovani</i> of Indian origin and its role in host-parasite interaction | 665 | A passion for plant life   | 651 |
| Age estimation  |     | <i>Arabidopsis</i>   |     |
| Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat <i>Rousettus leschenaulti</i>   | 695 | Vernalization: the flower school   | 79  |
| <i>Agrobacterium</i> -mediated transformation   |     | Area selection   |     |
| <i>Agrobacterium</i> -mediated transformation of cauliflower: optimization of protocol and development of Bt-transgenic cauliflower                             | 495 | Operationalizing biodiversity for conservation planning  | 299 |
| Allometry   |     | Place prioritization for biodiversity content  | 339 |
| Biological scaling and physics  | 475 | Asian elephant   |     |
| <i>Alpha-enolase</i>  |     | The effect of some ecological factors on the intestinal parasite loads of the Asian elephant ( <i>Elephas maximus</i> ) in southern India          | 521 |
| Cloning and sequencing of complete <i>t</i> -crystallin cDNA from embryonic lens of <i>Crocodylus palustris</i>   | 251 | Association strategy   |     |
| Amelioration  |     | Molecular genetics of schizophrenia: past, present and future  | 35  |
| Horizontal gene transfer and bacterial diversity  | 27  | Atypical genes   |     |
| Amino acids   |     | Horizontal gene transfer and bacterial diversity   | 27  |
| Carbon – the first frontier of information processing   | 207 | Azadirachtin   |     |
| Aminoacyl-tRNA synthetase   |     | DNA synthesis in the imaginal wing discs of the American bollworm <i>Helicoverpa armigera</i> (Hübner)   | 113 |
| Carbon – the first frontier of information processing   | 207 | Bacterial communication  |     |
| Amoebapore  |     | Bacterial communication  | 443 |
| Amoebapore is an important virulence factor of <i>Entamoeba histolytica</i>   | 579 | Bacterial genomes  |     |
| Amoebiasis  |     | Horizontal gene transfer and bacterial diversity   | 27  |
| The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>   | 573 | Balance of nature  |     |
| Strategies of the protozoan parasite <i>Entamoeba histolytica</i> to evade the innate immune responses of intestinal epithelial cells                           | 609 | Choosing appropriate temporal and spatial scales for ecological restoration  | 409 |
| Amphibians  |     | Bamboos  |     |
| Amphibians as environmental sentinels   | 187 | A passion for plant life   | 651 |
| Androgens   |     | BCG  |     |
| Water temperature and pH influence olfactory sensitivity to pre-ovulatory and post-ovulatory ovarian pheromones in male <i>Barilius bendelisis</i>              | 273 | Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes                            | 143 |
| Aneuploidies  |     | Behaviour  |     |
| Prenatal detection of aneuploidies using fluorescence <i>in situ</i> hybridization: A preliminary experience in an Indian set up                                | 155 | Water temperature and pH influence olfactory sensitivity to pre-ovulatory and post-ovulatory ovarian pheromones in male <i>Barilius bendelisis</i> | 273 |
| Angiotensin-converting enzyme   |     | Bet-hedging  |     |
| Variations in angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian populations of different ethnic origins                              | 67  | Bet-hedging applications for conservation  | 385 |
|   |     | Biodiversity   |     |
|   |     | Operationalizing biodiversity for conservation planning  | 299 |

|   |     |  |     |
|---|-----|--|-----|
| Birds as surrogates for biodiversity: an analysis of a data set from southern Québec  | 347 | Chemical waves   |     |
| The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts | 393 | Chemical waves and fibrillating hearts: discovery by computation   | 465 |
| Biodiversity priority areas   |     | Cocoon   |     |
| Representing biodiversity: data and procedures for identifying priority areas for conservation  | 309 | Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation                           | 283 |
| Data requirements and data sources for biodiversity priority area selection   | 327 | Cold adaptation  |     |
| Biodiversity surrogates   |     | The link between bacterial radiation resistance and cold adaptation  | 71  |
| Representing biodiversity: data and procedures for identifying priority areas for conservation  | 309 | Comparative genomics   |     |
| Biological scaling  |     | Comparative genomics using data mining tools   | 15  |
| Biological scaling and physics  | 475 | Complementarity  |     |
| Biological variables  |     | Representing biodiversity: data and procedures for identifying priority areas for conservation   | 309 |
| Enthalpy-entropy compensation: a phantom phenomenon   | 121 | The principle of complementarity in the design of reserve networks to conserve biodiversity: a preliminary history   | 421 |
| Birds   |     | Compositional analysis   |     |
| Birds as surrogates for biodiversity: an analysis of a data set from southern Québec  | 347 | Comparative genomics using data mining tools   | 15  |
| Bitterroot wilderness   |     | Computation  |     |
| Bet-hedging applications for conservation   | 385 | Carbon – the first frontier of information processing  | 207 |
| Blindness   |     | Chemical waves and fibrillating hearts: discovery by computation   | 465 |
| Induction of blindness by formoguanamine hydrochloride in adult male roseringed parakeets ( <i>Psittacula krameri</i> )                   | 687 | Consciousness  |     |
| Blood flow  |     | Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation   | 195 |
| Biological scaling and physics  | 475 | Reflective consciousness and the emergence of memes: Serial evolutionary pathways?   | 637 |
| Brain   |     | Conservation   |     |
| Adult brain plasticity – what is revealed is exciting, what is hidden is critical   | 439 | The ascent of nucleotide cyclases: conservation and evolution of a theme   | 85  |
| <i>Brassica oleracea</i> var. <i>botrytis</i>   |     | Corpuscles of Stannius   |     |
| <i>Agrobacterium</i> -mediated transformation of cauliflower: optimization of protocol and development of Bt-transgenic cauliflower       | 495 | Electron microscopic studies of the corpuscles of Stannius of an airbreathing teleost ( <i>Heteropneustes fossilis</i> )                                       | 509 |
| cAMP  |     | Crocodile  |     |
| The ascent of nucleotide cyclases: conservation and evolution of a theme  | 85  | Cloning and sequencing of complete <i>t</i> -crystallin cDNA from embryonic lens of <i>Crocodylus palustris</i>  | 251 |
| Candidate genes/sites   |     | <i>a</i> -crystallin   |     |
| Molecular genetics of schizophrenia: past, present and future   | 35  | Cloning and sequencing of complete <i>t</i> -crystallin cDNA from embryonic lens of <i>Crocodylus palustris</i>  | 251 |
| Catecholamines  |     | <i>cryIA(B)</i> gene   |     |
| Catecholamine in <i>Entamoebae</i> : recent (re)discoveries   | 589 | <i>Agrobacterium</i> -mediated transformation of cauliflower: optimization of protocol and development of Bt-transgenic cauliflower                            | 495 |
| CD45  |     | Cyst wall  |     |
| Characterization of <i>Entamoeba histolytica</i> -induced dephosphorylation in Jurkat cells   | 615 | What <i>Entamoeba histolytica</i> and <i>Giardia lamblia</i> tell us about the eukaryotic diversity  | 559 |
| cDNA cloning  |     | D-amino acids  |     |
| Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy           | 261 | Comparative analysis of naturally occurring L-amino acid osmolytes and their D-isomers on protection of <i>Escherichia coli</i> against environmental stresses | 515 |
| Cell division cycle   |     | Data accuracy  |     |
| Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>  | 567 | Data requirements and data sources for biodiversity priority area selection  | 327 |
| Cell type   |     | Data mining  |     |
| Electron microscopic studies of the corpuscles of Stannius of an airbreathing teleost ( <i>Heteropneustes fossilis</i> )                  | 509 | Comparative genomics using data mining tools   | 15  |
| Checkpoints   |     |  |     |
| Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>  | 567 |  |     |

|  |     |  |     |
|--|-----|--|-----|
| Data precision   |     | Ecological restoration   |     |
| Data requirements and data sources for biodiversity priority area selection  | 327 | Choosing appropriate temporal and spatial scales for ecological restoration  | 409 |
| Deformities  |     | Ecology  |     |
| Amphibians as environmental sentinels  | 187 | The effect of some ecological factors on the intestinal parasite loads of the Asian elephant ( <i>Elephas maximus</i> ) in southern India                      | 521 |
| Design of protected areas  |     | Encystation  |     |
| Persistence and vulnerability: retaining biodiversity in the landscape and in protected areas  | 361 | Catecholamine in <i>Entamoebae</i> : recent (re)discoveries  | 589 |
| Development time   |     | Enhancing factor   |     |
| Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation             | 283 | Comparison of the activities of wild type and mutant enhancing factor/mouse secretory phospholipase A <sub>2</sub> proteins                                    | 489 |
| Developmental biology  |     | <i>Entamoeba</i>   |     |
| Stem cell identity: life is plastic, it's fantastic!   | 93  | Catecholamine in <i>Entamoebae</i> : recent (re)discoveries  | 589 |
| Developmental mechanisms   |     | <i>Entamoeba dispar</i>  |     |
| Developmental mechanisms: putting genes in their place   | 97  | The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>  | 573 |
| Diagnosis  |     | Investigating amoebic pathogenesis using <i>Entamoeba histolytica</i> DNA microarrays  | 595 |
| The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>  | 573 | Close sequence identity between ribosomal DNA episomes of the non-pathogenic <i>Entamoeba dispar</i> and pathogenic <i>Entamoeba histolytica</i>               | 619 |
| Dichotomies  |     | <i>Entamoeba histolytica</i>   |     |
| Dichotomies in the perception of speech  | 189 | Galactose/N-acetylgalactosamine lectin: the coordinator of host cell killing   | 553 |
| Differential probes  |     | Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>   | 567 |
| Close sequence identity between ribosomal DNA episomes of the non-pathogenic <i>Entamoeba dispar</i> and pathogenic <i>Entamoeba histolytica</i> | 619 | The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>  | 573 |
| Dinosaur   |     | Amoebapore is an important virulence factor of <i>Entamoeba histolytica</i>  | 579 |
| A theropod tooth from the Late Triassic of southern Africa   | 295 | Investigating amoebic pathogenesis using <i>Entamoeba histolytica</i> DNA microarrays  | 595 |
| DNA hairpins   |     | Close sequence identity between ribosomal DNA episomes of the non-pathogenic <i>Entamoeba dispar</i> and pathogenic <i>Entamoeba histolytica</i>               | 619 |
| Triplet repeat DNA structures and human genetic disease: dynamic mutations from dynamic DNA  | 53  | <i>Entamoeba moshkovskii</i>   |     |
| DNA microarray   |     | Characterization of <i>Entamoeba histolytica</i> -induced dephosphorylation in Jurkat cells  | 615 |
| Investigating amoebic pathogenesis using <i>Entamoeba histolytica</i> DNA microarrays  | 595 | Enthalpy-entropy compensation  |     |
| DNA sequences  |     | Enthalpy-entropy compensation: a phantom phenomenon  | 121 |
| SWORDS: A statistical tool for analysing large DNA sequences   | 1   | Environmental correlation  |     |
| DNA structure  |     | Bet-hedging applications for conservation  | 385 |
| Triplet repeat DNA structures and human genetic disease: dynamic mutations from dynamic DNA  | 53  | Environmental sentinels  |     |
| Dominance  |     | Amphibians as environmental sentinels  | 187 |
| Epigenetics of dominance for enzyme activity   | 127 | Epidermal growth factor  |     |
| <i>Drosophila malerkotliana</i>  |     | Comparison of the activities of wild type and mutant enhancing factor/mouse secretory phospholipase A <sub>2</sub> proteins                                    | 489 |
| Epigenetics of dominance for enzyme activity   | 127 | Epigenetics  |     |
| <i>Drosophila</i>  |     | Epigenetics of dominance for enzyme activity   | 27  |
| Dynamic expression pattern of kinesin accessory protein in <i>Drosophila</i>   | 479 | <i>Escherichia coli</i>  |     |
| Drug resistance  |     | An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems                             | 219 |
| Studies on Stibanate unresponsive isolates of <i>Leishmania donovani</i>   | 503 | Bacterial communication  | 443 |
| Earthworm  |     | Comparative analysis of naturally occurring L-amino acid osmolytes and their D-isomers on protection of <i>Escherichia coli</i> against environmental stresses | 515 |
| Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation             | 283 |  |     |
| Ecological function  |     |  |     |
| Choosing appropriate temporal and spatial scales for ecological restoration  | 409 |  |     |

|  |     |  |     |
|--|-----|--|-----|
| Ethnicity  |     | GeneScan   |     |
| Variations in angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian populations of different ethnic origins                 | 67  | <i>Ab initio</i> gene identification: prokaryote genome annotation with GeneScan and GLIMMER   | 7   |
| Evolution  |     | Genes  |     |
| What <i>Entamoeba histolytica</i> and <i>Giardia lamblia</i> tell us about the eukaryotic diversity  | 559 | Developmental mechanisms: putting genes in their place   | 97  |
| Falkland Islands   |     | Genetic code   |     |
| Place prioritization for biodiversity content  | 339 | Carbon – the first frontier of information processing  | 207 |
| Fecundity  |     | Genome reduplication   |     |
| Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation               | 283 | Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>   | 567 |
| Fibrillating hearts  |     | Genomic  |     |
| Chemical waves and fibrillating hearts: discovery by computation   | 465 | Investigating amoebic pathogenesis using <i>Entamoeba histolytica</i> DNA microarrays  | 595 |
| Fish   |     | Geometric morphometrics  |     |
| Water temperature and pH influence olfactory sensitivity to pre-ovulatory and post-ovulatory ovarian pheromones in male <i>Barilius bendelisis</i> | 273 | Analysing phenotypic variation: when old-fashioned means up-to-date  | 191 |
| Flower physiology  |     | GLIMMER  |     |
| A passion for plant life   | 651 | <i>Ab initio</i> gene identification: prokaryote genome annotation with GeneScan and GLIMMER   | 7   |
| Flowers  |     | Gliomas  |     |
| Vernalization: the flower school   | 79  | Alterations in tumour suppressor gene p53 in human gliomas from Indian patients  | 673 |
| Fluorescence <i>in situ</i> hybridization (FISH)   |     | GNC-SNS primitive genetic code hypothesis  |     |
| Prenatal detection of aneuploidies using fluorescence <i>in situ</i> hybridization: A preliminary experience in an Indian set up                   | 155 | Origins of gene, genetic code, protein and life: comprehensive view of life systems from a GNC-SNS primitive genetic code hypothesis | 165 |
| Flux of nature   |     | Goedel   |     |
| Choosing appropriate temporal and spatial scales for ecological restoration  | 409 | Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation               | 195 |
| Formoguanamine   |     | Gonads   |     |
| Induction of blindness by formoguanamine hydrochloride in adult male roseringed parakeets ( <i>Psittacula krameri</i> )                            | 687 | Members of opposite sex mutually regulate gonadal recrudescence in the lizard <i>Calotes versicolor</i> (Agamidae)                   | 529 |
| Fructan  |     | Grizzly bear   |     |
| Applications of inulin and oligofructose in health and nutrition   | 703 | Bet-hedging applications for conservation  | 385 |
| Fruit bat  |     | Growth curve   |     |
| Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat <i>Rousettus leschenaulti</i>                            | 695 | Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat <i>Rousettus leschenaulti</i>              | 695 |
| GABA   |     | Growth hormone   |     |
| Role of norepinephrine in the regulation of rapid eye movement sleep   | 539 | An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems   | 219 |
| Gal/GalNAc lectin  |     | Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy      | 261 |
| Galactose/N-acetylgalactosamine lectin: the coordinator of host cell killing   | 553 | GUS  |     |
| Gas-chromatography linked mass-spectrometry  |     | <i>Agrobacterium</i> -mediated transformation of cauliflower: optimization of protocol and development of Bt-transgenic cauliflower  | 495 |
| Characterization of urinary volatiles in Swiss male mice ( <i>Mus musculus</i> ): bioassay of identified compounds                                 | 679 | Haplotype frequency  |     |
| Gene expression  |     | Role of HLA antigens in Rh(D) alloimmunized pregnant women from Mumbai, Maharashtra, India   | 135 |
| An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems                 | 219 | <i>Hartmannella</i>  |     |
| Gene sharing   |     | Catecholamine in <i>Entamoebae</i> : recent (re)discoveries  | 589 |
| Cloning and sequencing of complete <i>t</i> -crystallin cDNA from embryonic lens of <i>Crocodylus palustris</i>                                    | 251 | Hatching success   |     |
|  |     | Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation | 283 |

- Heisenberg  
Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation 195
- Helicoverpa armigera*  
DNA synthesis in the imaginal wing discs of the American bollworm *Helicoverpa armigera* (Hübner) 113
- Heparin binding  
Comparison of the activities of wild type and mutant enhancing factor/mouse secretory phospholipase A<sub>2</sub> proteins 489
- Heterodimeric allozymes  
Epigenetics of dominance for enzyme activity 127
- Histamine  
Catecholamine in *Entamoebae*: recent (re)discoveries 589
- History of conservation biology  
The principle of complementarity in the design of reserve networks to conserve biodiversity: a preliminary history 421
- HLA antigen  
Role of HLA antigens in Rh(D) alloimmunized pregnant women from Mumbai, Maharashtra, India 135
- Host cell killing  
Galactose/N-acetylgalactosamine lectin: the coordinator of host cell killing 553
- Host-parasite interaction  
Monoclonal antibody affinity purification of a 78 kDa membrane protein of *Leishmania donovani* of Indian origin and its role in host-parasite interaction 665
- Hotspots  
The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts 393
- Human brain  
Primary microcephaly: *microcephalin* and *ASPM* determine the size of the human brain 629
- 20-hydroxyecdysone  
DNA synthesis in the imaginal wing discs of the American bollworm *Helicoverpa armigera* (Hübner) 113
- Human genome  
Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation 195
- Imaginal wing discs  
DNA synthesis in the imaginal wing discs of the American bollworm *Helicoverpa armigera* (Hübner) 113
- Immune system evasion  
Strategies of the protozoan parasite *Entamoeba histolytica* to evade the innate immune responses of intestinal epithelial cells 609
- Imprinting  
Maternal regulation of imprinting 437
- Indian major carps  
Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy 261
- Indian women  
Role of HLA antigens in Rh(D) alloimmunized pregnant women from Mumbai, Maharashtra, India 135
- Indians  
Variations in angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian populations of different ethnic origins 67
- Information  
Carbon – the first frontier of information processing 207
- Interferon response  
Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes 143
- Intergenic spacers  
Close sequence identity between ribosomal DNA episomes of the non-pathogenic *Entamoeba dispar* and pathogenic *Entamoeba histolytica* 619
- Inulin  
Applications of inulin and oligofructose in health and nutrition 703
- Islas Malvinas  
Place prioritization for biodiversity content 339
- Isoenzymes  
Genetic diversity in *Entamoeba histolytica* 603
- Jurkat cells  
Characterization of *Entamoeba histolytica*-induced dephosphorylation in Jurkat cells 615
- Kinesin accessory protein (KAP)  
Dynamic expression pattern of kinesin accessory protein in *Drosophila* 479
- Kinesin-II  
Dynamic expression pattern of kinesin accessory protein in *Drosophila* 479
- Kleiber's law  
Biological scaling and physics 475
- Lamin B receptor  
Genes encoding chimeras of *Neurospora crassa erg-3* and human TM7SF2 proteins fail to complement *Neurospora* and yeast sterol C-14 reductase mutants 105
- L-amino acids  
Comparative analysis of naturally occurring L-amino acid osmolytes and their D-isomers on protection of *Escherichia coli* against environmental stresses 515
- Late Triassic  
A theropod tooth from the Late Triassic of southern Africa 295
- Lateral gene transfer  
What *Entamoeba histolytica* and *Giardia lamblia* tell us about the eukaryotic diversity 559
- Lateral inhibition  
Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation 195
- Lattice models  
Carbon – the first frontier of information processing 207
- Laws of combat  
Warring ants: Lessons from Lanchester's laws of combat? 75
- Least tern  
Bet-hedging applications for conservation 385
- Leishmania*  
Monoclonal antibody affinity purification of a 78 kDa mem-

- brane protein of *Leishmania donovani* of Indian origin and its role in host-parasite interaction 665
- Leishmania donovani*  
Studies on Stibanate unresponsive isolates of *Leishmania donovani* 503
- Lens  
Cloning and sequencing of complete *t*-crystallin cDNA from embryonic lens of *Crocodylus palustris* 251
- Linkage analysis  
Molecular genetics of schizophrenia: past, present and future 35
- Linkage disequilibrium  
Role of HLA antigens in Rh(D) alloimmunized pregnant women from Mumbai, Maharashtra, India 135
- Living systems  
A metaphysics of living systems: the *Yōga-Vāsiṣṭha* view 645
- Lizard  
Members of opposite sex mutually regulate gonadal recrudescence in the lizard *Calotes versicolor* (Agamidae) 529
- Locus coeruleus  
Role of norepinephrine in the regulation of rapid eye movement sleep 539
- Lung infection  
Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes 143
- Lymph nodes  
Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes 143
- Maternal regulation  
Maternal regulation of imprinting 437
- Megachiroptera  
Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat *Rousettus leschenaulti* 695
- Melanogenesis  
Human placental lipid induces mitogenesis and melanogenesis in B16F10 melanoma cells 243
- Melanoma  
Human placental lipid induces mitogenesis and melanogenesis in B16F10 melanoma cells 243
- Memes  
Reflective consciousness and the emergence of memes: Serial evolutionary pathways? 637
- Mice  
Characterization of urinary volatiles in Swiss male mice (*Mus musculus*): bioassay of identified compounds 679
- Microbial speciation  
Horizontal gene transfer and bacterial diversity 27
- Millennium assessment  
The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts 393
- Mitochondrion-derived organelle  
What *Entamoeba histolytica* and *Giardia lamblia* tell us about the eukaryotic diversity 559
- Mitogenesis  
Human placental lipid induces mitogenesis and melanogenesis in B16F10 melanoma cells 243
- Mobile genetic elements  
Horizontal gene transfer and bacterial diversity 27
- Molecular cytogenetic technique  
Prenatal detection of aneuploidies using fluorescence *in situ* hybridization: A preliminary experience in an Indian set up 155
- Monoclonal antibody  
Monoclonal antibody affinity purification of a 78 kDa membrane protein of *Leishmania donovani* of Indian origin and its role in host-parasite interaction 665
- Morphogenesis  
Human placental lipid induces mitogenesis and melanogenesis in B16F10 melanoma cells 243
- mRNA secondary structure  
An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems 219
- Murine model  
Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes 143
- Mutations  
Alterations in tumour suppressor gene p53 in human gliomas from Indian patients 673
- Namibia  
Place prioritization for biodiversity content 339
- Native/exotic species  
Choosing appropriate temporal and spatial scales for ecological restoration 409
- Neurotransmitters  
Molecular genetics of schizophrenia: past, present and future 35
- NK cells  
Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes 143
- Norepinephrine  
Role of norepinephrine in the regulation of rapid eye movement sleep 539
- Novel traits  
Horizontal gene transfer and bacterial diversity 27
- Nucleotide cyclases  
The ascent of nucleotide cyclases: conservation and evolution of a theme 85
- Olfactory response  
Water temperature and pH influence olfactory sensitivity to pre-ovulatory and post-ovulatory ovarian pheromones in male *Barilius bendelisis* 273
- Oligofructosaccharides  
Applications of inulin and oligofructose in health and nutrition 703
- Oligomeric structure  
Overexpression and characterization of dimeric and tetra-

|  |     |   |     |
|--|-----|---|-----|
| meric forms of recombinant serine hydroxymethyltransferase from <i>Bacillus stearothermophilus</i>   | 233 | factor/mouse secretory phospholipase A <sub>2</sub> proteins  | 489 |
| Oogenesis  |     | Phylogeny   |     |
| Dynamic expression pattern of kinesin accessory protein in <i>Drosophila</i>   | 479 | What <i>Entamoeba histolytica</i> and <i>Giardia lamblia</i> tell us about the eukaryotic diversity                                       | 559 |
| Opportunity cost   |     | Physics in biology  |     |
| The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts                      | 393 | Biological scaling and physics  | 475 |
| Orientation of pyridoxal-5'-phosphate  |     | Place prioritization  |     |
| Overexpression and characterization of dimeric and tetrameric forms of recombinant serine hydroxymethyltransferase from <i>Bacillus stearothermophilus</i>     | 233 | Operationalizing biodiversity for conservation planning   | 299 |
| Origin of genes  |     | Place prioritization for biodiversity content   | 339 |
| Origins of gene, genetic code, protein and life: comprehensive view of life systems from a GNC-SNS primitive genetic code hypothesis                           | 165 | Birds as surrogates for biodiversity: an analysis of a data set from southern Québec  | 347 |
| Origin of genetic code   |     | Placental lipid   |     |
| Origins of gene, genetic code, protein and life: comprehensive view of life systems from a GNC-SNS primitive genetic code hypothesis                           | 165 | Human placental lipid induces mitogenesis and melanogenesis in B16F10 melanoma cells  | 243 |
| Origin of life   |     | Planning  |     |
| Origins of gene, genetic code, protein and life: comprehensive view of life systems from a GNC-SNS primitive genetic code hypothesis                           | 165 | The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts | 393 |
| Origin of proteins   |     | Plant life  |     |
| Origins of gene, genetic code, protein and life: comprehensive view of life systems from a GNC-SNS primitive genetic code hypothesis                           | 165 | A passion for plant life  | 651 |
| Osmolyte   |     | Plasticity  |     |
| Comparative analysis of naturally occurring L-amino acid osmolytes and their D-isomers on protection of <i>Escherichia coli</i> against environmental stresses | 515 | Adult brain plasticity – what is revealed is exciting, what is hidden is critical   | 439 |
| Overexpression   |     | Plumbagin   |     |
| Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy                                | 261 | DNA synthesis in the imaginal wing discs of the American bollworm <i>Helicoverpa armigera</i> (Hübner)                                    | 113 |
| p53  |     | <i>Plutella xylostella</i>  |     |
| Alterations in tumour suppressor gene p53 in human gliomas from Indian patients  | 673 | <i>Agrobacterium</i> -mediated transformation of cauliflower: optimization of protocol and development of Bt-transgenic cauliflower       | 495 |
| Parasite   |     | Poiseuille's law  |     |
| The effect of some ecological factors on the intestinal parasite loads of the Asian elephant ( <i>Elephas maximus</i> ) in southern India                      | 521 | Biological scaling and physics  | 475 |
| Pathogenesis   |     | Polymerase chain reaction   |     |
| Investigating amoebic pathogenesis using <i>Entamoeba histolytica</i> DNA microarrays  | 595 | The diagnostic implications of the separation of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i>                                 | 573 |
| Persistence of biodiversity features   |     | Polymorphism  |     |
| Persistence and vulnerability: retaining biodiversity in the landscape and in protected areas  | 361 | Variations in angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian populations of different ethnic origins        | 67  |
| Phenotypic variation   |     | Genetic diversity in <i>Entamoeba histolytica</i>   | 603 |
| Analysing phenotypic variation: when old-fashioned means up-to-date  | 191 | Polyploidy  |     |
| Pheromonal identification  |     | Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>  | 567 |
| Characterization of urinary volatiles in Swiss male mice ( <i>Mus musculus</i> ): bioassay of identified compounds   | 679 | Postnatal   |     |
| Phospholipase A <sub>2</sub>   |     | Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat <i>Rousettus leschenaulti</i>                   | 695 |
| Comparison of the activities of wild type and mutant enhancing   |     | Prenatal diagnosis  |     |
|  |     | Prenatal detection of aneuploidies using fluorescence <i>in situ</i> hybridization: A preliminary experience in an Indian set up          | 155 |
|  |     | Primary microcephaly  |     |
|  |     | Primary microcephaly: <i>microcephalin</i> and <i>ASPM</i> determine the size of the human brain  | 629 |
|  |     | Protein 3-D structure   |     |
|  |     | Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy           | 261 |

|  |     |  |     |
|--|-----|--|-----|
| Protein structure  |     |  |     |
| Carbon – the first frontier of information processing  | 207 | meric forms of recombinant serine hydroxymethyltransferase from <i>Bacillus stearothermophilus</i>   | 233 |
| Protozoan parasite   |     | Serotonin  |     |
| Eukaryotic checkpoints are absent in the cell division cycle of <i>Entamoeba histolytica</i>   | 567 | Catecholamine in <i>Entamoebae</i> : recent (re)discoveries  | 589 |
| Quantum search   |     | Sex attraction   |     |
| Carbon – the first frontier of information processing  | 207 | Characterization of urinary volatiles in Swiss male mice ( <i>Mus musculus</i> ): bioassay of identified compounds                                 | 679 |
| Québec   |     | Sex pheromones   |     |
| Birds as surrogates for biodiversity: an analysis of a data set from southern Québec   | 347 | Water temperature and pH influence olfactory sensitivity to pre-ovulatory and post-ovulatory ovarian pheromones in male <i>Barilius bendelisis</i> | 273 |
| RACE   |     | Signalling   |     |
| Molecular cloning of growth hormone encoding cDNA of Indian major carps by a modified rapid amplification of cDNA ends strategy                            | 261 | Bacterial communication  | 443 |
| rDNA episome   |     | Single gene  |     |
| Close sequence identity between ribosomal DNA episomes of the non-pathogenic <i>Entamoeba dispar</i> and pathogenic <i>Entamoeba histolytica</i>           | 619 | Sex and the single gene: Meiotic silencing by unpaired DNA   | 633 |
| REM sleep function   |     | Single strand conformation polymorphism  |     |
| Role of norepinephrine in the regulation of rapid eye movement sleep   | 539 | Alterations in tumour suppressor gene p53 in human gliomas from Indian patients  | 673 |
| REM sleep generation   |     | Site-directed mutagenesis  |     |
| Role of norepinephrine in the regulation of rapid eye movement sleep   | 539 | Comparison of the activities of wild type and mutant enhancing factor/mouse secretory phospholipase A <sub>2</sub> proteins                        | 489 |
| Representativeness   |     | Slipped strand DNA   |     |
| Representing biodiversity: data and procedures for identifying priority areas for conservation   | 309 | Triplet repeat DNA structures and human genetic disease: dynamic mutations from dynamic DNA  | 53  |
| Reproduction   |     | Socio-sexual factors   |     |
| Members of opposite sex mutually regulate gonadal recrudescence in the lizard <i>Calotes versicolor</i> (Agamidae)   | 529 | Members of opposite sex mutually regulate gonadal recrudescence in the lizard <i>Calotes versicolor</i> (Agamidae)                                 | 529 |
| Reserve network design   |     | Sodium stibogluconate  |     |
| Place prioritization for biodiversity content  | 339 | Studies on Stibanate unresponsive isolates of <i>Leishmania donovani</i>   | 503 |
| The principle of complementarity in the design of reserve networks to conserve biodiversity: a preliminary history   | 421 | Southern India   |     |
| Retinopathy  |     | The effect of some ecological factors on the intestinal parasite loads of the Asian elephant ( <i>Elephas maximus</i> ) in southern India          | 521 |
| Induction of blindness by formoguanamine hydrochloride in adult male roseringed parakeets ( <i>Psittacula krameri</i> )                                    | 687 | Spatial models   |     |
| Rh(D) isoimmunization  |     | Data requirements and data sources for biodiversity priority area selection  | 327 |
| Role of HLA antigens in Rh(D) alloimmunized pregnant women from Mumbai, Maharashtra, India   | 135 | Species vulnerability  |     |
| Roseringed parakeet  |     | Persistence and vulnerability: retaining biodiversity in the landscape and in protected areas  | 361 |
| Induction of blindness by formoguanamine hydrochloride in adult male roseringed parakeets ( <i>Psittacula krameri</i> )                                    | 687 | Speech   |     |
| <i>Rousettus leschenaulti</i>  |     | Dichotomies in the perception of speech  | 189 |
| Postnatal growth, age estimation and development of foraging behaviour in the fulvous bat <i>Rousettus leschenaulti</i>                                    | 695 | Statistical tool   |     |
| Sample bias  |     | SWORDS: A statistical tool for analysing large DNA sequences   | 1   |
| Data requirements and data sources for biodiversity priority area selection  | 327 | Stem cell  |     |
| Schizophrenia  |     | Stem cell identity: life is plastic, it's fantastic!   | 93  |
| Molecular genetics of schizophrenia: past, present and future  | 35  | Stephen Jay Gould  |     |
| Sequence complexity  |     | Stephen J Gould  | 445 |
| Comparative genomics using data mining tools   | 15  | On Stephen Jay Gould   | 447 |
| Serine hydroxymethyltransferase  |     | Stephen Jay Gould  | 448 |
| Overexpression and characterization of dimeric and tetrameric forms of recombinant serine hydroxymethyltransferase from <i>Bacillus stearothermophilus</i> | 233 | Stephen Jay Gould  | 450 |
|  |     | Gould's intellectual ontogeny  | 451 |
|  |     | Stephen Jay Gould  | 453 |
|  |     | Stephen Jay Gould – an appreciation  | 455 |
|  |     | The scientist of the underdog  | 460 |

|  |     |  |
|--|-----|--|
| <i>Sterna antillarum</i>   |     |  |
| Bet-hedging applications for conservation  | 385 |  |
| Sterol reductase   |     |  |
| Genes encoding chimeras of <i>Neurospora crassa erg-3</i> and human TM7SF2 proteins fail to complement <i>Neurospora</i> and yeast sterol C-14 reductase mutants | 105 |  |
| Strain typing  |     |  |
| Genetic diversity in <i>Entamoeba histolytica</i>  | 603 |  |
| Stress   |     |  |
| Comparative analysis of naturally occurring L-amino acid osmolytes and their D-isomers on protection of <i>Escherichia coli</i> against environmental stresses   | 515 |  |
| Stress tolerance   |     |  |
| The link between bacterial radiation resistance and cold adaptation  | 71  |  |
| Subunit interaction  |     |  |
| Epigenetics of dominance for enzyme activity   | 127 |  |
| Surrogacy  |     |  |
| Operationalizing biodiversity for conservation planning  | 299 |  |
| Birds as surrogates for biodiversity: an analysis of a data set from southern Québec   | 347 |  |
| SWORDS   |     |  |
| SWORDS: A statistical tool for analysing large DNA sequences   | 1   |  |
| Systems theory   |     |  |
| Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation   | 195 |  |
| T cells  |     |  |
| Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes  | 143 |  |
| Temperature  |     |  |
| Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species – a laboratory-based investigation                             | 283 |  |
| Temperature-dependence data  |     |  |
| Enthalpy-entropy compensation: a phantom phenomenon  | 121 |  |
| Temporal/spatial scale   |     |  |
| Choosing appropriate temporal and spatial scales for ecological restoration  | 409 |  |
| Tetrahedral geometry   |     |  |
| Carbon—the first frontier of information processing  | 207 |  |
| Thermal stability  |     |  |
| Overexpression and characterization of dimeric and tetrameric forms of recombinant serine hydroxymethyltransferase from <i>Bacillus stearothermophilus</i>       | 233 |  |
| Theropod   |     |  |
| A theropod tooth from the Late Triassic of southern Africa   | 295 |  |
| Threatening processes  |     |  |
| Persistence and vulnerability: retaining biodiversity in the landscape and in protected areas  | 361 |  |
| Trade-offs   |     |  |
| The role of trade-offs in biodiversity conservation planning: linking local management, regional planning and global conservation efforts                        | 393 |  |
| Translational de-repression  |     |  |
| An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems                               | 219 |  |
| Trembley   |     |  |
| Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation   | 195 |  |
| Triplet repeat disease   |     |  |
| Triplet repeat DNA structures and human genetic disease: dynamic mutations from dynamic DNA  | 53  |  |
| Triplet repeats  |     |  |
| Triplet repeat DNA structures and human genetic disease: dynamic mutations from dynamic DNA  | 53  |  |
| Tuberculosis   |     |  |
| Murine model of BCG lung infection: Dynamics of lymphocyte subpopulations in lung interstitium and tracheal lymph nodes  | 143 |  |
| Turing   |     |  |
| Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation   | 195 |  |
| Two-cistron  |     |  |
| An insight into the possible mechanism of working of two-cistronic gene expression systems and rational designing of newer systems                               | 219 |  |
| Ultrastructure   |     |  |
| Electron microscopic studies of the corpuscles of Stannius of an airbreathing teleost ( <i>Heteropneustes fossilis</i> )   | 509 |  |
| Unpaired DNA   |     |  |
| Sex and the single gene: Meiotic silencing by unpaired DNA   | 633 |  |
| Urine  |     |  |
| Characterization of urinary volatiles in Swiss male mice ( <i>Mus musculus</i> ): bioassay of identified compounds   | 679 |  |
| <i>Ursus arctos horribilis</i>   |     |  |
| Bet-hedging applications for conservation  | 385 |  |
| Vernalization  |     |  |
| Vernalization: the flower school   | 79  |  |
| Virulence factor   |     |  |
| Amoebapore is an important virulence factor of <i>Entamoeba histolytica</i>  | 579 |  |
| Visceral leishmaniasis   |     |  |
| Studies on Stibanate unresponsive isolates of <i>Leishmania donovani</i>   | 503 |  |
| Warring ants   |     |  |
| Warring ants: Lessons from Lanchestor's laws of combat?  | 75  |  |
| Wilderness   |     |  |
| Choosing appropriate temporal and spatial scales for ecological restoration  | 409 |  |
| Wolff  |     |  |
| Theoretical approaches to holistic biological features: Pattern formation, neural networks and the brain-mind relation   | 195 |  |
| <i>Yōga - Vāsīṣṭha</i>   |     |  |
| A metaphysics of living systems: the <i>Yōga - Vāsīṣṭha</i> view   | 645 |  |