

## SUBJECT INDEX

- Ab initio* calculations  
 Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Activation by calcinations  
 Highly active and reusable catalyst from Fe-Mg-hydrotalcite anionic clay for Friedel-Crafts type benzyla-tion reactions 635
- Adsorption  
 Adsorption studies of iron(III) on chitin 663
- AM1 semi-empirical correlation  
 Meso-functionalized octamethoxyporphyrins: A new class of nonasubstituted porphyrins 73
- Amino acids  
 Volumetric studies of some amino acids in binary aqueous solutions of  $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$  at 288.15, and 308.15 K 267
- 4-Aminophthalimide  
 Synthesis, photophysical and metal ion signalling be-haviour of mono- and di-azacrown derivatives of 4-aminophthalimide 105
- Anderson-type heteropolyanions  
 Supramolecular assembly based on a heteropolyanion: Synthesis and crystal structure of  $\text{Na}_3(\text{H}_2\text{O})_6[\text{Al}(\text{OH})_6\text{Mo}_6\text{O}_{18}] \cdot 2\text{H}_2\text{O}$  227
- Anion binding  
 Core-modified octaphyrins: Syntheses and anion-bind-ing properties 99
- Anion exchange  
 Synthesis and anion exchange reactions of a layered copper-zinc hydroxy double salt,  $\text{Cu}_{1.6}\text{Zn}_{0.4}(\text{OH})_3(\text{OAc}) \cdot \text{H}_2\text{O}$  629
- Antioxidant  
 Thiol peroxidase-like activity of some intramolecularly coordinated diorganyl diselenides 621
- Antioxidants  
 Selenium-containing enzymes in mammals: Chemical perspectives 287
- Aromatic polycarboxylate  
 Self-assembly of a Co(II) dimer through H-bonding of water molecules to a 3D open-framework structure 23
- Aromaticity  
 Core-modified octaphyrins: Syntheses and anion-bind-ing properties 99
- Atomic descriptors  
 Study of atomic and condensed atomic indices for reactive sites of molecules 591
- Azomesogens  
 Azomesogens with methoxyethyl tail: Synthesis and characterization 255
- Basicity and denticity  
 Syntheses, magnetic and spectral studies on polysty-rene supported coordination compounds of bidentate and tetradentate Schiff bases 247
- Basicity  
 Meso-functionalized octamethoxyporphyrins: A new class of nonasubstituted porphyrins 73
- Basins  
 On the significance of ELF basins 473
- Benzylation of aromatic compounds  
 Highly active and reusable catalyst from Fe-Mg-hydrotalcite anionic clay for Friedel-Crafts type benzyla-tion reactions 635
- Benzylation of toluene  
 Highly active and reusable catalyst from Fe-Mg-hydrotalcite anionic clay for Friedel-Crafts type benzyla-tion reactions 635
- Binary mixture  
 Superlattice configurations in linear chain hydrocar-bon binary mixtures – Case of  $n\text{-C}_{28}\text{H}_{58}$ :  $n\text{-C}_x\text{H}_{2x+2}$  ( $x = 10, 12, 14, 16$ ) 43  
 Dielectric studies of binary mixtures of *n*-propyl al-cohol and ethylenediamine 673
- Binding constant  
 Fluorescence spectroscopic studies on binding of a fla-vonoid antioxidant quercetin to serum albumins 641
- Boron  
 The coordination chemistry of boron porphyrin com-plexes  $\text{B}_2\text{OX}_2$  (*Tp*YPP) ( $\text{X} = \text{OH}, \text{F}; \text{Y} = \text{Cl}, \text{CH}_3$ ) and their chemical reactivities 515
- Bovine serum albumin  
 Fluorescence spectroscopic studies on binding of a fla-vonoid antioxidant quercetin to serum albumins 641
- Carboxy porphyrins  
 Synthesis and crystal structure of 5-(4'-carboxy-phenyl)-10,15,20-tri(4'-*t*-butylphenyl)porphinato zinc(II) complex 139
- Catalysed oxidation  
 Iron(III) porphyrin-catalysed oxidation reactions by *m*-chloroperbenzoic acid: Nature of reactive interme-diates 187
- CD spectroscopy  
 Mixed-ligand copper(II) complexes of dipicolylamine and 1,10-phenanthrolines: The role of diimines in the interaction of the complexes with DNA 179
- Charge sensitivities  
 Geometric interpretation of density displacements and charge sensitivities 455

- Charge transfer resistance  
An investigation into the electro-oxidation of ethanol and 2-propanol for application in direct alcohol fuel cells (DAFCs) 337
- Chemical hardness  
Relation between the Fukui function and the Coulomb hole 411
- Chemical potential equalisation  
A density functional theory-based chemical potential equalisation approach to molecular polarizability 401
- Chemical potential  
Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477
- Chemical potential  
Equalization equations in reactant resolution 491  
Investigation of the role of the C–PCM solvent effect in reactivity indices 583
- Chemical reactivity  
DFT reactivity indices in confined many-electron atoms 379
- Chiral properties  
Synthesis and characterization of a chiral dimeric copper(II) complex: Crystal structure of  $[\text{Cu}_2(\mathbf{m}\text{Cl})_2(\text{HL})_2]\cdot\text{H}_2\text{O}$  ( $\text{H}_2\text{L} = S(-)-2-[(2\text{-hydroxy-1-phenyl-ethyl-imino)-methyl]}\text{-phenol}$ ) 133
- Chitin  
Adsorption studies of iron(III) on chitin 663
- Chloramphenicol  
Kinetics and mechanism of oxidation of chloramphenicol by 1-chlorobenzotriazole in acidic medium 333
- 1-Chlorobenzotriazole  
Kinetics and mechanism of oxidation of chloramphenicol by 1-chlorobenzotriazole in acidic medium 333
- Chronocoulometry  
Influence of charged microenvironment on redox potential and diffusion coefficient of  $[\text{Fe}_4\text{S}_4(\text{SPh})_4](\text{NBu}_4)_2$  in DMF and inside CTAB film on electrode surface 657
- m*-Chloroperbenzoic acid  
Iron(III) porphyrin-catalysed oxidation reactions by *m*-chloroperbenzoic acid: Nature of reactive intermediates 187
- Cluster compounds  
Hydrothermal synthesis and structure of  $[(\text{C}_4\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}]\cdot\text{H}_2\text{O}$  and  $[(\text{C}_3\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}]\cdot 4\text{H}_2\text{O}$  219
- Co(II) complex  
Self-assembly of a Co(II) dimer through H-bonding of water molecules to a 3D open-framework structure 23
- Co–C bond  
A *trans* influence study in propyl (aquo)cobaloxime by imidazoles and amino acids 305
- Compositae  
*b*-Sitosterol-3-O-*b*-D-xylopyranoside from the flowers of *Tridax procumbens* Linn. 263
- Conceptual density-functional theory  
The electron-propagator approach to conceptual density-functional theory 387
- Conceptual DFT approach  
A conceptual DFT approach towards analyzing toxicity 599
- Condensed atomic descriptors  
Study of atomic and condensed atomic indices for reactive sites of molecules 591
- Condensed Fukui functions  
Separability of local reactivity descriptors 497  
Study of atomic and condensed atomic indices for reactive sites of molecules 591
- Confined many-electron atoms  
DFT reactivity indices in confined many-electron atoms 379
- Coordination compounds  
Syntheses, magnetic and spectral studies on polystyrene supported coordination compounds of bidentate and tetradentate Schiff bases 247
- Copper (II) complexes  
Fixation of CO<sub>2</sub> in air: Synthesis and crystal structure of a *m*<sub>3</sub>-CO<sub>3</sub>-bridged tricopper(II) compound 111  
Effect of copper–sulphur bond on the DNA photocleavage activity of 2-(methylthio)ethylpyridine-2-carbaldimine copper(II) complexes 123
- Copper–Zinc hydroxides  
Synthesis and anion exchange reactions of a layered copper–zinc hydroxy double salt,  $\text{Cu}_{1.6}\text{Zn}_{0.4}(\text{OH})_3(\text{OAc})\cdot\text{H}_2\text{O}$  629
- Core-modification  
Fluorescence properties of meso-tetrafurylporphyrins 161
- Cosphere overlap model  
Volumetric studies of some amino acids in binary aqueous solutions of MgCl<sub>2</sub>·6H<sub>2</sub>O at 288.15, and 308.15 K 267
- Coulomb hole  
Relation between the Fukui function and the Coulomb hole 411
- C–PCM solvation model  
Investigation of the role of the C–PCM solvent effect in reactivity indices 583
- Crown compounds  
Synthesis, photophysical and metal ion signalling behaviour of mono- and di-azacrown derivatives of 4-aminophthalimide 105
- Cryptand receptor  
Fluorescence-enhancement with different ionic inputs in a cryptand-based multi-receptor signalling system 145

- Crystal structure
- Self-assembly of a Co(II) dimer through H-bonding of water molecules to a 3D open-framework structure 23
  - Fixation of CO<sub>2</sub> in air: Synthesis and crystal structure of a *m*-CO<sub>3</sub>-bridged tricopper(II) compound 111
  - Effect of copper–sulphur bond on the DNA photocleavage activity of 2-(methylthio)ethylpyridine-2-carbaldimine copper(II) complexes 123
  - Synthesis and characterization of a chiral dimeric copper(II) complex: Crystal structure of [Cu<sub>2</sub>(*m*-Cl)<sub>2</sub>(HL)<sub>2</sub>]·H<sub>2</sub>O (H<sub>2</sub>L = *S*-(–)-2-[(2-hydroxy-1-phenyl-ethyl-imino)-methyl]-phenol) 133
  - Synthesis and crystal structure of 5-(4′-carboxyphenyl)-10,15,20-tri(4′-*t*-butylphenyl)porphinato zinc(II) complex 139
  - Rhodium and iridium complexes of *N*-(2′-hydroxyphenyl)pyrrole-2-alimine: Synthesis, structure, and spectral and electrochemical properties 167
  - Hydrothermal synthesis and structure of [(C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>)<sub>3</sub>][P<sub>2</sub>Mo<sub>5</sub>O<sub>23</sub>]·H<sub>2</sub>O and [(C<sub>3</sub>N<sub>2</sub>H<sub>12</sub>)<sub>3</sub>][P<sub>2</sub>Mo<sub>5</sub>O<sub>23</sub>]·4H<sub>2</sub>O 219
- Cu(II) complexes of *N*-substituted 1,8-naphthalimides
- Synthesis, characterisation of few *N*-substituted 1,8-naphthalimide derivatives and their copper(II) complexes 117
- Cu–Zn hydroxysalts
- Synthesis and anion exchange reactions of a layered copper–zinc hydroxy double salt, Cu<sub>1.6</sub>Zn<sub>0.4</sub>(OH)<sub>3</sub>(OAc)·H<sub>2</sub>O 629
- Cyclo-addition of triplet carbonyl compounds
- Regioselectivity in the [2 + 2] cyclo-addition reaction of triplet carbonyl compounds to substituted alkenes (Paterno–Büchi reaction): A spin-polarized conceptual DFT approach 561
- [4 + 2] Cycloaddition reactions
- Bottlenecks in the prediction of regioselectivity of [4 + 2] cycloaddition reactions: An assessment of reactivity descriptors 573
- Cyclophosphazene hydrazides
- Biocatalysis by metallated cyclotriphosphazenes: L<sub>2</sub>Zn(NO<sub>3</sub>)<sub>2</sub> {L = *spiro*-N<sub>3</sub>P<sub>3</sub>[O<sub>2</sub>C<sub>12</sub>H<sub>8</sub>][N(CH<sub>3</sub>)NH<sub>2</sub>]} as a synthetic phosphoesterase and nuclease 175
- Cysteine
- Selenium-containing enzymes in mammals: Chemical perspectives 287
- Cysteine
- Synthesis and characterization of mixed ligand complexes of Zn(II) and Co(II) with amino acids: Relevance to zinc binding sites in zinc fingers 239
- Cysteinemethylester
- Synthesis and characterization of mixed ligand complexes of Zn(II) and Co(II) with amino acids: Relevance to zinc binding sites in zinc fingers 239
- Deiodination
- Selenium-containing enzymes in mammals: Chemical perspectives 287
- Density displacements
- Geometric interpretation of density displacements and charge sensitivities 455
- Density functional calculations
- Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Density functional descriptors
- DFT reactivity indices in confined many-electron atoms 379
- Density functional theory (DFT)
- Chemical hardness and density functional theory 369
- Density functional theory
- A density functional theory-based chemical potential equalisation approach to molecular polarizability 401
- Density functional theory
- Generalized density-functional theory: Conquering the *N*-representability problem with exact functionals for the electron pair density and the second-order reduced density matrix 507
  - Chemical reactivity of hypervalent silicon compounds: The local hard and soft acids and bases principle viewpoint 525
  - A philicity based analysis of adsorption of small molecules in zeolites 541
  - Some late-term thoughts of a density-functional theorist 613
- DFT
- Third-order energy derivative corrections to the Kohn–Sham orbital hardness tensor 485
- DFT-based descriptors
- Bottlenecks in the prediction of regioselectivity of [4 + 2] cycloaddition reactions: An assessment of reactivity descriptors 573
- DFT performance
- Performance of density functional theory methods to describe intramolecular hydrogen shifts 555
- Diacations
- Fluorescence properties of meso-tetrafurylporphyrins 161
- o*-Dianisidine
- Electrochemical determination of hydrogen peroxide using *o*-dianisidine as substrate and hemoglobin as catalyst 317
- 9-Diazo-4,5-diazafluorene ligand
- Mixed-ligand complexes of ruthenium(II) incorporating a diazo ligand: Synthesis, characterization and DNA binding 153
- Dielectric parameters
- Dielectric studies of binary mixtures of *n*-propyl alcohol and ethylenediamine 673

- Diffusion coefficient  
 Influence of charged microenvironment on redox potential and diffusion coefficient of  $[\text{Fe}_4\text{S}_4(\text{SPh})_4](\text{NBu}_4)_2$  in DMF and inside CTAB film on electrode surface 657
- Dinuclear copper(II) complex  
 Synthesis and characterization of a chiral dimeric copper(II) complex: Crystal structure of  $[\text{Cu}_2(\mathbf{m}\text{Cl})_2(\text{HL})_2]\cdot\text{H}_2\text{O}$  ( $\text{H}_2\text{L} = S(-)-2-[(2\text{-hydroxy-1-phenyl-ethyl-imino)-methyl]}\text{-phenol}$ ) 133
- Diorganodiselenide  
 Thiol peroxidase-like activity of some intramolecularly coordinated diorganyl diselenides 621
- Dipica and 1,10-phenanthrolines  
 Mixed-ligand copper(II) complexes of dipicolylamine and 1,10-phenanthrolines: The role of diimines in the interaction of the complexes with DNA 179
- Discrete orientational changes  
 Superlattice configurations in linear chain hydrocarbon binary mixtures – Case of  $n\text{-C}_{28}\text{H}_{58}$ :  $n\text{-C}_x\text{H}_{2x+2}$  ( $x = 10, 12, 14, 16$ ) 43
- DNA binding  
 Mixed-ligand complexes of ruthenium(II) incorporating a diazo ligand: Synthesis, characterization and DNA binding 153
- DNA binding studies  
 Mixed-ligand copper(II) complexes of dipicolylamine and 1,10-phenanthrolines: The role of diimines in the interaction of the complexes with DNA 179
- DNA cleavage  
 Biocatalysis by metallated cyclotriphosphazenes:  $\text{L}_2\text{Zn}(\text{NO}_3)_2$  { $\text{L} = \text{spiro-N}_3\text{P}_3[\text{O}_2\text{C}_{12}\text{H}_8][\text{N}(\text{CH}_3)\text{NH}_2]$ } as a synthetic phosphoesterase and nuclease 175
- DNA photo-cleavage  
 Effect of copper–sulphur bond on the DNA photo-cleavage activity of 2-(methylthio)ethylpyridine-2-carbaldimine copper(II) complexes 123
- Dynamics  
 Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477
- 34p** Electrons  
 Core-modified octaphyrins: Syntheses and anion-binding properties 99
- Electron localization functions (ELF)  
 Condensation of the highest occupied molecular orbital within the electron localization function domains 419  
 Electron localization functions and local measures of the covariance 441  
 On the significance of ELF basins 473
- Electron pair density  
 Generalized density-functional theory: Conquering the  $N$ -representability problem with exact functionals for the electron pair density and the second-order reduced density matrix 507
- Electron transfer  
 Porphyrin–anthraquinone dyads: Synthesis, spectroscopy and photochemistry 193
- Electronegativity equalization method  
 Relation between the Fukui function and the Coulomb hole 411
- Electronic properties  
 The reaction force: Three key points along an intrinsic reaction coordinate 467
- Electron-propagator approach  
 The electron-propagator approach to conceptual density-functional theory 387
- Electro-oxidation  
 An investigation into the electro-oxidation of ethanol and 2-propanol for application in direct alcohol fuel cells (DAFCs) 337
- Electrophile  
 A philicity based analysis of adsorption of small molecules in zeolites 541  
 Study of atomic and condensed atomic indices for reactive sites of molecules 591
- Electrophilicity index  
 Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477
- Electrophilicity  
 Relationship between electrophilicity index, Hammett constant and nucleus-independent chemical shift 61
- Energy transfer  
 Fluorescence spectroscopic studies on binding of a flavonoid antioxidant quercetin to serum albumins 641
- EPR  
 Metal ion coordination in ‘R’ and ‘T’ state hybrid hemoglobins as revealed by optical, EPR and sulphhydryl reactivity studies 85
- Equalization equations  
 Equalization equations in reactant resolution 491
- Equilibrium constants  
 A *trans* influence study in propyl (aquo)cobaloxime by imidazoles and amino acids 305
- Ethanol  
 An investigation into the electro-oxidation of ethanol and 2-propanol for application in direct alcohol fuel cells (DAFCs) 337
- Excitation energy  
 Hardness and excitation energy 437
- Fe-Mg-hydrotalcite  
 Highly active and reusable catalyst from Fe-Mg-hydrotalcite anionic clay for Friedel–Crafts type benzylation reactions 635

- Ferredoxin  
Influence of charged microenvironment on redox potential and diffusion coefficient of  $[\text{Fe}_4\text{S}_4(\text{SPh})_4](\text{NBu}_4)_2$  in DMF and inside CTAB film on electrode surface 657
- Ferrocenamide  
Thiol peroxidase-like activity of some intramolecularly coordinated diorganyl diselenides 621
- Fluorescence  
Fluorescence properties of meso-tetrafurylporphyrins 161
- Fluorescence enhancement  
Fluorescence-enhancement with different ionic inputs in a cryptand-based multi-receptor signalling system 145
- Fluorescence quenching mechanism  
Mechanism of interaction of vincristine sulphate and rifampicin with bovine serum albumin: A spectroscopic study 649
- Fluorescence signalling  
Synthesis, photophysical and metal ion signalling behaviour of mono- and di-azacrown derivatives of 4-aminophthalimide 105
- Fraction of adsorption  
Adsorption studies of iron(III) on chitin 663
- Fukui function  
Relation between the Fukui function and the Coulomb hole 411  
Condensation of the highest occupied molecular orbital within the electron localization function domains 419  
Molecular quantum similarity using conceptual DFT descriptors 425  
The coordination chemistry of boron porphyrin complexes  $\text{B}_2\text{OX}_2(\text{TpYPP})$  ( $\text{X} = \text{OH}, \text{F}; \text{Y} = \text{Cl}, \text{CH}_3$ ) and their chemical reactivities 515  
Performance of density functional theory methods to describe intramolecular hydrogen shifts 555
- Global and local reactivity descriptors  
A philicity based analysis of adsorption of small molecules in zeolites 541
- Guest supramolecular water dimers  
Supramolecular assembly based on a heteropolyanion: Synthesis and crystal structure of  $\text{Na}_3(\text{H}_2\text{O})_6[\text{Al}(\text{OH})_6\text{Mo}_6\text{O}_{18}] \cdot 2\text{H}_2\text{O}$  227
- Hammett constant  
Relationship between electrophilicity index, Hammett constant and nucleus-independent chemical shift 61
- Hard & soft acids bases (HSAB)  
Chemical hardness and density functional theory 369
- Hard and soft acid and bases principle  
Chemical reactivity of hypervalent silicon compounds: The local hard and soft acids and bases principle viewpoint 525
- Hardness  
Chemical hardness and density functional theory 369  
Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477  
Equalization equations in reactant resolution 491  
Investigation of the role of the C–PCM solvent effect in reactivity indices 583
- Hartree–Fock calculations  
A philicity based analysis of adsorption of small molecules in zeolites 541
- Hemoglobin  
Electrochemical determination of hydrogen peroxide using *o*-dianisidine as substrate and hemoglobin as catalyst 317
- High throughput procedures  
NMR of unfolded proteins 3
- Highest occupied molecular orbital  
Condensation of the highest occupied molecular orbital within the electron localization function domains 419
- Histidine  
Synthesis and characterization of mixed ligand complexes of Zn(II) and Co(II) with amino acids: Relevance to zinc binding sites in zinc fingers 239
- Histidinemethylester  
Synthesis and characterization of mixed ligand complexes of Zn(II) and Co(II) with amino acids: Relevance to zinc binding sites in zinc fingers 239
- HOMO  
Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477
- HSAB principle  
A philicity based analysis of adsorption of small molecules in zeolites 541
- Human serum albumin  
Fluorescence spectroscopic studies on binding of a flavonoid antioxidant quercetin to serum albumins 641
- Hybrid hemoglobin  
Metal ion coordination in ‘R’ and ‘T’ state hybrid hemoglobins as revealed by optical, EPR and sulphhydryl reactivity studies 85
- Hydrogen bond  
Hydrothermal synthesis and structure of  $[(\text{C}_4\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}] \cdot \text{H}_2\text{O}$  and  $[(\text{C}_3\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}] \cdot 4\text{H}_2\text{O}$  219
- Hydrogen fluoride dimer  
Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Hydrogen-bonding  
Self-assembly of a Co(II) dimer through H-bonding of water molecules to a 3D open-framework structure 23

- Synthesis and crystal structure of 5-(4'-carboxyphenyl)-10,15,20-tri(4'-*t*-butylphenyl)porphinato zinc(II) complex 139
- Hydrogen-bonding interactions  
Supramolecular assembly based on a heteropolyanion: Synthesis and crystal structure of  $\text{Na}_3(\text{H}_2\text{O})_6[\text{Al}(\text{OH})_6\text{Mo}_6\text{O}_{18}] \cdot 2\text{H}_2\text{O}$  227
- Hydrogen peroxide  
Electrochemical determination of hydrogen peroxide using *o*-dianisidine as substrate and hemoglobin as catalyst 317
- Hydrothermal synthesis  
Hydrothermal synthesis and structure of  $[(\text{C}_4\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}] \cdot \text{H}_2\text{O}$  and  $[(\text{C}_3\text{N}_2\text{H}_{12})_3][\text{P}_2\text{Mo}_5\text{O}_{23}] \cdot 4\text{H}_2\text{O}$  219
- N-(2'-Hydroxyphenyl)pyrrole-2-aldimine  
Rhodium and iridium complexes of N-(2'-hydroxyphenyl)pyrrole-2-aldimine: Synthesis, structure, and spectral and electrochemical properties 167
- Hypervalent silicon compounds  
Chemical reactivity of hypervalent silicon compounds: The local hard and soft acids and bases principle viewpoint 525
- Inorganic clays  
Application of localized reactivity index in combination with periodic DFT calculation to rationalize the swelling mechanism of clay type inorganic material 533
- Interaction coefficients  
Volumetric studies of some amino acids in binary aqueous solutions of  $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$  at 288.15, and 308.15 K 267
- Interactions of ionic and nonionic solutes  
Viscometric and thermodynamic studies of interactions in ternary solutions containing sucrose and aqueous alkali metal halides at 293.15, 303.15 and 313.15 K 275
- Interlayer cations  
Application of localized reactivity index in combination with periodic DFT calculation to rationalize the swelling mechanism of clay type inorganic material 533
- Intramolecular hydrogen shifts  
Performance of density functional theory methods to describe intramolecular hydrogen shifts 555
- Intrinsic reaction coordinate  
The reaction force: Three key points along an intrinsic reaction coordinate 467
- Iron(III)-phenanthroline complex  
Kinetics and mechanism of oxidation of glycine by iron(III)-1,10-phenanthroline complex in perchloric acid medium 329
- Janak's theorem  
Third-order energy derivative corrections to the Kohn-Sham orbital hardness tensor 485
- Kinetics  
Kinetic, mechanistic and spectral investigation of ruthenium (III)-catalysed oxidation of atenolol by alkaline permanganate (stopped-flow technique) 33  
Kinetics and mechanism of oxidation of chloramphenicol by 1-chlorobenzotriazole in acidic medium 333
- Kohn-Sham hardness  
Hardness and excitation energy 437
- Librational mode  
Modified Pippard relationship describing the Raman frequency shifts of the rotatory lattice mode of ammonia solid II in the vicinity of its melting point 677
- Local covariance  
Electron localization functions and local measures of the covariance 441
- Local reactivity descriptors  
Separability of local reactivity descriptors 497
- Localized orbitals  
On the significance of ELF basins 473
- Localized reactivity index  
Application of localized reactivity index in combination with periodic DFT calculation to rationalize the swelling mechanism of clay type inorganic material 533
- Long-chain alkanes  
Superlattice configurations in linear chain hydrocarbon binary mixtures – Case of  $n\text{-C}_{28}\text{H}_{58}$ :  $n\text{-C}_x\text{H}_{2x+2}$  ( $x = 10, 12, 14, 16$ ) 43
- LUMO  
Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn-Oppenheimer quantum molecular dynamics study 477
- Magnetic susceptibility measurements  
Syntheses, magnetic and spectral studies on polystyrene supported coordination compounds of bidentate and tetradentate Schiff bases 247
- Maximum hardness principle (MHP)  
Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Maximum probability  
On the significance of ELF basins 473
- Meso-functionalization  
Meso-functionalized octamethoxyporphyrins: A new class of nonasubstituted porphyrins 73
- Metal cryptate  
Fluorescence-enhancement with different ionic inputs in a cryptand-based multi-receptor signalling system 145
- Metal ions  
Synthesis, photophysical and metal ion signalling behaviour of mono- and di-azacrown derivatives of 4-aminophthalimide 105

- Metalated cyclophosphazenes  
 Biocatalysis by metallated cyclotriphosphazenes:  
 $L_2Zn(NO_3)_2$  {L = *spiro*- $N_3P_3[O_2C_{12}H_8][N(CH_3)NH_2]$ }  
 as a synthetic phosphoesterase and nuclease 175
- Metalloporphyrins  
 Synthesis and crystal structure of 5-(4'-carboxy-  
 phenyl)-10,15,20-tri(4'-*t*-butylphenyl)porphinato zinc(II)  
 complex 139
- Metal-organic framework  
 Self-assembly of a Co(II) dimer through H-bonding of  
 water molecules to a 3D open-framework structure 23
- Methoxyethyl tail  
 Azomesogens with methoxyethyl tail: Synthesis and  
 characterization 255
- Michael addition  
 Solvent-free microwave-mediated Michael addition  
 reactions 323
- retro*-Michael addition  
 Studies on NaI/DMSO induced *retro*-Michael addi-  
 tion (RMA) reactions on some 1,5-dicarbonyl com-  
 pounds 27
- Microwave  
 Synthesis of nanosized silver colloids by microwave  
 dielectric heating 53  
 Synthesis of Pt, Pd, Pt/Ag and Pd/Ag nanoparticles by  
 microwave-polyol method 311
- Microwave-mediated organic reactions  
 Studies on NaI/DMSO induced *retro*-Michael addi-  
 tion (RMA) reactions on some 1,5-dicarbonyl com-  
 pounds 27  
 Solvent-free microwave-mediated Michael addition  
 reactions 323
- Mixed particles  
 Synthesis of Pt, Pd, Pt/Ag and Pd/Ag nanoparticles by  
 microwave-polyol method 311
- Mixed-ligand Cu(II) complexes  
 Mixed-ligand copper(II) complexes of dipicolylamine  
 and 1,10-phenanthrolines: The role of diimines in the  
 interaction of the complexes with DNA 179
- Molecular behavior  
 Some late-term thoughts of a density-functional theo-  
 rist 613
- Molecular electronic structure  
 Some late-term thoughts of a density-functional theo-  
 rist 613
- Molecular interaction  
 Separability of local reactivity descriptors 497  
 Dielectric studies of binary mixtures of *n*-propyl al-  
 cohoh and ethylenediamine 673
- Molecular mechanics  
 A *trans* influence study in propyl (aquo)cobaloxime  
 by imidazoles and amino acids 305
- Molecular polarizability  
 A density functional theory-based chemical potential  
 equalisation approach to molecular polarizability 401
- Molecular quantum similarity  
 Molecular quantum similarity using conceptual DFT  
 descriptors 425
- Monobasic bidentate  
 Ruthenium(II) complexes containing bidentate Schiff  
 bases and triphenylphosphine or triphenylarsine 235
- Monoselenophosphate  
 Selenium-containing enzymes in mammals: Chemical  
 perspectives 287
- Nematic  
 Azomesogens with methoxyethyl tail: Synthesis and  
 characterization 255
- NICS (1)  
 Relationship between electrophilicity index, Hammett  
 constant and nucleus-independent chemical shift 61
- NMR  
 NMR of unfolded proteins 3
- Nonasubstituted porphyrins  
 Meso-functionalized octamethoxyporphyrins: A new  
 class of nonasubstituted porphyrins 73
- Nuclear reactivity indices  
 Investigation of the role of the C-PCM solvent effect  
 in reactivity indices 583
- Nucleophile  
 A philicity based analysis of adsorption of small  
 molecules in zeolites 541
- Nucleophilic  
 Study of atomic and condensed atomic indices for re-  
 active sites of molecules 591
- Octamethoxyporphyrin  
 Meso-functionalized octamethoxyporphyrins: A new  
 class of nonasubstituted porphyrins 73
- Octaphyrin  
 Core-modified octaphyrins: Syntheses and anion-  
 binding properties 99
- Optical absorption  
 Synthesis of nanosized silver colloids by microwave  
 dielectric heating 53
- Optical absorption  
 Synthesis of Pt, Pd, Pt/Ag and Pd/Ag nanoparticles by  
 microwave-polyol method 311
- Orbital hardness tensor  
 Third-order energy derivative corrections to the  
 Kohn-Sham orbital hardness tensor 485
- Oxalic acid and its salts  
 Viscosities of oxalic acid and its salts in water and bi-  
 nary aqueous mixtures of tetrahydrofuran at different  
 temperatures 351
- Oxidation  
 Kinetics and mechanism of oxidation of chlorampheni-  
 col by 1-chlorobenzotriazole in acidic medium 333

- Oxidation by sulphate radical anions  
 Mechanism of protection of adenosine from sulphate radical anion and repair of adenosine radicals by caffeic acid in aqueous solution 345
- Oxidation of atenolol  
 Kinetic, mechanistic and spectral investigation of ruthenium (III)-catalysed oxidation of atenolol by alkaline permanganate (stopped-flow technique) 33
- Oxidation of glycine  
 Kinetics and mechanism of oxidation of glycine by iron(III)-1,10-phenanthroline complex in perchloric acid medium 329
- Oxidative coupling reactions  
 Core-modified octaphyrins: Syntheses and anion-binding properties 99
- Partial molar volumes  
 Viscometric and thermodynamic studies of interactions in ternary solutions containing sucrose and aqueous alkali metal halides at 293.15, 303.15 and 313.15 K 275
- Pentamolybdato bisphosphate  
 Hydrothermal synthesis and structure of  $[(C_4N_2H_{12})_3][P_2Mo_5O_{23}] \cdot H_2O$  and  $[(C_3N_2H_{12})_3][P_2Mo_5O_{23}] \cdot 4H_2O$  219
- Periodic DFT calculations  
 Application of localized reactivity index in combination with periodic DFT calculation to rationalize the swelling mechanism of clay type inorganic material 533
- Permanganate  
 Kinetic, mechanistic and spectral investigation of ruthenium (III)-catalysed oxidation of atenolol by alkaline permanganate (stopped-flow technique) 33
- Phase transitions  
 Underpotential deposition of metals – Progress and prospects in modelling 207
- Phenanthroline bases  
 Effect of copper–sulphur bond on the DNA photocleavage activity of 2-(methylthio)ethylpyridine-2-carbaldehyde copper(II) complexes 123
- Phosphate ester hydrolysis  
 Biocatalysis by metallated cyclotriphosphazenes:  $L_2Zn(NO_3)_2$  {L = *spiro*- $N_3P_3[O_2C_{12}H_8][N(CH_3)NH_2]$ } as a synthetic phosphoesterase and nuclease 175
- Photoinduced electron transfer  
 Fluorescence-enhancement with different ionic inputs in a cryptand-based multi-receptor signalling system 145
- Photophysical behaviour  
 Synthesis, photophysical and metal ion signalling behaviour of mono- and di-azacrown derivatives of 4-aminophthalimide 105
- Platinized carbon electrode  
 An investigation into the electro-oxidation of ethanol and 2-propanol for application in direct alcohol fuel cells (DAFCs) 337
- Polarography  
 Electrochemical determination of hydrogen peroxide using *o*-dianisidine as substrate and hemoglobin as catalyst 317
- Polyaromatic hydrocarbons  
 A conceptual DFT approach towards analysing toxicity 599
- Polystyrene-anchored Schiff bases  
 Syntheses, magnetic and spectral studies on polystyrene supported coordination compounds of bidentate and tetradentate Schiff bases 247
- Porphyrin  
 The coordination chemistry of boron porphyrin complexes  $B_2OX_2(TpYPP)$  (X = OH, F; Y = Cl, CH<sub>3</sub>) and their chemical reactivities 515
- Porphyrin–anthraquinone dyad  
 Porphyrin–anthraquinone dyads: Synthesis, spectroscopy and photochemistry 193
- Potential energy surface (PES)  
 Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Prediction of regioselectivity  
 Bottlenecks in the prediction of regioselectivity of [4 + 2] cycloaddition reactions: An assessment of reactivity descriptors 573
- Principle of maximum hardness (PMH)  
 Chemical hardness and density functional theory 369
- 2-Propanol  
 An investigation into the electro-oxidation of ethanol and 2-propanol for application in direct alcohol fuel cells (DAFCs) 337
- QMD  
 Dynamic behavior of chemical reactivity indices in density functional theory: A Bohn–Oppenheimer quantum molecular dynamics study 477
- QSAR  
 Relationship between electrophilicity index, Hammett constant and nucleus-independent chemical shift 61
- Quantum chemistry  
 Some late-term thoughts of a density-functional theorist 613
- Quercetin  
 Fluorescence spectroscopic studies on binding of a flavonoid antioxidant quercetin to serum albumins 641
- Radical attacks  
 Study of atomic and condensed atomic indices for reactive sites of molecules 591
- Raman frequency  
 Modified Pippard relationship describing the Raman frequency shifts of the rotatory lattice mode of ammonia solid II in the vicinity of its melting point 677

- Reaction force  
The reaction force: Three key points along an intrinsic reaction coordinate 467
- Reactivity  
Relationship between electrophilicity index, Hammett constant and nucleus-independent chemical shift 61  
The coordination chemistry of boron porphyrin complexes  $B_2OX_2$  ( $TpYPP$ ) ( $X = OH, F$ ;  $Y = Cl, CH_3$ ) and their chemical reactivities 515
- Reactivity descriptors  
Equalization equations in reactant resolution 491  
Bottlenecks in the prediction of regioselectivity of [4 + 2] cycloaddition reactions: An assessment of reactivity descriptors 573
- Reactivity index  
Hardness and excitation energy 437
- SH Reactivity study  
Metal ion coordination in ‘R’ and ‘T’ state hybrid hemoglobins as revealed by optical, EPR and sulphhydryl reactivity studies 85
- Redox active Cu(II) center  
Synthesis, characterisation of few N-substituted 1,8-naphthalimide derivatives and their copper(II) complexes 117
- Redox potential  
Influence of charged microenvironment on redox potential and diffusion coefficient of  $[Fe_4S_4(SPh)_4](NBu_4)_2$  in DMF and inside CTAB film on electrode surface 657
- Redox properties  
Porphyrin–anthraquinone dyads: Synthesis, spectroscopy and photochemistry 193
- Regional DFT  
Investigation of the role of the C–PCM solvent effect in reactivity indices 583
- Regioselectivity  
Regioselectivity in the [2 + 2] cyclo-addition reaction of triplet carbonyl compounds to substituted alkenes (Paterno–Büchi reaction): A spin-polarized conceptual DFT approach 561
- Repair by caffeic acid  
Mechanism of protection of adenosine from sulphate radical anion and repair of adenosine radicals by caffeic acid in aqueous solution 345
- Repair of adenosine radicals  
Mechanism of protection of adenosine from sulphate radical anion and repair of adenosine radicals by caffeic acid in aqueous solution 345
- N*-representability problem  
Generalized density-functional theory: Conquering the *N*-representability problem with exact functionals for the electron pair density and the second-order reduced density matrix 507
- Retro reactions  
Studies on NaI/DMSO induced *retro*-Michael addition (RMA) reactions on some 1,5-dicarbonyl compounds 27
- Rhodium and iridium complexes  
Rhodium and iridium complexes of N-(2'-hydroxyphenyl)pyrrole-2-alimine: Synthesis, structure, and spectral and electrochemical properties 167
- Rifampicin  
Mechanism of interaction of vincristine sulphate and rifampicin with bovine serum albumin: A spectroscopic study 649
- Robinson annulation  
Solvent-free microwave-mediated Michael addition reactions 323
- Ruthenium(II) complexes  
Ruthenium(II) complexes containing bidentate Schiff bases and triphenylphosphine or triphenylarsine 235
- Ruthenium(II) polypyridyl complexes  
Mixed-ligand complexes of ruthenium(II) incorporating a diazo ligand: Synthesis, characterization and DNA binding 153
- Ruthenium(III) catalysis  
Kinetic, mechanistic and spectral investigation of ruthenium (III)-catalysed oxidation of atenolol by alkaline permanganate (stopped-flow technique) 33
- Schiff base  
Effect of copper–sulphur bond on the DNA photocleavage activity of 2-(methylthio)ethylpyridine-2-carbaldimine copper(II) complexes 123  
Ruthenium(II) complexes containing bidentate Schiff bases and triphenylphosphine or triphenylarsine 235
- Selenium  
Thiol peroxidase-like activity of some intramolecularly coordinated diorganyl diselenides 621
- Selenium selenocysteine  
Selenium-containing enzymes in mammals: Chemical perspectives 287
- Selenoenzymes  
Selenium-containing enzymes in mammals: Chemical perspectives 287
- Self-assembly  
Synthesis and crystal structure of 5-(4'-carboxyphenyl)-10,15,20-tri(4'-*t*-butylphenyl)porphyrinato zinc(II) complex 139
- Separability  
Separability of local reactivity descriptors 497
- Shape function  
Molecular quantum similarity using conceptual DFT descriptors 425
- Shell structure  
Electron localization functions and local measures of the covariance 441

- Silver nanoparticles  
 Synthesis of nanosized silver colloids by microwave dielectric heating 53
- b**-Sitosterol-3-O-**b**-D-xylopyranoside  
**b**-Sitosterol-3-O-**b**-D-xylopyranoside from the flowers of *Tridax procumbens* Linn. 263
- Smectic A  
 Azomesogens with methoxyethyl tail: Synthesis and characterization 255
- Sodium cation as linkers  
 Supramolecular assembly based on a heteropolyanion: Synthesis and crystal structure of  $\text{Na}_3(\text{H}_2\text{O})_6[\text{Al}(\text{OH})_6\text{Mo}_6\text{O}_{18}]\cdot 2\text{H}_2\text{O}$  227
- Softness  
 Chemical hardness and density functional theory 369
- Spectral and electrochemical properties  
 Rhodium and iridium complexes of N-(2'-hydroxyphenyl)pyrrole-2-alimine: Synthesis, structure, and spectral and electrochemical properties 167
- Spectral studies  
 Ruthenium(II) complexes containing bidentate Schiff bases and triphenylphosphine or triphenylarsine 235
- Spectrophotometry  
 A *trans* influence study in propyl (aquo)cobaloxime by imidazoles and amino acids 305
- Spin-polarized conceptual DFT approach  
 Regioselectivity in the [2 + 2] cyclo-addition reaction of triplet carbonyl compounds to substituted alkenes (Paterno-Büchi reaction): A spin-polarized conceptual DFT approach 561
- Spurious stationary points  
 Basis set effects on energy and hardness profiles of the hydrogen fluoride dimer 549
- Steroid  
 Molecular quantum similarity using conceptual DFT descriptors 425
- Steroid saponin  
**b**-Sitosterol-3-O-**b**-D-xylopyranoside from the flowers of *Tridax procumbens* Linn. 263
- Stopped-flow technique  
 Kinetic, mechanistic and spectral investigation of ruthenium (III)-catalysed oxidation of atenolol by alkaline permanganate (stopped-flow technique) 33
- Structure-activity relationships  
 A conceptual DFT approach towards analysing toxicity 599
- Structure-breakers  
 Viscosities of oxalic acid and its salts in water and binary aqueous mixtures of tetrahydrofuran at different temperatures 351
- Subunit heterogeneity  
 Metal ion coordination in 'R' and 'T' state hybrid hemoglobins as revealed by optical, EPR and sulphhydryl reactivity studies 85
- N-substituted 1,8-naphthalimides  
 Synthesis, characterisation of few N-substituted 1,8-naphthalimide derivatives and their copper(II) complexes 117
- Sucrose-alkali metal halide solutions  
 Viscometric and thermodynamic studies of interactions in ternary solutions containing sucrose and aqueous alkali metal halides at 293.15, 303.15 and 313.15 K 275
- Superlattices  
 Superlattice configurations in linear chain hydrocarbon binary mixtures – Case of  $n\text{-C}_{28}\text{H}_{58}$ :  $n\text{-C}_x\text{H}_{2x+2}$  ( $x = 10, 12, 14, 16$ ) 43
- Surface coverage  
 Underpotential deposition of metals – Progress and prospects in modelling 207
- Surfactant films  
 Influence of charged microenvironment on redox potential and diffusion coefficient of  $[\text{Fe}_4\text{S}_4(\text{SPh})_4](\text{NBu}_4)_2$  in DMF and inside CTAB film on electrode surface 657
- Swelling mechanism  
 Application of localized reactivity index in combination with periodic DFT calculation to rationalize the swelling mechanism of clay type inorganic material 533
- Temperature effect  
 Adsorption studies of iron(III) on chitin 663
- Ternary solutions  
 Viscometric and thermodynamic studies of interactions in ternary solutions containing sucrose and aqueous alkali metal halides at 293.15, 303.15 and 313.15 K 275
- Tetrafurylporphyrins  
 Fluorescence properties of meso-tetrafurylporphyrins 161
- Thermal expansivity  
 Modified Pippard relationship describing the Raman frequency shifts of the rotatory lattice mode of ammonia solid II in the vicinity of its melting point 677
- Thiol peroxidase  
 Thiol peroxidase-like activity of some intramolecularly coordinated diorganyl diselenides 621
- Third-order energy derivatives  
 Third-order energy derivative corrections to the Kohn-Sham orbital hardness tensor 485
- Three-dimensional network structure  
 Supramolecular assembly based on a heteropolyanion: Synthesis and crystal structure of  $\text{Na}_3(\text{H}_2\text{O})_6[\text{Al}(\text{OH})_6\text{Mo}_6\text{O}_{18}]\cdot 2\text{H}_2\text{O}$  227
- Thyroxine  
 Selenium-containing enzymes in mammals: Chemical perspectives 287

- Time-resolved studies  
 Porphyrin–anthraquinone dyads: Synthesis, spectroscopy and photochemistry 193
- Toxicity  
 A conceptual DFT approach towards analyzing toxicity 599
- Trans* influence  
 A *trans* influence study in propyl (aquo)cobaloxime by imidazoles and amino acids 305
- Transfer functions  
 Volumetric studies of some amino acids in binary aqueous solutions of MgCl<sub>2</sub>·6H<sub>2</sub>O at 288·15, and 308·15 K 267
- Tri *t*-butylphenol  
 Iron(III) porphyrin-catalysed oxidation reactions by *m*-chloroperbenzoic acid: Nature of reactive intermediates 187
- Tridax procumbens* Linn.  
**b**-Sitosterol-3-O-**b**-D-xylopyranoside from the flowers of *Tridax procumbens* Linn. 263
- N-tridentate ligand  
 Fixation of CO<sub>2</sub> in air: Synthesis and crystal structure of a **m**<sub>3</sub>-CO<sub>3</sub>-bridged tricopper(II) compound 111
- Triphenyl phosphine  
 Ruthenium(II) complexes containing bidentate Schiff bases and triphenylphosphine or triphenylarsine 235
- Triply bridging carbonate group  
 Fixation of CO<sub>2</sub> in air: Synthesis and crystal structure of a **m**<sub>3</sub>-CO<sub>3</sub>-bridged tricopper(II) compound 111
- Underpotential deposition  
 Underpotential deposition of metals – Progress and prospects in modelling 207
- Unfolded proteins  
 NMR of unfolded proteins 3
- Variable parameters  
 Adsorption studies of iron(III) on chitin 663
- Vector space  
 Geometric interpretation of density displacements and charge sensitivities 455
- Vincristine sulphate  
 Mechanism of interaction of vincristine sulphate and rifampicin with bovine serum albumin: A spectroscopic study 649
- Viscosities  
 Viscosities of oxalic acid and its salts in water and binary aqueous mixtures of tetrahydrofuran at different temperatures 351
- Water + THF mixtures  
 Viscosities of oxalic acid and its salts in water and binary aqueous mixtures of tetrahydrofuran at different temperatures 351
- Work function  
 Underpotential deposition of metals – Progress and prospects in modelling 207
- Zinc complexes  
 Biocatalysis by metallated cyclotriphosphazenes: L<sub>2</sub>Zn(NO<sub>3</sub>)<sub>2</sub> {L = *spiro*-N<sub>3</sub>P<sub>3</sub>[O<sub>2</sub>C<sub>12</sub>H<sub>8</sub>][N(CH<sub>3</sub>)NH<sub>2</sub>]} as a synthetic phosphoesterase and nuclease 175
- Zinc  
 Synthesis and characterization of mixed ligand complexes of Zn(II) and Co(II) with amino acids: Relevance to zinc binding sites in zinc fingers 239