

## SUBJECT INDEX

- a.c. impedance  
Crystal structure and ionic conductivity of a new bismuth tungstate,  $\text{Bi}_3\text{W}_2\text{O}_{10-5}$  46
- Alkali metal  
Utilization of  $\text{LVO}_2$  species ( $\text{L}^{2-}$  is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475
- Alkaloids  
Creative research in the chemical industry – Four decades in retrospect 291
- 1-Alkyl-2-(aryloxy)imidazole  
Gold(III)pentafluorophenylaryloxyimidazole: Synthesis and spectral (H, C, COSY, HMQC NMR) characterization 385
- Allylation  
On the key role of water in the allylic activation catalysed by Pd (II) bisphosphinite complexes 569
- Amines  
Synthesis, spectra and electrochemistry of dinitro-*bis*-{2-(phenylazo)pyrimidine} ruthenium(II). Nitro-nitroso derivatives and reactivity of the electrophilic nitrosyl centre 399
- Amino acid  
Low-molecular-weight poly-carboxylate as crystal growth modifier in biomineralization 519
- Aniline  
Aniline incorporated silica nanobubbles 375
- Antithaemostatic activity  
Synthesis, spectral characterization and antithaemostatic activity of 1,2,4-triazoles incorporating 1,2,4-triazine rings 191
- Antioxidants  
Thyroid hormone synthesis and anti-thyroid drugs: A bioinorganic chemistry approach 619
- Anti-thyroid drugs  
Thyroid hormone synthesis and anti-thyroid drugs: A bioinorganic chemistry approach 619
- Applications in gravimetric analysis  
Structural, thermal and spectroscopic properties of supramolecular coordination solids 487
- Aqueous medium  
Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- Aromatic methyl esters  
Sodium borohydride reduction of aromatic carboxylic acids via methyl esters 419
- Aromaticity  
Theoretical study of aromaticity in inorganic tetramer clusters 575
- Arylhydrazone  
Synthesis, spectra and electrochemistry of dinitro-*bis*-{2-(phenylazo)pyrimidine} ruthenium(II). Nitro-nitroso derivatives and reactivity of the electrophilic nitrosyl centre 399
- N-Aryl-N'-[4-(sydnnon-3-yl)] phenyl ureas  
Curtius rearrangement reactions of 3-(4-azido-carbonyl)phenylsydnnon. Synthesis of 4-(sydnnon-3-yl) phenyl carbamates, N-aryl-N'-[4-(sydnnon-3-yl)] phenyl ureas and their antimicrobial and insecticidal activities 249
- 2-(Aryloxy)pyrimidine  
Sulphur-bridged ruthenium-molybdenum complexes: [(R-aapm)<sub>2</sub>Ru( $\mu$ -S)<sub>2</sub> Mo(OH)<sub>2</sub>]. Synthesis, spectroscopic and electro-chemical characterization. R-aapm = 2-(aryloxy)pyrimidine 171
- Synthesis, spectra and electrochemistry of dinitro-*bis*-{2-(phenylazo)pyrimidine} ruthenium(II). Nitro-nitroso derivatives and reactivity of the electrophilic nitrosyl centre 399
- Atom economy  
One-pot efficient green synthesis of 1,4-dihydroquinoxaline-2,3-dione derivatives 425
- Atomistic computer simulations  
Ionic conduction in the solid state 135
- Autocombustion  
Influence of fuel ratios on auto combustion synthesis of barium ferrite nano particles 15
- Automatic TPR  
Design and fabrication of an automated temperature programmed reaction system to evaluate 3-way catalysts  $\text{Ce}_{1-x-y}(\text{La}/\text{Y})_x\text{Pt}_y\text{O}_{2-\delta}$  47
- Axial ligation  
Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Azomesogens  
Mesogenic benzothiazole derivatives with methoxy substituents 203
- 1,3-Azoles  
An unusual hydrogen addition of indolo-2,3-quinodimethanes to dimethylindoles in the presence of 1,3-azoles 195
- 3-(4-Azidocarbonyl)phenylsydnnon  
Curtius rearrangement reactions of 3-(4-azidocarbonyl)phenylsydnnon. Synthesis of 4-(sydnnon-3-yl) phenyl carbamates, N-aryl-N'-[4-(sydnnon-3-yl)] phenyl ureas and their antimicrobial and insecticidal activities 249

- Barium ferrite  
Influence of fuel ratios on auto combustion synthesis of barium ferrite nano particles 15
- Biom mineralization  
Low-molecular-weight poly-carboxylate as crystal growth modifier in biom mineralization 519
- Bis*-(bromomethyl)indole  
An unusual hydrogen addition of indolo-2,3-quinodimethanes to dimethylindoles in the presence of 1,3-azoles 195
- bis*-Benzimidazolediamide  
Activation of peroxy and molecular oxygen using *bis*-benzimidazole diamide copper (II) compounds 553
- N-N-Biheterocycles  
Synthesis, spectral characterization and antihemostatic activity of 1,2,4-triazoles incorporating 1,2,4-triazine rings 191
- Bismuth tungstate  
Crystal structure and ionic conductivity of a new bismuth tungstate,  $\text{Bi}_3\text{W}_2\text{O}_{10.5}$  46
- Bisphosphines  
On the key role of water in the allylic activation catalysed by Pd (II) *bis*phosphinite complexes 569
- Bisphosphinites  
On the key role of water in the allylic activation catalysed by Pd (II) *bis*phosphinite complexes 569
- Bromination  
Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- N-Bromo-arylsulphonamides  
A study of substituent effect on the oxidative strengths of sodium salts of N-bromo-arylsulphonamides: Kinetics and mechanism of oxidation of D-fructose and D-glucose in alkaline medium 351
- C-H...O Hydrogen bonding interaction  
A chiral Mn(IV) complex and its supramolecular assembly: Synthesis, characterization and properties 311
- Calcium mineral  
Low-molecular-weight poly-carboxylate as crystal growth modifier in biom mineralization 519
- Carbene complex synthesis  
Synthesis, spectroscopic characterization and electronic structure of some new Cu(I) carbene complexes 237
- Carbocycles  
Factors influencing ring closure through olefin metathesis – A perspective 223
- Carbon nanotubes  
Improved synthesis of carbon nanotubes with junctions and of single-walled carbon nanotubes 9
- Carbon onions  
Aniline incorporated silica nanobubbles 375
- Carbon tetrachloride  
Quantum yield of  $\text{Cl}^*$  ( $^2P_{1/2}$ ) production in the gas phase photolysis of  $\text{CCl}_4$  in the ultraviolet 341
- Carboxylate analogue  
Utilization of  $\text{LVO}_2^-$  species ( $\text{L}^{2-}$  is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475
- Catalytic activity  
Tuning size and catalytic activity of nano-clusters of cobalt oxide 179
- Catechol oxidase  
Activation of peroxy and molecular oxygen using *bis*-benzimidazole diamide copper (II) compounds 553
- Cation exchanger  
A study on equilibrium and kinetics of ion exchange of alkaline earth metals using an inorganic cation exchanger – zirconium titanium phosphate 185
- Ceria  
Design and fabrication of an automated temperature programmed reaction system to evaluate 3-way catalysts  $\text{Ce}_{1-x-y}(\text{La}/\text{Y})_x\text{Pt}_y\text{O}_{2-\delta}$  reaction system to evaluate 3-way catalysts  $\text{Ce}_{1-x-y}(\text{La}/\text{Y})_x\text{Pt}_y\text{O}_{2-\delta}$  47
- Cetyl trimethylammonium bromide  
Temperature effects on surface activity and application in oxidation of toluene derivatives of CTAB-SDS with  $\text{KMnO}_4$  281
- Chalcogenolates  
Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547
- Characterization  
A chiral Mn(IV) complex and its supramolecular assembly: Synthesis, characterization and properties 311
- Charge transfer  
Correlation of the isosteric heat of adsorption of organic molecules over zeolites with equalized electronegativity and chemical hardness 345
- Chemical hardness  
Correlation of the isosteric heat of adsorption of organic molecules over zeolites with equalized electronegativity and chemical hardness 345
- Chemical/electronic inhomogeneity  
A microspectroscopic study of the electronic homogeneity of ordered and disordered  $\text{Sr}_2\text{FeMoO}_6$  87
- Chiral Mn(IV) complex  
A chiral Mn(IV) complex and its supramolecular assembly: Synthesis, characterization and properties 311
- Citric acid–disodium hydrogen orthophosphate aqueous system  
Study of apparent molal volume and viscosity of mutual citric acid and disodium hydrogen orthophosphate aqueous systems 269
- Cobalt  
Hydrothermal syntheses and single crystal structural characterization of  $\text{M}(\text{H}_2\text{O})_6(\text{OPTA})_2$  [ $\text{M} = \text{Co}(\text{II}), \text{Ni}(\text{II}), \text{Zn}(\text{II})$ ; OPTA = 1-oxopyridinium-2-thioacetato] 243

- Cobalt oxide  
Tuning size and catalytic activity of nano-clusters of cobalt oxide 179
- Coordination behaviour  
Protonation constant of salicylidene (N-benzoyl) glycol hydrazone and its coordination behaviour towards some bivalent metal ions 327
- Copper  
Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Copper amine complex  
Formation of high nuclearity mixed-valent polyoxovanadates in the presence of copper amine complexes 79
- Copper(I) carbene complex  
Synthesis, spectroscopic characterization and electronic structure of some new Cu(I) carbene complexes 237
- Copper(II)  
Activation of peroxy and molecular oxygen using *bis*-benzimidazole diamide copper (II) compounds 553
- Copper(II) complexes  
Photocleavage of DNA by copper(II) complexes 443
- Copper<sup>II</sup>-biguanide  
Mixed-ligand complex formation equilibria of Cu<sup>II</sup> with biguanide in presence of glycine as the auxiliary ligand 411
- Core-shell particles  
Aniline incorporated silica nanobubbles 375
- Corrosion  
A low-cost lead-acid battery with high specific-energy 93
- COSY  
Gold(III)pentafluorophenylaryloimidazole: Synthesis and spectral (H, C, COSY, HMQC NMR) characterization 385
- Coupled oxidation  
Dioxygen reactivity of *meso*-hydroxylated hemes: intermediates in heme degradation process catalyzed by heme oxygenase 463
- Creative research  
Creative research in the chemical industry – Four decades in retrospect 291
- Crystal structure  
Two new polyoxovanadate clusters templated through cysteamine 159  
A chiral Mn(IV) complex and its supramolecular assembly: Synthesis, characterization and properties 311  
*meso*-Tetrathienylporphyrins: Steady-state emission and structural properties 393  
Structural, thermal and spectroscopic properties of supramolecular coordination solids 487  
One-pot synthesis of a Mn(III)–Cu(II)–Mn(III) trinuclear heterometallic compound formed by Mn⋯S–Cu–S⋯Mn supramolecular interactions: Crystal structure of  $[\{Mn^{III}(salph)(H_2O)\}_2\{Cu^{II}(mnt)_2\}]\cdot 4DMF$  611
- 1,2-CTD enzymes  
Iron(III) complexes of certain tetradentate phenolate ligands as functional models for catechol dioxygenases 601
- Cu(I)–Carbene electronic structure  
Synthesis, spectroscopic characterization and electronic structure of some new Cu(I) carbene complexes 237
- Curtius rearrangement  
Curtius rearrangement reactions of 3-(4-azidocarbonyl) phenylsydnone. Synthesis of 4-(sydnon-3-yl) phenyl carbamates, N-aryl-N'-[4-(sydnon-3-yl)] phenyl ureas and their antimicrobial and insecticidal activities 249
- Cyclic dibromide  
A novel hydrogen-bonded cyclic dibromide in an organic diammonium salt 211
- Cyclocondensation  
Synthesis, spectral characterization and antihemostatic activity of 1,2,4-triazoles incorporating 1,2,4-triazine rings 191
- Cysteamine  
Two new polyoxovanadate clusters templated through cysteamine 159
- Decavanadate  
Two new polyoxovanadate clusters templated through cysteamine 159
- Density functional theory  
Theoretical study of aromaticity in inorganic tetramer clusters 575
- Density/viscosity of aqueous systems  
Study of apparent molal volume and viscosity of mutual citric acid and disodium hydrogen orthophosphate aqueous systems 269
- DFT calculations  
Tuning intermetallic electronic coupling in polyruthenium systems via molecular architecture 537
- N,N'-Dibenzyl-N,N',N'-tetramethylethylenediammonium dibromide  
A novel hydrogen-bonded cyclic dibromide in an organic diammonium salt 211
- Dielectric properties  
A new form of MgTa<sub>2</sub>O<sub>6</sub> obtained by the molten salt method 32
- Diffuse reflectance UV-visible-NIR studies  
Structural, thermal and spectroscopic properties of supramolecular coordination solids 487
- Dihydrogen  
Snapshots of the 'breaking' of the H–H bond in the oxidative addition of H<sub>2</sub> to a metal centre 579
- Dimethylindoles  
An unusual hydrogen addition of indolo-2,3-quinodimethanes to dimethylindoles in the presence of 1,3-azoles 195

- 1,3-Dipolar cycloaddition  
 Synthesis, spectral characterization and antihemostatic activity of 1,2,4-triazoles incorporating 1,2,4-triazine rings 191
- Diphenyl amine  
 Linear free energy relationship in reactions between diphenyl amine and benzyl bromides 257
- Diphenyl-2-pyridylphosphine  
 Substitution reactions of diphenyl-2-pyridylphosphine with  $[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\mu\text{-Cl})\text{Cl}]_2$  (M = Rh or Ir) dimers: Isolation of mono-, di- and chelating complexes 319
- Disordered  $\text{Sr}_2\text{FeMoO}_6$   
 A microspectroscopic study of the electronic homogeneity of ordered and disordered  $\text{Sr}_2\text{FeMoO}_6$  87
- Dithia tetraphenylporphine cation  
 Fourier-transform infrared spectroscopic studies of dithia tetraphenylporphine 361
- Dithia tetraphenylporphine  
 Fourier-transform infrared spectroscopic studies of dithia tetraphenylporphine 361
- Dithiolene  
 One-pot synthesis of a Mn(III)–Cu(II)–Mn(III) trinuclear heterometallic compound formed by Mn...S–Cu–S...Mn supramolecular interactions: Crystal structure of  $[\{\text{Mn}^{\text{III}}(\text{salph})(\text{H}_2\text{O})\}_2\{\text{Cu}^{\text{II}}(\text{mnt})_2\}]\cdot 4\text{DMF}$  611
- DMRG technique  
 A density matrix renormalization group study of low-lying excitations of polythiophene within a Pariser–Parr–Pople model 67
- DNA photocleavage  
 Photocleavage of DNA by copper(II) complexes 443
- Donor–acceptor system  
 Fluorescence resonance energy transfer (FRET) in chemistry and biology: Non-Förster distance dependence of the FRET rate 23
- Double-perovskite structure  
 A microspectroscopic study of the electronic homogeneity of ordered and disordered  $\text{Sr}_2\text{FeMoO}_6$  87
- Electrocatalysis sensor  
 Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Electrochemical reduction  
 A study of quasi reversible nitro radical anion from  $\beta$ -nitrostyrene at wax-impregnated carbon paste electrode 275
- Electronic coupling  
 Tuning intermetallic electronic coupling in polyruthenium systems via molecular architecture 537
- Electrophilic nitrosyl centre  
 Synthesis, spectra and electrochemistry of dinitro-*bis*-{2-(phenylazo)pyrimidine} ruthenium(II). Nitro-nitroso derivatives and reactivity of the electrophilic nitrosyl centre 399
- Emission properties  
 Inclusion of poly-aromatic hydrocarbon (PAH) molecules in a functionalized layered double hydroxide 105
- Enolizable ketone  
 An efficient synthesis of quinolines under solvent-free conditions 199
- Equalized electro negativity  
 Correlation of the isosteric heat of adsorption of organic molecules over zeolites with equalized electro-negativity and chemical hardness 345
- Ethane  
 Non-catalytic pyrolysis of ethane to ethylene in the presence of  $\text{CO}_2$  with or without limited  $\text{O}_2$  261
- Ethane cracking in presence of  $\text{CO}_2$   
 Non-catalytic pyrolysis of ethane to ethylene in the presence of  $\text{CO}_2$  with or without limited  $\text{O}_2$  261
- Ethane cracking in presence of  $\text{CO}_2$  and limited  $\text{O}_2$   
 Non-catalytic pyrolysis of ethane to ethylene in the presence of  $\text{CO}_2$  with or without limited  $\text{O}_2$  261
- Ethylene  
 Non-catalytic pyrolysis of ethane to ethylene in the presence of  $\text{CO}_2$  with or without limited  $\text{O}_2$  261
- Excitation wavelength-dependent fluorescence  
 Optical absorption and fluorescence studies on imidazolium ionic liquids comprising the *bis*(trifluoromethanesulphonyl)imide anion 335
- Fluorescence  
 A density matrix renormalization group study of low-lying excitations of polythiophene within a Pariser–Parr–Pople model 67
- Fluorescence resonance energy transfer (FRET)  
 Fluorescence resonance energy transfer (FRET) in chemistry and biology: Non-Förster distance dependence of the FRET rate 23
- Formation constants  
 Mixed-ligand complex formation equilibria of  $\text{Cu}^{\text{II}}$  with biguanide in presence of glycine as the auxiliary ligand 411
- D-Fructose  
 A study of substituent effect on the oxidative strengths of sodium salts of N-bromo-arylsulphonamides: Kinetics and mechanism of oxidation of D-fructose and D-glucose in alkaline medium 351
- Frustrated behaviour  
 Synthesis, structure and magnetic properties of the polyoxovanadate cluster  $[\text{Zn}_2(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_5][\{\text{Zn}(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_2\}_2\{\text{V}_{18}\text{O}_{42}(\text{H}_2\text{O})\}]\cdot x\text{H}_2\text{O}$  ( $x \sim 12$ ), possessing a layered structure 57
- Fuel ratios  
 Influence of fuel ratios on auto combustion synthesis of barium ferrite nano particles 15
- Functional and structural models  
 Iron(III) complexes of certain tetradentate phenolate ligands as functional models for catechol dioxygenases 601

- Galactose oxidase  
Activation of peroxy and molecular oxygen using *bis*-benzimidazole diamide copper (II) compounds 553
- Gas phase  
Quantum yield of  $Cl^*$  ( $^2P_{1/2}$ ) production in the gas phase photolysis of  $CCl_4$  in the ultraviolet 341
- D-Glucose  
A study of substituent effect on the oxidative strengths of sodium salts of *N*-bromo-arylsulphonamides: Kinetics and mechanism of oxidation of D-fructose and D-glucose in alkaline medium 351
- Glycinate  
Mixed-ligand complex formation equilibria of  $Cu^{II}$  with biguanide in presence of glycine as the auxiliary ligand 411
- Gold(I)  
Gold(III)pentafluorophenylarylaazoimidazole: Synthesis and spectral (H, C, COSY, HMQC NMR) characterization 385
- Green chemistry  
One-pot efficient green synthesis of 1,4-dihydroquinoxaline-2,3-dione derivatives 425
- Grinding  
One-pot efficient green synthesis of 1,4-dihydroquinoxaline-2,3-dione derivatives 425
- Growth modifier  
Low-molecular-weight poly-carboxylate as crystal growth modifier in biomineralization 519
- $^1H$ ,  $^{13}C$ ,  $^{19}F$   
Gold(III)pentafluorophenylarylaazoimidazole: Synthesis and spectral (H, C, COSY, HMQC NMR) characterization 385
- Haloperoxidases  
Structural models of vanadate-dependent haloperoxidases and their reactivity 503
- Helicate  
Utilization of  $LVO_2$  species ( $L^{2-}$  is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475
- Heme degradation  
Dioxygen reactivity of *meso*-hydroxylated hemes: intermediates in heme degradation process catalyzed by heme oxygenase 463
- Heme oxygenase  
Dioxygen reactivity of *meso*-hydroxylated hemes: intermediates in heme degradation process catalyzed by heme oxygenase 463
- Heterobimetallic complexes  
Synthesis and spectroscopic properties of homo- and heterobimetallic complexes of oxovanadium(V) 165
- Heterocycles  
Factors influencing ring closure through olefin metathesis – A perspective 223  
Creative research in the chemical industry – Four decades in retrospect 291
- High resolution transmission electron microscopy  
A new form of  $MgTa_2O_6$  obtained by the molten salt method 32
- HMQC NMR  
Gold(III)pentafluorophenylarylaazoimidazole: Synthesis and spectral (H, C, COSY, HMQC NMR) characterization 385
- Hydride complexes  
Snapshots of the “breaking” of the H–H bond in the oxidative addition of  $H_2$  to a metal centre 579
- Hydrogen addition  
An unusual hydrogen addition of indolo-2,3-quinodimethanes to dimethylindoles in the presence of 1,3-azoles 195
- Hydrogen bonding interactions  
A novel hydrogen-bonded cyclic dibromide in an organic diammonium salt 211
- Hydrothermal conditions  
Formation of high nuclearity mixed-valent polyoxovanadates in the presence of copper amine complexes 79
- Hydrothermal  
Hydrothermal syntheses and single crystal structural characterization of  $M(H_2O)_6(OPTA)_2$  [ $M = Co(II), Ni(II), Zn(II)$ ; OPTA = 1-oxopyridinium-2-thioacetato] 243
- Hydrothermal methods  
The use of hydrothermal methods in the synthesis of novel open-framework materials 525
- Imidazole  
Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Imidazolium ionic liquids  
Optical absorption and fluorescence studies on imidazolium ionic liquids comprising the *bis*(trifluoromethanesulphonyl)imide anion 335
- Indium  
Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547
- Indolo-2,3-quinodimethane  
An unusual hydrogen addition of indolo-2,3-quinodimethanes to dimethylindoles in the presence of 1,3-azoles 195
- Infrared spectra  
Fourier-transform infrared spectroscopic studies of dithia tetraphenylporphine 361
- Inorganic ion exchanger  
A study on equilibrium and kinetics of ion exchange of alkaline earth metals using an inorganic cation exchanger – zirconium titanium phosphate 185
- Inorganic tetramer clusters  
Theoretical study of aromaticity in inorganic tetramer clusters 575

- Intercalation  
Syntheses, structure and intercalation properties of low-dimensional phenylarsonates,  $A(\text{HO}_3\text{AsC}_6\text{H}_5)(\text{H}_2\text{O}_3\text{AsC}_6\text{H}_5)$  ( $A = \text{Tl}, \text{Na}, \text{K}$  and  $\text{Rb}$ ) 117
- Interstratification  
Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Intradiol cleavage  
Iron(III) complexes of certain tetradentate phenolate ligands as functional models for catechol dioxygenases 601
- Iodination  
Thyroid hormone synthesis and anti-thyroid drugs: A bioinorganic chemistry approach 619
- Ionic conduction  
Ionic conduction in the solid state 135
- Ionic crystals  
Hydrothermal syntheses and single crystal structural characterization of  $M(\text{H}_2\text{O})_6(\text{OPTA})_2$  [ $M = \text{Co(II)}, \text{Ni(II)}, \text{Zn(II)}$ ;  $\text{OPTA} = 1\text{-oxopyridinium-2-thioacetato}$ ] 243
- Iron(III) complexes  
Iron(III) complexes of certain tetradentate phenolate ligands as functional models for catechol dioxygenases 601
- Isokinetic temperature  
Linear free energy relationship in reactions between diphenyl amine and benzyl bromides 257
- Isosteric heat of adsorption  
Correlation of the isosteric heat of adsorption of organic molecules over zeolites with equalized electronegativity and chemical hardness 345
- T- & Y-Junctions of nanotubes  
Improved synthesis of carbon nanotubes with junctions and of single-walled carbon nanotubes 9
- Kasha rule  
A density matrix renormalization group study of low-lying excitations of polythiophene within a Pariser–Parr–Pople model 67
- Kinetics of ion exchange  
A study on equilibrium and kinetics of ion exchange of alkaline earth metals using an inorganic cation exchanger – zirconium titanium phosphate 185
- Kinetics of oxidation  
A study of substituent effect on the oxidative strengths of sodium salts of N-bromo-arylsulphonamides: Kinetics and mechanism of oxidation of D-fructose and D-glucose in alkaline medium 351
- Layered double hydroxide  
Inclusion of poly-aromatic hydrocarbon (PAH) molecules in a functionalized layered double hydroxide 105
- Layered double hydroxides  
Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Layered structure  
Synthesis, structure and magnetic properties of the polyoxovanadate cluster  $[\text{Zn}_2(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_5][\{\text{Zn}(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_2\}_2\{\text{V}_{18}\text{O}_{42}(\text{H}_2\text{O})\}] \cdot x\text{H}_2\text{O}$  ( $x \sim 12$ ), possessing a layered structure 57
- Lead-acid battery  
A low-cost lead-acid battery with high specific-energy 93
- Limiting constants at infinite dilution  
Study of apparent molal volume and viscosity of mutual citric acid and disodium hydrogen orthophosphate aqueous systems 269
- Linear free energy relationship  
Linear free energy relationship in reactions between diphenyl amine and benzyl bromides 257
- Low-dimensional compounds  
Syntheses, structure and intercalation properties of low-dimensional phenylarsonates,  $A(\text{HO}_3\text{AsC}_6\text{H}_5)(\text{H}_2\text{O}_3\text{AsC}_6\text{H}_5)$  ( $A = \text{Tl}, \text{Na}, \text{K}$  and  $\text{Rb}$ ) 117
- Low-lying excited states  
A density matrix renormalization group study of low-lying excitations of polythiophene within a Pariser–Parr–Pople model 67
- Low-molecular-weight chiral poly-carboxylate  
Low-molecular-weight poly-carboxylate as crystal growth modifier in biomineralization 519
- Magnetism  
Formation of high nuclearity mixed-valent polyoxovanadates in the presence of copper amine complexes 79  
Reverse micellar synthesis and properties of nanocrystalline GMR materials ( $\text{LaMnO}_3$ ,  $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$  and  $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ ): Ramifications of size considerations 513
- Magnetization  
Structural, magnetic and magnetotransport properties of  $\text{La}_{0.7-x}\text{Ce}_x\text{Ba}_{0.3}\text{MnO}_3$  ( $x = 0.0\text{--}0.4$ ) 99
- Magneto-resistance  
Structural, magnetic and magnetotransport properties of  $\text{La}_{0.7-x}\text{Ce}_x\text{Ba}_{0.3}\text{MnO}_3$  ( $x = 0.0\text{--}0.4$ ) 99
- Mandelic acid  
On the key role of water in the allylic activation catalysed by Pd (II) bisphosphinite complexes 569
- Manganese(III)  
Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Manganites  
Structural, magnetic and magnetotransport properties of  $\text{La}_{0.7-x}\text{Ce}_x\text{Ba}_{0.3}\text{MnO}_3$  ( $x = 0.0\text{--}0.4$ ) 99

- Metal chalcogenides  
 Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547
- Metal isonicotinate tetrahydrates  
 Structural, thermal and spectroscopic properties of supramolecular coordination solids 487
- Metal nanoparticles  
 Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Metal–ligand charge transfer  
 Sulphur-bridged ruthenium–molybdenum complexes: [(R-aapm)<sub>2</sub>Ru( $\mu$ -S)<sub>2</sub> Mo(OH)<sub>2</sub>]. Synthesis, spectroscopic and electro-chemical characterization. R-aapm = 2-(arylo)pyrimidine 171
- Metalloligands  
 Synthesis and spectroscopic properties of homo- and heterobimetallic complexes of oxovanadium(V) 165
- Metalloporphyrins  
*meso*-Tetrathienylporphyrins: Steady-state emission and structural properties 393
- 6-Methoxybenzothiazole  
 Mesogenic benzothiazole derivatives with methoxy substituents 203
- MgTa<sub>2</sub>O<sub>6</sub>  
 A new form of MgTa<sub>2</sub>O<sub>6</sub> obtained by the molten salt method 32
- Microwave  
 An efficient synthesis of quinolines under solvent-free conditions 199
- Mitsunobu reaction intermediates  
 Unusual products in the reactions of phosphorus(III) compounds with N=N, C $\equiv$ C or conjugated double-bonded systems 495
- Mixed valency  
 Tuning intermetallic electronic coupling in polyruthenium systems via molecular architecture 537
- Mixed-ligand complexes  
 Synthesis and spectroscopic properties of homo- and heterobimetallic complexes of oxovanadium(V) 165
- Mixed-valence  
 Utilization of LVO<sub>2</sub> species (L<sup>2-</sup> is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475
- Modified electrode  
 Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Molten salt method  
 A new form of MgTa<sub>2</sub>O<sub>6</sub> obtained by the molten salt method 32
- Molybdenum and ruthenium alkylidines  
 Factors influencing ring closure through olefin metathesis – A perspective 223
- Müller-type clusters  
 Formation of high nuclearity mixed-valent polyoxovanadates in the presence of copper amine complexes 79
- Multi-ferrocene  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455
- Multi-porphyrin  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455
- Nafion<sup>®</sup>  
 Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Nano cluster  
 Tuning size and catalytic activity of nano-clusters of cobalt oxide 179
- Nano particle synthesis  
 Influence of fuel ratios on auto combustion synthesis of barium ferrite nano particles 15
- Nanomaterials  
 Reverse micellar synthesis and properties of nanocrystalline GMR materials (LaMnO<sub>3</sub>, La<sub>0.67</sub>Sr<sub>0.33</sub>MnO<sub>3</sub> and La<sub>0.67</sub>Ca<sub>0.33</sub>MnO<sub>3</sub>): Ramifications of size considerations 513
- Nanoparticles  
 Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547
- NASICON structure  
 Ionic conduction in the solid state 135
- Nematic  
 Mesogenic benzothiazole derivatives with methoxy substituents 203
- New drugs  
 Creative research in the chemical industry – Four decades in retrospect 291
- Nickel  
 Hydrothermal syntheses and single crystal structural characterization of M(H<sub>2</sub>O)<sub>6</sub>(OPTA)<sub>2</sub> [M = Co(II), Ni(II), Zn(II); OPTA = 1-oxopyridinium-2-thioacetato] 243
- Nitro radical anion  
 A study of quasi reversible nitro radical anion from  $\beta$ -nitrostyrene at wax-impregnated carbon paste electrode 275
- $\beta$ -Nitrostyrene  
 A study of quasi reversible nitro radical anion from  $\beta$ -nitrostyrene at wax-impregnated carbon paste electrode 275
- o*-Nitrobenzaldehyde  
 An efficient synthesis of quinolines under solvent-free conditions 199

- NMR  
 Protonation constant of salicylidene (N-benzoyl) glycylic hydrazone and its coordination behaviour towards some bivalent metal ions 327
- NMR spectroscopy  
 Snapshots of the “breaking” of the H–H bond in the oxidative addition of H<sub>2</sub> to a metal centre 579
- Non-covalent supramolecular interactions  
 One-pot synthesis of a Mn(III)–Cu(II)–Mn(III) trinuclear heterometallic compound formed by Mn···S–Cu–S···Mn supramolecular interactions: Crystal structure of [ $\{\text{Mn}^{\text{III}}(\text{salph})(\text{H}_2\text{O})\}_2\{\text{Cu}^{\text{II}}(\text{mnt})_2\}$ ].4DMF 611
- Non-Förster regime  
 Fluorescence resonance energy transfer (FRET) in chemistry and biology: Non-Förster distance dependence of the FRET rate 23
- Olefin metathesis  
 Factors influencing ring closure through olefin metathesis – A perspective 223
- One-pot synthesis  
 One-pot synthesis of a Mn(III)–Cu(II)–Mn(III) trinuclear heterometallic compound formed by Mn···S–Cu–S···Mn supramolecular interactions: Crystal structure of [ $\{\text{Mn}^{\text{III}}(\text{salph})(\text{H}_2\text{O})\}_2\{\text{Cu}^{\text{II}}(\text{mnt})_2\}$ ].4DMF 611
- Open-framework  
 The use of hydrothermal methods in the synthesis of novel open-framework materials 525
- Organic–inorganic hybrid composites  
 Syntheses, structure and intercalation properties of low-dimensional phenylarsonates, A(HO<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>)(H<sub>2</sub>O<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>) (A = Tl, Na, K and Rb) 117
- Organostannoxanes  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455
- Organotin  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455
- Oxalic acid  
 One-pot efficient green synthesis of 1,4-dihydro-quinoxaline-2,3-dione derivatives 425
- Oxidation  
 Temperature effects on surface activity and application in oxidation of toluene derivatives of CTAB–SDS with KMnO<sub>4</sub> 281
- Oxide ion conductivity  
 Crystal structure and ionic conductivity of a new bismuth tungstate, Bi<sub>3</sub>W<sub>2</sub>O<sub>10.5</sub> 46
- 1-Oxopyridinium-2-thioacetato  
 Hydrothermal syntheses and single crystal structural characterization of M(H<sub>2</sub>O)<sub>6</sub>(OPTA)<sub>2</sub> [M = Co(II), Ni(II), Zn(II); OPTA = 1-oxopyridinium-2-thioacetato] 243
- Oxovanadium(V) complexes  
 Synthesis and spectroscopic properties of homo- and heterobimetallic complexes of oxovanadium(V) 165
- Oxygenation of hydrocarbons  
 Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Palladium  
 Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547
- Palladium and platinum  
 On the key role of water in the allylic activation catalysed by Pd (II) *bis*phosphinite complexes 569
- Pentacoordinate phosphorus  
 Unusual products in the reactions of phosphorus(III) compounds with N=N, C≡C or conjugated double-bonded systems 495
- Pentadecavanadate  
 Two new polyoxovanadate clusters templated through cysteamine 159
- Pentamethylcyclopentadienyl  
 Substitution reactions of diphenyl-2-pyridylphosphine with [ $(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\mu\text{-Cl})\text{Cl}$ ]<sub>2</sub> (M = Rh or Ir) dimers: Isolation of mono-, di- and chelating complexes 319
- Periodate  
 Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Phase separation  
 A microspectroscopic study of the electronic homogeneity of ordered and disordered Sr<sub>2</sub>FeMoO<sub>6</sub> 87
- Phenanthroline bases  
 Photocleavage of DNA by copper(II) complexes 443
- Phenolate ligands  
 Iron(III) complexes of certain tetradentate phenolate ligands as functional models for catechol dioxygenases 601
- Phenylarsonates  
 Syntheses, structure and intercalation properties of low-dimensional phenylarsonates, A(HO<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>)(H<sub>2</sub>O<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>) (A = Tl, Na, K and Rb) 117
- o*-Phenylene diamine  
 One-pot efficient green synthesis of 1,4-dihydro-quinoxaline-2,3-dione derivatives 425
- Phosphonates  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455  
 Unusual products in the reactions of phosphorus(III) compounds with N=N, C≡C or conjugated double-bonded systems 495
- Photo-induced reduction  
 Utilization of LVO<sub>2</sub> species (L<sup>2-</sup> is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475

- Platinum  
 Synthesis and characterization of single-source molecular precursors for the preparation of metal chalcogenides 547  
 Nanostructured metal particle-modified electrodes for electrocatalytic and sensor applications 593
- Polyaniline  
 A low-cost lead-acid battery with high specific-energy 93
- Polyaromatic hydrocarbon molecules  
 Inclusion of poly-aromatic hydrocarbon (PAH) molecules in a functionalized layered double hydroxide 105
- Polymerisation  
 Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- Polynuclear ruthenium complexes  
 Tuning intermetallic electronic coupling in polyruthenium systems via molecular architecture 537
- Polyoxovanadate clusters  
 Synthesis, structure and magnetic properties of the polyoxovanadate cluster  $[\text{Zn}_2(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_5][\{\text{Zn}(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_2\}_2\{\text{V}_{18}\text{O}_{42}(\text{H}_2\text{O})\}] \cdot x\text{H}_2\text{O}$  ( $x \sim 12$ ), possessing a layered structure 57
- Polyoxovanadate  
 Formation of high nuclearity mixed-valent polyoxovanadates in the presence of copper amine complexes 79
- Polytypes  
 Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Pore sizes  
 Tuning size and catalytic activity of nano-clusters of cobalt oxide 179
- PPP Hamiltonian  
 A density matrix renormalization group study of low-lying excitations of polythiophene within a Pariser–Parr–Pople model 67
- Protonation constant  
 Protonation constant of salicylidene (N-benzoyl) glycylic hydrazone and its coordination behaviour towards some bivalent metal ions 327
- Pyrazoles  
 Stannoxanes and phosphonates: New approaches in organometallic and transition metal assemblies 455
- Pyroaurite  
 Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- 4-Pyridine carboxylates  
 Structural, thermal and spectroscopic properties of supramolecular coordination solids 487
- Quantum yield  
 Quantum yield of  $\text{Cl}^*$  ( $^2P_{1/2}$ ) production in the gas phase photolysis of  $\text{CCl}_4$  in the ultraviolet 341
- Quinolines  
 An efficient synthesis of quinolines under solvent-free conditions 199
- Quinoxaline  
 One-pot efficient green synthesis of 1,4-dihydroquinoxaline-2,3-dione derivatives 425
- Rare-earth manganites  
 Reverse micellar synthesis and properties of nanocrystalline GMR materials ( $\text{LaMnO}_3$ ,  $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$  and  $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ ): Ramifications of size considerations 513
- Reaction constant  
 Linear free energy relationship in reactions between diphenyl amine and benzyl bromides 257
- Reactivity of vanadium complexes  
 Structural models of vanadate-dependent haloperoxidases and their reactivity 503
- Red light laser  
 Photocleavage of DNA by copper(II) complexes 443
- Red-edge effect  
 Optical absorption and fluorescence studies on imidazolium ionic liquids comprising the *bis*(trifluoromethanesulphonyl)imide anion 335
- Reduction  
 Sodium borohydride reduction of aromatic carboxylic acids via methyl esters 419
- Resonance enhanced multiphoton ionization  
 Quantum yield of  $\text{Cl}^*$  ( $^2P_{1/2}$ ) production in the gas phase photolysis of  $\text{CCl}_4$  in the ultraviolet 341
- Reverse micellar synthesis  
 Reverse micellar synthesis and properties of nanocrystalline GMR materials ( $\text{LaMnO}_3$ ,  $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$  and  $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ ): Ramifications of size considerations 513
- Rhodium and iridium complexes  
 Substitution reactions of diphenyl-2-pyridylphosphine with  $[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\mu\text{-Cl})\text{Cl}]_2$  ( $\text{M} = \text{Rh}$  or  $\text{Ir}$ ) dimers: Isolation of mono-, di- and chelating complexes 319
- Ring closure  
 Factors influencing ring closure through olefin metathesis – A perspective 223
- Ruthenium  
 Snapshots of the “breaking” of the H–H bond in the oxidative addition of  $\text{H}_2$  to a metal centre 579
- Ruthenium–molybdenum  
 Sulphur-bridged ruthenium–molybdenum complexes:  $[(\text{R-aapm})_2\text{Ru}(\mu\text{-S})_2\text{Mo}(\text{OH})_2]$ . Synthesis, spectroscopic and electro-chemical characterization.  $\text{R-aapm} = 2\text{-(arylazo)pyrimidine}$  171
- Salicylidene(N-benzoyl)glycyl hydrazone  
 Protonation constant of salicylidene (N-benzoyl) glycylic hydrazone and its coordination behaviour towards some bivalent metal ions 327

- Selenium  
Thyroid hormone synthesis and anti-thyroid drugs: A bioinorganic chemistry approach 619
- Self assembly  
Two new polyoxovanadate clusters templated through cysteamine 159
- Silica nanoshells  
Aniline incorporated silica nanobubbles 375
- Single crystal X-ray diffraction  
Crystal structure and ionic conductivity of a new bismuth tungstate,  $\text{Bi}_3\text{W}_2\text{O}_{10.5}$  46
- Single crystal XRD  
The use of hydrothermal methods in the synthesis of novel open-framework materials 525
- Single molecule spectroscopy  
Fluorescence resonance energy transfer (FRET) in chemistry and biology: Non-Förster distance dependence of the FRET rate 23
- Single-walled carbon nanotubes  
Improved synthesis of carbon nanotubes with junctions and of single-walled carbon nanotubes 9
- Smectic A  
Mesogenic benzothiazole derivatives with methoxy substituents 203
- $\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$   
An efficient synthesis of quinolines under solvent-free conditions 199
- Sodium borohydride  
Sodium borohydride reduction of aromatic carboxylic acids via methyl esters 419
- Sodium dodecyl sulphate  
Temperature effects on surface activity and application in oxidation of toluene derivatives of CTAB-SDS with  $\text{KMnO}_4$  281
- Solid state  
Ionic conduction in the solid state 135
- Solvent effect  
Optical absorption and fluorescence studies on imidazolium ionic liquids comprising the *bis*(trifluoromethanesulphonyl)imide anion 335
- Solvent-free synthesis  
An efficient synthesis of quinolines under solvent-free conditions 199
- Spatially resolved photoemission spectroscopy  
A microspectroscopic study of the electronic homogeneity of ordered and disordered  $\text{Sr}_2\text{FeMoO}_6$  87
- Specific energy  
A low-cost lead-acid battery with high specific-energy 93
- Spectroelectrochemistry  
Tuning intermetallic electronic coupling in polyruthenium systems via molecular architecture 537
- Spectromicroscopy  
A microspectroscopic study of the electronic homogeneity of ordered and disordered  $\text{Sr}_2\text{FeMoO}_6$  87
- Spectroscopic studies  
Synthesis and spectroscopic properties of homo- and heterobimetallic complexes of oxovanadium(V) 165  
Aniline incorporated silica nanobubbles 375
- Stacking faults  
Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Steady-state emission  
*meso*-Tetrathienylporphyrins: Steady-state emission and structural properties 393
- Structural disorder  
Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Structural models  
Structural models of vanadate-dependent haloperoxidases and their reactivity 503
- Structure-activity studies  
Creative research in the chemical industry – Four decades in retrospect 291
- Substituent effect  
Linear free energy relationship in reactions between diphenyl amine and benzyl bromides 257
- Sulphur bridged complexes  
Sulphur-bridged ruthenium-molybdenum complexes:  $[(\text{R-aapm})_2\text{Ru}(\mu\text{-S})_2\text{Mo}(\text{OH})_2]$ . Synthesis, spectroscopic and electro-chemical characterization. R-aapm = 2-(aryloxy)pyrimidine 171
- Surface activity  
Temperature effects on surface activity and application in oxidation of toluene derivatives of CTAB-SDS with  $\text{KMnO}_4$  281
- Sydnone  
Synthesis, spectral characterization and antihemostatic activity of 1,2,4-triazoles incorporating 1,2,4-triazine rings 191
- 4-(Sydnon-3-yl)phenyl carbamates  
Curtius rearrangement reactions of 3-(4-azido-carbonyl)phenylsydnone. Synthesis of 4-(sydnon-3-yl) phenyl carbamates, N-aryl-N'-[4-(sydnon-3-yl)] phenyl ureas and their antimicrobial and insecticidal activities 249
- Synthesis  
A chiral Mn(IV) complex and its supramolecular assembly: Synthesis, characterization and properties 311
- Temperature  
Temperature effects on surface activity and application in oxidation of toluene derivatives of CTAB-SDS with  $\text{KMnO}_4$  281
- Ternary complex  
Mixed-ligand complex formation equilibria of  $\text{Cu}^{\text{II}}$  with biguanide in presence of glycine as the auxiliary ligand 411

- Tetra-arylporphyrins  
Oxygenation of saturated and unsaturated hydrocarbons with sodium periodate catalyzed by manganese(III) tetra-arylporphyrins, to study the axial ligation of imidazole 429
- Tetravalent metal acid salts  
A study on equilibrium and kinetics of ion exchange of alkaline earth metals using an inorganic cation exchanger – zirconium titanium phosphate 185
- Thermal cracking of ethane  
Non-catalytic pyrolysis of ethane to ethylene in the presence of CO<sub>2</sub> with or without limited O<sub>2</sub> 261
- Thermal  
Inclusion of poly-aromatic hydrocarbon (PAH) molecules in a functionalized layered double hydroxide 105
- Thienylporphyrins  
*meso*-Tetrathienylporphyrins: Steady-state emission and structural properties 393
- Three way catalysis  
Design and fabrication of an automated temperature programmed reaction system to evaluate 3-way catalysts Ce<sub>1-x-y</sub>(La/Y)<sub>x</sub>Pt<sub>y</sub>O<sub>2-δ</sub> 47
- Thyroxine  
Thyroid hormone synthesis and anti-thyroid drugs: A bioinorganic chemistry approach 619
- Titanium  
Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- Transmission electron microscopy  
Aniline incorporated silica nanobubbles 375
- Trinuclear heterometallic compound  
One-pot synthesis of a Mn(III)–Cu(II)–Mn(III) trinuclear heterometallic compound formed by Mn···S–Cu–S···Mn supramolecular interactions: Crystal structure of [{Mn<sup>III</sup>(salph)(H<sub>2</sub>O)}<sub>2</sub>{Cu<sup>II</sup>(mnt)<sub>2</sub>}]·4DMF 611
- Turbostraticity  
Line broadening in the PXRD patterns of layered hydroxides: The relative effects of crystallite size and structural disorder 127
- Tyrosinase  
Activation of peroxy and molecular oxygen using *bis*-benzimidazole diamide copper (II) compounds 553
- Ultraviolet photolysis  
Quantum yield of Cl\* (<sup>2</sup>P<sub>1/2</sub>) production in the gas phase photolysis of CCl<sub>4</sub> in the ultraviolet 341
- UV–vis absorption  
Optical absorption and fluorescence studies on imidazolium ionic liquids comprising the *bis*(trifluoromethanesulphonyl)imide anion 335
- Vanadium complexes  
Structural models of vanadate-dependent haloperoxidases and their reactivity 503
- Vanadium  
Utilization of LVO<sub>2</sub><sup>-</sup> species (L<sup>2-</sup> is a tridentate ONS donor) as an inorganic analogue of carboxylate group: A journey to a new domain of coordination chemistry 475  
Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- Variable temperature paramagnetic NMR  
Dioxygen reactivity of *meso*-hydroxylated hemes: intermediates in heme degradation process catalyzed by heme oxygenase 463
- Wax-impregnated carbon paste electrode  
A study of quasi reversible nitro radical anion from β-nitrostyrene at wax-impregnated carbon paste electrode 275
- X-ray crystal structure  
Unusual products in the reactions of phosphorus(III) compounds with N=N, C≡C or conjugated double-bonded systems 495
- X-ray diffraction  
Structural, magnetic and magnetotransport properties of La<sub>0.7-x</sub>Ce<sub>x</sub>Ba<sub>0.3</sub>MnO<sub>3</sub> (x = 0.0–0.4) 99  
Syntheses, structure and intercalation properties of low-dimensional phenylarsonates, A(HO<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>)(H<sub>2</sub>O<sub>3</sub>AsC<sub>6</sub>H<sub>5</sub>) (A = Tl, Na, K and Rb) 117
- Zeolites  
Correlation of the isosteric heat of adsorption of organic molecules over zeolites with equalized electronegativity and chemical hardness 345
- Zinc  
Hydrothermal syntheses and single crystal structural characterization of M(H<sub>2</sub>O)<sub>6</sub>(OPTA)<sub>2</sub> [M = Co(II), Ni(II), Zn(II); OPTA = 1-oxopyridinium-2-thioacetato] 243
- Zirconium  
Metal-catalysed organic transformations in water: From bromination to polymerisation 583
- Zirconium titanium phosphate  
A study on equilibrium and kinetics of ion exchange of alkaline earth metals using an inorganic cation exchanger – zirconium titanium phosphate 185
- Zn-ethylenediamine complex  
Synthesis, structure and magnetic properties of the polyoxovanadate cluster [Zn<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>5</sub>][{Zn(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>}<sub>2</sub>{V<sub>18</sub>O<sub>42</sub>(H<sub>2</sub>O)}]·xH<sub>2</sub>O (x ~ 12), possessing a layered structure 57