

SUBJECT INDEX

- O*-Alkylation at the lower rim of calix[4]arene
Influence of alkali and alkaline earth ions on the *O*-alkylation of the lower rim phenolic-OH groups of *p*-*tert*-butyl-calix[4]arene to result in amide-pendants: Template action of K⁺ and the structure of K⁺ bound tetra-amide derivative crystallized with a *p*-*tert*-butyl-calix[4]arene anion 237
- p*-Aminoacetanilide
p-Aminoacetanilide mediated formation of assembly of Au nanoparticles 547
- α -Bromoketones
High stereoselective cyclopropanation reaction of 3-acylcoumarins with α -bromoketones at room temperature 391
- L-Cysteine
Microdetermination of human serum albumin by differential pulse voltammetry at a L-cysteine modified silver electrode 419
- β -Cyclodextrin
Guest–host interactions in the cleavage of phenylphenyl acetates by β -cyclodextrin in alkaline medium 325
- α -Diketones
Microwave-assisted efficient oxidation of internal alkynes to 1,2-diaryldiketones with DMSO/I₂ 347
- β -Enaminonitriles
 β -Enaminonitriles in heterocyclic synthesis: Synthesis of new tetrahydropyridinethione, pyridopyrimidines, pyridotriazines and dihydropyridines 339
- S₂-Fluorescence
Relaxation dynamics in the excited states of a ketocyanine dye probed by femtosecond transient absorption spectroscopy 45
- meso*-Functionalization
Synthesis and characterization of new *meso*-substituted unsymmetrical metalloporphyrins 259
- retro-Knoevenagel reaction
Micellar catalysis in the retro-Knoevenagel reaction of ethyl- α -cyanocinnamates 475
- β -In₂S₃
Tris(dithiocarboxylato)indium(III): Thermal studies and crystal structure of [In(S₂Ctol)₃] 305
- 1-Butyl 3-methyl imidazolium bromide
Investigation of hybrid molecular material prepared by ionic liquid and polyoxometalate anion 587
- 2-(2'-carboxyphenylazo)-4-methylphenol
Palladium and platinum complexes of 2-(2'-carboxyphenylazo)-4-methylphenol: Synthesis, structure and spectral properties 441
- 2,3-Dimethylisoquinolinium ion
Regio and stereoselectivity in ionic cycloadditions 225
- 2,3-Diphenylpiperazine
Efficient resolution of (\pm)-*trans*-2,3-diphenylpiperazine using (1*S*)-(+)-10-camphorsulfonic acid and enrichment of enantiomeric purity of non-racemic 2,3-diphenylpiperazine using different achiral acids 175
- 2D Supramolecular networks
Two-dimensional supramolecular networks via C–H...Cl and N–H...Cl interactions utilizing bidentate neutral pyridine amide coordinated Mn^{II}Cl₂ tectons 447
- 3-Acylcoumarins
High stereoselective cyclopropanation reaction of 3-acylcoumarins with α -bromoketones at room temperature 391
- 4',5,7-Trihydroxy-3'-prenylflavanone
Synthesis and antimicrobial activity of 4',5,7-trihydroxy-3'-prenylflavanone 469
- ab-initio* calculations
Charge density analysis of two proton transfer complexes: Understanding hydrogen bonding and determination of in-crystal dipole moments 613
- Absorption and fluorescence emission
Structural transition in alcohol–water binary mixtures: A spectroscopic study 275
- Acetone insertion
Facile one-pot synthesis of functionalized organophosphonate esters via ketone insertion into bulky arylphosphites 131
- Achiral frameworks
Three-dimensional hybrid networks based on aspartic acid 217
- Acridizinium ion
Regio and stereoselectivity in ionic cycloadditions 225
- Adsorption
Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Adsorption behaviour
Surface enhanced Raman spectra of the organic nonlinear optic material: Methyl 3-(4-methoxy phenyl) prop-2-enoate 405
- Ag/Pd bimetal layers
Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573

- Agarose-metal/semiconductor nanoparticle films
 Synthesis of agarose-metal/semiconductor nanoparticles having superior bacteriocidal activity and their simple conversion to metal-carbon composites 579
- Ag-plasmon tuning
 Tuning of Ag-SPR band position in refractive index controlled inorganic-organic hybrid SiO₂-PEO-TiO₂ films 565
- Alcohol-water binary mixtures
 Structural transition in alcohol-water binary mixtures: A spectroscopic study 275
- Alkali and alkaline earth ions
 Influence of alkali and alkaline earth ions on the *O*-alkylation of the lower rim phenolic-OH groups of *p*-*tert*-butyl-calix[4]arene to result in amide-pendants: Template action of K⁺ and the structure of K⁺ bound tetra-amide derivative crystallized with a *p*-*tert*-butyl-calix[4]arene anion 237
- Alkylation
 Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Amino acids
 Propargyloxycarbonyl as a protecting group for the side chains of serine, threonine and tyrosine 163
- Ammonium acetate
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Anisochrony
 Phosphorus-nitrogen compounds: Part 15. Synthesis, anisochronism and the relationship between crystallographic and spectral data of monotopic *spiro*-crypta phosphazenes 363
- Antibacterial activity
 Synthesis and antimicrobial activity of 4',5,7-trihydroxy-3'-prenylflavanone 469
- Anticancer
 Synthetic studies on taxanes: A domino-ene metathesis/Diels-Alder approach to the AB-ring 205
- Antigens
 A kinetic analysis of the tumor-associated galactopyranosyl-(1→3)-2-acetamido-2-deoxy- α -D-galactopyranoside antigen-lectin interaction 195
- Antimicrobial activity
 Synthesis of agarose-metal/semiconductor nanoparticles having superior bacteriocidal activity and their simple conversion to metal-carbon composites 579
- Anti-thyroid drugs
 Effect of thione-thiol tautomerism on the inhibition of lactoperoxidase by anti-thyroid drugs and their analogues 143
- Aqueous ionic solutions
 Effects of ion concentration on the hydrogen bonded structure of water in the vicinity of ions in aqueous NaCl solutions 71
- Arginine
 Facilitation of peptide fibre formation by arginine-phosphate/carboxylate interactions 155
- Aromatic aldehydes
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Aromaticity
 Expanded porphyrins as third order non-linear optical materials: Some structure-function correlations 137
- Arsenic detection
 Molecular modelling of a chemodosimeter for the selective detection of As(III) ion in water 627
- Artificial neural network
 Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Aspartic acid
 Three-dimensional hybrid networks based on aspartic acid 217
- Assembly
p-Aminoacetanilide mediated formation of assembly of Au nanoparticles 547
- Benzil
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Benzimidazole
 Preparation and characterization of a novel benzimidazolium brønsted acidic ionic liquid and its application in esterifications 481
- Benzoin
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Benzyl alcohol
 Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Bile acid
 Facially amphiphilic thiol capped gold and silver nanoparticles 507
- Bile salt
 Ultrafast fluorescence resonance energy transfer in a bile salt aggregate: Excitation wavelength dependence 15
- Bimetallic
 Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Bioinorganic chemistry
 Effect of thione-thiol tautomerism on the inhibition of lactoperoxidase by anti-thyroid drugs and their analogues 143

- Biopolymers
 Synthesis of agarose–metal/semiconductor nanoparticles having superior bacteriocidal activity and their simple conversion to metal–carbon composites 579
- Blue emitters
 Synthesis, photoluminescence and electrochemical properties of 2,7-diarylfuorene derivatives 355
- BNPP
 Hydrolytic cleavage of *bis*(*p*-nitrophenyl) phosphate by Schiff base Mn^{III} complexes containing morpholine pendants in Gemini 16–6–16 micelles 411
- Bohmian trajectories
 Quantum–classical correspondence of a field induced KAM-type transition: A QTM approach 33
- Calcium oxalate monohydrate
 Analysis of urinary stone constituents using powder X-ray diffraction and FT–IR 267
- Camphorsulfonic acid
 Efficient resolution of (\pm)-*trans*-2,3-diphenylpiperazine using (1*S*)-(+)-10-camphorsulfonic acid and enrichment of enantiomeric purity of non-racemic 2,3-diphenylpiperazine using different achiral acids 175
- Carbohydrates
 A kinetic analysis of the tumor-associated galactopyranosyl-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-galactopyranoside antigen–lectin interaction 195
- Carbon nanotubes
 Graphene-based electrochemical supercapacitors 9
 Near-complete phase transfer of single-wall carbon nanotubes by covalent functionalization 599
 Covalent and non-covalent functionalization and solubilization of double-walled carbon nanotubes in nonpolar and aqueous media 607
- Carboxylic acids
 Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Catalysis
 Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Catalytic activity
 Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH]₂{Zn(H₂O)₅}{Zn(H₂O)₄}{Mo₇O₂₄}.2H₂O (HMTAH = protonated hexamethylenetetramine) 95
- catena*-poly[[hexa(aqua)dibarium(II)]*bis*[(μ -2-nitrobenzoato-O,O,O-NO₂)(μ -2-nitrobenzoato-O,O,O')]]
 A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- Cd_xZn_{1-x}S
 Synthesis and spectroscopic study of high quality alloy Cd_xZn_{1-x}S nanocrystals 557
- Ceric ammonium nitrate
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Characterization
 Preparation, crystal structure, and characterization of an inorganic–organic hybrid polyoxoniobate [Cu(en)₂]₃[Cu(en)₂(H₂O)]_{1.5}[K_{0.5}Nb₂₄O₇₂H_{14.5}].2.25H₂O 309
- Charge–discharge
 Analysis of polypyrrole-coated stainless steel electrodes – Estimation of specific capacitances and construction of equivalent circuits 25
- Chemodosimeter
 Molecular modelling of a chemodosimeter for the selective detection of As(III) ion in water 627
- Coloured coatings
 Tuning of Ag-SPR band position in refractive index controlled inorganic–organic hybrid SiO₂–PEO–TiO₂ films 565
- Composites
 Synthesis of agarose–metal/semiconductor nanoparticles having superior bacteriocidal activity and their simple conversion to metal–carbon composites 579
- Conformation
 Expanded porphyrins as third order non-linear optical materials: Some structure–function correlations 137
- Conjugation
 Expanded porphyrins as third order non-linear optical materials: Some structure–function correlations 137
- Coordination polymer
 A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- Coumarin
 Self assembly of *C*-methyl resorcin[4]arene with coumarin and thiocoumarin: A nanotubular array with a near perfect lock and key fit 39
- Cr(VI)
 A study of nanostructured gold modified glassy carbon electrode for the determination of trace Cr(VI)493
- Crystal structure
 Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH]₂{Zn(H₂O)₅}{Zn(H₂O)₄}{Mo₇O₂₄}.2H₂O (HMTAH = protonated hexamethylenetetramine) 95
- Cyclic porphyrin dimers as hosts for coordinating ligands 115
- Tris(dithiocarboxylato)indium(III): Thermal studies and crystal structure of [In(S₂Ctol)₃] 305
- Preparation, crystal structure, and characterization of an inorganic–organic hybrid polyoxoniobate [Cu(en)₂]₃[Cu(en)₂(H₂O)]_{1.5}[K_{0.5}Nb₂₄O₇₂H_{14.5}].2.25H₂O 309
- Palladium and platinum complexes of 2-(2'-carboxyphenylazo)-4-methylphenol: Synthesis, structure and spectral properties 441

- Two-dimensional supramolecular networks via C–H...Cl and N–H...Cl interactions utilizing bidentate neutral pyridine amide coordinated $\text{Mn}^{\text{II}}\text{Cl}_2$ tectons 447
- Cu/Pd bimetal layers
Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573
- Cu^{II}
Coordination equilibria in the complex formation of guanyurea with Cu^{II} : Formation and stability of binary Cu^{II} -guanyurea and ternary Cu^{II} -guanyurea-glycinate complexes 377
- Cyclic porphyrin dimmers
Cyclic porphyrin dimers as hosts for coordinating ligands 115
- Cyclopropanation
High stereoselective cyclopropanation reaction of 3-acylcoumarins with α -bromoketones at room temperature 391
- Dacarbazine
Density functional theory study of vibrational spectra, and assignment of fundamental modes of dacarbazine 315
- Density functional computational study
The ribose and glycine Maillard reaction in the interstellar medium (ISM): A theoretical study 329
- Density functional theory
Regio and stereoselectivity in ionic cycloadditions 225
Density functional theory study of vibrational spectra, and assignment of fundamental modes of dacarbazine 315
Surface enhanced Raman spectra of the organic non-linear optic material: Methyl 3-(4-methoxy phenyl) prop-2-enoate 405
Molecular modelling of a chemodosimeter for the selective detection of As(III) ion in water 627
- DFT calculation
Synthesis, photoluminescence and electrochemical properties of 2,7-diarylfluorene derivatives 355
- Differential pulse voltammetry
Microdetermination of human serum albumin by differential pulse voltammetry at a L-cysteine modified silver electrode 419
- Dihydropyridines
 β -Enaminonitriles in heterocyclic synthesis: Synthesis of new tetrahydropyridinethione, pyridopyrimidines, pyridotriazines and dihydropyridines 339
- Dipole moment
Charge density analysis of two proton transfer complexes: Understanding hydrogen bonding and determination of in-crystal dipole moments 613
- Dithiocarboxylate
Tris(dithiocarboxylato)indium(III): Thermal studies and crystal structure of $[\text{In}(\text{S}_2\text{Ctol})_3]$ 305
- Dodecyl pyridinium
Nanostructured phosphomolybdates 529
- Domino reaction
Synthetic studies on taxanes: A domino-ene-yne metathesis/Diels–Alder approach to the AB-ring 205
- Double-walled nanotubes
Covalent and non-covalent functionalization and solubilization of double-walled carbon nanotubes in nonpolar and aqueous media 607
- Dynamic light scattering
Synthesis of silver nanoparticles by sophorolipids: Effect of temperature and sophorolipid structure on the size of particles 515
- Dynamics
Removal of phase transfer agent leads to restricted dynamics of alkyl chains in monolayer protected clusters 537
- Electrochemical supercapacitors
Graphene-based electrochemical supercapacitors 9
- Electrode materials
Graphene-based electrochemical supercapacitors 9
- Electron microscopy
Nanostructured phosphomolybdates 529
- Enzyme inhibition
Effect of thione–thiol tautomerism on the inhibition of lactoperoxidase by anti-thyroid drugs and their analogues 143
- EPR
Synthesis and characterization of new *meso*-substituted unsymmetrical metalloporphyrins 259
- Equivalent circuit
Analysis of polypyrrole-coated stainless steel electrodes – Estimation of specific capacitances and construction of equivalent circuits 25
- Esterifications
Preparation and characterization of a novel benzimidazolium brønsted acidic ionic liquid and its application in esterifications 481
- Ethyl α -cyanocinnamate
Micellar catalysis in the retro-Knoevenagel reaction of ethyl- α -cyanocinnamates 475
- Excitation wavelength dependence
Ultrafast fluorescence resonance energy transfer in a bile salt aggregate: Excitation wavelength dependence 15
- Excited state dynamics
Relaxation dynamics in the excited states of a ketocyanine dye probed by femtosecond transient absorption spectroscopy 45
- Expanded porphyrins
Expanded porphyrins as third order non-linear optical materials: Some structure–function correlations 137
- Experimental charge density
Charge density analysis of two proton transfer complexes: Understanding hydrogen bonding and determination of in-crystal dipole moments 613

- Facially amphiphilic thiol
 Facially amphiphilic thiol capped gold and silver nanoparticles 507
- Femtosecond
 Ultrafast fluorescence resonance energy transfer in a bile salt aggregate: Excitation wavelength dependence 15
- Ferromagnetism
 Magnetocaloric effect across the coupled structural and ferromagnetic transition in $\text{Pr}_{0.1}\text{Ce}_{0.4}\text{Sr}_{0.5}\text{MnO}_3$ 595
- Flavanone
 Synthesis and antimicrobial activity of 4',5,7-trihydroxy-3'-prenylflavanone 469
- Fluorene
 Synthesis, photoluminescence and electrochemical properties of 2,7-diarylfluorene derivatives 355
- Fluorescence
 Synthesis and characterization of new *meso*-substituted unsymmetrical metalloporphyrins 259
- Fluorescence anisotropy
 Structural transition in alcohol–water binary mixtures: A spectroscopic study 275
- Foldamer
 Understanding the folding process of synthetic polymers by small-molecule folding agents 187
- Folding agent
 Understanding the folding process of synthetic polymers by small-molecule folding agents 187
- Formation constants
 Coordination equilibria in the complex formation of guanylyurea with Cu^{II} : Formation and stability of binary Cu^{II} -guanylyurea and ternary Cu^{II} -guanylyurea–glycinate complexes 377
- FRET
 Ultrafast fluorescence resonance energy transfer in a bile salt aggregate: Excitation wavelength dependence 15
- FTIR
 Density functional theory study of vibrational spectra, and assignment of fundamental modes of dacarbazine 315
- FT-Raman
 Density functional theory study of vibrational spectra, and assignment of fundamental modes of dacarbazine 315
- Functionalization
 Covalent and non-covalent functionalization and solubilization of double-walled carbon nanotubes in nonpolar and aqueous media 607
- Gaseous phase interstellar medium
 The ribose and glycine Maillard reaction in the interstellar medium (ISM): A theoretical study 329
- GAXRD
 Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573
- Gel electrolyte
 Functionalized zinc porphyrin as light harvester in dye sensitized solar cells 455
- Gemini surfactant 16–6–16
 Hydrolytic cleavage of *bis*(*p*-nitrophenyl) phosphate by Schiff base Mn^{III} complexes containing morpholine pendants in Gemini 16–6–16 micelles 411
- Glycinate
 Coordination equilibria in the complex formation of guanylyurea with Cu^{II} : Formation and stability of binary Cu^{II} -guanylyurea and ternary Cu^{II} -guanylyurea–glycinate complexes 377
- Glycine
 The ribose and glycine Maillard reaction in the interstellar medium (ISM): A theoretical study 329
- Gold
 Growth of anisotropic gold nanostructures on conducting glass surfaces 79
- Gold nanoparticles

p-Aminoacetanilide mediated formation of assembly of Au nanoparticles 547
- Graphenes
 Graphene-based electrochemical supercapacitors 9
- Grubbs catalyst
 Synthetic studies on taxanes: A domino–enyne metathesis/Diels–Alder approach to the AB-ring 205
- Guanylyurea
 Coordination equilibria in the complex formation of guanylyurea with Cu^{II} : Formation and stability of binary Cu^{II} -guanylyurea and ternary Cu^{II} -guanylyurea–glycinate complexes 377
- Guest–host complexes
 Guest–host interactions in the cleavage of phenylphenyl acetates by β -cyclodextrin in alkaline medium 325
- Hadamard mode
 General approaches in ensemble quantum computing 57
- Heat capacity
 Magnetocaloric effect across the coupled structural and ferromagnetic transition in $\text{Pr}_{0.1}\text{Ce}_{0.4}\text{Sr}_{0.5}\text{MnO}_3$ 595
- Helical feature
 Non-covalent O...O interactions among isopolyanions using a *cis*-{ MoO_2 } moiety by the assistance of N–H...O hydrogen bonds 297
- Henon–Heiles oscillator
 Quantum–classical correspondence of a field induced KAM-type transition: A QTM approach 33
- Heterochiral aggregates
 Efficient resolution of (\pm)-*trans*-2,3-diphenylpiperazine using (1*S*)-(+)-10-camphorsulfonic acid and enrichment of enantiomeric purity of non-racemic 2,3-diphenylpiperazine using different achiral acids 175
- HIV-1 reverse transcriptase
 Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydro-

- imidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- HOMO level and OLED
Synthesis, photoluminescence and electrochemical properties of 2,7-diarylfuorene derivatives 355
- Homochiral aggregates
Efficient resolution of (\pm)-*trans*-2,3-diphenylpiperazine using (1*S*)-(+)-10-camphorsulfonic acid and enrichment of enantiomeric purity of non-racemic 2,3-diphenylpiperazine using different achiral acids 175
- Host-guest complexes
Cyclic porphyrin dimers as hosts for coordinating ligands 115
- Host-guest inclusion
Self assembly of *C*-methyl resorcin[4]arene with coumarin and thiocoumarin: A nanotubular array with a near perfect lock and key fit 39
- Human serum albumin
Microdetermination of human serum albumin by differential pulse voltammetry at a L-cysteine modified silver electrode 419
- Hybrid compounds
Three-dimensional hybrid networks based on aspartic acid 217
- Hydrogen bonding
Charge density analysis of two proton transfer complexes: Understanding hydrogen bonding and determination of in-crystal dipole moments 613
- Hydrogen bonds
Effects of ion concentration on the hydrogen bonded structure of water in the vicinity of ions in aqueous NaCl solutions 71
- Hydrogen sensing
Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573
- Hydrogen-bonding network
Structural transition in alcohol-water binary mixtures: A spectroscopic study 275
- Hydrolysis
Hydrolytic cleavage of *bis*(*p*-nitrophenyl) phosphate by Schiff base Mn^{III} complexes containing morpholine pendants in Gemini 16-6-16 micelles 411
- Hydrophobic interactions
Guest-host interactions in the cleavage of phenylphenyl acetates by β -cyclodextrin in alkaline medium 325
- Hydrophobicity
Micellar catalysis in the retro-Knoevenagel reaction of ethyl- α -cyanocinnamates 475
- Hydrothermal treatment
Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Hydroxy residues
Propargyloxycarbonyl as a protecting group for the side chains of serine, threonine and tyrosine 163
- Hydroxylapatite
Analysis of urinary stone constituents using powder X-ray diffraction and FT-IR 267
- IMDA
Synthetic studies on taxanes: A domino-ene-yne meta-thesis/Diels-Alder approach to the AB-ring 205
- Impedance spectroscopy
Analysis of polypyrrole-coated stainless steel electrodes - Estimation of specific capacitances and construction of equivalent circuits 25
- Indium
Tris(dithiocarboxylato)indium(III): Thermal studies and crystal structure of [In(S₂Ctol)₃] 305
- Inorganic-organic hybrid material
Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH]₂{Zn(H₂O)₅}{Zn(H₂O)₄}{Mo₇O₂₄}·2H₂O (HMTAH = protonated hexamethylenetetramine) 95
- Inorganic-organic hybrids
Tuning of Ag-SPR band position in refractive index controlled inorganic-organic hybrid SiO₂-PEO-TiO₂ films 565
- Internal alkynes
Microwave-assisted efficient oxidation of internal alkynes to 1,2-diaryldiketones with DMSO/I₂ 347
- Ionic cycloaddition
Regio and stereoselectivity in ionic cycloadditions 225
- Ionic liquids
Preparation and characterization of a novel benzimidazolium brønsted acidic ionic liquid and its application in esterifications 481
- Iridium
Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Isothermal kinetics
Studies on the thermal decomposition kinetics of LiPF₆ and LiBC₄O₈ 289
- Isotropic mixing
General approaches in ensemble quantum computing 57
- ITO
Growth of anisotropic gold nanostructures on conducting glass surfaces 79
- JCP
General approaches in ensemble quantum computing 57
- KAM transition
Quantum-classical correspondence of a field induced KAM-type transition: A QTM approach 33
- Ketocyanine dye
Relaxation dynamics in the excited states of a ketocyanine dye probed by femtosecond transient absorption spectroscopy 45

- Kinetics
A kinetic analysis of the tumor-associated galactopyranosyl-(1→3)-2-acetamido-2-deoxy- α -D-galactopyranoside antigen–lectin interaction 195
- Lactoperoxidase
Effect of thione–thiol tautomerism on the inhibition of lactoperoxidase by anti-thyroid drugs and their analogues 143
- Lead aspartate
Three-dimensional hybrid networks based on aspartic acid 217
- Lectins
A kinetic analysis of the tumor-associated galactopyranosyl-(1→3)-2-acetamido-2-deoxy- α -D-galactopyranoside antigen–lectin interaction 195
- LiBOB
Studies on the thermal decomposition kinetics of LiPF_6 and LiBC_4O_8 289
- LiPF_6
Studies on the thermal decomposition kinetics of LiPF_6 and LiBC_4O_8 289
- Logic gate
General approaches in ensemble quantum computing 57
- Low pH synthesis
Non-covalent O...O interactions among isopolyanions using a *cis*-{ MoO_2 } moiety by the assistance of N–H...O hydrogen bonds 297
- Magnetism
Competition between elastic and chemical effects in the intermixing of Co and Ag on Rh(111) 621
- Magnetocaloric effect
Magnetocaloric effect across the coupled structural and ferromagnetic transition in $\text{Pr}_{0.1}\text{Ce}_{0.4}\text{Sr}_{0.5}\text{MnO}_3$ 595
- Maillard reaction
The ribose and glycine Maillard reaction in the interstellar medium (ISM): A theoretical study 329
- Manganates
Magnetocaloric effect across the coupled structural and ferromagnetic transition in $\text{Pr}_{0.1}\text{Ce}_{0.4}\text{Sr}_{0.5}\text{MnO}_3$ 595
- Mesoporous
Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Metal carboxylates
Role of carboxylate ion and metal oxidation state on the morphology and magnetic properties of nanostructured metal carboxylates and their decomposition products 521
- Metal nanoparticles
Facially amphiphilic thiol capped gold and silver nanoparticles 507
- Metallic
Synthesis of agarose–metal/semiconductor nanoparticles having superior bacteriocidal activity and their simple conversion to metal–carbon composites 579
- Metal–ligand interaction
Synthesis and characterization of new *meso*-substituted unsymmetrical metalloporphyrins 259
- Methimazole
Effect of thione–thiol tautomerism on the inhibition of lactoperoxidase by anti-thyroid drugs and their analogues 143
- Methyl 3-(4-methoxy phenyl)prop-2-enoate
Surface enhanced Raman spectra of the organic non-linear optic material: Methyl 3-(4-methoxy phenyl)prop-2-enoate 405
- Methyl vinyl ether
Regio and stereoselectivity in ionic cycloadditions 225
- Micellar catalysis
Micellar catalysis in the retro-Knoevenagel reaction of ethyl- α -cyanocinnamates 475
- Microscopy
Facilitation of peptide fibre formation by arginine-phosphate/carboxylate interactions 155
Near-complete phase transfer of single-wall carbon nanotubes by covalent functionalization 599
- Microwave
Near-complete phase transfer of single-wall carbon nanotubes by covalent functionalization 599
- Microwave irradiation
Microwave-assisted efficient oxidation of internal alkynes to 1,2-diaryldiketones with DMSO/I_2 347
- Mixed-ligand complex
Coordination equilibria in the complex formation of guanylurea with Cu^{II} : Formation and stability of binary Cu^{II} -guanylurea and ternary Cu^{II} -guanylurea–glycinate complexes 377
- $\text{Mn}^{\text{II}}\text{Cl}_2$ -containing coordination compounds
Two-dimensional supramolecular networks via C–H...Cl and N–H...Cl interactions utilizing bidentate neutral pyridine amide coordinated $\text{Mn}^{\text{II}}\text{Cl}_2$ tectons 447
- Molecular dynamics
Effects of ion concentration on the hydrogen bonded structure of water in the vicinity of ions in aqueous NaCl solutions 71
- Molecular material
Investigation of hybrid molecular material prepared by ionic liquid and polyoxometalate anion 587
- Mono-anion of *p*-*tert*-butyl-calix[4]arene
Influence of alkali and alkaline earth ions on the *O*-alkylation of the lower rim phenolic-OH groups of *p*-*tert*-butyl-calix[4]arene to result in amide-pendants: Template action of K^+ and the structure of K^+ bound tetra-amide derivative crystallized with a *p*-*tert*-butyl-calix[4]arene anion 237

- Monoatomic bridge
A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- Monolayer protected clusters
Removal of phase transfer agent leads to restricted dynamics of alkyl chains in monolayer protected clusters 537
- Morin transition
Role of carboxylate ion and metal oxidation state on the morphology and magnetic properties of nanostructured metal carboxylates and their decomposition products 521
- Morphology
Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Multi-ferrocenes
Multi-functional architectures supported on organostannoxane scaffolds 105
- Multi-photoactive
Multi-functional architectures supported on organostannoxane scaffolds 105
- Multiple linear regression
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Nanocrystals
Synthesis and spectroscopic study of high quality alloy $Cd_xZn_{1-x}S$ nanocrystals 557
- Nanoparticles
Preparation and characterization of free-standing pure porphyrin nanoparticles 485
Removal of phase transfer agent leads to restricted dynamics of alkyl chains in monolayer protected clusters 537
Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573
- Nanoplates
Growth of anisotropic gold nanostructures on conducting glass surfaces 79
- Nanorods
Nanostructured phosphomolybdates 529
- Nanostructured gold modified glassy carbon electrode
A study of nanostructured gold modified glassy carbon electrode for the determination of trace Cr(VI) 493
- Nanostructures
Near-complete phase transfer of single-wall carbon nanotubes by covalent functionalization 599
- Nanotubular array
Self assembly of *C*-methyl resorcin[4]arene with coumarin and thiocoumarin: A nanotubular array with a near perfect lock and key fit 39
- Nanowires
Growth of anisotropic gold nanostructures on conducting glass surfaces 79
- Near IR
Investigation of hybrid molecular material prepared by ionic liquid and polyoxometalate anion 587
- Neutral pyridine amide ligands
Two-dimensional supramolecular networks via C–H...Cl and N–H...Cl interactions utilizing bidentate neutral pyridine amide coordinated $Mn^{II}Cl_2$ tectons 447
- New phosphonate esters
Facile one-pot synthesis of functionalized organophosphonate esters via ketone insertion into bulky arylphosphites 131
- N–H...O and C–H...O hydrogen bonds
Non-covalent O...O interactions among isopolyanions using a *cis*-{ MoO_2 } moiety by the assistance of N–H...O hydrogen bonds 297
- Nickel aspartate
Three-dimensional hybrid networks based on aspartic acid 217
- Nine coordination
A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- Nitro ligation
A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- NMR titration
Understanding the folding process of synthetic polymers by small-molecule folding agents 187
- Non-covalent (C–H...Cl and N–H...Cl) interactions
Two-dimensional supramolecular networks via C–H...Cl and N–H...Cl interactions utilizing bidentate neutral pyridine amide coordinated $Mn^{II}Cl_2$ tectons 447
- Non-covalent O...O interactions
Non-covalent O...O interactions among isopolyanions using a *cis*-{ MoO_2 } moiety by the assistance of N–H...O hydrogen bonds 297
- Non-isothermal kinetics
Studies on the thermal decomposition kinetics of $LiPF_6$ and $LiBC_4O_8$ 289
- Non-nucleoside reverse transcriptase inhibitor
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Nucleation and growth
Synthesis of silver nanoparticles by sophorolipids: Effect of temperature and sophorolipid structure on the size of particles 515
- Octamolybdate anion
Non-covalent O...O interactions among isopolyanions using a *cis*-{ MoO_2 } moiety by the assistance of N–H...O hydrogen bonds 297

- Oil–water contact angle
Surfactant controlled switching of water-in-oil wetting behaviour of porous silica films grown at oil–water interfaces 637
- One-pot synthesis
Facile one-pot synthesis of functionalized organophosphonate esters via ketone insertion into bulky arylphosphites 131
- Organic-inorganic hybrid materials
Facially amphiphilic thiol capped gold and silver nanoparticles 507
- Organometallic
Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- Organostannoxanes
Multi-functional architectures supported on organostannoxane scaffolds 105
- Organotin
Multi-functional architectures supported on organostannoxane scaffolds 105
- Oxidation
Microwave-assisted efficient oxidation of internal alkynes to 1,2-diaryldiketones with DMSO/I₂ 347
- Oximate bridging
Oximate bridged Rh^{III}₂M^{II} and Rh^{III}M^I species (M^{II} = Mn, Co, Ni; M^I = Cu, Ag) 87
- Palladium and platinum complexes
Palladium and platinum complexes of 2-(2'-carboxyphenylazo)-4-methylphenol: Synthesis, structure and spectral properties 441
- Peptide
Facilitation of peptide fibre formation by arginine-phosphate/carboxylate interactions 155
- Peptide synthesis
Propargyloxycarbonyl as a protecting group for the side chains of serine, threonine and tyrosine 163
- Phase transfer agent
Removal of phase transfer agent leads to restricted dynamics of alkyl chains in monolayer protected clusters 537
- Phenylphenyl acetate
Guest–host interactions in the cleavage of phenylphenyl acetates by β -cyclodextrin in alkaline medium 325
- Phosphomolybdates
Nanostructured phosphomolybdates 529
- Phosphonates
Multi-functional architectures supported on organostannoxane scaffolds 105
- Phosphotungstic acid
Investigation of hybrid molecular material prepared by ionic liquid and polyoxometalate anion 587
- Photoisomerization
Relaxation dynamics in the excited states of a ketocyanine dye probed by femtosecond transient absorption spectroscopy 45
- Photoluminescence
Synthesis and spectroscopic study of high quality alloy Cd_xZn_{1-x}S nanocrystals 557
- pIC50
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Polyimides
Understanding the folding process of synthetic polymers by small-molecule folding agents 187
- Polynuclear complexes
Oximate bridged Rh^{III}₂M^{II} and Rh^{III}M^I species (M^{II} = Mn, Co, Ni; M^I = Cu, Ag) 87
- Polyoxometalate supported zinc complexes
Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH]₂{Zn(H₂O)₅}₂{Zn(H₂O)₄}₂{Mo₇O₂₄}₂·2H₂O (HMTAH = protonated hexamethylenetetramine) 95
- Polyoxometalates
Preparation, crystal structure, and characterization of an inorganic–organic hybrid polyoxoniobate [Cu(en)₂]₃[Cu(en)₂(H₂O)]_{1.5}[K_{0.5}Nb₂₄O₇₂H_{14.5}]₂·2.5H₂O 309
- Polyoxoniobate
Preparation, crystal structure, and characterization of an inorganic–organic hybrid polyoxoniobate [Cu(en)₂]₃[Cu(en)₂(H₂O)]_{1.5}[K_{0.5}Nb₂₄O₇₂H_{14.5}]₂·2.5H₂O 309
- Polypyrrole
Analysis of polypyrrole-coated stainless steel electrodes – Estimation of specific capacitances and construction of equivalent circuits 25
- Porous silica film
Surfactant controlled switching of water-in-oil wetting behaviour of porous silica films grown at oil–water interfaces 637
- Porous substrate wetting
Surfactant controlled switching of water-in-oil wetting behaviour of porous silica films grown at oil–water interfaces 637
- Porphyrins
Functionalized zinc porphyrin as light harvester in dye sensitized solar cells 455
- Powder X-ray diffraction
Analysis of urinary stone constituents using powder X-ray diffraction and FT–IR 267
- PRAWN
General approaches in ensemble quantum computing 57
- Protecting groups
Propargyloxycarbonyl as a protecting group for the side chains of serine, threonine and tyrosine 163
- Pseudopure state
General approaches in ensemble quantum computing 57
- Pyrazole
Multi-functional architectures supported on organostannoxane scaffolds 105

- Pyridopyrimidines
 β -Enaminonitriles in heterocyclic synthesis: Synthesis of new tetrahydropyridinethione, pyridopyrimidines, pyridotriazines and dihydropyridines 339
- Pyridotriazines
 β -Enaminonitriles in heterocyclic synthesis: Synthesis of new tetrahydropyridinethione, pyridopyrimidines, pyridotriazines and dihydropyridines 339
- Pyrimidinium cation
 Non-covalent O...O interactions among isopolyanions using a *cis*-{MoO₂} moiety by the assistance of N-H...O hydrogen bonds 297
- Quantum potential
 Quantum-classical correspondence of a field induced KAM-type transition: A QTM approach 33
- Quantum state tomography
 General approaches in ensemble quantum computing 57
- Quasi-solid state
 Functionalized zinc porphyrin as light harvester in dye sensitized solar cells 455
- Raman spectroscopy
 Covalent and non-covalent functionalization and solubilization of double-walled carbon nanotubes in nonpolar and aqueous media 607
- RCM
 Synthetic studies on taxanes: A domino-ene-yne meta-thesis/Diels-Alder approach to the AB-ring 205
- Reduced coordination
 Competition between elastic and chemical effects in the intermixing of Co and Ag on Rh(111) 621
- Refractive index tailoring
 Tuning of Ag-SPR band position in refractive index controlled inorganic-organic hybrid SiO₂-PEO-TiO₂ films 565
- Reprecipitation method
 Preparation and characterization of free-standing pure porphyrin nanoparticles 485
- Resolution
 Efficient resolution of (\pm)-*trans*-2,3-diphenylpiperazine using (1*S*)-(+)-10-camphorsulfonic acid and enrichment of enantiomeric purity of non-racemic 2,3-diphenylpiperazine using different achiral acids 175
- Resorcinarene
 Self assembly of *C*-methyl resorcin[4]arene with coumarin and thiocoumarin: A nanotubular array with a near perfect lock and key fit 39
- Reverse micelles
 Role of carboxylate ion and metal oxidation state on the morphology and magnetic properties of nanostructured metal carboxylates and their decomposition products 521
- Rhodium-copper complexes
 Oximate bridged Rh^{III}₂M^{II} and Rh^{III}M^I species (M^{II} = Mn, Co, Ni; M^I = Cu, Ag) 87
- Rhodium-manganese complexes
 Oximate bridged Rh^{III}₂M^{II} and Rh^{III}M^I species (M^{II} = Mn, Co, Ni; M^I = Cu, Ag) 87
- Ribose
 The ribose and glycine Maillard reaction in the interstellar medium (ISM): A theoretical study 329
- SBA-15
 Significant improvement in the pore properties of SBA-15 brought about by carboxylic acids and hydrothermal treatment 181
- Schiff base manganese(III) complexes
 Hydrolytic cleavage of *bis*(*p*-nitrophenyl) phosphate by Schiff base Mn^{III} complexes containing morpholine pendants in Gemini 16-6-16 micelles 411
- Seed-mediated growth
 Growth of anisotropic gold nanostructures on conducting glass surfaces 79
- Self-assembled
 Microdetermination of human serum albumin by differential pulse voltammetry at a L-cysteine modified silver electrode 419
- Self-assembly
 Self assembly of *C*-methyl resorcin[4]arene with coumarin and thiocoumarin: A nanotubular array with a near perfect lock and key fit 39
 Facilitation of peptide fibre formation by arginine-phosphate/carboxylate interactions 155
 Facially amphiphilic thiol capped gold and silver nanoparticles 507
- SERS
 Surface enhanced Raman spectra of the organic non-linear optic material: Methyl 3-(4-methoxy phenyl) prop-2-enoate 405
- Silver electrode
 Microdetermination of human serum albumin by differential pulse voltammetry at a L-cysteine modified silver electrode 419
- Silver nanoparticles
 Surface enhanced Raman spectra of the organic non-linear optic material: Methyl 3-(4-methoxy phenyl) prop-2-enoate 405
 Synthesis of silver nanoparticles by sophorolipids: Effect of temperature and sophorolipid structure on the size of particles 515
- Solar cells
 Functionalized zinc porphyrin as light harvester in dye sensitized solar cells 455
- Sol-gel
 Tuning of Ag-SPR band position in refractive index controlled inorganic-organic hybrid SiO₂-PEO-TiO₂ films 565

- Solubility of SWNTs
Near-complete phase transfer of single-wall carbon nanotubes by covalent functionalization 599
- Solution conformation
Cyclic porphyrin dimers as hosts for coordinating ligands 115
- Solvation shells
Effects of ion concentration on the hydrogen bonded structure of water in the vicinity of ions in aqueous NaCl solutions 71
- Solvent re-organization
Relaxation dynamics in the excited states of a keto-cyanine dye probed by femtosecond transient absorption spectroscopy 45
- Sophorolipid
Synthesis of silver nanoparticles by sophorolipids: Effect of temperature and sophorolipid structure on the size of particles 515
- Specific capacitance
Analysis of polypyrrole-coated stainless steel electrodes – Estimation of specific capacitances and construction of equivalent circuits 25
- Spectral properties
Palladium and platinum complexes of 2-(2'-carboxyphenylazo)-4-methylphenol: Synthesis, structure and spectral properties 441
- Spectroscopy
Phosphorus–nitrogen compounds: Part 15. Synthesis, anisochronism and the relationship between crystallographic and spectral data of monotopic *spiro*-crypta phosphazenes 363
p-Aminoacetanilide mediated formation of assembly of Au nanoparticles 547
- Spiro*-crypta-phosphazenes
Phosphorus–nitrogen compounds: Part 15. Synthesis, anisochronism and the relationship between crystallographic and spectral data of monotopic *spiro*-crypta phosphazenes 363
- Square wave voltammetry
A study of nanostructured gold modified glassy carbon electrode for the determination of trace Cr(VI) 493
- Stereoselectivity
Regio and stereoselectivity in ionic cycloadditions 225
High stereoselective cyclopropanation reaction of 3-acylcoumarins with α -bromoketones at room temperature 391
- Strain
Competition between elastic and chemical effects in the intermixing of Co and Ag on Rh(111) 621
- Structural difference
Hydrolytic cleavage of *bis*(*p*-nitrophenyl) phosphate by Schiff base Mn^{III} complexes containing morpholine pendants in Gemini 16–6–16 micelles 411
- Structural transition
Structural transition in alcohol–water binary mixtures: A spectroscopic study 275
- Structure based drug design
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Supercapacitors
Analysis of polypyrrole-coated stainless steel electrodes – Estimation of specific capacitances and construction of equivalent circuits 25
- Supramolecular interactions
Two different zinc(II)-aqua complexes held up by a metal-oxide based support: Synthesis, crystal structure and catalytic activity of [HMTAH]₂{Zn(H₂O)₅}{Zn(H₂O)₄}{Mo₇O₂₄}·2H₂O (HMTAH = protonated hexamethylenetetramine) 95
- Surface alloys
Competition between elastic and chemical effects in the intermixing of Co and Ag on Rh(111) 621
- Surface Plasmon Resonance
p-Aminoacetanilide mediated formation of assembly of Au nanoparticles 547
- Surface plasmon resonance spectroscopy
A kinetic analysis of the tumor-associated galactopyranosyl-(1→3)-2-acetamido-2-deoxy- α -D-galactopyranoside antigen–lectin interaction 195
- Surfactant mediated wetting
Surfactant controlled switching of water-in-oil wetting behaviour of porous silica films grown at oil–water interfaces 637
- Synthesis
Phosphorus–nitrogen compounds: Part 15. Synthesis, anisochronism and the relationship between crystallographic and spectral data of monotopic *spiro*-crypta phosphazenes 363
- Tabu-clustering
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Taxol
Synthetic studies on taxanes: A domino–ene metathesis/Diels–Alder approach to the AB-ring 205
- Template
Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Template action of K⁺
Influence of alkali and alkaline earth ions on the *O*-alkylation of the lower rim phenolic-OH groups of *p*-*tert*-butyl-calix[4]arene to result in amide-pendants:

- Template action of K^+ and the structure of K^+ bound tetra-amide derivative crystallized with a *p-tert-butyl-calix[4]arene* anion 237
- Tetrahydropyridinethione
 β -Enaminonitriles in heterocyclic synthesis: Synthesis of new tetrahydropyridinethione, pyridopyrimidines, pyridotriazines and dihydropyridines 339
- Tetrakis-pentafluorophenylporphyrin
 Preparation and characterization of free-standing pure porphyrin nanoparticles 485
- Tetrakis-phenylporphyrin
 Preparation and characterization of free-standing pure porphyrin nanoparticles 485
- TG-DTG
 Studies on the thermal decomposition kinetics of $LiPF_6$ and $LiBC_4O_8$ 289
- Thiols
 Removal of phase transfer agent leads to restricted dynamics of alkyl chains in monolayer protected clusters 537
- Three-dimensional supramolecular structure
 Non-covalent O...O interactions among isopolyanions using a *cis*- $\{MoO_2\}$ moiety by the assistance of N-H...O hydrogen bonds 297
- TIBO
 Assessing ligand efficiencies using template-based molecular docking and Tabu-clustering on tetrahydroimidazo-[4,5,1-jk][1,4]-benzodiazepin-2(1H)-one and -thione (TIBO) derivatives as HIV-1RT inhibitors 395
- Time-resolved spectroscopy
 Synthesis and spectroscopic study of high quality alloy $Cd_xZn_{1-x}S$ nanocrystals 557
- Tin
 Ir/Sn dual-reagent catalysis towards highly selective alkylation of arenes and heteroarenes with benzyl alcohols 429
- TPA cross section
 Expanded porphyrins as third order non-linear optical materials: Some structure-function correlations 137
- Transmission electron microscopy
 Covalent and non-covalent functionalization and solubilization of double-walled carbon nanotubes in nonpolar and aqueous media 607
- Triad
 Functionalized zinc porphyrin as light harvester in dye sensitized solar cells 455
- Triarylimidazoles
 Ceric ammonium nitrate catalysed three component one-pot efficient synthesis of 2,4,5-triaryl-1H-imidazoles 463
- Tridentate
 A one-dimensional barium(II) coordination polymer with a coordinated nitro group of 2-nitrobenzoate 249
- Unsymmetrical metalloporphyrins
 Synthesis and characterization of new *meso*-substituted unsymmetrical metalloporphyrins 259
- Urinary stones
 Analysis of urinary stone constituents using powder X-ray diffraction and FT-IR 267
- Verwey transition
 Role of carboxylate ion and metal oxidation state on the morphology and magnetic properties of nanostructured metal carboxylates and their decomposition products 521
- Wetting control
 Surfactant controlled switching of water-in-oil wetting behaviour of porous silica films grown at oil-water interfaces 637
- XPS
 Two approaches for enhancing the hydrogenation properties of palladium: Metal nanoparticle and thin film over layers 573
- X-ray diffraction
 Charge density analysis of two proton transfer complexes: Understanding hydrogen bonding and determination of in-crystal dipole moments 613
- X-ray structure
 Facile one-pot synthesis of functionalized organophosphonate esters via ketone insertion into bulky arylphosphites 131