

SUBJECT INDEX

- (S)-Phenylsuccinic acid
NIR-FT Raman, FT-IR and surface-enhanced Raman scattering and DFT based theoretical studies on the adsorption behaviour of (S)-Phenylsuccinic acid on silver nanoparticles 511
- CO₂ and (CH₃)₂•COH
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- 1,10-Phenanthroline
Weak C-H...F-C interactions in carboxylate anion binding: Synthesis, spectroscopic and X-ray structural studies of [Co(phen)₂CO₃]₂ (C₇H₃O₂FCl)Cl.11H₂O and [Co(phen)₂CO₃](C₇H₃NO₄Cl).6H₂O 739
- 1,10-Phenanthroline-5,6-dione
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- 1,2,3,4-Tetrahydroisoquinoline
Synthesis, evaluation and molecular modelling studies of some novel 3-(3,4-dihydroisoquinolin-2(1H)-yl)-N-(substitutedphenyl) propanamides as HIV-1 non-nucleoside reverse transcriptase inhibitors 169
- 1,3,4-Oxadiazoles
Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177
- 1,4-Dihydropyridines
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
- ¹³C NMR
Conformation of hindered piperidines: Spectroscopic evidence for contribution of boat conformations 579
- 1D NMR
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- ¹H NMR
Conformation of hindered piperidines: Spectroscopic evidence for contribution of boat conformations 579
- 2,4,5-Trisubstituted imidazoles
A novel and an efficient catalyst for one-pot synthesis of 2,4,5-trisubstituted imidazoles by using microwave irradiation under solvent-free conditions 437
- 2,6-Diarylacetanilides
Palladium-catalysed ortho arylation of acetanilides 149
- 2-Arylacetanilides
Palladium-catalysed ortho arylation of acetanilides 149
- 2-Chloro-5-fluorobenzoate
Weak C-H...F-C interactions in carboxylate anion binding: Synthesis, spectroscopic and X-ray structural studies of [Co(phen)₂CO₃]₂ (C₇H₃O₂FCl)Cl.11H₂O and [Co(phen)₂CO₃](C₇H₃NO₄Cl).6H₂O 739
- 2-Methylprazine
Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- 2-Naphthol
Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- 3-Cyanoacetyl indole
Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- 3-Methoxy-4-benzyloxybenzyl alcohol resin
Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- 4-Quinazolinone
Synthesis and antiulcer activity of 2-[5-substituted-1-*H*-benzo(d)imidazol-2-yl sulfinyl]methyl-3-substituted quinazolinone-4-(3*H*) ones 443
- 5-Fluorouracil
Controlled release of 5-fluorouracil from biomedical polyurethanes 209
- ab initio* calculations
Synthesis, characterization, *ab initio* calculations, thermal behaviour and thermodynamics of some oxovanadium(IV) complexes involving O,O- and N,N-donor moieties 539
- Acetanilides
Palladium-catalysed ortho arylation of acetanilides 149
- Acetyl nitrate
Generation of nityl chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Acrylic acid
Controlled release of diclofenac sodium from pH-responsive carrageenan-*g*-poly(acrylic acid) superabsorbent hydrogel 651
- Adsorption
Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341

- Adsorption behaviour
NIR–FT Raman, FT–IR and surface-enhanced Raman scattering and DFT based theoretical studies on the adsorption behaviour of (S)-Phenylsuccinic acid on silver nanoparticles 511
- Aggregation
Synthesis and aggregation study of optically active tetra- β -[(S)-2-octanyloxy]-substituted copper and nickel phthalocyanines 813
A novel perylene diimide-based tetrahedral molecule: Synthesis, characterization and self-assembly with gold nanoparticles 839
- Aldehydes
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- Alkyltriphenylphosphonium bromides
Ternary mixtures of alkyltriphenylphosphonium bromides (C₁₂TPB, C₁₄TPB and C₁₆TPB) in aqueous medium: their interfacial, bulk and fluorescence quenching behaviour 109
- Alq₃
Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847
- Aluminophosphates
Effect of metal ion doping on the photocatalytic activity of aluminophosphates 771
- AMI calculations
Synthesis and conformational features of sym N,N',N'' triarylguanidines 157
- Amidoalkyl naphthols
An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using H₄SiW₁₂O₄₀ as a recyclable catalyst 189
- Ammonium heptamolybdate tetrahydrate
A novel and an efficient catalyst for one-pot synthesis of 2,4,5-trisubstituted imidazoles by using microwave irradiation under solvent-free conditions 437
- Anaerobic DNA photo-cleavage
Anaerobic DNA cleavage in red light by dicopper(II) complexes on disulphide bond activation 321
- Analygesic activity
Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- Anhydride
Microwave-assisted synthesis of photochromic fulgides 183
- Antibacterial activities
Facile synthesis of novel benzotriazole derivatives and their antibacterial activities 597
- Antibacterial activity
Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177
- Antiinflammatory activity
Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- Antitumor
Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Antiulcer activity
Synthesis and antiulcer activity of 2-[5-substituted-1-*H*-benzo(d)imidazol-2-yl sulfinyl]methyl-3-substituted quinazoline-4-(3*H*) ones 443
- Aquation
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- Aryl iodides
Palladium catalysed ortho arylation of acetanilides 149
- Asymmetric synthesis
An asymmetric route to 2,3-epoxy-syn-1,4-cyclohexane diol derivatives using ring closing metathesis (RCM) 791
- Autodock
Synthesis, evaluation and molecular modelling studies of some novel 3-(3,4-dihydroisoquinolin-2(1*H*)-yl)-N-(substitutedphenyl) propanamides as HIV-1 non-nucleoside reverse transcriptase inhibitors 169
- Benzene radical cation
A quantum-classical simulation of the nuclear dynamics in NO₂⁻ and C₆H₆⁺ with realistic model Hamiltonian 491
- Benzene
A quantum-classical simulation of the nuclear dynamics in NO₂⁻ and C₆H₆⁺ with realistic model Hamiltonian 491
- Benzimidazoles
Polyethylene glycol: A recyclable solvent system for the synthesis of benzimidazole derivatives using CAN as catalyst 607
- Benzimidazole
Synthesis and antiulcer activity of 2-[5-substituted-1-*H*-benzo(d)imidazol-2-yl sulfinyl]methyl-3-substituted quinazoline-4-(3*H*) ones 443
- Benzotriazoles derivatives
Facile synthesis of novel benzotriazole derivatives and their antibacterial activities 597
- Binuclear complex
Synthesis, characterization and spectrochemical studies on a few binuclear μ -oxo molybdenum(V) complexes of pyrimidine derived Schiff base ligands 239

- Biomedical polyurethane
Controlled release of 5-fluorouracil from biomedical polyurethanes 209
- Bis*(ethylenedithio)tetrathiafulvalenium
Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
- Bis*(methylenedithio)tetrathia-fulvalenium
Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
- Blue OLED
Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847
- Boat forms
Conformation of hindered piperidines: Spectroscopic evidence for contribution of boat conformations 579
- Bond dissociation energy
The solvent and substituent effects on bond dissociation energies of NO-donor molecules containing the N–NO bond 521
- Boron compounds
Multidimensional potential of boron-containing molecules in functional materials 7
- Cadmium chloride
A new Cd(II)-containing ionic liquid: Synthesis, characterization and electrocatalysis 631
- Carbon nanotubes
Multidimensional potential of boron-containing molecules in functional materials 7
- Carbon steel
Tungstate as a synergist to phosphonate-based formulation for corrosion control of carbon steel in nearly neutral aqueous environment 639
- Carrageenan
Controlled release of diclofenac sodium from pH-responsive carrageenan-*g*-poly(acrylic acid) superabsorbent hydrogel 651
- Catalysis
Suzuki–Miyaura, Mizoroki–Heck carbon–carbon coupling and hydrogenation reactions catalysed by Pd^{II} and Rh^I complexes containing cyclodiphosphazane *cis*-{^tBuNP(OC₆H₄OMe-*o*)}₂ 137
- Catalyst support
A solid-polymer-electrolyte direct methanol fuel cell (DMFC) with Pt–Ru nanoparticles supported onto poly(3,4-ethylenedioxythiophene) and polystyrene sulphonic acid polymer composite as anode 381
- CD spectroscopy
Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Cd(II) complex
Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with *d*¹⁰ metal ions: Interplay of covalent and non-covalent interactions in solid-state structure 801
- CdTe QDs
Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Ceric ammonium nitrate
Polyethylene glycol: A recyclable solvent system for the synthesis of benzimidazole derivatives using CAN as catalyst 607
- C–H activation
Palladium-catalysed ortho arylation of acetanilides 149
- C–H...Cl hydrogen bonds
Analysis of Cl...Cl and C–H...Cl intermolecular interactions involving chlorine in substituted 2-chloroquinoline derivatives 677
- C–H...F interactions
Weak C–H...F–C interactions in carboxylate anion binding: Synthesis, spectroscopic and X-ray structural studies of [Co(phen)₂CO₃]₂(C₇H₃O₂FCl)Cl·11H₂O and [Co(phen)₂CO₃](C₇H₃NO₄Cl)·6H₂O 739
- CH₂Cl[–]
Theoretical study of nucleophilic halogenalkylation of propylene oxide with halogenmethane and dihalogenmethane anion 901
- CH₂F[–]
Theoretical study of nucleophilic halogenalkylation of propylene oxide with halogenmethane and dihalogenmethane anion 901
- Characterization
Thermal and hydrothermal stability of ZrMCM-41 mesoporous molecular sieves obtained by microwave irradiation 371
Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- CHCl₂[–]
Theoretical study of nucleophilic halogenalkylation of propylene oxide with halogenmethane and dihalogenmethane anion 901
- Chemical exchange
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- CHF₂[–]
Theoretical study of nucleophilic halogenalkylation of propylene oxide with halogenmethane and dihalogenmethane anion 901
- Chiral 1,2-cyclohexyl diamines
Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 561
- Chiral carboxylic acids
Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 561

- Chiral solvating agents
 Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 561
- Chirality
 Synthesis and aggregation study of optically active tetra- β -[(S)-2-octanyloxy]-substituted copper and nickel phthalocyanines 813
- Chlorination
 Generation of nitril chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Chlorotrimethylsilane
 Generation of nitril chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Chromium-promoter
 Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- Chromogenic agent
 A new chromogenic agent for iron(III): Synthesis, structure and spectroscopic studies 217
- α -Chymotrypsin
 Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Cobalt *bis*(dicarbollide)
 Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
- Cobalt(III)
 Weak C–H...F–C interactions in carboxylate anion binding: Synthesis, spectroscopic and X-ray structural studies of [Co(phen)₂CO₃]₂ (C₇H₃O₂FCI)Cl.11H₂O and [Co(phen)₂CO₃](C₇H₃NO₄Cl).6H₂O 739
- Cobalt (III) complex
 Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- Collagen
 Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- Configuration interaction
 A comparative study of the spectroscopic features of the low-lying electronic states of H₂F⁺ and H₂Cl⁺ ions 259
- Conformational analysis
 Conformation of hindered piperidines: Spectroscopic evidence for contribution of boat conformations 579
 A novel tetraarylpyrene host: Conformation-dependent inclusion of guest molecules in the crystal lattice 697
- Conformations
 Synthesis and conformational features of sym N,N',N'' triarylguanidines 157
- Conical intersection
 A quantum-classical simulation of the nuclear dynamics in NO₂⁻ and C₆H₆⁺ with realistic model Hamiltonian 491
- Controlled release
 Controlled release of 5-fluorouracil from biomedical polyurethanes 209
 Controlled release of diclofenac sodium from pH-responsive carrageenan-*g*-poly(acrylic acid) superabsorbent hydrogel 651
- Coordination polymer
 Assembling one-dimensional coordination polymers into three-dimensional architectures via hydrogen bonds 707
 Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions 757
- Copper catalyst
 Copper-catalysed N-arylation of arylsulfonamides with aryl bromides and aryl iodides using KF/Al₂O₃ 143
- Copper-based catalyst
 Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- Copper-based minerals
 Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions 757
- Corrosion inhibitor
 Tungstate as a synergist to phosphonate-based formulation for corrosion control of carbon steel in nearly neutral aqueous environment 639
- Corrosion
 A solid-polymer-electrolyte direct methanol fuel cell (DMFC) with Pt–Ru nanoparticles supported onto poly(3,4-ethylenedioxythiophene) and polystyrene sulphonic acid polymer composite as anode 381
- Coupling reaction
 Simple synthesis and biological evaluation of flocoumafen and its structural isomers 833
- Crystal structure
 Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
 Structural and electrochemical properties of β -tetrabromo-*meso*-tetrakis(4-alkyloxyphenyl)porphyrins and their metal complexes 233
 Synthesis, characterization and spectrochemical studies on a few binuclear μ -oxo molybdenum(V) complexes of pyrimidine derived Schiff base ligands 239
 Anaerobic DNA cleavage in red light by dicopper(II) complexes on disulphide bond activation 321
 Synthesis and characterization of N-phosphorylated thioureas RNHC(S)NHP(O)(OiPr)₂ (R = 2-MeC₆H₄, 2,6-Me₂C₆H₃, 2,4,6-Me₃C₆H₂) 409
 Facile synthesis of novel benzotriazole derivatives and their antibacterial activities 597
 A new Cd(II)-containing ionic liquid: Synthesis, characterization and electrocatalysis 631

- Crystal engineering: A brief overview 667
 A simple coordination complex exhibiting colour change on slight structural modification: Synthesis and crystal structures of violet and yellow forms of $[\text{Ni}^{\text{II}}(\text{opda})_2(\text{NCS})_2]$ (opda = orthophenylenediamine) 731
- Crystallite size
 Distinguishing crystallite size effects from those of structural disorder on the powder X-ray diffraction patterns of layered materials 751
- Crystallization
 Supramolecular chemistry and crystal engineering 295
 Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions 757
- Crystallography
 Crystal engineering: A brief overview 667
- Curcumin
 Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- Cyanuric chloride
 Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- Cyclic voltammetry
 Direct electrochemistry of hemoglobin entrapped in dextran film on carbon ionic liquid electrode 271
- Cyclization
 Microwave-assisted synthesis of photochromic fulgides 183
- Cycloalkenes
 Generation of nitril chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Cyclodiphosphazane
 Suzuki–Miyaura, Mizoroki–Heck carbon–carbon coupling and hydrogenation reactions catalysed by Pd^{II} and Rh^{I} complexes containing cyclodiphosphazane $\text{cis-}\{\text{tBuNP}(\text{OC}_6\text{H}_4\text{OMe-o})\}_2$ 137
- Cymene
 Gas phase toluene isopropylation over high silica mordenite 613
- DDQ oxidation
 Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- Density functional theory (DFT)
 Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Density functional theory
 A theoretical study of the carbenoids LiCH_2X (X = Cl, Br, I) cyclopropanation reaction with ketene 363
- Density functional theory
 The solvent and substituent effects on bond dissociation energies of NO-donor molecules containing the N–NO bond 521
- Deposition rate
 Influence of magnetic field on the electrodeposition of Ni–Co alloy 279
- Dextran
 Direct electrochemistry of hemoglobin entrapped in dextran film on carbon ionic liquid electrode 271
- DFT
 Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847
- DFT calculations
 NIR–FT Raman, FT–IR and surface-enhanced Raman scattering and DFT based theoretical studies on the adsorption behaviour of (S)-Phenylsuccinic acid on silver nanoparticles 511
- Dibenzothiophene
 Synthesis, photophysical and electrochemical properties of 2,8-diaryl-dibenzothiophene derivatives for organic electronics 119
- Diclofenac sodium
 Controlled release of diclofenac sodium from pH-responsive carrageenan-*g*-poly(acrylic acid) superabsorbent hydrogel 651
- Dicopper(II) complexes
 Anaerobic DNA cleavage in red light by dicopper(II) complexes on disulphide bond activation 321
- Dienediaminoketone
 Powder diffraction in structural characterization of dienediaminoketones of the indolin-3-one series 721
- Diorganotin dibromides
 Synthesis and structure of diorganotin dibromides, R_2SnBr_2 (R = 2,4,6 trimethylphenyl or 2,4,6-trimethylbenzyl): Hydrolysis of $(2,4,6\text{-Me}_3\text{C}_6\text{H}_2)_2\text{SnBr}_2$ 687
- Diperiodatoargentate(III)
 Mechanistic investigation on the oxidation of kinetin by Ag(III) periodate complex in aqueous alkaline media: A kinetic approach 891
- Diphenyl ether
 Vapour phase synthesis of salol over solid acids via transesterification 193
- Direct electrochemistry
 Direct electrochemistry of hemoglobin entrapped in dextran film on carbon ionic liquid electrode 271
- Disulphide bond activation
 Anaerobic DNA cleavage in red light by dicopper(II) complexes on disulphide bond activation 321
- Divanillyltetrahydrofuran ferulate
 Total synthesis of (\pm)-divanillyltetrahydrofuran ferulate 433
- DMFC
 A solid-polymer-electrolyte direct methanol fuel cell (DMFC) with Pt–Ru nanoparticles supported onto

- poly(3,4-ethylenedioxythiophene) and polystyrene sulphonic acid polymer composite as anode 381
- DNA binding
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- DNA interaction
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Docking
Synthesis, evaluation and molecular modelling studies of some novel 3-(3,4-dihydroisoquinolin-2(1H)-yl)-N-(substitutedphenyl) propanamides as HIV-1 non-nucleoside reverse transcriptase inhibitors 169
- DOPC vesicles
Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341
- Doping
Effect of metal ion doping on the photocatalytic activity of aluminophosphates 771
- Double exchange
Manganese-mediated ferromagnetism in $\text{La}_2\text{Fe}_{1-x}\text{Mn}_{2x}\text{Cr}_{1-x}\text{O}_6$ perovskite oxides 529
- D-penicillamine disulphide
Anaerobic DNA cleavage in red light by dicopper(II) complexes on disulphide bond activation 321
- Drug delivery
Controlled release of 5-fluorouracil from biomedical polyurethanes 209
- Drug-DNA binding
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Dye degradation
Effect of metal ion doping on the photocatalytic activity of aluminophosphates 771
- e-aq H-atoms
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- EDX
Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZP) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Electrocatalysis
A new Cd(II)-containing ionic liquid: Synthesis, characterization and electrocatalysis 631
- Electrochemical redox potentials
Structural and electrochemical properties of β -tetrabromo-*meso*-tetrakis(4-alkyloxyphenyl)porphyrins and their metal complexes 233
- Electroluminescence
Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847
- Electrolytes
Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341
- Electron spin
Multidimensional potential of boron-containing molecules in functional materials 7
- Electronic states
A comparative study of the spectroscopic features of the low-lying electronic states of H_2F^+ and H_2Cl^+ ions 259
- Electro-oxidation
Electrochemical investigation of NO at single-wall carbon nanotubes modified electrodes 401
- Electrophilic
Synthesis of novel spiro- β -lactams 125
- Enantiomeric purity
Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 561
- Energy landscapes
Interplay between multiple length and time scales in complex chemical systems 459
- Enzyme activity
Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Episulfonium ion
Synthesis of novel spiro- β -lactams 125
- Epoxides
An asymmetric route to 2,3-epoxy-syn-1,4-cyclohexane diol derivatives using ring closing metathesis (RCM) 791
- ESR spectroscopy
Magnetic behaviour in metal-organic frameworks—Some recent Examples 19
- Ethylene diamine
Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- Evodone
Titanium(III) chloride mediated synthesis of furan derivatives: Synthesis of (\pm)-evodone 423
- Excited state intramolecular proton transfer (ESIPT)
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Ferromagnetic
Synthesis and characterization of Ruddlesden-Popper (RP) type phase $\text{LaSr}_2\text{MnCrO}_7$ 807
- Ferromagnetism
Manganese-mediated ferromagnetism in $\text{La}_2\text{Fe}_{1-x}\text{Mn}_{2x}\text{Cr}_{1-x}\text{O}_6$ perovskite oxides 529
- Fibril formation
Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881

- Film morphology
 Physicochemical studies on ion-pair amphiphiles: Solution and interfacial behaviour of systems derived from sodium dodecylsulfate and *n*-alkyltrimethylammonium bromide homologues 867
- Flocoumafen
 Simple synthesis and biological evaluation of flocoumafen and its structural isomers 833
- Fluorescence quenching
 Ternary mixtures of alkyltriphenylphosphonium bromides (C₁₂TPB, C₁₄TPB and C₁₆TPB) in aqueous medium: their interfacial, bulk and fluorescence quenching behaviour 109
- Fluorescence spectroscopy
 Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Fluorescence
 DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Formation constants
 Synthesis, characterization, *ab initio* calculations, thermal behaviour and thermodynamics of some oxovanadium(IV) complexes involving O,O- and N,N-donor moieties 539
- FT-IR SERS spectra
 NIR-FT Raman, FT-IR and surface-enhanced Raman scattering and DFT based theoretical studies on the adsorption behaviour of (S)-Phenylsuccinic acid on silver nanoparticles 511
- Fulgenic acid
 Microwave-assisted synthesis of photochromic fulgides 183
- Fulgides
 Microwave-assisted synthesis of photochromic fulgides 183
- Furan derivatives
 Titanium(III) chloride mediated synthesis of furan derivatives: Synthesis of (\pm)-evodone 423
- Gas sensors
 Development of gas sensors using ZnO nanostructures 57
- Gelatin
 Physicochemistry of hexadecylammonium bromide and its methyl and ethanolic head group analogues in buffered aqueous and gelatin solution 349
- Gem*-chloronitro compounds
 Generation of nitril chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Gem*chloronitroso compounds
 Generation of nitril chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- Gene delivery
 Emerging trends at the interface of chemistry and biology: Applications to the design of human therapeutics 97
- Genosensor
 Gold electrode modified by self-assembled monolayers of thiols to determine DNA sequences hybridization 911
- Geometry optimization
 The solvent and substituent effects on bond dissociation energies of NO-donor molecules containing the N-NO bond 521
- Gold functionalized electrode
 Gold electrode modified by self-assembled monolayers of thiols to determine DNA sequences hybridization 911
- Gold nanoparticles
 A novel perylene diimide-based tetrahedral molecule: Synthesis, characterization and self-assembly with gold nanoparticles 839
- Green synthesis
 Polyethylene glycol: A recyclable solvent system for the synthesis of benzimidazole derivatives using CAN as catalyst 607
- Guest inclusion
 Assembling one-dimensional coordination polymers into three-dimensional architectures via hydrogen bonds 707
- H₂S
 Development of gas sensors using ZnO nanostructures 57
- Halogen...halogen contacts
 Analysis of Cl...Cl and C-H...Cl intermolecular interactions involving chlorine in substituted 2-chloroquinoline derivatives 677
- Halogen-mediated cyclization
 Synthesis of novel spiro- β -lactams 125
- Hartree-Fock (HF) method
 Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- H-bonding
 Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with *d*¹⁰ metal ions: Interplay of covalent and non-covalent interactions in solid-state structure 801
- Head group
 Physicochemistry of hexadecylammonium bromide and its methyl and ethanolic head group analogues in buffered aqueous and gelatin solution 349
- Hemoglobin
 Direct electrochemistry of hemoglobin entrapped in dextran film on carbon ionic liquid electrode 271

- Hep-G2
Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Hetero atom replacement
Excited state intramolecular charge transfer reaction of 4-(morpholenyl) benzonitrile in solution: Effects of hetero atom in the donor moiety 481
- Heterogeneous catalysis
An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using $H_4SiW_{12}O_{40}$ as a recyclable catalyst 189
- Heteropoly 10-tungstodivanadophosphate
Studies on electron transfer reactions: Reduction of heteropoly 10-tungstodivanadophosphate by thioglycolic acid in aqueous medium 335
- HIV-1 reverse transcriptase (HIV-1 RT)
Synthesis, evaluation and molecular modelling studies of some novel 3-(3,4-dihydroisoquinolin-2(1H)-yl)-N-(substitutedphenyl) propanamides as HIV-1 non-nucleoside reverse transcriptase inhibitors 169
- HLW immobilization
Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZN) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Hole blocker
Synthesis, photophysical and electrochemical properties of 2,8-diaryl- dibenzothiophene derivatives for organic electronics 119
- Hydration
Interplay between multiple length and time scales in complex chemical systems 459
- Hydrogel
Controlled release of diclofenac sodium from pH-responsive carrageenan-*g*-poly(acrylic acid) superabsorbent hydrogel 651
- Hydrogen bond
Supramolecular chemistry and crystal engineering 295
Synthesis and characterization of N-phosphorylated thioureas RNHC(S)NHP(O)(OiPr)₂ (R = 2-MeC₆H₄, 2,6-Me₂C₆H₃, 2,4,6-Me₃C₆H₂) 409
N-2, 4-Dichlorobenzoyl phosphoric triamides: Synthesis, spectroscopic and X-ray crystallography studies 549
Crystal engineering: A brief overview 667
Assembling one-dimensional coordination polymers into threedimensional architectures via hydrogen bonds 707
- Hydrogen bonding
Powder diffraction in structural characterization of dienediaminoketones of the indolin-3-one series 721
- Hydrogenation reactions
Suzuki–Miyaura, Mizoroki–Heck carbon–carbon coupling and hydrogenation reactions catalysed by Pd^{II} and Rh^I complexes containing cyclodiphosphazane cis-{^tBuNP(OC₆H₄OMe-o)}₂ 137
- Hydrolysis
Synthesis and structure of diorganotin dibromides, R₂SnBr₂ (R = 2,4,6 trimethylphenyl or 2,4,6-trimethylbenzyl): Hydrolysis of (2,4,6-Me₃C₆H₂)₂SnBr₂ 687
- Hydrophobic effect
Interplay between multiple length and time scales in complex chemical systems 459
- ICT reaction
Excited state intramolecular charge transfer reaction of 4-(morpholenyl) benzonitrile in solution: Effects of hetero atom in the donor moiety 481
- Inclusion compounds
A novel tetraarylpyrene host: Conformation-dependent inclusion of guest molecules in the crystal lattice 697
- Indole derivatives
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Indole-DNA binding
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Indolylchalcones
Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Indolylpyrazolines
Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Ingle-molecule spectroscopy
Interplay between multiple length and time scales in complex chemical systems 459
- Interaction
Physicochemistry of hexadecylammonium bromide and its methyl and ethanolic head group analogues in buffered aqueous and gelatin solution 349
- Interaction
Studies on interaction between CdTe quantum dots and α -chymotrypsin by molecular spectroscopy 391
- Intermolecular interactions
Analysis of Cl...Cl and C–H...Cl intermolecular interactions involving chlorine in substituted 2-chloroquinoline derivatives 677
- Intramolecular ring cyclization
Simple synthesis and biological evaluation of flocoumafen and its structural isomers 833
- Intricate hydrogen bonding Networks
A simple coordination complex exhibiting colour change on slight structural modification: Synthesis and crystal structures of violet and yellow forms of [Ni^{II}(opda)₂(NCS)₂] (opda = orthophenylenediamine) 731

- Ionic liquid
 Direct electrochemistry of hemoglobin entrapped in dextran film on carbon ionic liquid electrode 271
- IPA/catanionic
 Physicochemical studies on ion-pair amphiphiles: Solution and interfacial behaviour of systems derived from sodium dodecylsulfate and *n*-alkyltrimethylammonium bromide homologues 867
- IR
 Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177
- Isopropylation
 Gas phase toluene isopropylation over high silica mordenite 613
- Ketene
 A theoretical study of the carbenoids LiCH_2X ($\text{X} = \text{Cl, Br, I}$) cyclopropanation reaction with ketene 363
- KF/ Al_2O_3
 Copper-catalysed N-arylation of arylsulfonamides with aryl bromides and aryl iodides using KF/ Al_2O_3 143
- Kinetics of oxidation
 Mechanistic investigation on the oxidation of kinetin by Ag(III) periodate complex in aqueous alkaline media: A kinetic approach 891
- Kinetics
 Kinetics of solid state phase transformations: Measurement and modelling of some basic issues 83
 Gas phase toluene isopropylation over high silica mordenite 613
- Kinetin
 Mechanistic investigation on the oxidation of kinetin by Ag(III) periodate complex in aqueous alkaline media: A kinetic approach 891
- β -Lactams
 Synthesis of novel spiro- β -lactams 125
- La(Fe, Mn, Cr)O₃
 Manganese-mediated ferromagnetism in $\text{La}_2\text{Fe}_{1-x}\text{Mn}_{2x}\text{Cr}_{1-x}\text{O}_6$ perovskite oxides 529
- $\text{LaSr}_2\text{MnCrO}_7$
 Synthesis and characterization of Ruddlesden–Popper (RP) type phase $\text{LaSr}_2\text{MnCrO}_7$ 807
- Layered double hydroxides
 Distinguishing crystallite size effects from those of structural disorder on the powder X-ray diffraction patterns of layered materials 751
- Leaching
 Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZP) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Lewis acidic metals
 Lewis acidic metal catalysed organic transformations by designed multi-component structures and assemblies 311
- Linear scaling methods
 Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Linker
 Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- Lithium carbenoid
 A theoretical study of the carbenoids LiCH_2X ($\text{X} = \text{Cl, Br, I}$) cyclopropanation reaction with ketene 363
- Long range coupling
 N-2,4-Dichlorobenzoyl phosphoric triamides: Synthesis, spectroscopic and X-ray crystallography studies 549
- L-proline
 An efficient one-pot synthesis of novel pyrazolo-phthalazinyl Spirooxindoles 415
- Luminescent compounds
 A new chromogenic agent for iron(III): Synthesis, structure and spectroscopic studies 217
- Macrocyclic amines
 Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 561
- Magnetic electrodeposition
 Influence of magnetic field on the electrodeposition of Ni–Co alloy 279
- Magnetic interactions
 Magnetic behaviour in metal–organic frameworks—Some recent Examples 19
- Magneto-resistance
 Synthesis and characterization of Ruddlesden–Popper (RP) type phase $\text{LaSr}_2\text{MnCrO}_7$ 807
- Malononitrile
 One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
- Malononitrile
 Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- Marcus theory
 Studies on electron transfer reactions: Reduction of heteropoly 10-tungstodivanadophosphate by thioglycolic acid in aqueous medium 335
- Mass spectra
 Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177

- Materials
Supramolecular chemistry and crystal engineering 295
- Mechanism
Mechanistic investigation on the oxidation of kinetin by Ag(III) periodate complex in aqueous alkaline media: A kinetic approach 891
- Metal-containing ionic liquid
A new Cd(II)-containing ionic liquid: Synthesis, characterization and electrocatalysis 631
- Metalloporphyrins
Structural and electrochemical properties of β -tetrabromo-*meso*-tetrakis(4-alkyloxyphenyl)porphyrins and their metal complexes 233
- Metal-organic frameworks
Magnetic behaviour in metal-organic frameworks—Some recent Examples 19
- Metathesis
An asymmetric route to 2,3-epoxy-syn-1,4-cyclohexane diol derivatives using ring closing metathesis (RCM) 791
- Michael addition
An asymmetric route to 2,3-epoxy-syn-1,4-cyclohexane diol derivatives using ring closing metathesis (RCM) 791
- Microwave aided synthesis
Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZP) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Microwave irradiation
Thermal and hydrothermal stability of ZrMCM-41 mesoporous molecular sieves obtained by microwave irradiation 371
A novel and an efficient catalyst for one-pot synthesis of 2,4,5-trisubstituted imidazoles by using microwave irradiation under solvent-free conditions 437
Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Microwave-assisted synthesis
Microwave-assisted synthesis of photochromic fulgides 183
- MIC
Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177
- Mizoroki-Heck reactions
Suzuki-Miyaura, Mizoroki-Heck carbon-carbon coupling and hydrogenation reactions catalysed by Pd^{II} and Rh^I complexes containing cyclodiphosphazane $\text{cis-}\{^t\text{BuNP}(\text{OC}_6\text{H}_4\text{OMe-o})\}_2$ 137
- Modelling
Kinetics of solid state phase transformations: Measurement and modelling of some basic issues 83
- Modulated shaped RF pulses
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- MOF
Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions 757
- Molecular clusters
Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Molecular electron density (MED)
Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Molecular electrostatic potential (MESP)
Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Molecular tailoring approach (MTA)
Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Møller-Plesset second order (MP2) method
Molecular tailoring approach for exploring structures, energetics and properties of clusters 47
- Molybdenum(V)
Synthesis, characterization and spectrochemical studies on a few binuclear μ -oxo molybdenum(V) complexes of pyrimidine derived Schiff base ligands 239
- Monolayer
Physicochemical studies on ion-pair amphiphiles: Solution and interfacial behaviour of systems derived from sodium dodecylsulfate and *n*-alkyltrimethylammonium bromide homologues 867
- Mordenite
Gas phase toluene isopropylation over high silica mordenite 613
- Multi component reaction
Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- Multicomponent reactions (MCRs)
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using $\text{H}_4\text{SiW}_{12}\text{O}_{40}$ as a recyclable catalyst 189
Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- Multi-component structures
Lewis acidic metal catalysed organic transformations by designed multi-component structures and assemblies 311

- Multiple time-scale methods
Interplay between multiple length and time scales in complex chemical systems 459
- Multi-site selection
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- Multi-state multi-mode dynamics
A quantum-classical simulation of the nuclear dynamics in NO_2^- and C_6H_6^+ with realistic model Hamiltonian 491
- Multi-target therapeutics
Emerging trends at the interface of chemistry and biology: Applications to the design of human therapeutics 97
- Multi-wall carbon nanotubes
Voltammetric determination of theophylline at a Nafion/multi-wall carbon nanotubes composite film-modified glassy carbon electrode 919
- N,N-dimethylethylenediamine
Copper-catalysed N-arylation of arylsulfonamides with aryl bromides and aryl iodides using $\text{KF}/\text{Al}_2\text{O}_3$ 143
- Nafion
Voltammetric determination of theophylline at a Nafion/multi-wall carbon nanotubes composite film-modified glassy carbon electrode 919
- Nanocrystalline magnesium oxide
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
- Nanoscale self-assembly
Interplay between multiple length and time scales in complex chemical systems 459
- Nanoscience
Supramolecular chemistry and crystal engineering 295
- Nanowires
Development of gas sensors using ZnO nanostructures 57
- N-arylation
Copper-catalysed N-arylation of arylsulfonamides with aryl bromides and aryl iodides using $\text{KF}/\text{Al}_2\text{O}_3$ 143
- N-Arylsulfonamides
Copper-catalysed N-arylation of arylsulfonamides with aryl bromides and aryl iodides using $\text{KF}/\text{Al}_2\text{O}_3$ 143
- Natural population analysis (NPA)
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Natural products
An asymmetric route to 2,3-epoxy-syn-1,4-cyclohexane diol derivatives using ring closing metathesis (RCM) 791
- N-donor ligands
Synthesis and conformational features of sym N,N',N'' triarylguanidines 157
- Network biology
Emerging trends at the interface of chemistry and biology: Applications to the design of human therapeutics 97
- Neurotoxicity
Simple synthesis and biological evaluation of flocoumafen and its structural isomers 833
- Nickel complexes
A simple coordination complex exhibiting colour change on slight structural modification: Synthesis and crystal structures of violet and yellow forms of $[\text{Ni}^{\text{II}}(\text{opda})_2(\text{NCS})_2]$ (opda = orthophenylenediamine) 731
- Ni-Co alloy
Influence of magnetic field on the electrodeposition of Ni-Co alloy 279
- NIR-FT Raman
NIR-FT Raman, FT-IR and surface-enhanced Raman scattering and DFT based theoretical studies on the adsorption behaviour of (S)-Phenylsuccinic acid on silver nanoparticles 511
- Nitrogen dioxide anion
A quantum-classical simulation of the nuclear dynamics in NO_2^- and C_6H_6^+ with realistic model Hamiltonian 491
- Nitryl chloride
Generation of nitryl chloride from chlorotrimethylsilane-acetyl nitrate reaction: A one-pot preparation of *gem*-chloronitro compounds from oximes 571
- NMR
Synthesis, characterization and anti-bacterial activity of 5-(alkenyl)-2-amino- and 2-(alkenyl)-5-phenyl-1,3,4-oxadiazoles 177
N-2,4-Dichlorobenzoyl phosphoric triamides: Synthesis, spectroscopic and X-ray crystallography studies 549
Conformation of hindered piperidines: Spectroscopic evidence for contribution of boat conformations 579
- NMR spectroscopy
Synthesis and characterization of N-phosphorylated thioureas $\text{RNHC}(\text{S})\text{NHP}(\text{O})(\text{OiPr})_2$ ($\text{R} = 2\text{-MeC}_6\text{H}_4, 2,6\text{-Me}_2\text{C}_6\text{H}_3, 2,4,6\text{-Me}_3\text{C}_6\text{H}_2$) 409
- NO
Development of gas sensors using ZnO nanostructures 57
Electrochemical investigation of NO at single-wall carbon nanotubes modified electrodes 401
- NO-donor molecule
The solvent and substituent effects on bond dissociation energies of NO-donor molecules containing the N-NO bond 521

- NO-generation
Simple synthesis and biological evaluation of flocou-
mafen and its structural isomers 833
- Noncovalent interactions
Synthesis and conformational features of sym
N,N',N'' triarylguanidines 157
- Non-nucleoside reverse transcriptase inhibitor (NNRTI)
Synthesis, evaluation and molecular modelling studies
of some novel 3-(3,4-dihydroisoquinolin-2(1H)-yl)-
N-(substitutedphenyl) propanamides as HIV-1 non-
nucleoside reverse transcriptase inhibitors 169
- Non-specific DNA binding
DNA minor groove binding of small molecules:
Experimental and computational evidence 247
- Nucleation
Interplay between multiple length and time scales in
complex chemical systems 459
Crystallization of copper(II) sulfate based minerals
and MOF from solution: Chemical insights into the
supramolecular interactions 757
- Nucleophilic halogenalkylation
Theoretical study of nucleophilic halogenalkylation of
propylene oxide with halogenmethane and dihalo-
genmethane anion-901
- One-pot condensation
A novel and an efficient catalyst for one-pot synthesis
of 2,4,5-trisubstituted imidazoles by using microwave
irradiation under solvent-free conditions 437
- OPD
Polyethylene glycol: A recyclable solvent system for
the synthesis of benzimidazole derivatives using CAN
as catalyst 607
- Organic transformations
Lewis acidic metal catalysed organic transformations
by designed multi-component structures and assem-
blies 311
- Organoboranes
Multidimensional potential of boron-containing mole-
cules in functional materials 7
- Organocatalysts
Synthesis and conformational features of sym
N,N',N'' triarylguanidines 157
- Organostannoxanes
Synthesis and structure of diorganotin dibromides,
R₂SnBr₂ (R = 2,4,6 trimethylphenyl or 2,4,6-tri-
methylbenzyl): Hydrolysis of (2,4,6-Me₃C₆H₂)₂SnBr₂
687
- Orthophenylenediamine
A simple coordination complex exhibiting colour
change on slight structural modification: Synthesis and
crystal structures of violet and yellow forms of [Ni^{II}
(opda)₂(NCS)₂] (opda = orthophenylenediamine) 731
- Orthorhombic and rhombohedral perovskites
Manganese-mediated ferromagnetism in La₂Fe_{1-x}
Mn_{2x}Cr_{1-x}O₆ perovskite oxides 529
- Outer sphere electron transfer reactions
Studies on electron transfer reactions: Reduction of
heteropoly 10- tungstodivanadophosphate by thio gly-
colic acid in aqueous medium 335
- Oximes
Generation of nitril chloride from chlorotrimethylsi-
lane-acetyl nitrate reaction: A one-pot preparation of
gem-chloronitro compounds from oximes 571
- Oxovanadium(IV)
Synthesis, characterization, *ab initio* calculations,
thermal behaviour and thermodynamics of some
oxovanadium(IV) complexes involving O,O- and
N,N-donor moieties 539
- Oxypnictides
Superconductivity at 31.3 K in Yb-doped La(O/F)
FeAs Superconductors 43
- Palladium and rhodium complexes
Suzuki–Miyaura, Mizoroki–Heck carbon–carbon cou-
pling and hydrogenation reactions catalysed by Pd^{II}
and Rh^I complexes containing cyclodiphosphazane
cis-{^tBuNP(OC₆H₄OMe-o)}₂ 137
- Palladium
Palladium-catalysed ortho arylation of acetanilides
149
- Palladium catalyst
Synthesis, photophysical and electrochemical proper-
ties of 2,8-diaryl-dibenzothiophene derivatives for or-
ganic electronics 119
- P-cymene
Gas phase toluene isopropylation over high silica
mordenite 613
- PEG
Polyethylene glycol: A recyclable solvent system for
the synthesis of benzimidazole derivatives using CAN
as catalyst 607
- Perylene diimide
A novel perylene diimide-based tetrahedral molecule:
Synthesis, characterization and self-assembly with
gold nanoparticles 839
- Pharmaceuticals
Crystal engineering: A brief overview 667
- Pharmaceutical
Supramolecular chemistry and crystal engineering
295
- Phase transformation
Kinetics of solid state phase transformations: Meas-
urement and modelling of some basic issues 83
- Phosphonated Glycine
Tungstate as a synergist to phosphonate-based formu-
lation for corrosion control of carbon steel in nearly
neutral aqueous environment 639
- Phosphorescence
Synthesis, photophysical and electrochemical proper-
ties of 2,8-diaryl-dibenzothiophene derivatives for
organic electronics 119

- Phosphoric triamides
N-2,4-Dichlorobenzoyl phosphoric triamides: Synthesis, spectroscopic and X-ray crystallography studies 549
- Phosphorylthiourea
Synthesis and characterization of N-phosphorylated thioureas RNHC(S)NHP(O)(OiPr)₂ (R = 2-MeC₆H₄, 2,6-Me₂C₆H₃, 2,4,6-Me₃C₆H₂) 409
- Photocatalysis
Effect of metal ion doping on the photocatalytic activity of aluminophosphates 771
- Photochromism
Microwave-assisted synthesis of photochromic fulgides 183
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Photoluminescence
Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847
- pH
Physicochemistry of hexadecylammonium bromide and its methyl and ethanolic head group analogues in buffered aqueous and gelatin solution 349
- Poly (3,4-ethylenedioxythiophene) and poly (styrene sulphonic acid)
A solid-polymer-electrolyte direct methanol fuel cell (DMFC) with Pt–Ru nanoparticles supported onto poly(3,4-ethylenedioxythiophene) and polystyrene sulphonic acid polymer composite as anode 381
- Polymer support
Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- Polymorphism
Crystal engineering: A brief overview 667
- Porphyrins
Structural and electrochemical properties of β -tetrabromo-*meso*-tetrakis(4-alkyloxyphenyl)porphyrins and their metal complexes 233
- Potential energy curve (PEC)
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Propylene glycol
Catalytic synthesis of 2-methylpyrazine over Cr-promoted copper based catalyst via a cyclo-dehydrogenation reaction route 621
- Propylene oxide
Theoretical study of nucleophilic halogenalkylation of propylene oxide with halogenmethane and dihalogenmethane anion 901
- Protective film
Tungstate as a synergist to phosphonate-based formulation for corrosion control of carbon steel in nearly neutral aqueous environment 639
- Protein aggregation
Interplay between multiple length and time scales in complex chemical systems 459
- Protein design
Emerging trends at the interface of chemistry and biology: Applications to the design of human therapeutics 97
- Protein folding
Interplay between multiple length and time scales in complex chemical systems 459
- Protein therapeutics
Emerging trends at the interface of chemistry and biology: Applications to the design of human therapeutics 97
- Pulse radiolysis
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225
- Pu–Py specificity
DNA minor groove binding of small molecules: Experimental and computational evidence 247
- Pyrazolophthalazinyl spirooxindoles
An efficient one-pot synthesis of novel pyrazolophthalazinyl Spirooxindoles 415
- Pyridine synthesis
Synthesis and anti-inflammatory activity of 3-indolyl pyridine derivatives through one-pot multi component reaction 819
- Pyridines
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
- QCM
Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341
- Quantum classical approach
A quantum-classical simulation of the nuclear dynamics in NO₂⁻ and C₆H⁺₆ with realistic model Hamiltonian 491
- Quartz crystal microbalance (QCM)
Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- Radicals
Multidimensional potential of boron-containing molecules in functional materials 7
- Radical
Titanium(III) chloride mediated synthesis of furan derivatives: Synthesis of (±)-evodone 423
- Reactions of radicals
Pulse radiolytic studies on *cis*-dichlorobis(1,10-phenanthroline-5,6-dione)Cobalt(III) complex 225

- Recyclability
Polyethylene glycol: A recyclable solvent system for the synthesis of benzimidazole derivatives using CAN as catalyst 607
- Recycling
Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- Rehm–Weller relationship
Studies on electron transfer reactions: Reduction of heteropoly 10-tungstodivanadophosphate by thioglycolic acid in aqueous medium 335
- Rietveld refinement
Powder diffraction in structural characterization of dienediaminoketones of the indolin-3-one series 721
- Rietveld XRD analysis
Synthesis and characterization of Ruddlesden–Popper (RP) type phase $\text{LaSr}_2\text{MnCrO}_7$ 807
- Rupture
Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341
- Salol
Vapour phase synthesis of salol over solid acids via transesterification 193
- Salvation
Interplay between multiple length and time scales in complex chemical systems 459
- Scherrer broadening
Distinguishing crystallite size effects from those of structural disorder on the powder X-ray diffraction patterns of layered materials 751
- Schiff base
Synthesis, characterization and spectrochemical studies on a few binuclear μ -oxo molybdenum(V) complexes of pyrimidine derived Schiff base ligands 239
- Second sphere coordination chemistry
Weak C–H...F–C interactions in carboxylate anion binding: Synthesis, spectroscopic and X-ray structural studies of $[\text{Co}(\text{phen})_2\text{CO}_3]_2 (\text{C}_7\text{H}_3\text{O}_2\text{FCl})\text{Cl}\cdot 11\text{H}_2\text{O}$ and $[\text{Co}(\text{phen})_2\text{CO}_3](\text{C}_7\text{H}_3\text{NO}_4\text{Cl})\cdot 6\text{H}_2\text{O}$ 739
- Self-assembled monolayer
Gold electrode modified by self-assembled monolayers of thiols to determine DNA sequences hybridization 911
- Self-assemblies
Assembling one-dimensional coordination polymers into three-dimensional architectures via hydrogen bonds 707
- Self-assembly
Supramolecular chemistry and crystal engineering 295
A novel tetraarylpyrene host: Conformation-dependent inclusion of guest molecules in the crystal lattice 697
- A novel perylene diimide-based tetrahedral molecule: Synthesis, characterization and self-assembly with gold nanoparticles 839
Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- SEM
Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZP) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Sesquilligan
Total synthesis of (\pm) -divanillyltetrahydrofuran ferulate 433
- β -Sheet
Assembling one-dimensional coordination polymers into three-dimensional architectures via hydrogen bonds 707
- Sign labeling
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- Silica
Gas phase toluene isopropylation over high silica mordenite 613
- Silicotungstic acid
An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using $\text{H}_4\text{SiW}_{12}\text{O}_{40}$ as a recyclable catalyst 189
- Single-stranded DNA
Gold electrode modified by self-assembled monolayers of thiols to determine DNA sequences hybridization 911
- Solid acids
Vapour phase synthesis of salol over solid acids via transesterification 193
- Solid-phase organic synthesis
Development of 3-methoxy-4-benzyloxybenzyl alcohol (MBBA) resin as polymer-supported synthesis support: Preparation and benzyl ether cleavage by DDQ oxidation 203
- Solution state
Study of multi-site chemical exchange in solution state by NMR: 1D experiments with multiply selective excitation 471
- Solvent effects
Excited state intramolecular charge transfer reaction of 4-(morpholenyl) benzonitrile in solution: Effects of hetero atom in the donor moiety 481
- Solvent free conditions
An environmentally benign three component one-pot synthesis of amidoalkyl naphthols using $\text{H}_4\text{SiW}_{12}\text{O}_{40}$ as a recyclable catalyst 189
- Solvent-free conditions
A novel and an efficient catalyst for one-pot synthesis of 2,4,5-trisubstituted imidazoles by using microwave irradiation under solvent-free conditions 437

- Solventfree-condition
 Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- Spectral study
 Synthesis, characterization and spectrochemical studies on a few binuclear μ -oxo molybdenum(V) complexes of pyrimidine derived Schiff base ligands 239
- Spectra
 Synthesis and aggregation study of optically active tetra- β -[(S)-2-octanyloxy]-substituted copper and nickel phthalocyanines 813
- Spectroscopy
 A new chromogenic agent for iron(III): Synthesis, structure and spectroscopic studies 217
- Spiro
 Synthesis of novel spiro- β -lactams 125
- Stacking faults
 Distinguishing crystallite size effects from those of structural disorder on the powder X-ray diffraction patterns of layered materials 751
- Stereoselectivity
 Efficient microwave irradiation enhanced stereoselective synthesis and antitumor activity of indolylchalcones and their pyrazoline analogs 587
- Stobbe reaction
 Total synthesis of (\pm)-divanillyltetrahydrofuran ferulate 433
- Structure
 A new chromogenic agent for iron(III): Synthesis, structure and spectroscopic studies 217
 Synthesis and characterization of Ruddlesden-Popper (RP) type phase $\text{LaSr}_2\text{MnCrO}_7$ 807
- Structure determination from powder data
 Powder diffraction in structural characterization of dienediaminoketones of the indolin-3-one series 721
- Structure-activity relationship
 Facile synthesis of novel benzotriazole derivatives and their antibacterial activities 597
- Substituted porphyrins
 Structural and electrochemical properties of β -tetrabromo-*meso*tetrakis(4-alkyloxyphenyl)porphyrins and their metal complexes 233
- Superconductivity
 Superconductivity at 31.3 K in Yb-doped La(O/F)FeAs Superconductors 43
- Superexchange
 Manganese-mediated ferromagnetism in $\text{La}_2\text{Fe}_{1-x}\text{Mn}_{2x}\text{Cr}_{1-x}\text{O}_6$ perovskite oxides 529
- Supported multi-bilayers
 Adsorption of DOPC vesicles on hydrophobic substrates in the presence of electrolytes: A QCM and reflectometry study 341
- Supramolecular assemblies
 Analysis of Cl...Cl and C-H...Cl intermolecular interactions involving chlorine in substituted 2-chloroquinoline derivatives 677
- Supramolecular chemistry
 A novel tetraarylpyrene host: Conformation-dependent inclusion of guest molecules in the crystal lattice 697
- Supramolecular frameworks
 Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d^{10} metal ions: Interplay of covalent and non-covalent interactions in solid-state structure 801
- Supramolecular interaction
 Crystallization of copper(II) sulfate based minerals and MOF from solution: Chemical insights into the supramolecular interactions 757
- Surface tension
 Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- Surfactant
 Physicochemistry of hexadecylammonium bromide and its methyl and ethanolic head group analogues in buffered aqueous and gelatin solution 349
 Directed 2-dimensional organisation of collagen: Role of cross-linking and denaturing agents 881
- Suzuki-Miyaura coupling
 Synthesis, photophysical and electrochemical properties of 2,8-diaryl-dibenzothiophene derivatives for organic electronics 119
- Suzuki-Miyaura reactions
 Suzuki-Miyaura, Mizoroki-Heck carbon-carbon coupling and hydrogenation reactions catalysed by Pd^{II} and Rh^{I} complexes containing cyclodiphosphazane $\text{cis-}\{^t\text{BuNP}(\text{OC}_6\text{H}_4\text{OMe-o})\}_2$ 137
- SWCNTs modified electrode
 Electrochemical investigation of NO at single-wall carbon nanotubes modified electrodes 401
- Sym* N,N,N-triarylguanidines
 Synthesis and conformational features of *sym* N,N',N'' triarylguanidines 157
- Synergistic effect
 Tungstate as a synergist to phosphonate-based formulation for corrosion control of carbon steel in nearly neutral aqueous environment 639
- Synthesis
 Thermal and hydrothermal stability of ZrMCM-41 mesoporous molecular sieves obtained by microwave irradiation 371
 Synthesis and antiulcer activity of 2-[5-substituted-1-*H*-benzo(d)imidazol-2-ylsulfanyl]methyl-3-substituted quinazoline-4-(3*H*) ones 443
 Titanium(III) chloride mediated synthesis of furan derivatives: Synthesis of (\pm)-evodone 423

- Total synthesis of (\pm)-divanillyltetrahydrofuran ferulate 433
- Synthesis and aggregation study of optically active tetra- β -[(S)-2-octanyloxy]-substituted copper and nickel phthalocyanines 813
- TDDVR method
A quantum-classical simulation of the nuclear dynamics in NO_2^- and C_6H_6^+ with realistic model Hamiltonian 491
- Ternary mixed micelles
Ternary mixtures of alkyltriphenylphosphonium bromides (C_{12}TPB , C_{14}TPB and C_{16}TPB) in aqueous medium: their interfacial, bulk and fluorescence quenching behaviour 109
- Tetramethyltetraselenafulvalenium
Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
- Tetrapods
Development of gas sensors using ZnO nanostructures 57
- Tetrathiafulvalenium
Synthesis, structure and electrical conductivity of fulvalenium salts of cobalt *bis*(dicarbollide) anion and its derivatives 37
- Theophylline
Voltammetric determination of theophylline at a Nafion/multi-wall carbon nanotubes composite film-modified glassy carbon electrode 919
- Thermal and hydrothermal stability
Thermal and hydrothermal stability of ZrMCM-41 mesoporous molecular sieves obtained by microwave irradiation 371
- Thermodynamic parameters
A new chromogenic agent for iron(III): Synthesis, structure and spectroscopic studies 217
- Thermodynamic Parameters
Mechanistic investigation on the oxidation of kinetin by Ag(III) periodate complex in aqueous alkaline media: A kinetic approach 891
- Thermodynamic
Synthesis, characterization, *ab initio* calculations, thermal behaviour and thermodynamics of some oxovanadium(IV) complexes involving O,O- and N,N-donor moieties 539
- Thioglycolic acid
Studies on electron transfer reactions: Reduction of heteropoly 10-tungstodivanadophosphate by thioglycolic acid in aqueous medium 335
- Thiols
One-pot, three-component synthesis of highly substituted pyridines and 1,4-dihydropyridines by using nanocrystalline magnesium oxide 63
- Three-component
An efficient one-pot synthesis of novel pyrazolo-phthalazinyl Spirooxindoles 415
- Ti(III) chloride
Titanium(III) chloride mediated synthesis of furan derivatives: Synthesis of (\pm)-evodone 423
- Time dependent density functional theory (TD DFT)
Relaxation of the excited N-(2-hydroxy benzylidene) aniline molecule: An *ab initio* and TD DFT study 857
- Toluene
Gas phase toluene isopropylation over high silica mordenite 613
- Tpt bridge
Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d^{10} metal ions: Interplay of covalent and non-covalent interactions in solid-state structure 801
- Transition metals
Magnetic behaviour in metal-organic frameworks—Some recent Examples 19
- Transition moment
A comparative study of the spectroscopic features of the low-lying electronic states of H_2F^+ and H_2Cl^+ ions 259
- Triplet OLED
Synthesis, photophysical and electrochemical properties of 2,8-diaryl-dibenzothiophene derivatives for organic electronics 119
- Tumour therapy
Multidimensional potential of boron-containing molecules in functional materials 7
- Tungstate
Tungstate as a synergist to phosphonate-based formulation for corrosion control of carbon steel in nearly neutral aqueous environment 639
- Ultrafast spectroscopy
Interplay between multiple length and time scales in complex chemical systems 459
- Upper critical field
Superconductivity at 31.3 K in Yb-doped La(O/F) FeAs Superconductors 43
- Vapour phase transesterification
Vapour phase synthesis of salol over solid acids via transesterification 193
- Voltammetry
Voltammetric determination of theophylline at a Nafion/multi-wall carbon nanotubes composite film-modified glassy carbon electrode 919
- Water
Interplay between multiple length and time scales in complex chemical systems 459
- WOLED
Blue and white light electroluminescence in a multi-layer OLED using a new aluminium complex 847

- Xanthenes
Multicomponent, solvent-free synthesis of 12-aryl-8,9,10,12-tetrahydrobenzo[a]-xanthen-11-one derivatives catalysed by cyanuric chloride 427
- X-ray crystallography
N-2, 4-Dichlorobenzoyl phosphoric triamides: Synthesis, spectroscopic and X-ray crystallography studies 549
- X-ray diffraction
A novel tetraarylpyrene host: Conformation-dependent inclusion of guest molecules in the crystal lattice 697
- XRD
Microwave-assisted low temperature synthesis of sodium zirconium phosphate (NZP) and the leachability of some selected fission products incorporated in its structure—A case study of leachability of cesium 71
- Zirconia
Vapour phase synthesis of salol over solid acids via transesterification 193
- Zn(II)-complex
Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d^{10} metal ions: Interplay of covalent and non-covalent interactions in solid-state structure 801
- ZnO
Development of gas sensors using ZnO nanostructures 57
- ZrMCM-41 mesoporous molecular sieve
Thermal and hydrothermal stability of ZrMCM-41 mesoporous molecular sieves obtained by microwave irradiation 371