

AUTHOR INDEX

- Adhav G L
see Pandit S S 421
- Adsul L K
see Bandgar B P 477
- Aher U S
see Pandit S S 421
- Alam M G
see Shamsuzzaman 491
- Alekhy Y
see Rathore R S 403
- Almasi H
see Ghorbani-Choghamarani A 453
- Ambika A
see Kolehmainen E, Maitra U, Rissanen K 379
- Anjaneyulu O
see Swamy K C K 131
- Aravindan P G
see Rathore R S 403
- Arumuganathan T
see Das S K 229
- Athilakshmi J
see Chand D K 875
- Badami B V
see Kamble R R 657
- Bakhit N
see Kolvari E, Khazaei A, Zolfigol M A 703
- Balakrishna M S
Mono-, di- and tetranuclear rhodium(I) complexes of morpholine and *N*-methylpiperazine functionalized cyclodiphosph(III)azanes, *cis*-[(^tBuN- μ)₂(PNC₄H₈X)₂] (X = O, NMe) 861
- Balakumar C
see Rao A R 69
- Balamurugan S
see Kannan P 255
- Bandgar B P
Polyethylene glycol in water: A simple, efficient and green protocol for the synthesis of quinoxalines 477
- Banerjee S
see Samanta A 15
see Datta Anindya 901
- Banerjee T
see Das Amitava 175
see Datta Anindya 901
- Bansal M
see Kaur B 443
- Baruah J B
Synthesis of first row transition metal carboxylate complexes via ring opening reactions of cyclic anhydrides 123
- Batten S R
see Song Y, Mukherjee P S 807
- Bensch W
see Srinivasan B R 55
- Bera B K
see Ghosh A K 311
- Bera J K
A Rh^{III}-N-heterocyclic carbene complex from metal-metal singly bonded [Rh^{II}-Rh^{II}] precursor 799
- Bertrand P
Resolution of 2,3-dihydro-benzofuran-3-ols 459
- Bhabak K P
see Mugesh G 783
- Bhalerao S K
see Pandit S S 421
- Bhat S
see Kolehmainen E, Maitra U, Rissanen K 379
- Bhatia A
see Kaur B 443
- Bhattacharyya A J
see Row T N G 5
- Bhojya Naik H S
ZnO nanoparticle as catalyst for efficient green one-pot synthesis of coumarins through Knoevenagel condensation 615
- Bhowmik S
see Rath S P 827
- Biradar D B
see Kamble R R 393
- Biswas R
Excited state charge transfer reaction in (mixed solvent + electrolyte) systems: Role of reactant-solvent and reactant-ion interactions 265
- Borah K J
see Borah R 623
- Borah R
Investigation of Prins reaction for the synthesis of 2, 4-disubstituted tetrahydropyran derivatives and 1, 3-dioxanes using polyaniline supported acid as reusable catalyst 623
- Bose P
see Ghosh P 869
- Cao L
see Zhu Y 687
- Chakrabarty R
see Das B K 163
- Chakraborty T
see Singh H B 113
- Chakrahari K K V
see Ghosh Sundargopal 847
- Chakravarthy R D
see Chand D K 187
- Chand D K
Synthesis, structure and applications of [*cis*-dioxomolybdenum(VI)-(ONO)] type complexes 187

- Synthesis of azamacrocyclic stabilized palladium nanoparticles: Controlled size and one-dimensional growth 875
- Chandrasekharam M
High spectral response heteroleptic ruthenium (II) complexes as sensitizers for dye sensitized solar cells 37
Ruthenium(II)- bipyridyl with extended π -system: Improved thermo-stable sensitizer for efficient and long-term durable dye sensitized solar cells 555
- Charrier C
see Bertrand P 459
- Chatterjee S
see Paine T K 839
- Chavan H V
see Bandgar B P 477
- Chen H
see Dai G 299
- Chen T
see Zhang W 291
- Cheong M
see Mukherjee D K, Kim H S 467
- Correa-Basurto J
see Ramos-Morales F R 719
- Cruz-Kuri L
see Ramos-Morales F R 719
- Cruz-Sánchez J S
see Ramos-Morales F R 719
- Dai G
DFT study of the reactions of Mo and Mo⁺ with CO₂ in gas phase 299
- Dalai M
see Periasamy M 365
- Das Amitava
Urea/thiourea derivatives and Zn(II)-DPA complex as receptors for anionic recognition—A brief account 175
- Das Anindita
see Ghosh Suhrit 963
- Das B
see Singh K S 601
- Das B K
Cobalt(III)-oxo cubane clusters as catalysts for oxidation of organic substrates 163
- Das K
see Ghorai M K 951
- Das O
see Paine T K 839
- Das P
see Das Amitava 175
- Das S K
Polyoxometalates: Toward new materials 229
- Dash A C
Proximity effect on the general base catalysed hydrolysis of amide linkage: The role of cationic surfactant, CTABr 497
- Dash C
see Ghosh P 97
- Dash S C
see Dash A C 497
- Datta Anindya
Silica nanodisks as platforms for fluorescence lifetime-based sensing of pH 901
- Datta Ayan
 π -Stacking interactions between G-quartets and circulenes: A computational study 891
- Datta S
see Mariappan G 335
- Dey A
see Patwari G N 909
- Dhir A
see Datta Anindya 901
- Dhuri S N
see Srinivasan B R 55
- Dinda S
see Bera J K 799
- Döring A
see Mandal S K 139
- Dubey P K
see Venkatanarayana M 609
- Duraimurugan K
see Natarajan P 531
- Durand-Niconoff J S
see Ramos-Morales F R 719
- Dutta G
see Hegde M S 509
- Dutta R
see Ghosh P 869
- Elias A J
Identification and characterization of intermediates in the formation of the cyclobutadiene linked dimeric cobalt sandwich compound $[(\eta^5\text{-RCp})\text{Co}(\eta^4\text{-C}_4\text{Ph}_3)]_2$ [R = H, CH₃C(O)O] 853
- Gayathri K
see Kannan P 255
- Gazi H A R
see Biswas R 265
- Geng Z Y
Theoretical study of the reactivity trends in the Cl-abstraction reactions of CHCl₃ + CHX⁻/CX₂⁻ (X = Cl, Br and I) 755
- George S J
Metal selective co-ordinative self-assembly of π -donors 773
- Ghahramani P
see Goudarzian N, Gholinejad M 485
- Gharpure S J
Stereoselective synthesis of 2,3-disubstituted dihydrobenzofuran using alkyne Prins type cyclization to vinyl-ogous carbonates 943

- Ghorai M K
S_N2-type ring opening of substituted-*N*-tosylaziridines with zinc (II) halides: Control of racemization by quaternary ammonium salt 951
- Ghorbani-Choghamarani A
Metal-free oxidative coupling of thiols to disulfides using guanidinium nitrate or nitro urea in the presence of silica sulfuric acid 453
- Ghosh A
see Das Amitava 175
- Ghosh A K
Kinetics and mechanism of the ligand substitution reaction of di- μ -hydroxobis(bipyridyl)dipalladium(II) ion with diethyldithiocarbamate anion in aqueous solution 311
- Ghosh P
Silver complexes of 1,2,4-triazole derived N-heterocyclic carbenes: Synthesis, structure and reactivity studies 97
Ruthenium complexes of chelating amido-functionalized N-heterocyclic carbene ligands: Synthesis, structure and DFT studies 791
Optical detection of sodium salts of fluoride, acetate and phosphate by a diacylhydrazine ligand by the formation of a colour alkali metal complex 869
- Ghosh Suhrit
Comparative self-assembly studies and self-sorting of two structurally isomeric naphthalene-diimide (NDI)-gelators 963
- Ghosh Sundargopal
Synthesis and reactivity of dimolybdathiaborane cluster [(Cp*Mo)₂B₄SH₆] (Cp* = η^5 -C₅Me₅) 847
- Ghosh T
see Prasad E 919
- Gilandoust M
see Kolvari E, Khazaei A, Zolfigol M A 703
- Gireesh T
see Kamble R R 393
see Kamble R R 657
- Giribabu L
Synthesis and photoelectrochemical characterization of a high molar extinction coefficient heteroleptic ruthenium (II) complex 371
- Girija D
see Bhojya Naik H S 615
- Gole B
see Song Y, Mukherjee P S 807
- Goli A
see Pourali A R 63
- Gopikrishna G
An efficient ultrasound promoted catalyst-free protocol for the synthesis of chromeno[4,3-b]quinolin-6-ones 673
- Goswami A
see George S J 773
- Goudarziafshar H
see Ghorbani-Choghamarani A 453
- Goudarzian N, Gholinejad M
Recyclable nickel catalysed Suzuki–Miyaura reaction in the presence of polyethyleneimine under phosphine-free conditions in ethylene glycol 485
- Gowd M R M B
see Pasha M A 75
- Gupta A
see Hegde M S 509
- Gupta R K
see Pandey D S 819
- Haldar P K
see Mariappan G 335
- Haldar R
see Maji T K 883
- Han D
see Dai G 299
- Hedayatfar V
see Nematollahi D 709
- Hegde M S
Ce_{0.98}Pd_{0.02}O_{2- δ} : Recyclable, ligand free palladium(II) catalyst for Heck reaction 47
CO adsorption on ionic Pt, Pd and Cu sites in Ce_{1-x}M_xO_{2- δ} (M=Pt²⁺, Pd²⁺, Cu²⁺) 509
Ru⁴⁺ ion in CeO₂ (Ce_{0.95}Ru_{0.05}O_{2- δ}): A non-deactivating, nonplatinum catalyst for water gas shift reaction 577
- Huang G
Microwave-assisted efficient synthesis of 2-arylbenzo[b]furans and 2-ferrocenylbenzo[b]furans from readily prepared propargylic alcohols and *o*-iodophenols 697
- Im J K
see Mukherjee D K, Kim H S 467
- Jain A
see George S J 773
- Jain V K
Organo-gallium and indium complexes with dithiolate and oxo ligands: Synthesis, structures and applications 107
- Jawale D V
see Mane R A 645
- Jayakrishnan S
see Kanagasabapathy M 357
- Jiang H
Diethylamine functionalized polyethylene glycol as a novel and efficient catalyst for Knoevenagel condensation 331
- Jissy A K
see Datta Ayan 891
- John S A
Selective determination of 3,4-dihydroxyphenylacetic acid in the presence of ascorbic and uric acids using polymer film modified electrode 349
- Joshi R S
see Maheria K C 427
- Jung J-C
see Park O S 327

- Kalimuthu P
see John S A 349
- Kamble R R
 An efficient synthesis, X-ray and spectral characterization of biphenyl derivatives 393
 An expeditious green synthesis of Schiff bases and azetidinones derivatised with 1,2,4-triazoles 657
- Kanagasabapathy M
 Textural and morphological studies on zinc-iron alloy electrodeposits 357
- Kannan P
 Pendant triazole ring assisted mesogen containing side chain liquid crystalline polymethacrylates: Synthesis and characterization 81
 Self-assembly of azobenzene based side-chain liquid crystalline polymer and *n*-alkyloxybenzoic acids 255
- Kapdi A R
see Pednekar S 667
- Karmakar P
see Ghosh A K 311
- Karthikeyan N S
see Rathore R S 403
- Karvembu R
see Natarajan K 319
- Kaur B
 Synthesis of 4-aryl-4,5-dihydro-1*H*-indeno[1,2-*d*]pyrimidines by Biginelli condensation and their antibacterial activities 443
- Kaur R
see Rao A R 69
see Kaur B 443
- Khazi I A M
see Kamble R R 393
- Kim D H
see Mukherjee D K, Kim H S 467
- Kim D W
see Mukherjee D K, Kim H S 467
- Kishore D P
see Rao A R 69
- Koivukorpi J
see Kolehmainen E, Maitra U, Rissanen K 379
- Kolehmainen E, Maitra U, Rissanen K
 Pyrene appended bile acid conjugates: Synthesis and a structure-gelation property study 379
- Kolvari E, Khazaei A, Zolfigol M A
 Rapid and highly efficient trimethylsilylation of alcohols and phenols with hexamethyldisilazane (HMDS) catalysed by *in situ* generated I₂ using Oxone[®]/KI or cerium ammonium nitrate (CAN)/KI systems under mild conditions 703
- Koukabi N
see Kolvari E, Khazaei A, Zolfigol M A 703
- Kratzert D
see Mandal S K 139
- Kuang X-J, Wang X-Q
 A density functional study on the adsorption of hydrogen molecule onto small copper clusters 743
- Kumar A
see Samuelson A G 29
see Ghorai M K 951
- Kumar B V
see Bhojya Naik H S 615
- Kumar Ch V
see Giribabu L 371
- Kumar D
see Mariappan G 335
- Kumar J
see Verma S 927
- Kumar K S
see Natarajan P 531
- Kumar N R
see Gopikrishna G 673
- Kumar S
see Ghosh P 791
- Kushwah N P
see Jain V K 107
- Lee S H
see Park O S 327
- Lekha P K
see Prasad E 919
- Liang F
see Huang G 697
- Liang J X
see Geng Z Y 755
- Liu G-B
see Kuang X-J, Wang X-Q 743
- Ma F
see Zhu Y 687
- Ma K
see Zhu Y 687
- Madras G
see Row T N G 5
see Hegde M S 47
see Shukla A K 517
- Mague J T
see Balakrishna M S 861
- Mahadevaiah N
see Hegde M S 577
- Mahanta S P
see Panda P K 593
- Mahato P
see Das Amitava 175
- Maheria K C
 Zeolite H-BEA catalysed multicomponent reaction: One-pot synthesis of amidoalkyl naphthols – Biologically active drug-like molecules 427
- Maji T K
 A two-fold interpenetrated flexible bi-pillared-layer framework of Fe(II) with interesting solvent adsorption property 883
- Mali J R
see Mane R A 645

- Mallick S
see Ghosh A K 311
- Mandal A
see Ghosh A K 311
- Mandal A K
see Das Amitava 175
- Mandal S K
 Phenalenyl-based ligand for transition metal chemistry:
 Application in Henry reaction 139
- Mane R A
 Synthesis of New dihydropyrimidinones catalysed by
 dicationic ionic liquid 645
- Manokaran A
see Shukla A K 343
- Mariappan G
 Design, synthesis and antidiabetic evaluation of oxazo-
 lone derivatives 335
- Matus M H
see Ramos-Morales F R 719
- Maurya M R
 Structural models of vanadate-dependent haloperoxidases,
 their reactivity, immobilization on polymer support and
 catalytic activities 215
- Mebi C A
 DFT study on structure, electronic properties, and
 reactivity of *cis*-isomers of $[(NC_5H_4-S)_2Fe(CO)_2]$ 727
- Meti G Y
see Kamble R R 393
- Miao X
see Yue X-F 21
- Mishra B K
see Singh H J 733
- Mishra T
see Kaur B 443
- Mistry S R
see Maheria K C 427
- Mohammed A H A
see Nagendrappa G 433
- Mohandoss R
see Kamble R R 393
- Molla M R
see Ghosh Suhrit 963
- Mondal K C
see Song Y, Mukherjee P S 807
- Mondal S
see Ghosh A K 311
- Mugesh G
 Gold(I)-selenolate complexes: Synthesis, characterization
 and ligand exchange reactions 783
- Mukherjee A
see Mandal S K 139
- Mukherjee D K, Kim H S
 Palladium catalysed asymmetric alkylation of benzophe-
 none Schiff base glycine esters in ionic liquids 467
- Mukri B D
see Hegde M S 47
- Mulay A A
see Mane R A 645
- Muthukumar M
see Viswanathamurthi P 567
- Nagendrappa G
 Oxidation of *gem*-chloronitroso- and *vic*-chloronitroso-
 alkanes and -cycloalkanes to respective chloronitro
 compounds by novel cetyltrimethylammonium hypo-
 chlorite reagent 433
- Naik A R
see Srinivasan B R 55
- Naik C G
see Singh K S 601
- Naik M
see Pednekar S 667
- Narayana B L
see Rao A R 69
- Narayanan A
see Ghosh P 791
- Natarajan K
 Synthesis, spectroscopic characterization and catalytic
 oxidation properties of ONO/ONS donor Schiff base
 ruthenium(III) complexes containing $PPh_3/AsPh_3$ 319
- Natarajan P
 Photoprocesses of coordination compounds and dyes in
 solution and nanoporous materials: Evolution from
 milliseconds to femtoseconds 531
- Näther C
see Srinivasan B R 55
- Nematollahi D
 Diversity in electrochemical oxidation of dihydroxyben-
 zenes in the presence of 1-methylindole 709
- Nikoorazm M
see Ghorbani-Choghamarani A 453
- Oksal B S
 A new method for the chemoselective reduction of
 aldehydes and ketones using boron tri-isopropoxide,
 $B(O^iPr)_3$: Comparison with boron tri-ethoxide,
 $B(OEt)_3$ 681
- Padmaja M
see Periasamy M 365
- Paine T K
 Iron and cobalt complexes of 4,4,9,9-tetramethyl-5,8-
 diazadodecane-2, 11-dione dioxime ligand: Synthesis,
 characterization and reactivity studies 839
- Pal M K
see Jain V K 107
- Palani T
see Kannan P 81
- Palaniandavar M
 Mononuclear non-heme iron(III) complexes of linear
 and tripodal tridentate ligands as functional models for
 catechol dioxygenases: Effect of *N*-alkyl substitution on
 regioselectivity and reaction rate 145

- Panda P K
Interesting reactivity of diketones with pyrrole under acidic condition 593
- Pandey D S
Synthesis and characterization of some heteroleptic copper(II) complexes based on *meso*-substituted dipyrins 819
- Pandey R
see Pandey D S 819
- Pandit S S
Amberlyst A-15: Reusable catalyst for the synthesis of 2,4,5-trisubstituted and 1,2,4,5-tetrasubstituted-1*H*-imidazoles under MW irradiation 421
- Pandit V U
see Pandit S S 421
- Parida S K
see Hegde M S 577
- Park O S
An efficient asymmetric synthesis of (–)-wodeshiol 327
- Parthasarathi V
see Kamble R R 393
- Pasha M A
A versatile and an efficient synthesis of 5-substituted-1*H*-tetrazoles 75
- Patil S
see Hegde M S 47
- Patra R
see Rath S P 827
- Patwari G N
Estimation of interfacial acidity of sodium dodecyl sulfate micelles 909
- Pednekar S
Facile solvent-free one-pot synthesis of pyranobenzopyrans and their derivatives 667
- Periasamy M
Errata: Chiral *trans*-1,2-diaminocyclohexane derivatives as chiral solvating agents for carboxylic acids 365
- Pitchumani S
see Shukla A K 343
- Pourali A R
Nitration of phenolic compounds and oxidation of hydroquinones using tetrabutylammonium chromate and dichromate under aprotic conditions 63
- Prabhakaran E N
Self-assembled microtubes and rhodamine 6G functionalized Raman-active gold microrods from 1-hydroxybenzotriazole 247
- Prabhakaran R
see Natarajan K 319
- Prakash A S
see Shukla A K 517
- Prasad E
Utilizing dendritic scaffold for feasible formation of naphthalene excimer 919
- Prasad J V
see Gopikrishna G 673
- Prasath V
see Gharpure S J 943
- Pratap U R
see Mane R A 645
- Priyarega S
see Natarajan K 319
- Raghavender M
see Chandrasekharam M 37
- Rajkumar G
see Chandrasekharam M 37
see Chandrasekharam M 555
- Rajkumar V
see Rao A R 69
- Ramachandran R
see Shukla A K 517
- Ramana J H V
see Datta Ayan 891
- Ramesha K
see Shukla A K 517
- Ramos-Morales F R
Relationship between global indices of reactivity, electrodonating and electroaccepting powers, and the hammet constant in isatoic anhydride derivatives 719
- Rao A R
A facile microwave-assisted synthesis of 8,9-cycloalkathieno [3,2-*e*][1,2,4]triazolo[1,5-*c*]pyrimidin-5(6*H*)-ones 69
- Rao A S
see Das S K 229
- Rao CH S
see Chandrasekharam M 555
- Rao H S P
Nitroketene dithioacetal chemistry: Synthesis of coumarins incorporating nitrothiophene moiety 411
- Rao K Venkat
see Rao A R 69
- Rao K Venkata
see George S J 773
- Rao M N
see Ghosh P 791
- Rath S P
Axial phenoxide coordination on di-iron(III) bisporphyrin: Insights from experimental and DFT studies 827
- Rathore R S
The role of weak intermolecular C–H...F interactions in supramolecular assembly: Structural investigations on 3,5-dibenzylidene-piperidin-4-one and database analysis 403
- Ravikanth M
Re(I) bridged porphyrin dyads, triads and tetrads 201
- Ravikumar I
see Ghosh P 869
- Reddy J S
see Gopikrishna G 673
- Reddy M A
see Chandrasekharam M 37

- Reddy P Y
 see Chandrasekharam M 37
 see Chandrasekharam M 555
 see Giribabu L 371
- Reddy V G
 see Giribabu L 371
- Row T N G
 Synthesis, structure and ionic conductivity in scheelite type $\text{Li}_{0.5}\text{Ce}_{0.5-x}\text{Ln}_x\text{MoO}_4$ ($x = 0$ and 0.25 , $\text{Ln} = \text{Pr}, \text{Sm}$) 5
- Saha B P
 see Mariappan G 335
- Saha D
 see Row T N G 5
- Saha S
 see Das Amitava 175
- Samadhiya P
 Synthesis of new series of N-3-[-{2-(substituted phenyl-4-oxo-5-(substituted benzylidene)-1,3-thiazolidine)-carbamyl]-propyl-2-aminothiazole and their biological importance 631
- Samanta A
 Laser flash photolysis study on 9-phenylxanthenium tetrafluoroborate: Identification of new features due to the triplet state 15
- Samuelson A G
 Metathesis of carbon dioxide and phenyl isocyanate catalysed by group(IV) metal alkoxides: An experimental and computational study 29
- Sanjaykumar S R
 see Hegde M S 47
- Saravanan C
 see Kannan P 81
- Sarbajna A
 see Bera J K 799
- Sathiya M
 see Shukla A K 517
- Sathiyarayanan K
 see Rathore R S 403
- Schulzke C
 see Mandal S K 139
- Sen T K
 see Mandal S K 139
- Senthilnathan D
 see Venuvanalingam P 279
- Shaikh M M
 see Ghosh P 97
 see Ghosh P 791
- Shamsuzzaman
 Synthesis of steroidal dimers: Selective amine catalysed steroidal dimerization 491
- Sharma R
 see Samadhiya P 631
- Sharma S
 see Singh H B 113
- Shi X
 see Huang G 697
- Shivaiah V
 see Das S K 229
- Shokr A
 see Ghorbani-Choghamarani A 453
- Shukla A K
 A self-supported 40W direct methanol fuel cell system 343
 Photocatalytic properties of KBiO_3 and LiBiO_3 with tunnel structures 517
- Siddiqui T
 see Shamsuzzaman 491
- Sil D
 see Rath S P 827
- Singh A K
 see Datta Anindya 901
- Singh H B
 Aspects of secondary bonding intramolecular interaction in organomercury and organochalcogen derivatives 113
- Singh H J
 Computational study on decomposition kinetics of CH_3CFCIO radical 733
- Singh J
 see Verma A K 937
- Singh K S
 Quinolizidines alkaloids: Petrosin and xestospongins from the sponge *Oceanapia* sp. 601
- Singh N
 see Elias A J 853
- Singh P
 see Hegde M S 577
- Singh V K
 see Giribabu L 371
- Sinha A
 see Bera J K 799
- Sirisha P
 see Pednekar S 667
- Solomon K A
 see Gopikrishna G 673
- Song Y, Mukherjee P S
 Two new 1D chains of Ni_2Na_2 heterometallic double half-cubane building units: Synthesis, structures and variable temperature magnetic study 807
- Soujanya Y
 see Chandrasekharam M 555
- Soujanya Y
 see Giribabu L 371
- Sridhar B
 see Kamble R R 393
- Sridhar P
 see Shukla A K 343
- Srinivasan B R
 Synthesis, properties and supramolecular structure of piperazinedium thiosulfate monohydrate 55
- Srinivasarao Ch
 see Chandrasekharam M 37
- Srinivasu M
 see Chandrasekharam M 37
 see Giribabu L 371

- Srivastava K
see Singh H B
- Srivastava S D
see Samadhiya P
- Srivastava S K
see Samadhiya P
- Stalke D
see Mandal S K
- Suresh D
see Balakrishna M S
- Suresh T
see Chandrasekharam M
see Chandrasekharam M
- Swamy K C K
 Studies on bismuth carboxylates—synthesis and characterization of a new structural form of bismuth(III) dipicolinate 131
- Taj T
see Kamble R R 393
see Kamble R R 657
- Tamilmani V
see Venuvanalingam P 279
- Tamizh M M
see Natarajan K 319
- Thirupathi R
see Prabhakaran E N 247
- Thomman T N
see Shukla A K 343
- Tiwari D P
see Ghorai M K 951
- Turner D R
see Song Y, Mukherjee P S 807
- Uysal B
see Oksal B S 681
- Vaidyanathan S T
see Kamble R R 393
- Valkonen A
see Kolehmainen E, Maitra U, Rissanen K 379
- Vasantham K
see Rao H S P 411
- Venkatanarayana M
 Simple and efficient Knoevenagel synthesis of (*E*)-2-((1*H*-indol-3-yl) methylene)-3-oxoindolynitrile catalysed by PPh₃ 609
- Venuvanalingam P
 Biocatalysis of azidolysis of epoxides: Computational evidences on the role of halohydrin dehalogenase (HheC) 279
- Verma A K
 Di(1*H*-benzo[*d*][1,2,3]triazol-1-yl)methane: An efficient ligand for copper and amine-free palladium-catalysed Sonogashira coupling reaction 937
- Verma S
 Nucleobase assemblies supported by uranyl cation coordination and other non-covalent interactions 927
- Vijayakumar R
see Shukla A K 343
- Visvaganesan K
see Palaniandavar M 145
- Viswanathamurthi P
 Ruthenium(II) carbonyl complexes containing chalcogenates and triphenylphosphine/arsine 567
- Xu X
see Huang G 697
- Wadawale A
see Jain V K 107
- Waghmare U V
see Hegde M S 509
- Wang C
see Dai G 299
- Wang D
see Zhang W 291
- Wang X
see Zhang W 291
- Wang Y C
see Geng Z Y 755
- Wu J
see Dai G 299
- Wu L
see Huang G 697
- Yadav M
see Pandey D S 819
- Yan H
see Dai G 299
- Yang X-C
see Jiang H 331
- Ye W
see Jiang H 331
- Yedukondalu M
see Ravikanth M 201
- Yue X-F
 A quasiclassical trajectory analysis of stereodynamics of the H + FCl ($\nu = 0 - 3, j = 0 - 3$) → HCl + F reaction 21
- Zhang W
 Quasiclassical trajectory study on the integral cross-section and stereodynamics information of the reaction O(¹D) + H₂ ($\nu = 0, j = 0$) → OH + H 291
- Zhao L
see Zhu Y 687
- Zhao N
see Zhang W 291
- Zhong A
see Dai G 299
- Zhu Y
 Solvothermal synthesis and theoretical study of a polypyridium trimesylate adduct 687