

AUTHOR INDEX

- Abd-El-Maksoud M A
see Soliman F M 1419
- Abdelall E K A
see Lamie P F 1029
- Abdelgawad M A
see Lamie P F 1029
- Abedini M
see Albadi J 295
- Abhilasha
see Khandelwal N 85
- Abouzari-Lotf E
see Zakeri M 731
- Adapa S R
see Ravikumar R 175
- Adeloye A O
see Ajibade P A 17
- Adhikari A V
Synthesis and two-photon absorption property of new π -conjugated donor-acceptor polymers carrying different heteroaromatics 29
- Agend F
see Fareghi-Alamdari R 1185
- Agrawal M
see Sharma S 1093
- Ahmadi M
see Sabounchei S J 653
- Ahmed M
see Khandarkar K M 1573
- Ajibade P A
Synthesis, photophysical and preliminary investigation of the dye-sensitized solar cells properties of functionalized anthracenyl-based bipyridyl and phenanthrolyl Ru(II) complexes 17
- Ajloo D
The effects of urea, guanidinium chloride and sorbitol on porphyrin aggregation: Molecular dynamics simulation 627
- Akhlaghi F
see Sabounchei S J 653
- Alaei H S
see Behbahani F K 623
- Alavi S A
see Nasserri M A 109
- Albadi J
Copper iodide nanoparticles on poly(4-vinylpyridine): A new and efficient catalyst for the synthesis of 1,8-dioxooctahydroxanthenes under solvent-free conditions 295
- Alinezhad H
Green and expeditious synthesis of 1,8-dioxodecahydroacridine derivatives catalysed by protic pyridinium ionic liquid 1517
- Amato M E
see Sfrazzetto G T 869
- Amiri A K
see Mobinikhaledi A 1055
- Amiri R
Synthesis of dark brown single-walled carbon nanotubes and their characterization by HSQC-NMR 431
- Amrollahi M A
Mg(ClO₄)₂ catalysed preparation of 1-amidoalkyl-2-naphthols under solvent-free conditions 561
- Ananthan S A
see Narayanan V 1365
- Anuradha S
see Vijayaraghavan V R 1123
- Appa Rao B V
Self-assembled 1-octadecyl-1H-benzimidazole film on copper surface for corrosion protection 1325
- Arulsamy A D
Nucleotide insertion initiated by van derWaals interaction during polymerase beta DNA replication 1223
- Arya U
see Prasad V 1213
- Asmat Y
see Sharma S 1093
- Avalani J R
see Raval D K 531
- Azarifar D
Study of TiO₂ nanoparticle phase alteration and its catalytic effect on the chemoselective *N*-sulphonylation of amines and urazoles 819
- Azizi K
see Seif A 1277
- Azizi M
see Karami B 591
- Badiei A
see Ziarani G M 1359
- Bagherzadeh R
see Goodarzi M 927
see Seif A 1277
- Baghery S
see Alinezhad H 1517
- Bahari S
Nano indium oxide as a recyclable catalyst for the synthesis of arylaminotetrazoles 153
see Mohammadi-Aghdam B 813
- Ballistreri F P
see Sfrazzetto G T 869
- Banerjee A
see Shukla A K 1177
- Banik S
A comparative study of independent particle model based approaches for thermal averages 1267

- Banik S K
see Metzler R 1619
- Banothu J
see Bavantula R 843
- Barari S
see Raoof J B 283
- Baruah J B
 1-Phenyl-3-(quinolin-5-yl)urea as a host for distinction of phthalic acid and terephthalic acid 267
- Basu K
see Saha C 607
- Bavantula R
 Brønsted acidic ionic liquid catalysis: An efficient and eco-friendly synthesis of novel fused pyrano pyrimidinones and their antimicrobial activity 843
- Begum N S
 Ultrasonic synthesis and crystal structure analysis of two trimethylsilyloxy-substituted bicyclo[2.2.2]octene derivatives 1079
- Behbahani F K
 L-proline-catalysed synthesis of functionalized unsymmetrical dihydro-1H-indeno[1,2-b]pyridines 623
- Behera S
see Raj C R 275
- Behera T K
see Singh V 1301
- Bera B K
see Ghosh A K 1133
- Bera K
see Namboothiri I N N 443
- Betancourt I
 Magnetic properties of mixed valence $\text{La}_{2/3}\text{Sr}_{1/3}\text{Mn}_{1-x}\text{T}_x\text{O}_3$ (T = Fe,Cr) manganites obtained by Pechini method 667
- Bhalerao R
see Ghadge N 615
- Bhar K
see Ghosh B K 715
see Ghosh B K 723
- Bhattacharya B
see Ghoshal D 661
- Bhusare S R
 Phenylboronic acid catalysed synthesis of 1,5-benzodiazepines via cyclocondensation of *o*-phenylenediamine and ketones 745
 Organocatalysis for the synthesis of optically active β -malonophosphonates 1109
- Bhutani K K
see Vaid R M 183
- Bhuyan J
see Sarkar S 707
- Bishnoi A
 Synthesis, characterization and biological activity of new cyclization products of 3-(4-substituted benzylidene)-2H-pyrido[1,2-*a*]pyrimidine 2,4-(3*H*)-diones 305
- Biswas B
 Synthesis, structural characterization and biological activity of a trinuclear zinc(II) complex: DNA interaction study and antimicrobial activity 1445
see Nair B U 1161
- Borah A J
see Phukan P 1503
- Borhade A V
 PbO as an efficient and reusable catalyst for one-pot synthesis of tetrahydro benzo pyrans and benzylidene malonitriles 583
- Borse B N
see Sekar N 141
- Borujeni M B
see Safari J 1063
- Bouarissa N
see Siddiqui S A 1629
- Burrows A
see Chattopadhyay S 51
- Buruiana E C
 Preparation of amphiphilic block copolymer containing triazene moieties and fluorescence study 193
- Buruiana T
see Buruiana E C 193
- Cáceres C V
see Romanelli G P 1375
- Chahal K K
 Chemistry and antifungal potential of Alantolides from *Inula racemosa* H 187
- Chakraborty B
 Synthesis of some novel fluoro isoxazolidine and isoxazoline derivatives using *N*-benzyl fluoro nitrene via cycloaddition reaction in ionic liquid 1071
- Chakraborty S
see Saha C 607
- Chalabian F
see Amiri R 431
- Chan H-Y
see Wu J C S 859
- Chattopadhyay S
 Osmium and cobalt complexes incorporating facially coordinated N,N,O donor azo-imine ligands: Redox and catalytic properties 51
- Chaudhary P
 Hard and soft electrophilic and nucleophilic dissymmetry of α -oxoketenedithioacetals and *p*-nitro-*o*-phenylenediamine exploited to achieve the regioselectivity in the synthesis of 2-thiomethyl ether substituted isomer of the privileged nucleus of 1,5-benzodiazepines over to its 4-substituted isomers 1487
see Metzler R 1619
- Chaurasia P K
see Yadav R S S 1395
- Chavan F R
see Pawar O B 159

- Che L
see Yin S 1237
- Chekin F
see Raof J B 283
- Chenning J
see Dong F 751
- Chibac A L
see Buruiana E C 193
- Chinta J P
see Rao C P 1455
- Choubey S
see Ghosh B K 715
- Choudhary A
see Singh I P 765
- Choudhary R
see Gharpure M 575
- Chowdhury B
see James O O 679
- Cummings F R
see Ajibade P A 17
- Dahiya B
see Prasad V 1213
- Dalimba U
 Thiophene-based donor–acceptor conjugated polymer as potential optoelectronic and photonic material 247
- Damavandi S
 Novel multicomponent synthesis of 2,9-dihydro-9-methyl-2-oxo-4-aryl-1*H*-pyrido[2,3-*b*]indole-3-carbonitrile compounds 95
see Sandaroos R 511
 Efficient example of cross-linked polymeric catalysed synthesis of 7*H*-benzo[*h*]indeno[1,2-*b*]quinolin-8-one and 8*H*-naphtho[2,3-*h*]indeno[1,2-*b*]quinolin-9-one 1497
- Dandia A
 Ionic liquid-mediated three-component synthesis of fluorinated spiro-thiazine derivatives and their antimicrobial and DNA cleavage activities 1045
- Dar B A
 Fe–Al/clay as an efficient heterogeneous catalyst for solvent-free synthesis of 3, 4-dihydropyrimidones 545
- Das G
 Role of *N*-methyl-8-(alkoxy)quinolinium iodide in suppression of protein–protein interactions 229
- Das D K
 Effect of charged microenvironment on the electrochemistry of $[\text{Fe}_2\text{S}_2(\text{OC}_6\text{H}_5)_4]^{2-}$ cluster 1429
- Das N
see Singh O M 1103
- Datta B
see Pasha M A 291
- Deniz N G
see Ibis C 755
- Desai N C
 Synthesis, characterization and antimicrobial screening of hybrid molecules containing quinoline, pyrimidine and morpholine analogues 321
- Deshmukh M B
see Patil S 851
- Dessingou J
see Rao C P 1455
- Devi K
see Sharma S 1093
- Devi L R
see Singh O M 1103
- Devi P
see Chaudhary P 1487
- Dey R
see Ghoshal D 661
- Dey R S
see Raj C R 275
- Dhathathreyan A
 Langmuir and Langmuir–Blodgett films of capsules of haemoglobin at air/water and solid/air interfaces 219
- Dheenkumar P
see Perumal P T 71
see Perumal P T 1543
- Dindulkar S D
see Jeong Y T 101
- Donescu D
see Somoghi R 419
- Dong F
 Synthesis of amidoalkyl naphthol via Ritter-type reaction catalysed by heteropolyanion-based ionic liquid 751
- Dong S
 Quasi-classical trajectory study of the reaction $\text{N}(^4\text{S}) + \text{H}_2$ and its reverse reaction: Role of initial vibrational and rotational excitations in chemical stereodynamics 895
- Drabu S
see Kumar S 129
- Duncan Lyngdoh R H
 Isomerization of propargyl cation to cyclopropenyl cation: Mechanistic elucidations and effects of lone pair donors 365
- Dupati V
see Mannepalli L K 1339
- Durgareddy G A N K
see Ravikumar R 175
- Dutta S
see Biswas B 1445
- Dwivedi J
see Sharma S 1093
- Ebrahimi S
see Goodarzi M 927
- El-Morsi M
see Fayed T 883
- El-Nahass M
see Fayed T 883

- Emamian S
Theoretical study of intramolecular hydrogen bonding in the halo derivatives of 1-amino-3-imino-prop-1-ene 939
- Emtiazi H
see Amrollahi M A 561
- Eskandari K
see Karami B 591
- Ewais H A
Mechanism of electron transfer reaction of ternary dipicolinatochromium(III) complex involving oxalate as secondary ligand 1151
- Fang Z
Hydrogen binding effect on charged P_{2n} ($n = 1-7$) clusters 1639
- Fareghi-Alamdari R
Synthesis, characterization and catalytic activity of sulphonated multi-walled carbon nanotubes as heterogeneous, robust and reusable catalysts for the synthesis of bisphenolic antioxidants under solvent-free conditions 1185
- Fayed T
Molecular aggregation, solvato- and acidochromic properties of symmetrical ketocyanines 883
- Fazaali R
Analysis of torsional barrier height of HSNO as the simplest S-nitrosothiol 913
- Farmanzadeh D
Interaction of vitamins B3 and C and their radicals with (5, 0) single-walled boron nitride nanotube for use as biosensor or in drug delivery 1595
- Foley W J
see Singh I P 765
- Fragola V L P
see Sfrassetto G T 869
- Gali R
see Bavantula R 843
- Gandomi-Ravandi S
see Safari J 827
see Safari J 1063
- Ganguly M
see Biswas B 1445
- Gao H
see Yin S 1237
- Garg A
see Sidhu A 567
- Gautam D C
see Khandelwal N 85
- Gautam N
see Khandelwal N 85
- Gavriliiu S
see Somoghi R 419
- Gayathri K
see Mahalingam M 1015
- George J
see Pardasani R T 517
- Ghadamgahi M
see Ajloo D 627
- Ghadge N
One-pot multi-component synthesis of 1,4-dihydropyridine derivatives in biocompatible deep eutectic solvents 615
- Ghahghaie Z
see Khorassani S M H 387
- Gharpure M
Synthesis of new series of 3-hydroxy/acetoxo-2-phenyl-4H-chromen-4-ones and their biological importance 575
- Ghasempour H
see Khorassani S M H 387
- Ghasemzadeh M A
see Safaei-Ghomi J 1003
- Ghavami M
see Kassae M Z 1347
- Ghazanfary S
see Farmanzadeh D 1595
- Ghiurea M
see Somoghi R 419
- Ghorbani-Vaghei R
Poly(N,N' -dibromo- N -ethyl-benzene-1,3-disulphona-mide) and N,N,N',N' -tetrabromobenzene-1,3-disulphona-mide as novel catalysts for synthesis of quinoxaline derivatives 353
- Ghosh A K
Kinetics and mechanism of interaction of some bioactive ligands with *cis*-diaqua(*cis*-1,2-diaminocyclohexane) platinum(II) in aqueous medium 1133
- Ghosh B K
Syntheses, molecular and crystalline architectures, and luminescence behaviour of terephthalate bridged hepta-coordinated dinuclear lead(II) complexes containing a pentadentate N-donor Schiff base 715
Synthesis, molecular and crystalline architectures, and properties of a mononuclear complex $[\text{Co}^{\text{II}}(\text{benzidine})_2(\text{NCS})_2(\text{OH}_2)_2]$ 723
- Ghosh K K
see Verma S K 875
- Ghosh P
A new bioactive ursane-type triterpenoid from *Croton bonplandianum* Bail 359
see Verma R K 1555
- Ghosh R
see Ghosh B K 723
see Nair B U 1161
- Ghosh Subhadip
Evaluation of intramolecular charge transfer state of 4- N,N -dimethylamino cinnamaldehyde using time-dependent density functional theory 933

- Ghosh Surajit
see Ghosh Subhadip 933
- Ghoshal D
 Synthesis, crystal structure and photo luminescent property of a 3D metal-organic hybrid of Cd(II) constructed by two different bridging carboxylate 661
- Giribabu K
see Narayanan V 1365
- Giribabu L
 β -pyrrole substituted porphyrin-pyrene dyads using vinylene spacer: Synthesis, characterization and photo-physical properties 259
- Girish K V S
see Ghosh Subhadip 933
- Goga N
 Simulating chemical systems: MPI and GPU parallelization of novel SD algorithms 1285
- Goldani M T
see Sandaroos R 511
- Golestanzadeh M
see Fareghi-Alamdari R 1185
- Golshani A
see Amiri R 431
- Gomathi R
see Mahalingam M 1015
- Goodarzi M
Ab initio study on the paths of oxygen abstraction of hydrogen trioxide (HO₃) molecule in the HO₃ + SO₂ reaction 927
see Seif A 1277
- Goswami S V
see Bhusare S R 745
see Bhusare S R 1109
- Groza C
see Somoghi R 419
- Gu X
see Tang Y 313
- Guha C
see Mallik A K 1463
- Guo L
see Huang Z 949
- Guo M
see Yin S 1237
- Gupta A
see Chaudhary P 1487
- Gupta A D
see Mallik A K 737
- Gupta M
see Madan A K 483
- Gupta V D
see Sekar N 141
- Hajinazari S
see Ghorbani-Vaghei R 353
- Haloi D J
 Synthesis and characterization of poly(2-ethylhexyl acrylate) prepared via atom transfer radical polymerization, reverse atom transfer radical polymerization and radical polymerization 791
- Hariprasad S
see Begum N S 1079
- Hazra S
see Nair B U 1161
- Hekmatshoar R
 Lewis acidic (choline chloride.3ZnCl₂) ionic liquid: A green and recyclable catalyst for the one-pot synthesis of 4-((3-indolyl)(aryl)methyl)-N,N-dimethylanilines under solvent-free conditions 1009
- Heng B-T
see Yeap G-Y 1435
- Heravi M M
see Zakeri M 731
- Hong-Ling C
see Xiao-Hong L 919
- Huang S
see Jiang W 1145
- Huang Z
 Density functional theory, natural bond orbital and quantum theory of atoms in molecule analyses on the hydrogen bonding interactions in tryptophan-water complexes 949
- Hymavathi R V
see Swamy G N 495
- Ianchis R
see Somoghi R 419
- Ibis C
 Synthesis of novel N-, S-substituted-polyhalo-1, 3-butadienes and crystal structure of dibutadienyl homopiperazine 755
- Ingle V
see Gharpure M 575
- Ionescu C R
see Somoghi R 419
- Islam SK N
see Singh V 1301
- Ismail I M I
see Ewais H A 1151
- Jadhav S D
see Patil S 851
- Jagannath K V
see Krishnamurthy G 807
- Jahantab M
see Roohi H 1607
- Jain P
see Yusuf M 117
- Jain R
 Investigation of the reaction of 3-arylmethylene-indol-2-ones with 2-hydrazinobenzothiazole 299
- Jaleh B
see Azarifar D 819

- James O O
TPR and TPD studies of effects of Cu and Ca promotion on Fe-Zn-based Fischer–Tropsch catalysts 679
- Javadian L
see Safari J 981
- Jeong Y T
An eco-sustainable green approach for the synthesis of propargylamines using LiOTf as a reusable catalyst under solvent-free condition 101
- Jiang W
Hydrolytic activity of μ -alkoxide/acetato-bridged binuclear Cu(II) complexes towards carboxylic acid ester 1147
- Jing L
see Shi K 1169
- Jinming Y
see Dong F 751
- Jondiko J I
see Nyahanga T 1115
- Joshi R
see Pardasani R T 517
- Joshi V V
see Desai N C 321
- Ju H
see Xu Y 687
- Juneja H
see Gharpure M 575
- Jurić S
see Nigović B 1197
- Kaithwas G
see Singh P 1471
- Kalita D
see Baruah J B 267
- Kanaparthi R K
see Giribabu L 259
- Kandeel M M
see Lamie P F 1029
- Kandhasamy S
see Perumal P T 967
- Kar C
see Das G 229
- Karami B
New and rapid access to synthesis of novel polysubstituted imidazoles using antimony trichloride and stannous chloride dehydrate as effective and reusable catalysts 591
- Karmakar P
see Ghosh A K 1133
- Karthikeyan K
see Perumal P T 967
- Karuppiah J
see Subrahmanyam Ch 673
- Kassaee M Z
A selective nanocatalyst for an efficient Ugi reaction: Magnetically recoverable Cu(acac)₂/NH-T/SiO₂@Fe₃O₄ nanoparticles 1347
- Kataria D
see Chahal K K 187
- Kathrotiya H G
see Patel M P 993
- Kaur B
see Kumar H 989
- Kaur M
see Singh Baldev 1529
- Kaur N
Application of chalcones in heterocycles synthesis: Synthesis of 2-(isoxazolo, pyrazolo and pyrimido) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through an oxyphenyl bridge 555
- Keshavarz M
see Albadi J 295
- Khan S
see Ghosh B K 715
- Khandarkar K M
Facile green synthesis and potent antimicrobial efficacy of β -aminoheteronaphthol via tailored Betti's protocol and their *bis*-aryl hydrazone click products 1573
- Khandelwal N
An efficient synthesis and biological study of substituted 8-chloro/8-chloro-5-methoxy-4H-1,4-benzothiazines, their sulphones and ribofuranosides 85
- Kharnaioir K S
see Duncan Lyngdoh R H 365
- Khavasi H R
see Sabounchei S J 653
- Khorassani S M H
AIM analysis, synthetic, kinetic and mechanistic investigations of the reaction between triphenylphosphine and dialkyl acetylenedicarboxylate in the presence of 3-methoxythiophenol 387
- Khoshakhlagh M
see Albadi J 295
- Kishore D
see Kaur N 555
see Chaudhary P 1487
- Koiry B P
see Haloi D J 791
- Kole N
see Biswas B 1445
- Koohi M
see Kassaee M Z 1347
- Koppula P K
see Purohit N 1535
- Krishnamurthy G
Microwave-assisted silica-promoted solvent-free synthesis of triazoloquinazolinone and benzimidazoquinazolinones 807
- Krishnamurthy S S
Retraction Note to: An environmentally benign one pot synthesis of substituted quinolines catalysed by fluoro-boric acid based ionic liquid 695
- Kuang X
see Fang Z 1639

- Kuang X-J
A comparative study between all-electron scalar relativistic calculation and all-electron calculation on the adsorption of hydrogen molecule onto small gold clusters 401
- Kulkarni B S
see Pal S 1247
- Kumar D
see Jain R 299
- Kumar G S
see Nair B U 1161
- Kumar H
Methyltrioctylammonium chloride catalysed sonochemical synthesis of acridine diones 989
- Kumar N
see Kumar S 129
- Kumar S
Synthesis of 2-(3-methyl-2-oxoquinoxalin-1(2*H*)-yl)acetamide-based azetidinone derivatives as potent antibacterial and antifungal agents 129
see Dar B A 545
- Kumar V
see Sidhu A 567
see Verma R K 1555
- Kumari A L S
see Swamy K C K 1405
- Kumari K
see Singh P 1471
- Kundu S
see Ghosh B K 723
- Kundu T K
see Pal S 379
see Pal S 1259
- Kwan B
see Jeong Y T 101
- Lamie P F
Design, synthesis and cytotoxic activity of some novel compounds containing pyrazolo[3,4-*d*]pyrimidines nucleus 1029
- Lashgari N
see Ziarani G M 1359
- Le Roux L J
see Ajibade P A 17
- Li L
see Yin S 1237
- Li-Ben L
see Xiao-Hong L 919
- Lim K T
see Jeong Y T 101
- Lin C-H
see Ghosh B K 723
- Liu F
see Jiang W 1145
- Liu G-B
see Kuang X-J 401
- Liu Z
see Shi K 1169
- Luitel G P
see Chakraborty B 1071
see Chakraborty B 1405
- Lungu M
see Somoghi R 419
- Ma L
see Huang Z 949
- Madan A K
Diverse models for the prediction of CDK4 inhibitory activity of substituted 4-aminomethylene isoquinoline-1,3-diones 483
- Magar R
see Bhusare S R 1109
- Maghsoodlou M T
see Khorassani S M H 387
- Mahalingam M
Photo-induced antimicrobial and DNA cleavage studies of indoloquinolines and 1,8-naphtharidine 1015
- Maheshkumar J
see Dhathathreyan A 219
- Mahon M F
see Chattopadhyay S 51
- Maigali S S
see Soliman F M 1419
- Maity S
see James O O 679
- Majumder M
see Manogaran S 9
- Maleki B
see Tayebee R 335
- Malenica I
see Nigović B 1197
- Mallakpour S
Synthesis of novel nanostructured chiral poly(amide-imide)s containing dopamine and natural amino acids 203
- Mallick S
see Ghosh A K 1133
- Mallik A K
A simple synthesis of *E*-9-aryl-5-arylidene-1-oxo-1,2,3,4,5,6,7,8-octahydroxanthenes and their lower analogues from *E,E*- α,α' -diarylidene-cycloalkanones 737
Two expedient 'one-pot' methods for synthesis of β -aryl- β -mercaptoketones over anhydrous potassium carbonate or amberlyst-15 catalyst 1463
- Mamphweli S N
see Ajibade P A 17
- Mandal A
see Ghosh P 359
see Ghosh A K 1133
- Mandal P
see Haloi D J 791

- Manguro L O A
see Nyahanga T 1115
- Mannepalli L K
 Synthesis of substituted guanidines using Zn–Al hydro-
 talcite catalyst 1339
- Manogaran S
 Redundant internal coordinates, compliance constants
 and non-bonded interactions – some new insights 9
- Melinte V
see Buruiana E C 193
- Mehrotra G K
see Singh P 1471
- Meshram J S
see Khandarkar K M 1573
- Metzler R
 Stochastic optimization-based study of dimerization
 kinetics 1619
- Meyer E L
see Ajibade P A 17
- Minhaj MD A
see Kumar S 129
- Mirhoseini M A
see Mirjalili B F 1481
- Mirjalili B F
 Tandem synthesis of *N,N'*-alkylidenebisamides promoted
 by nano-SnCl₄·SiO₂ 1481
- Mirjalili B B F
see Amrollahi M A 561
- Mishra D
see Pal S 1247
- Mitra M
see Nair B U 1161
- Mitra P
see Ghosh B K 715
- Mobinikhaledi A
 TMSCl-catalysed condensation of α -diketone com-
 pounds with urea/thiourea derivatives under solvent-free
 conditions 1055
- Mohammadi-Aghdam B
 The Pd(0) nanoparticles stabilized by collagen fibres as a
 recyclable heterogeneous catalyst for the Stille reaction
 under aerobic condition 813
- Mohan P S
see Mahalingam M 1015
- Molaei R
see Mohammadi-Aghdam B 813
- Mondal R
see Mallik A K 737
see Mallik A K 1463
- Mondal S
see Ghosh A K 1133
- Morales-Hernández A
see Betancourt I 667
- Mornar A
see Nigović B 1197
- Mostafa S
see Khorassani H 387
- Motghare R V
 Computational and experimental studies on oxalic acid
 imprinted polymer 413
- Mousavi S
see Ziarani G M 1359
- Mousavizadeh F
see Hekmatshoar R 1009
- Mukherjee A K
see Tiwary A S 905
- Mukherjee S
see Roy S C 1493
- Murali M G
see Dalimba U 247
- Muralidharan D
see Perumal P T 967
- Musad E A
see Yhya R K 799
- Mustafa F B
see Wilfred C D 1511
- Nadkarni D
see Namboothiri I N N 443
- Nagarajaiah H
see Begum N S 1079
- Nair B U
 DNA binding and cleavage activity by a mononuclear
 iron(II)Schiff base complex: Synthesis and structural
 characterization 1161
- Namboothiri I N N
 Asymmetric synthesis of γ -aminophosphonates: The
 bio-isosteric analogs of γ -aminobutyric acid 443
- Narayanan V
 Synthesis and characterization of bimetallic nanocata-
 lysts and their application in selective hydrogenation of
 citral to unsaturated alcohols 1365
- Narendiran S
see Perumal P T 1543
- Narsihma Reddy M
see Appa Rao B V 1325
- Naseh S
see Safari J 827
- Nasseri M A
 PEG-SO₃H as a catalyst in aqueous media: A simple,
 proficient and green approach for the synthesis of
 quinoline derivatives 109
 Multi-component reaction on free nano-SiO₂ catalyst:
 Excellent reactivity combined with facile catalyst recov-
 ery and recyclability 537
- Nasseri R
see Sobhani S 975
- Nassiri M
see Khorassani S M H 387
- Neeradi D
see Singh I P 765
- Nguyen V-H
see Wu J C S 859

- Nigović B
Electrochemical studies of ropinirole, an anti-Parkinson's disease drug 1197
- Niu X
see Huang Z 949
- Norouzi M
see Alinezhad H 1517
- Nyahanga T
Antiplasmodial and larvicidal compounds of *Toddalia asiatica* root bark 1115
- Ojani R
see Raoof J B 283
- Ojha B
see Das G 229
- Orwa J A
see Nyahanga T 1115
- Pachau Z
see Duncan Lyngdoh R H 365
- Padalkar V S
see Sekar N 141
- Pakdin-Parizi Z
see Sobhani S 975
- Pal A
see Nair B U 1161
- Pal R
see Mallik A K 1463
- Pal S
Pentagonal dodecahedron methane hydrate cage and methanol system—An *ab initio* study 379
Role of substituents on the reactivity and electron density profile of diimine ligands: A density functional theory based study 1247
DFT-based inhibitor and promoter selection criteria for pentagonal dodecahedron methane hydrate cage 1259
- Palakshamurthy B S
see Begum N S 1079
- Palermo V
see Romanelli G P 1375
- Pandey S
see Dar B A 545
- Panzaru C
see Somoghi R 419
- Pappalardo A
see Sfrazzetto G T 869
- Pardasani R T
A versatile route to benzodiazocine and spiropyran derivatives through chalcones 517
- Pasha M A
 I_2/K_2CO_3 : An efficient catalyst for the synthesis of 5-aryl-2,6-dicyano-3-methylanilines 291
- Patel J P
see Raval D K 531
- Patel M P
see Patel R G 525
- An efficient synthesis of 3'-indolyl substituted pyrido [1,2-*a*]benzimidazoles as potential antimicrobial and antioxidant agents 993
- Patel R G
Synthesis of 2-amino-4*H*-chromene derivatives under microwave irradiation and their antimicrobial activity 525
- Patidar P
see Dar B A 545
- Patil S
Calcined eggshell (CES): An efficient natural catalyst for Knoevenagel condensation under aqueous condition 851
- Patil V S
see Sekar N 141
- Patnaik A
Thermodynamic, kinetic and electronic structure aspects of a charge-transfer active bichromophoric organofullerene 237
- Patra D
see Chattopadhyay S 51
- Patra M
see Biswas B 1445
- Pattanayak P
see Chattopadhyay S 51
- Pawar O B
Thiamine hydrochloride: An efficient catalyst for one-pot synthesis of quinoxaline derivatives at ambient temperature 159
- Pednekar S
see Ghadge N 615
- Perumal P T
Super acid catalysed sequential hydrolysis/cycloisomerization of *o*-(acetylenic)benzamides under microwave condition: Synthesis, antinociceptive and antiinflammatory activity of substituted isocoumarins 71
Aza-Morita-Baylis-Hillman reaction of maleimides with azodicarboxylates under neat conditions 967
Zn(OTf)₂-catalysed indolylolation and pyrrolylation of isatins: Efficient synthesis and biochemical assay of 3,3-di(heteroaryl)oxindoles 1543
- Petcu C
see Somoghi R 419
- Peter S C
Structure and properties of $SmCu_{6-x}In_{6+x}$ ($x = 0, 1, 2$) 1315
- Phatangare K R
see Sekar N 141
- Phukan P
Synthesis of new 4,6-disubstituted-1,3-oxazinan-2-one analogues 1503
- Pillai V K
see Venkatathri N 63
- Poorali L
see Karami B 591
- Prasad M D
see Banik S 1267

- Prasad V
 Non-adiabatic rotational excitation of dipolar molecule under the influence of delayed pulses 1213
- Pratihari J L
see Chattopadhyay S 51
- Praveen C
see Perumal P T 71
see Perumal P T 1543
- Purohit C S
see Nair B U 1161
- Purohit N
 Bis-(1*H*-2-benzopyran-1-one) derivatives: Synthesis and antimicrobial evaluation 1535
- Purohit N V
 Synthesis and evaluation of some bioactive compounds having oxygen and nitrogen heteroatom 165
- Rafiee H
see Amiri R 431
- Raghuvir R
see Bishnoi A 305
- Rahnamafar R
see Hekmatshoar R 1009
- Rai K M L
see Yhya R K 799
- Raj C R
 Electrochemistry of surface wired cytochrome *c* and bioelectrocatalytic sensing of superoxide 275
- Rajalakshmi S
see Nair B U 1161
- Rajini A
see Venkatathri N 63
- Rajpara K M
see Desai N C 321
- Raju B R
see Subrahmanyam Ch 673
- Raju M N
see Venkatathri N 63
- Rakhtshah J
see Alinezhad H 1517
- Ramachandiran K
see Perumal P T 967
- Ramazani A
see Safaei-Ghomi J 1087
- Rana M K
see Raj C R 275
- Rao C P
 Synthesis, characterization and ion recognition studies of lower rim 1,3-di{rhodamine} conjugate of calix[4]arene 1455
- Rao H S P
 Synthesis and transformations of 4*H*-chromene 4-hydroxy-2*H*-pyran-2-one and 4*H*-chromene 4-hydroxycoumarin conjugates 777
- Raouf J B
 Carbon paste electrode incorporating multi-walled carbon nanotube/ferrocene as a sensor for the electroanalytical determination of *N*-acetyl-*L*-cysteine in the presence of tryptophan 283
- Rasul M G
see Ghosh P 359
- Raval D K
 Polymer supported sulphanilic acid: A highly efficient and recyclable green heterogeneous catalyst for the construction of 4,5-dihydropyrano[3,2-*c*]chromenes under solvent-free conditions 531
- Ravi S
see Ravikumar R 175
- Ravikumar R
 A Cu (NO₃)₂·3H₂O catalysed facile synthesis of substituted 4(3*H*)-quinazolinones and benzimidazoles 175
- Ray S
see Ghosh A K 1133
- Reddy A B
see Swamy G N 495
- Reddy E L
see Subrahmanyam Ch 673
- Reddy I A K
see Venkatathri N 63
- Reddy P M K
see Subrahmanyam Ch 673
- Ribas J
see Ghosh B K 723
- Romanelli G P
 Role of vanadium and pyridine in heteropolycompounds for selective oxidation of alcohols with hydrogen peroxide 1375
- Roohi H
 Adsorption of parent nitrosamine on the nanocrystalline M-ZSM-5 zeolite: A density functional study 1607
- Roshdy S M
see Lamie P F 1029
- Roy S
see Ghosh B K 715
see Ghosh B K 723
- Roy S C
 Environment friendly chemoselective deprotection of acetanilides and cleavage of acetals and ketals in aqueous medium without using any catalyst or organic solvent 1493
- Roy T K
see Banik S 1267
- Sabegh M A
see Bahari S 153
- Sabounchei S J
 Synthesis, spectroscopic and structural characterization of new linear mononuclear silver(I) complexes containing α -keto phosphorus ylides as ambidentate ligands 653
- Sadeghzadeh M
see Nasserli M A 537
- Safaei-Ghomi J
 Silver iodide nanoparticle as an efficient and reusable catalyst for the one-pot synthesis of benzofurans under aqueous conditions 1003

- The reaction of carbon disulphide with α -haloketones and primary amines in the presence of potassium iodide as catalyst 1087
- Safakath K
see Dalimba U 247
- Safari J
Efficient, green and solvent-free synthesis of tetrasubstituted imidazoles using $\text{SbCl}_3/\text{SiO}_2$ as heterogeneous catalyst 827
Sulphamic acid-functionalized magnetic Fe_3O_4 nanoparticles as recyclable catalyst for synthesis of imidazoles under microwave irradiation 835
Montmorillonite K-10 as a catalyst in the synthesis of 5,5-disubstituted hydantoin under ultrasound irradiation 981
Green and solvent-free procedure for microwave-assisted synthesis of 2,4,6-triarylpyridines catalysed using MgAl_2O_4 nanocrystals 1063
- Saha C
Efficient acetylation of primary amines and amino acids in environmentally benign brine solution using acetyl chloride 607
- Sahoo A K
see Dar B A 545
- Saini D
see Dandia A 1045
- Salimi F
see Safaei-Ghomi J 1087
- Samanta S
see Mallik A K 737
- Sandaros R
see Damavandi S 95
Silica-supported ionic liquid as highly efficient catalyst for one-pot synthesis of acenaphtho[1,2-*b*]furan compounds 511
see Damavandi S 1497
- Sarkar A K
see Saha C 607
- Sarkar S
 NO_2 -induced synthesis of nitrate-iron(III) porphyrin with diverse coordination mode and the formation of isoporphyrin 707
- Sarmah D
see Das D K 1429
- Satodiya H M
see Desai N C 321
- Seif A
see Fazaeli R 913
Ab initio study of 1:1 complexes of nitrogen trifluoride with nitrous oxide and carbon dioxide *in vacuo* 1277
- Sekar N
Synthesis, photophysical property study of novel fluorescent 4-(1,3-benzoxazol-2-yl)-2-phenylnaphtho[1,2-*d*][1,3]oxazole derivatives and their antimicrobial activity 141
- Sen S
see Metzler R 1619
- Sengupta A
see Roy S C 1493
- Senthil Kumar K
see Patnaik A 237
- Sfrazzetto G T
Binding of reactive organophosphate by oximes *via* hydrogen bond 869
- Shah N K
see Patel R G 525
- Shah N M
see Patel R G 525
- Shanti M D
see Khandarkar K M 1573
- Sharma K
see Jain R 299
- Sharma M
see Dar B A 545
- Sharma P R
see Dar B A 545
- Sharma S
Synthesis and evaluation of some novel precursors of oxazolidinone analogues of chloroquinoline for their antimicrobial and cytotoxic potential 1093
- Shen T
see Huang Z 949
- Sheshmani S
Catalytic application of two novel sandwich-type polyoxometalates in synthesis of 14-substituted-14*H*-dibenzo[*a, j*]xanthenes 345
- Shi K
Growth and characterization of BCN nanotubes with high boron and nitrogen content 1169
- Shinde N D
see Pawar O B 159
- Shinde V S
see Pawar O B 159
- Shoukry A A
Kinetics and mechanism for the substitution reactions of monoaquamonochloro-(piperazine) palladium (II) complex with L-methionine and thiourea in aqueous solution 643
- Shukla A K
Influence of binder solvent on carbon-layer structure in electrical-double-layer capacitors 1177
- Sidana J
see Singh I P 765
- Sidhu A
Synthesis of quaternary ammonium salts with dithiocarbamate moiety and their antifungal activities against *Helminthosporium oryzae* 567
- Siddiqui S A
First principle study of the interaction of elemental Hg with small neutral, anionic and cationic Pd_n ($n = 1-6$) clusters 1629
- Silviya Reeta P
see Giribabu L 259

- Singh Baldev
see Dar B A 545
 1, 3-Dipolar cycloaddition reactions: Synthesis of 5-benzyl-1-(2',4'-dibromophenyl)-3-(4''-substituted phenyl)-3a,4,6,6a-tetrahydro-1*H*, 5*H*-pyrrolo[3,4-*c*]pyrazole-4,6-dione derivatives 1529
- Singh Baljit
see Singh Baldev 1529
- Singh I P
 Antileishmanial polyphenols from *Corymbia maculate* 765
- Singh M
see Sidhu A 567
- Singh O M
 Synthesis of 2,6-diaminopyridine substituted α -oxoketene *S,N*-acetals: Crystal structure and hydrogen bonding interactions 1103
- Singh P
 Efficient one-pot four-component synthesis of fused thiazolopyridin-2-ones in ionic liquid 1471
- Singh R
see Dandia A 1045
- Singh S
see Bishnoi A 305
see Pardasani R T 517
see Singh I P 765
- Singh V
 Maoecrystal V: A formidable synthetic challenge 1301
- Singha N K
see Haloi D J 791
- Sobhani S
 Nano *n*-propylsulphonated γ -Fe₂O₃: A novel magnetically recyclable heterogeneous catalyst for the efficient synthesis of *bis*(pyrazolyl)methanes in water 975
- Soleimanei F
see Azarifar D 819
- Soliman F M
 Chemistry of phosphorus ylides 31: Reaction of azidocoumarin with active phosphonium ylides, synthesis and antitumour activities of chromenones 1419
- Solimannejad M
see Fazaeli R 913
- Somoghi R
 Aqueous dispersions of silver nanoparticles in polyelectrolyte solutions 419
- Srinivas V
see Swamy K C K 1405
- Srinivasa H T
see Begum N S 1079
- Srivastava K
see Bishnoi A 305
- Srivastava R
see Dalimba U 247
- Srivastava V
 Recyclable hydrotalcite clay catalysed Baylis–Hillman reaction 1207
- Recyclable L-proline organocatalyst for Wieland–Miescher ketone synthesis 1523
- Subbarao U
see Peter S C 1315
- Subhapiya P
see Mahalingam M 1015
- Subrahmanyam Ch
 Catalytic non-thermal plasma reactor for the decomposition of a mixture of volatile organic compounds 673
- Subramaniapillai S G
 Mannich reaction: A versatile and convenient approach to bioactive skeletons 467
- Sudhakar P
see Thilagar P 41
- Sunitha M S
see Adhikari A V 29
- Sunkara V M
see Mannepalli L K 1339
- Suresh Kumar P
see Shukla A K 1177
- Suresh R
see Narayanan V 1365
- Suryawanshi V S
see Pawar O B 159
- Swamy G N
 A new class of multi-substituted oxazole derivatives: Synthesis and antimicrobial activity 495
- Swamy K C K
 Reactivity of allenylphosphonates and allenylphosphine oxides toward 9-chloroacridines and acridone– A facile route to new *N*-substituted acridones 1405
- Tadi K K
see Motghare R V 413
- Tajbakhsh M
see Alinezhad H 1517
- Takeuchi D
see Yeap G-Y 1435
- Talukder S
see Metzler R 1619
- Tang Y
 Modified calcium oxide as stable solid base catalyst for Aldol condensation reaction 313
- Tangeti V S
see Rao H S P 777
- Tayebee R
 Assembling of H₅PW₁₀V₂O₄₀/MCM-48 and studying its superior catalytic performance in the synthesis of 14-aryl-14-*H*-dibenzo[*a, j*]xanthenes 335
- Tayyari S F
see Emamian S 939
- Thilagar P
 Ferrocene-based Lewis acids and Lewis pairs: Synthesis and structural characterization 41
- Thorat P B
see Bhusare S R 745
see Bhusare S R 1109

- Ting Z
see Dong F 751
- Tiwari A K
see Bishnoi A 305
- Tiwary A S
 Inductive effect of methyl group in a series of methylated indoles: A graph theoretical analysis in the light of density functional theory and correlation with experimental charge transfer transition energies 905
- Tomaselli G A
see Sfrassetto G T 869
- Tope D R
see Borhade A V 583
- Toscano R M
see Sfrassetto G T 869
- Tundo P
see Romanelli G P 1375
- Tripathi C M
see Bishnoi A 305
- Umape P G
see Sekar N 141
- Uphade B K
see Borhade A V 583
- Uysal B
 Activity of B(OEt)₃-MCM-41 catalyst in the MPV reduction of crotonaldehyde 1385
- Vadi M
see Damavandi S 1497
- Vaghani H V
see Desai N C 321
- Vaid R M
 Comparison of anti amoebic activity of stereoisomeric diamino and monoamino pregnene alkaloids and their N-methylated analogs 183
- Vallabha S J
see Mannepilli L K 1339
- Vázquez P G
see Romanelli G P 1375
- Velpula R
see Bavantula R 843
- Venkatathri N
 Structural and catalytic properties of a novel vanadium containing solid core mesoporous silica shell catalysts for gas phase oxidation reaction 63
- Verma R K
 Design, synthesis and computational validation of novel benzimidazole/indole-based PPAR α and PPAR γ partial agonists 1555
- Verma S K
 Activity, stability and kinetic parameters for α -chymotrypsin catalysed reactions in AOT/isooctane reverse micelles with nonionic and zwitterionic mixed surfactants 875
- Vijayaraghavan V R
 Oxidation of hydrogen peroxide by [Ni^{III}(cyclam)]³⁺ in aqueous acidic media 1123
- Villabrille P I
see Romanelli G P 1375
- Vishnumurthy K A
see Adhikari A V 29
- Wadhwa L K
see Verma R K 1555
- Wagay M A
see Dar B A 545
- Wang X-Q
see Kuang X-J 401
- Wang Y
see Jiang W 1145
- Wilfred C D
 Synthesis, characterization and thermal properties of thiosalicylate ionic liquids 1511
- Wu D
see Yin S 1237
- Wu J
see Xu Y 687
- Wu J C S
 Synthesis, characterization and photo-epoxidation performance of Au-loaded photocatalysts 859
- Wu L
 Synthesis of spiro[pyrazolo[3,4-*b*] pyridine-4,3'-indoline] and spiro [benzo[*h*]pyrazolo[3,4-*b*]quinoline-4,3'-indoline] derivatives using wet cyanuric chloride under solvent-free conditions 601
- Xiang Z
see Jiang W 1145
- Xian-Zhou Z
see Xiao-Hong L 919
- Xiao-Hong L
 Theoretical investigation on crystal structure, detonation performance and thermal stability of a high density cage hexanitrohexaazaisowurtzitane derivative 919
- Xu B
see Jiang W 1145
- Xu J
see Tang Y 313
- Xu X
see Yin S 1237
- Xu Y
 Revisiting the electrochemical impedance behavior of the LiFePO₄/C cathode 687
- Yadav A
see Yadav R S S 1395

- Yadav P
see Purohit N V 165
- Yadav R S S
 Purification and characterization of laccase from *Corioloopsis floccosa* MTCC-1177 and its use in the selective oxidation of aromatic methyl group to aldehyde without mediators 1395
- Yadav V
see Dalimba U 247
- Yadava S
see Yadav R S S 1395
- Yang L
see Wu L 601
- Yeap G-Y
 Synthesis, optical and thermal behaviour of palladium (II) complexes with 4-(4-alkoxy-2-hydroxybenzylideneamino)azobenzene 1435
- Yhya R K
 One-pot synthesis of new series 3,4,5-trisubstituted-dihydroisoxazoline derivatives via 1,3-dipolar cycloaddition of nitrile oxides with chalcones 799
- Yin S
 Quasi-classical trajectory study of the reaction $H' + HS$ on a new *ab initio* potential energy surface $H_2S (^3A'')$ 1237
- Yin Z
see Wu L 601
- Yusuf M
 New bispyrazoline derivatives built around aliphatic chains: Synthesis, characterization and antimicrobial studies 117
- Zadehnazari A
see Mallakpour S 203
- Zakarianezhad M
see Khorassani S M H 387
- Zakeri M
 A new one-pot synthesis of 1,2,4-oxadiazoles from aryl nitriles, hydroxylamine and crotonoyl chloride 731
- Zakerinasab B
see Nasserri M A 109
- Zarnegar Z
see Safari J 835
- Zekri N
see Fareghi-Alamdari R 1185
- Zhang G
see Shi K 1169
- Zhang J
see Dong S 895
- Zhang L
see Shi K 1169
- Ziarani G M
 Mesostructured SBA-15-Pr-SO₃H: An efficient solid acid catalyst for one-pot and solvent-free synthesis of 3,4-dihydro-2-pyridone derivatives 1359
- Zou J
see Yin S 1237