

SUBJECT INDEX

- 1,2,3,4-tetrahydroquinolin-8-ol
Synthesis of Novel 5-(*N*-Substituted-Anilino)-8-Hydroxyquinolines via Hartwig-Buchwald Amination Reaction 1937
- 1,2,3-triazole
Synthesis, anti-microbial activity and molecular docking studies on triazolylcoumarin derivatives 565
Investigation on silver complexes of novel 1,2,3-triazole linked crown ethers by NMR analysis 1811
- 1,2,4-Triazolium triflate
Synthesis of 1-alkyl triazolium triflate room temperature ionic liquids and their catalytic studies in multi-component Biginelli reaction 1539
- 1,3,4-oxadiazoles
Bent Shaped 1,3,4-Oxadiazole/Thiadiazole heterocyclic rings containing liquid crystals 1831
- 1,3,4-thiadiazoles
Bent Shaped 1,3,4-Oxadiazole/Thiadiazole heterocyclic rings containing liquid crystals 1831
- 1,6-enyne carbonates
A DFT study on the mechanism of palladium-catalyzed divergent reactions of 1,6-enyne carbonates 547
- 1,10-phenanthroline
Role of peripheral phenanthroline groups in the self-assembly of self-assembled molecular triangles 273
- 1,1-Diacetates
Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5-SO₃H) 1229
- 1,2-propanediol
Liquid phase conversion of Glycerol to Propanediol over highly active Copper/Magnesia catalysts 833
- 1-diacetates
Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5-SO₃H) 1229
- 1*H*-pyridin-4-yl-3,5-disubstituted indazoles
Design, synthesis and characterization of 1 *H*-pyridin-4-yl-3, 5-disubstituted indazoles and their anti-inflammatory and analgesic activity 433
- 1-Phenylethane-1,2-diol
Synthesis and unexpected reactivity of [Ru(η^6 -cymene)Cl₂(PPh₂Cl)], leading to [Ru(η^6 -cymene)Cl₂(PPh₂H)] and [Ru(η^6 -cymene)Cl₂(PPh₂OH)] complexes 1329
- 1-Phenylnaphthalene
One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenylnaphthalene 1523
- 1-thiocarbamidoalkyl-2-naphthols
Reaction between thiocarbamidoalkyl naphthols and acetylenic esters: An interesting cyclocondensation reaction for the synthesis of new thiazolidin-4-one derivatives 1795
- 2,3-dihydroquinazolin-4(1*H*)-ones
Green synthesis of tri/tetrasubstituted 1*H*-imidazoles and 2,3-dihydroquinazolin-4(1*H*)-ones using nano aluminium nitride as solid source of ammonia 1221
- 2,4-dithiouracil
Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- 2-amino-1,3,4-oxadiazoles
T3P as an efficient cyclodehydration reagent for the one-pot synthesis of 2-amino-1,3,4-oxadiazoles 797
- 2-amino-3-nirtopyridine
Half-sandwich pentamethylcyclopentadienyl group 9 metal complexes of 2-aminopyridyl ligands: Synthesis, spectral and molecular study 1135
- 2-amino-3-picoline
Half-sandwich pentamethylcyclopentadienyl group 9 metal complexes of 2-aminopyridyl ligands: Synthesis, spectral and molecular study 1135
- 2-aminobenzothiazole
Dithiocarbamate promoted practical synthesis of *N*-Aryl-2-aminobenzazoles: Synthesis of novel Aurora-A kinase inhibitor 447
- 2-aminobenzoxazole
Dithiocarbamate promoted practical synthesis of *N*-Aryl-2-aminobenzazoles: Synthesis of novel Aurora-A kinase inhibitor 447
- 2-aminopyridine
Half-sandwich pentamethylcyclopentadienyl group 9 metal complexes of 2-aminopyridyl ligands: Synthesis, spectral and molecular study 1135
- 2,2'-bipyridine
Reactivity of thiazolidine-2-thione towards Cu^I/Cu^{II}: Synthesis and structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione]copper(I) bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
- 2'-bipyridine
Reactivity of thiazolidine-2-thione towards Cu^I/Cu^{II}: Synthesis and structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione]copper(I) bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
- 2'-diamine
Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
- 2-(methylthio)- benzothiazole oxidation
Transition metal-modified polyoxometalates supported on carbon as catalyst in 2-(methylthio)-benzothiazole sulfoxidation 123
- 2-Thiouracil
Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- 2 π -aromaticity
Structural variations in aromatic 2 π -electron three-membered rings of the main group elements 183

- ²⁹Si-NMR
Preparation of Poly(MA-*alt*- α -olefin-C_{6,8,12,18})/Silica Nanohybrids
via in situ generated nanofillers for use as a dual function
organonano-filler 1993
- [3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles
[3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles:
Synthesis, SAR and biological evaluation as a novel class of 5-HT₆
Receptor Antagonists
- 3-(2-thiazolin-2-yl)thiazolidine-2-thione
Reactivity of thiazolidine-2-thione towards Cu^I/Cu^{II}: Synthesis and
structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione] copper(I)
bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
- 3D supramolecular structure
Supramolecular structures constructed from three novel rare
earth metal complexes 857
- 3-Hydroxychromone (3HC)
Electromeric effect of substitution at 6th position in 2-(Furan-2-yl)-
3-hydroxy-4 *H*-chromen-4-one (FHC) on the absorption and
emission spectra 405
- 3-Hydroxy-propeneselenal
A comprehensive study of the structure, tautomeric properties, and
conformational flexibility of 3-Hydroxy-propeneselenal 999
- 3-Substituted cyclobutenes
Competitive and Cooperative Torquoselectivity in the thermal
ring opening of cyclobutene: A density functional insight 1505
- 4,4'-bithiazole-2,2'-diamine
Synthesis, experimental and theoretical studies of two cocrystals
in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine
with two hydrogen acceptor molecules 2015
- 4-Aminoquinazoline Aurora kinase
Dithiocarbamate promoted practical synthesis of *N*-Aryl-2-
aminobenzazoles: Synthesis of novel Aurora-A kinase inhibitor 447
- 4-androstadiene-3
Chemical methods for the conversion of Prednisolone to 11- β -
hydroxy-1,4-androstadiene-3,17-dione 1827
- 4-chlorophenol
Manganese zinc ferrite nanoparticles as efficient catalysts for wet
peroxide oxidation of organic aqueous wastes 537
- (4-methylumbelliferone)
Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- 4-thiosemicarbazone
Synthesis, structural characterization and biological activities
of organotin(IV) complexes with 5-allyl-2-hydroxy-3-
methoxybenzaldehyde-4-thiosemicarbazone 1589
- [5 + 1] cycloaddition
Crystal Structure of 7,11-*bis*(2,4-dichlorophenyl)-2,4-dimethyl-2,4-
diazaspiro[5.5]undecane-1,3,5,9-tetraone and its computational
studies 2039
- 5-anilino-8-hydroxyquinoline
Synthesis of Novel 5-(*N*-Substituted-Anilino)-8-Hydroxyquinolines
via Hartwig-Buchwald Amination Reaction 1937
- 5-disubstituted indazoles
Design, synthesis and characterization of 1 *H*-pyridin-4-yl-3, 5-
disubstituted indazoles and their anti-inflammatory and
analgesic activity 433
- 5-HT₆R antagonists
[3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles:
Synthesis, SAR and biological evaluation as a novel class of 5-
HT₆ Receptor Antagonists 439
- 5-nitramino-3, 4-dinitro-pyrazole
Pressure-induced changes in the structural and absorption
properties of crystalline 5-nitramino-3,4-dinitro-pyrazole 1777
- 5-(pyridyl)tetrazolato (PTZ)
Synthesis crystal structure, photoluminescence and
photocatalytic property of a new three dimensional Zinc(II)
tetrazole framework 1599
- 6-dicarboxylic acid
Copper inorganic-organic hybrid coordination compound as a
novel L-cysteine electrochemical sensor: Synthesis,
characterization, spectroscopy and crystal structure 2005
- 6-Fluoro-3-(piperidin-4-yl)benzo[*d*] isoxazole
Synthesis and characterization of new thiourea and urea
derivatives of 6-fluoro-3-(piperidin-4-yl)benzo[*d*] isoxazole:
In vitro Antimicrobial and Antioxidant activity 1739
- 7-hydroxy-4-methyl-coumarin
Access to new antimicrobial 4-methylumbelliferone
derivatives 1619
- 9*H*-Xanthen-9-one
Synthesis, photophysical, electrochemical and thermal
investigation of Triarylamines based on 9*H*-Xanthen-9-one:
Yellow-green fluorescent materials 2063
- 9-Methyl carbazole
One-pot synthesis and UV-Visible absorption studies of novel
tricyclic heterocycle tethered Xanthene-1,8-diones 803
- 11- β -hydroxy-1,4-androstadiene-3,17-dione
Chemical methods for the conversion of Prednisolone to 11- β -
hydroxy-1,4-androstadiene-3,17-dione 1827
- 17-dione
Chemical methods for the conversion of Prednisolone to 11- β -
hydroxy-1,4-androstadiene-3,17-dione 1827
- α , β -unsaturated ketones
Mechanism for the Reaction of a Tungsten-Germolyne
Complex with α , β -Unsaturated Ketones: A DFT Study 1477
- α -amino acids
Diversity oriented approach to polycyclics via cross-ene
metathesis and Diels-Alder reaction as key steps 155
- α -cyanostilbene
A α -cyanostilbene-modified Schiff base as efficient turn-on
fluorescent chemosensor for Zn²⁺ 375

- β -acetamido ketones
SBA-15-Pr-SO₃H: An efficient, environment friendly and recyclable heterogeneous nanoreactor catalyst for the one-pot multicomponent synthesis of β -acetamido ketones 167
- β -aminoalcohols
Efficient one-pot synthesis of 2-oxazolines from benzoylacetone and β -aminoalcohols mediated by ZnCl₂ 163
- β -Bromo-*tert*-alcohols
Microwave assisted bi-functional activation of β -bromo-*tert*-alcohols 1405
- β - β' fused porphycene
Effect of β - β' fusion on metal ion complexation of porphycene 235
- β -lactams
An efficient synthesis of spiro- β -lactams having sulfenyl, sulfinyl and sulfonyl moiety 1957
- β -Octamolybdate
Synthesis and structural characterization of (C₁₄H₁₆N₂)₃(C₁₄H₁₇N₂)₂ [β -Mo₈O₂₆] 1769
- β -pyrrole trisubstituted porphyrins
Synthesis of antipodal β -trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphyrinatozinc(II) bispyridinate complex 663
- μ_2 -bridging bidentate ligand
Synthesis, characterization and photochemistry of a new heptamolybdate supported magnesium-aqua coordination complex 1581
- π -extended porphycene
Effect of β - β' fusion on metal ion complexation of porphycene 235
- π -arene interaction
Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- π -conjugated cation templates
Syntheses and characterization of two novel 1D Pb(II) Halide supramolecular polymers possessing incomplete Cubane subunit directed by π -conjugated Dication templates 1235
- [γ -Fe₂O₃@HAp-SO₃H]
One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido [2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- γ -Fe₂O₃ nanoparticles 1895
- Absorption and emission spectra
Electromeric effect of substitution at 6th position in 2-(Furan-2-yl)-3-hydroxy-4 *H*-chromen-4-one (FHC) on the absorption and emission spectra 405
- Acetate
Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl]ester 455
- Acetylenic esters
Reaction between thiocarbamidoalkyl naphthols and acetylenic esters: An interesting cyclocondensation reaction for the synthesis of new thiazolidin-4-one derivatives 1795
- Acid-coated magnetite nanoparticles
Hydroxy, carboxylic and amino acid functionalized superparamagnetic iron oxide nanoparticles: Synthesis, characterization and *in vitro* anti-cancer studies 1155
- Acid-water cluster
A DFT study of temperature dependent dissociation mechanism of HF in HF(H₂O)₇ cluster 1839
- Acridin-9-ylalkenoic derivatives, glutathione
DNA binding, anti-tumour activity and reactivity toward cell thiols of acridin-9-ylalkenoic derivatives 931
- Activation energy
Observation of the Unusual Aggregation Kinetics of Colloidal Minerals in Acidic Solutions 1083
- Active centre distribution
Ethylene homo- and copolymerization chain-transfers: A perspective from supported (¹⁸⁷BuCp)₂ZrCl₂ catalyst active centre distribution 717
- Acyals
Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5-SO₃H) 1229
- Adsorbed energy
A first-principles study of chlorine adsorption characteristics on α -Cr₂O₃ nanostructures 1785
- Adsorption
Effect of optimized structure and electronic properties of some benzimidazole derivatives on corrosion inhibition of mild steel in hydrochloric acid medium: Electrochemical and theoretical studies 921
A first-principles study of chlorine adsorption characteristics on α -Cr₂O₃ nanostructures 1785
Chromium removal from aqueous media by superparamagnetic starch functionalized maghemite nanoparticles 1967
Adsorption of small gas molecules on B₃₆ nanocluster 2029
- Adsorption isotherm
Modelling Gas Adsorption in Porous Solids: Roles of Surface Chemistry and Pore Architecture 1687
- Aerobic conditions
C(sp²)-C(sp²) cross coupling reaction catalyzed by a palladacycle phosphine complex: A simple and sustainable protocol in aqueous media 1919
- Aerobic oxidation
Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
- Aggregation kinetics
Observation of the Unusual Aggregation Kinetics of Colloidal Minerals in Acidic Solutions 1083
- Ag/ZnO nanocomposite
Synthesis, characterization and study of catalytic activity of Silver doped ZnO nanocomposite as an efficient catalyst for selective oxidation of benzyl alcohol 481
- AIM
Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299

- AIM analysis
A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa 1007
- AIM and NBO analysis
A comprehensive study of the structure, tautomeric properties, and conformational flexibility of 3-Hydroxy-propeneselenal 999
- AIM Theory
X-H...C hydrogen bonds in *n*-alkane-HX (X = F, OH) complexes are stronger than C-H...X hydrogen bonds 1035
- Aldehyde
K₃[Fe(CN)₆].3H₂O supported on silica gel: An efficient and selective reagent for the cleavage of oximes to their corresponding carbonyl compounds in aqueous medium 493
- Aldehydes
SiO₂-Diphenic acid: An efficient and recyclable heterogeneous catalyst for one-pot synthesis of *bis*-(indolyl)methane derivatives in liquid phase 987
- Aliphatic loop length
Synthetic strategy for bicyclic tetrapeptides HDAC inhibitors using ring closing metathesis 1563
- Alkoxy substituted poly(ethynylenephenylene)
Synthesis and optical properties of biphenylene ethynylene copolymers and their model compounds 365
- Alkyl arene
Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
- Allenes
Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
- Allyl resinate
Facile synthesis of allyl resinate monomer in an aqueous solution under microwave irradiation 1183
- Allylation
FeCl₃ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Allylic reduction
A Facile and Efficient Synthesis of (15R)-Latanoprost from Chiral Precursor Corey Lactone Diol 2023
- Allylphosphonates
FeCl₃ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Amide ligand
Synthesis and characterization of mononuclear copper(II) complexes of pyridine 2-carboxamide: Their application as catalyst in peroxidative oxidation and antimicrobial agents 1451
- Aminopropyl silica
Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
- Ammonia
Functionalization of N₂ to NH₃ via direct N \equiv N bond cleavage using M(III)(NMe₂)₃ (M=W/Mo): A theoretical study 83
- Anion- π interactions
Anion- π interactions in layered structures of salts of 5-(hydroxyimino) quinolin-8-one and related salts 95
- Anodic stripping voltammetry
Linear sweep anodic stripping voltammetry: Determination of Chromium (VI) using synthesized gold nanoparticles modified screen-printed electrode 1075
- Antibacterial
Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
Synthesis and bioactive evaluations of novel benzotriazole compounds as potential antimicrobial agents and the interaction with calf thymus DNA 2251
- Antibacterial activity
Synthesis, structural characterization and biological activities of organotin(IV) complexes with 5-allyl-2-hydroxy-3-methoxybenzaldehyde-4-thiosemicarbazone 1589
- Anti-cancer activity
Synthesis and bio-catalytic activity of isostructural cobalt(III)-phenanthroline complexes 649
- Anticancer activity
Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (E)-N'-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide 2193
- Anti-conformation
Synthesis, crystal structure determination of two-dimensional supramolecular co-ordination polymer of silver(I) with 1,2-Bis(phenylthio)ethane and its Hirshfeld surface analysis 849
- Antifungal
Synthesis and bioactive evaluations of novel benzotriazole compounds as potential antimicrobial agents and the interaction with calf thymus DNA 2251
- Antifungal activities
Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
- Antifungal activity
Synthesis of β -aryl- γ -lactones and relationship: Structure – antifeedant and antifungal activity 687
- Anti-inflammatory and analgesic activity
Design, synthesis and characterization of 1 *H*-pyridin-4-yl-3, 5-disubstituted indazoles and their anti-inflammatory and analgesic activity 433
- Antimicrobial activity
Synthesis and characterization of mononuclear copper(II) complexes of pyridine 2-carboxamide: Their application as catalyst in peroxidative oxidation and antimicrobial agents 1451
Access to new antimicrobial 4-methylumbelliferone derivatives 1619
Structure, luminescence and antimicrobial properties of mononuclear silver(I) complexes of pyridine 2-carboxamide 1819
Synthesis, characterisation, stereochemistry and antimicrobial activity of *N*₅-piperazino- and *N*₅-morpholinoacetyl-2,2,4-trimethyl-1, 5-benzodiazepines 2051
- Anti-microbial
Iodobenzene diacetate-mediated isomerization of pyrazolyl chalcones and their cytotoxicity and anti-microbial activity 413
Synthesis, anti-microbial activity and molecular docking studies on triazolylcoumarin derivatives 565

- Anti-microbial activity
 Synthesis of some new derivatives of thiazolopyrimidines and hydrolysis of its arylidene derivative 467
- Antimicrobial and Antioxidant activity
 Synthesis and characterization of new thiourea and urea derivatives of 6-fluoro-3-(piperidin-4-yl)benzo[*d*] isoxazole: *In vitro* Antimicrobial and Antioxidant activity 1739
- Antioxidant agent
 Sulfanilic acid functionalized mesoporous SBA-15: A water-tolerant solid acid catalyst for the synthesis of uracil fused spirooxindoles as antioxidant agents 1389
- Anti-tumour activity
 DNA binding, anti-tumour activity and reactivity toward cell thiols of acridin-9-ylalkenoic derivatives 931
- Apoptosis
 Polypyridyl iron(II) complexes showing remarkable photocytotoxicity in visible light 609
- Approximate solution
 Mathematical description of the nonlinear chemical reactions with oscillatory inflow to the reaction field 1025
- Aromatic
 Thiocalix[4]arene derivatives containing multiple aromatic groups: High efficient extractants for organic dyes 1383
- Aromatic aldehydes
 Synthesis of naphthoxazinone derivatives using silica-bonded *S*-sulfonic acid as catalyst under solvent-free conditions 1315
- Aromatic ring
 Synthesis of β -aryl- γ -lactones and relationship: Structure – antifeedant and antifungal activity 687
- Aromaticity
 Competitive and Cooperative Torquoselectivity in the thermal ring opening of cyclobutene: A density functional insight 1505
- Aryl acetylenes
 Diversity oriented approach to polycyclics via cross-ene metathesis and Diels–Alder reaction as key steps 155
- Asymmetric triazene
 Synthesis, characterization and crystal structure of four new asymmetric triazene ligands: An example of linear Hg^{II} complex with Hg... π secondary bonding interactions 2171
- Atmospheric lifetime
 Theoretical study on mechanism, kinetics, and thermochemistry of the gas phase reaction of 2,2,2-trifluoroethyl butyrate with OH radicals at 298 K 1015
- Autocatalytic reactions
 Mathematical description of the nonlinear chemical reactions with oscillatory inflow to the reaction field 1025
- Average Hamiltonian theory
 Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- Azomethine ylide dipolar cycloaddition
 A straightforward stereoselective synthesis of cis-10',14'-diazaspiro [pyrrolidine-3,11'-tetracyclo [8.6.0.0^{2,7},0^{12,16}] hexadecane]-2'(7'),4', 6',8'-tetraene-2,5,13',15'-tetrone derivatives under solvent-free condition 7
- B₃₆ cluster
 Adsorption of small gas molecules on B₃₆ nanocluster 2029
- Bandgap
 Structural and optical properties of zinc titanates synthesized by precipitation method 509
- BBr₃
 Syntheses of fused tetrahydro- β -carboline analogues through imide carbonyl activation using BBr₃: Evidence for the involvement of fused cyclic *N*-acyliminium ion intermediate 811
- Benzo[*d*][1,3]dioxole
 Synthesis and characterization of novel benzo[*d*][1,3]dioxole substituted organo selenium compounds: X-ray structure of 1-((benzo[*d*][1,3]dioxol-5-yl)methyl)-2-((benzo[*d*] [1,3]dioxol-6-yl)methyl)disilane 1339
- Benzofuran-dione
 An investigation on structural, vibrational and nonlinear optical behavior of 4b,9b-dihydroxy-7,8-dihydro-4bH-Indeno[1,2-*b*] Benzofuran-9,10(6H,9bH)-dione: A DFT study 2217
- Benzo[*g*]quinoxaline
 Synthesis, Photophysical, Electrochemical and Thermal Studies of Triarylamines based on benzo[*g*]quinoxalines 1571
- Benzoic acid derivatives
 Synthesis of *N*-acylurea derivatives from carboxylic acids and *N,N'*-dialkyl carbodiimides in water 2269
- Benzotriazole
 Synthesis and bioactive evaluations of novel benzotriazole compounds as potential antimicrobial agents and the interaction with calf thymus DNA 2251
- Benzoylacetone
 Efficient one-pot synthesis of 2-oxazolines from benzoylacetone and β -aminoalcohols mediated by ZnCl₂ 163
- Benzyl alcohol
 Synthesis, characterization and study of catalytic activity of Silver doped ZnO nanocomposite as an efficient catalyst for selective oxidation of benzyl alcohol 481
- Bicyclic tetrapeptides
 Synthetic strategy for bicyclic tetrapeptides HDAC inhibitors using ring closing metathesis 1563
- Bidentate phosphine
 Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Bi-functional activation
 Microwave assisted bi-functional activation of β -bromo-*tert*-alcohols 1405
- Bifurcation diagram
 Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Biginelli reaction
 B(C₆F₅)₃ catalyzed one-pot three-component Biginelli reaction: An efficient and environmentally benign protocol for the synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones/thiones 1047
 Synthesis of 1-alkyl triazolium triflate room temperature ionic liquids and their catalytic studies in multi-component Biginelli reaction 1539

- Bimetallic nanoparticles
 A bimetallic nanocomposite electrode for direct and rapid biosensing of p53 DNA plasmid 1607
 Pt-Pd nanoelectrocatalyst of ultralow Pt content for the oxidation of formic acid: Towards tuning the reaction pathway 949
- Binary mixture
 Composition dependent non-ideality in aqueous binary mixtures as a signature of avoided spinodal decomposition 49
- Binding energy
 Hydrogen adsorption of nitrogen-doped carbon nanotubes functionalized with 3d-block transition metals 751
- Bioinorganic chemistry
 Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Biological study
 Nickel(II) complexes of N₂S₂ donor set ligand and halide/pseudohalides: Synthesis, crystal structure, DNA and bovine/human serum albumin interaction 1883
- Biosensor
 A bimetallic nanocomposite electrode for direct and rapid biosensing of p53 DNA plasmid 1607
- Bismaleato complex
 Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
- Bis-MBH adduct
 An efficient and facile synthesis of divergent C-3/C-5 bis-functionalized 2-oxindoles from 5-formyl-Morita-Baylis-Hillman adducts of oxindole 1417
- Bisphenol A
 Facile Growth of Multi-twined Au Nanostructures 2111
- Bis-pyrazole
 An efficient and facile synthesis of divergent C-3/C-5 bis-functionalized 2-oxindoles from 5-formyl-Morita-Baylis-Hillman adducts of oxindole 1417
- Bis-pyridyl-bis-amide ligand
 Three 2 D copper(II)/cadmium(II) coordination polymers based on semi-rigid/flexible bis-pyridyl-bis-amide ligands and 5-aminoisophthalate: Syntheses, structures and properties 1275
- Bis(pyridyl)tetrazine
 Construction of copper-based coordination polymers with 1D chain, 2D plane and wavy networks: Syntheses, structures, thermal behavior and photoluminescence properties 1871
- Bisulfite
 A novel fluorescent turn-on probe for bisulfite based on NBD chromophore 1267
- boat conformation
 Synthesis, characterisation, stereochemistry and antimicrobial activity of N₅-piperazino- and N₅-morpholinoacetyl-2,2,4-trimethyl-1, 5-benzodiazepines 2051
- Bond strength parameter
 Intramolecular hydrogen bond: Can it be part of the basis set of valence internal coordinates in normal mode analysis? 1127
- Bonding
 DFT Study of the effects of counter ions on bonding, molecular and spectral properties of pentafluorophenyl xenonium difluoride cation 1675
- Borane
 Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- Boranes
 Frustrated Lewis pairs: Design and reactivity 241
- Boron-doped diamond electrode
 Voltammetric determination of wedelolactone, an anti-HIV herbal drug, at boron-doped diamond electrode 959
- BP86
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
- Branching degree
 Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- Bromoperoxidases
 Macromolecular peroxo complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Brønsted acid
 Synthesis of 1-alkyl triazolium triflate room temperature ionic liquids and their catalytic studies in multi-component Biginelli reaction 1539
- BSSE correction
 X-H...C hydrogen bonds in *n*-alkane-HX (X = F, OH) complexes are stronger than C-H...X hydrogen bonds 1035
- Building block
 Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- C = O... π stacking
 Introduction of an electron push-pull system yields a planar *Red Kaede* fluorescence protein chromophore analogue stabilized by a C = O... π interaction 941
- Cadmium dithiophosphinato complexes
 Syntheses and structural characterization of new dithiophosphinato cadmium complexes 1653
- Calcium carbonate
 Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
- Calf thymus DNA interactions
 Synthesis and bioactive evaluations of novel benzotriazole compounds as potential antimicrobial agents and the interaction with calf thymus DNA 2251
- Calvin cycle
 Quantum chemical investigation of thermochemistry in Calvin cycle 2231

- Carbazole
Carbazole-based sensitizers for potential application to dye sensitized solar cells 383
- Carbene
Metal–metal multiple bonded intermediates in catalysis 209
Application of quinoxaline based diimidazolium salt in palladium catalyzed cross-coupling reactions 879
- Carbon, Proton NMR
A new synthesis of Entacapone and report on related studies 1977
Transition metal-modified polyoxometalates supported on carbon as catalyst in 2-(methylthio)-benzothiazole sulfoxidation 123
- Carbon dioxide
Synthesis of the Multinuclear Cobaloxime Complexes via Click Chemistry as Catalysts for the Formation of Cyclic Carbonates from Carbon Dioxide and Epoxides 1665
- Carbon dioxide reduction
Functionalized silica materials for electrocatalysis 307
- Carbon nanotubes
Synthesis of single-walled carbon nanotubes by the pyrolysis of a compression activated iron(II) phthalocyanine/phthalocyanine metal-free derivative/ferric acetate mixture 1191
- Carbonyl
Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR' (R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
- Carboxamide derivative
Zinc(II) complexes of carboxamide derivatives: Crystal structures and interaction with calf thymus DNA 1747
- CASSCF and RASSCF calculation
Excited electronic state decomposition mechanisms of clusters of dimethylnitramine and aluminum 71
- CASSCF
A computational investigation of the photochemical oxaziridine and amide conversion process of open-chain conjugated nitrene with electron-withdrawing trifluoromethyl group on nitrogen 1757
- Catalysis
Frustrated Lewis pairs: Design and reactivity 241
Metal–metal multiple bonded intermediates in catalysis 209
N, N'-Olefin functionalized *Bis*-Imidazolium Pd(II) chloride N-Heterocyclic carbene complex builds a supramolecular framework and shows catalytic efficacy for 'C–C' coupling reactions 1057
- Catalytic activity
Manganese zinc ferrite nanoparticles as efficient catalysts for wet peroxide oxidation of organic aqueous wastes 537
- Catalytic hydrogenation
Synthesis of Novel 5-(N-Substituted-Anilino)-8-Hydroxyquinolines via Hartwig-Buchwald Amination Reaction 1937
- Catalytic reactions
One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenylnaphthalene 1523
- Catecholase activity
Synthesis and bio-catalytic activity of isostructural cobalt(III)-phenanthroline complexes 649
- Catecholates
Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiene-1,3 and 1,2-bis(diphenylphosphino)ethane 527
- Cathode material
Significant improvement of electrochemical performance of Cu-coated LiVPO₄F cathode material for lithium-ion batteries 1411
- Cationic compounds
Crystal structure and solid-state properties of discrete hexa cationic trinuclear zinc triazole cluster 1369
- Cayley method
Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- C-Chalcogen bond formation
A comparative study of Cu(II)-assisted vs Cu(II)-free chalcogenation on benzyl and 2°/3°-cycloalkyl moieties 2151
- Cellulose
Designing pH-responsive and dielectric hydrogels from cellulose nanocrystals 1119
- Cellulose Nanocrystals
Designing pH-responsive and dielectric hydrogels from cellulose nanocrystals 1119
- CeO₂
Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}M_{0.3}O_{2-δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347
- Cerium(IV)
Synthesis and characterization of dodecahedral cerium(IV) and gadolinium(III) complexes with a tetradentate Schiff Base 1201
- C-H bond activation
(±)Methanodibenzodiazocine tethered [C-H]^{δ+} functional site: Study towards benzoin condensation and Baylis-Hillman reactions 821
- C-H functionalization
A comparative study of Cu(II)-assisted vs Cu(II)-free chalcogenation on benzyl and 2°/3°-cycloalkyl moieties 2151
- Chain termination probability
Ethylene homo- and copolymerization chain-transfers: A perspective from supported (¹⁰⁹BuCp)₂ZrCl₂ catalyst active centre distribution 717
- Chain-like Au nano-network
Facile Growth of Multi-twined Au Nanostructures 2111
- Characterization
Synthesis, structural characterization and biological activities of organotin(IV) complexes with 5-allyl-2-hydroxy-3-methoxybenzaldehyde-4-thiosemicarbazone 1589
- Charge-discharge
Electrochemical studies on Li⁺/K⁺ ion exchange behaviour in K₄Fe(CN)₆ cathode material for Li, K-ion battery 141
- Chebyshev expansion
Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- Chelating ligands
Nickel(II) complexes having Imidazol-2-ylidene-N'-phenylurea ligand in the coordination sphere – syntheses and solid state structures 1397
Syntheses and solid state structures of zinc (II) complexes with Bi-dentate N-(Aryl)imino-acenaphthenone (Ar-BIAO) ligands 103
- Chelation-enhanced fluorescence effect
A α-cyanostilbene-modified Schiff base as efficient turn-on fluorescent chemosensor for Zn²⁺ 375

- Chemical methods
 Chemical methods for the conversion of Prednisolone to 11- β -hydroxy-1,4-androstadiene-3,17-dione 1827
- Chemical shift editing
 Simultaneous acquisition of three NMR spectra in a single experiment for rapid resonance assignments in metabolomics 1091
- Chemical synthesis
 Facile fabrication of dendritic silver structures and their surface enhanced Raman spectroscopic properties 173
 Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
- Chemical vapour deposition
 Effect of surfactants on the morphology of FeSe films fabricated from a single source precursor by aerosol assisted chemical vapour deposition 499
- Chemosensor
 Fluorescent naphthalene-based benzene tripod for selective recognition of fluoride in physiological condition 337
 An Imidazole based probe for relay recognition of Cu²⁺ and OH⁻ ions leading to AND logic gate 1253
- Chitosan
 Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
- cis/trans* isomerisation
 A mixed-valent cyclodiphosphazane: Transition metal chemistry and *cis/trans* isomerisation 979
- cis-trans* isomerism
 Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
- Chlorodiphenylphosphine
 Synthesis and unexpected reactivity of [Ru(η^6 -cymene)Cl₂(PPh₂Cl)], leading to [Ru(η^6 -cymene)Cl₂(PPh₂H)] and [Ru(η^6 -cymene)Cl₂(PPh₂OH)] complexes 1329
- Chromium (III) complex
 Synthesis, Crystal structure and Characterization of a New Oxalate Chromium (III) Complex 1427
- Chromium oxide
 A first-principles study of chlorine adsorption characteristics on α -Cr₂O₃ nanostructures 1785
- Chromium removal
 Chromium removal from aqueous media by superparamagnetic starch functionalized maghemite nanoparticles 1967
- Circular dichroism spectra
 Synthesis and crystal structures of three isophthalato-bridged macrocyclic nickel(II) complexes 115
- Click chemistry
 Synthesis of the Multinuclear Cobaloxime Complexes via Click Chemistry as Catalysts for the Formation of Cyclic Carbonates from Carbon Dioxide and Epoxides 1665
- Cluster compounds
 A tetrakis(amido)phosphonium cation containing 2-pyridyl (²Py) substituents, [P(NH²Py)₄]⁺ and its reactivity studies with Ag(I) salts 619
- Clusters
 Crystal structure and solid-state properties of discrete hexa cationic trinuclear zinc triazole cluster 1369
- CMK-5-SO₃H
 Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5-SO₃H) 1229
- CO oxidation
 Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}M_{0.3}O_{2- δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347
- CO₂
 Studies on ethylbenzene dehydrogenation with CO₂ as soft oxidant over Co₃O₄/COK-12 catalysts 701
- Co(II)-based 3D framework
 Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257
- Co₃O₄/COK-12
 Studies on ethylbenzene dehydrogenation with CO₂ as soft oxidant over Co₃O₄/COK-12 catalysts 701
- Cobalt
 Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiens-1,3 and 1,2-bis(diphenylphosphino)ethane 527
 Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
- Cobalt(II)
 Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand 2137
- Cobalt(III)
 Synthesis and bio-catalytic activity of isostructural cobalt(III)-phenanthroline complexes 649
- Co-condensation
 Textural and morphological studies of transition metal doped SBA-15 by co-condensation method 909
- Co-crystal
 Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
- Cognitive impairment
 [3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles: Synthesis, SAR and biological evaluation as a novel class of 5-HT₆ Receptor Antagonists 439
- Colloidal particles
 Observation of the Unusual Aggregation Kinetics of Colloidal Minerals in Acidic Solutions 1083
- Color switching
 Origin and switch of different colors: Thermo-isomerism and crystal structure of (1*E*,2*E*)-bis[1-(4-nitrophenyl)ethylidene] hydrazine 2211
- Complex perovskites
 Synthesis and crystal structure determination of YCo_{1-x}Fe_xO₃ ($x = 0, 0.33, 0.5, 0.67$ and 1) perovskites 1173
- Complexation
 Thiacalix[4]arene derivatives containing multiple aromatic groups: High efficient extractants for organic dyes 1383
- Complexes
 A mixed-valent cyclodiphosphazane: Transition metal chemistry and *cis/trans* isomerisation 979

- Computer simulation
Composition dependent non-ideality in aqueous binary mixtures as a signature of avoided spinodal decomposition 49
- Conformational analysis
A comprehensive study of the structure, tautomeric properties, and conformational flexibility of 3-Hydroxy-propeneselenal 999
- Conformational transition
Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- Conformations
Theoretical studies on the stability of the salts formed by DTDO with HNO₃ and HN(NO₂)₂ 761
- Conical intersection
A computational investigation of the photochemical oxaziridine and amide conversion process of open-chain conjugated nitrene with electron-withdrawing trifluoromethyl group on nitrogen 1757
- Coordination polymer
Three 2 D copper(II)/cadmium(II) coordination polymers based on semi-rigid/flexible bis-pyridyl-bis-amide ligands and 5-aminoisophthalate: Syntheses, structures and properties 1275
Hydrothermal synthesis, crystal structure and luminescence property of a three dimensional Sm(III) coordination polymer with 2,5-pyridinedicarboxylic acid 2225
- Coordination polymers
Construction of copper-based coordination polymers with 1D chain, 2D plane and wavy networks: Syntheses, structures, thermal behavior and photoluminescence properties 1871
Reversible structural transformations in a Co(II)-based 2D dynamic metal-organic framework showing selective solvent uptake 627
- Co-polymer
Synthesis and optical properties of biphenylene ethynylene copolymers and their model compounds 365
- Copper(0)-Carbone catalyst
One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenyl-naphthalene 1523
- Copper
Electrochemical behaviour of Cu(II)/Cu(I) redox couple in 1-hexyl-3-methylimidazolium chloride ionic liquid 133
Synthesis and characterization of mononuclear copper(II) complexes of pyridine 2-carboxamide: Their application as catalyst in peroxidative oxidation and antimicrobial agents 1451
Construction of copper-based coordination polymers with 1D chain, 2D plane and wavy networks: Syntheses, structures, thermal behavior and photoluminescence properties 1871
- Copper(I) bromide
Reactivity of thiazolidine-2-thione towards Cu^I/Cu^{II}: Synthesis and structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione]copper(I) bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- Copper(I) thiocyanate
Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- Copper(II)
Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
Synthesis, characterization and superoxide dismutase activity of bi-copper (II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl]ester 455
- Copper(II) complexes
The kinetics of substitution reaction of oxydiacetate and thiodiacetate copper(II) complexes with 1,10-phenanthroline and 2,2'-bipyridine 1845
- Copper(II) nitrate
Reactivity of thiazolidine-2-thione towards Cu^I/Cu^{II}: Synthesis and structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione]copper(I) bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
- Coprecipitation method
Tuning the structural and catalytic properties of ceria by doping with Zr⁴⁺, La³⁺ and Eu³⁺ cations 1145
- Corey lactone diol
A Facile and Efficient Synthesis of (15R)-Latanoprost from Chiral Precursor Corey Lactone Diol 2023
- Corrosion inhibition
Effect of optimized structure and electronic properties of some benzimidazole derivatives on corrosion inhibition of mild steel in hydrochloric acid medium: Electrochemical and theoretical studies 921
- Cost-effective ultracapacitor
Studies on 12 V substrate-integrated lead-carbon hybrid ultracapacitors 967
- Coumarin
A coumarin-based colorimetric fluorescent probe for hydrogen sulfide 359
- Coumarin
Quantum chemical analysis of potential anti-Parkinson agents 1211
- Coumarin
Synthesis, anti-microbial activity and molecular docking studies on triazolylcoumarin derivatives 565
- Counter ion
DFT Study of the effects of counter ions on bonding, molecular and spectral properties of pentafluorophenyl xenonium difluoride cation 1675
- Cr (VI)
Linear sweep anodic stripping voltammetry: Determination of Chromium (VI) using synthesized gold nanoparticles modified screen-printed electrode 1075
- Critical micelle concentration
Aggregation and electrochemical properties of 1-(4-chlorophenyl)-3-dodecanoylthiourea: A novel thiourea-based non-ionic surfactant 1361
- Cross selectivity
[3-[(1-Methyl)piperidin-4-yl] methyl] arylsulfonyl]-1*H*-indoles: Synthesis, SAR and biological evaluation as a novel class of 5-HT₆ Receptor Antagonists 439
- Crown ethers
Investigation on silver complexes of novel 1,2,3-triazole linked crown ethers by NMR analysis 1811

- Crystal
 Theoretical study on the molecular and crystal structures of nitrogen trifluoride and its adduct with BF_3 1491
- Crystal structure
 Synthesis and crystal structures of three isophthalato-bridged macrocyclic nickel(II) complexes 115
 Synthesis of some new derivatives of thiazolopyrimidines and hydrolysis of its arylidene derivative 467
 Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
 Synthesis, crystal structure, theoretical study and luminescence property of a butterfly-like W/Cu/S cluster with 1,10-phenanthroline 643
 Synthesis of antipodal β -trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphinatozinc(II) bispyridinate complex 663
 Supramolecular structures constructed from three novel rare earth metal complexes 857
 Synthesis and crystal structure determination of $\text{YCo}_{1-x}\text{Fe}_x\text{O}_3$ ($x = 0, 0.33, 0.5, 0.67$ and 1) perovskites 1173
 Ionothermal synthesis and structural characterization of $[\text{Cu}(\text{C}_4\text{H}_6\text{N}_2)_4]\text{Br}_2$ and $[\text{Ni}(\text{C}_4\text{H}_6\text{N}_2)_4]\text{Br}_2$ 1261
 Three 2 D copper(II)/cadmium(II) coordination polymers based on semi-rigid/flexible bis-pyridyl-bis-amide ligands and 5-aminoisophthalate: Syntheses, structures and properties 1275
 DNA binding and cleavage activity of a structurally characterized Ni(II) Schiff base complex 1375
 Synthesis, Crystal structure and Characterization of a New Oxalate Chromium (III) Complex 1427
 Synthesis, structural characterization and biological activities of organotin(IV) complexes with 5-allyl-2-hydroxy-3-methoxybenzaldehyde-4-thiosemicarbazone 1589
 Two new inorganic-organic hybrid materials based on inorganic cluster, $[\text{X}_2\text{Mo}_{18}\text{O}_{62}]^{6-}$ ($\text{X}=\text{P}, \text{As}$) 1645
 Zinc(II) complexes of carboxamide derivatives: Crystal structures and interaction with calf thymus DNA 1747
 Synthesis and structural characterization of $(\text{C}_{14}\text{H}_{16}\text{N}_2)_3(\text{C}_{14}\text{H}_{17}\text{N}_2)_2$ [$\beta\text{-Mo}_8\text{O}_{26}$] 1769
 A new synthesis of Entacapone and report on related studies 1977
 Copper inorganic-organic hybrid coordination compound as a novel L-cysteine electrochemical sensor: Synthesis, characterization, spectroscopy and crystal structure 2005
 Synthesis, characterization and crystal structure of four new asymmetric triazine ligands: An example of linear Hg^{II} complex with $\text{Hg}\dots\pi$ secondary bonding interactions 2171
 Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (E)-N'-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide 2193
 Origin and switch of different colors: Thermo-isomerism and crystal structure of (1E,2E)-bis[1-(4-nitrophenyl)ethylidene] hydrazine 2211
 Effect of second ligand on the luminescence of Samarium (III) dibenzoylmethane complexes: Syntheses, crystal structures, thermal analysis and luminescence study 2241
- Crystal structures
 Anion- π interactions in layered structures of salts of 5-(hydroxyimino) quinolin-8-one and related salts 95
 Construction of copper-based coordination polymers with 1D chain, 2D plane and wavy networks: Syntheses, structures, thermal behavior and photoluminescence properties 1871
 Nickel(II) complexes of N_2S_2 donor set ligand and halide/pseudohalides: Synthesis, crystal structure, DNA and bovine/human serum albumin interaction 1883
- Crystallochemical calculations
 Synthesis and crystal structure determination of $\text{YCo}_{1-x}\text{Fe}_x\text{O}_3$ ($x = 0, 0.33, 0.5, 0.67$ and 1) perovskites 1173
- Crystallography
 Molecular structure investigation and tautomerism aspects of (E)-3-benzylideneindolin-2-one 1547
- Cu^{2+} sensing
 An Imidazole based probe for relay recognition of Cu^{2+} and OH^- ions leading to AND logic gate 1253
- Cu(II) complex
 Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (E)-N'-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide 2193
- Cu/MgO catalysts
 Liquid phase conversion of Glycerol to Propanediol over highly active Copper/Magnesia catalysts 833
- Cyanamide
 Efficient iron(III) porphyrins-catalyzed oxidation of guanidoximes to cyanamides in ionic liquids 13
- Cyclic carbonate
 Synthesis of the Multinuclear Cobaloxime Complexes via Click Chemistry as Catalysts for the Formation of Cyclic Carbonates from Carbon Dioxide and Epoxides 1665
- Cyclic voltametry
 Electrochemical studies on Li^+/K^+ ion exchange behaviour in $\text{K}_4\text{Fe}(\text{CN})_6$ cathode material for Li, K-ion battery 141
- Cyclic voltammety
 Effect of surfactants on the morphology of FeSe films fabricated from a single source precursor by aerosol assisted chemical vapour deposition 499
- Cyclic voltammogram
 Synthesis, characterization and photochemistry of a new heptamolybdate supported magnesium-aqua coordination complex 1581
- Cyclization
 A DFT study on the mechanism of palladium-catalyzed divergent reactions of 1,6-enyne carbonates 547
- Cyclizations
 T3P as an efficient cyclodehydration reagent for the one-pot synthesis of 2-amino-1,3,4-oxadiazoles 797
- Cyclocondensation
 Reaction between thiocarbamidoalkyl naphthols and acetylenic esters: An interesting cyclocondensation reaction for the synthesis of new thiazolidin-4-one derivatives 1795

- Cyclodiphosphazanes
 Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
 A mixed-valent cyclodiphosphazane: Transition metal chemistry and *cis/trans* isomerisation 979
- Cyclohexane
 Efficient Aerobic Oxidation of Cyclohexane to KA Oil Catalyzed by Pt-Sn supported on MWCNTs 1167
- Cyclohexanol
 Efficient Aerobic Oxidation of Cyclohexane to KA Oil Catalyzed by Pt-Sn supported on MWCNTs 1167
- Cyclohexanone
 Efficient Aerobic Oxidation of Cyclohexane to KA Oil Catalyzed by Pt-Sn supported on MWCNTs 1167
- Cytotoxicity studies
 Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671
- Cytotoxicity
 Iodobenzene diacetate-mediated isomerization of pyrazolyl chalcones and their cytotoxicity and anti-microbial activity 413
 Hydroxy, carboxylic and amino acid functionalized superparamagnetic iron oxide nanoparticles: Synthesis, characterization and *in vitro* anti-cancer studies 1155
 One-pot synthesis of *N*-aryl 1,4-dihydropyridine derivatives and their biological activities 2201
- d*-spacing
 Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains (*n* = 9-18) 1627
- Dealumination
 Ultrasound-assisted dealumination of zeolite Y 25
- Def₂-TZVP
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
- Dehalogenation
 An efficient synthesis of spiro- β -lactams having sulfenyl, sulfinyl and sulfonyl moiety 1957
- Dehydrogenation
 Pt-Pd nanoelectrocatalyst of ultralow Pt content for the oxidation of formic acid: Towards tuning the reaction pathway 949
 Studies on ethylbenzene dehydrogenation with CO₂ as soft oxidant over Co₃O₄/COK-12 catalysts 701
- Dendritic silver
 Facile fabrication of dendritic silver structures and their surface enhanced Raman spectroscopic properties 173
- Dendron
 Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- Density functional calculations
 Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Density functional theory
 A DFT study on the mechanism of palladium-catalyzed divergent reactions of 1,6-enyne carbonates 547
 Hydrogen adsorption of nitrogen-doped carbon nanotubes functionalized with 3d-block transition metals 751
 Theoretical studies on the stability of the salts formed by DTDO with HNO₃ and HN(NO₂)₂ 761
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
 Mechanism for the Reaction of a Tungsten-Germlyne Complex with α , β -Unsaturated Ketones: A DFT Study 1477
 Adsorption of small gas molecules on B₃₆ nanocluster 2029
- Derivatives of benzoic acids
 Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- DFT
 Role of ligands in controlling the regioselectivity in ruthenium-catalyzed addition of carboxylic acids to terminal alkynes: A DFT study 281
 Carbazole-based sensitizers for potential application to dye sensitized solar cells 383
 Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl]ester 455
N, *N'*-Olefin functionalized *Bis*-Imidazolium Pd(II) chloride *N*-Heterocyclic carbene complex builds a supramolecular framework and shows catalytic efficacy for 'C-C' coupling reactions 1057
 Computational studies on 1,2,4-Triazolium-based salts as energetic materials 1099
 Effect of external electric field on Cyclodextrin-Alcohol adducts: A DFT study 1109
 Competitive and Cooperative Torquoselectivity in the thermal ring opening of cyclobutene: A density functional insight 1505
 DFT Study of the effects of counter ions on bonding, molecular and spectral properties of pentafluorophenyl xenonium difluoride cation 1675
 A DFT study of temperature dependent dissociation mechanism of HF in HF(H₂O)₇ cluster 1839
 Quantum chemical investigation on structures and energetics of Tungsten Fluoride (WF_{*q*}) species (*q* = 0, \pm 1; *n* < 6) 1853
 Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
 Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand 2137
 An investigation on structural, vibrational and nonlinear optical behavior of 4b,9b-dihydroxy-7,8-dihydro-4bH-Indeno[1,2-b]Benzofuran-9,10(6H,9bH)-dione: A DFT study 2217

- DFT calculations
Structures, bonding and reactivity of iron and manganese high-valent metal-oxo complexes: A computational investigation 343
Synthesis, crystal structure, theoretical study and luminescence property of a butterfly-like W/Cu/S cluster with 1,10-phenanthroline 643
A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies 1321
- DFT with dispersion-correction (DFT-D)
Pressure-induced changes in the structural and absorption properties of crystalline 5-nitramino-3,4-dinitroprazole 1777
- DFT-computation
Crystal Structure of 7,11-bis(2,4-dichlorophenyl)-2,4-dimethyl-2,4-diazaspiro[5.5]undecane-1,3,5,9-tetraone and its computational studies 2039
Molecular structure investigation and tautomerism aspects of (*E*)-3-benzylideneindolin-2-one 1547
- Diacetate
Zinc zirconium phosphate as an efficient catalyst for chemoselective synthesis of 1,1-diacetates under solvent-free conditions 1945
- Diazabutadienes
Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiene-1,3 and 1,2-bis(diphenylphosphino)ethane 527
- Dibenzo[*b, d*]furan
One-pot synthesis and UV-Visible absorption studies of novel tricyclic heterocycle tethered Xanthene-1,8-diones 803
- Dibenzo[*b, d*]thiophene
One-pot synthesis and UV-Visible absorption studies of novel tricyclic heterocycle tethered Xanthene-1,8-diones 803
- Dielectric property
Designing pH-responsive and dielectric hydrogels from cellulose nanocrystals 1119
- Diels–Alder reaction
Diversity oriented approach to polycyclics via cross-ene metathesis and Diels–Alder reaction as key steps 155
- Diffuse reflectance spectroscopy
Structural and optical properties of zinc titanates synthesized by precipitation method 509
- Diffusion coefficient
Electrochemical behaviour of Cu(II)/Cu(I) redox couple in 1-hexyl-3-methylimidazolium chloride ionic liquid 133
- Dihydropyridine
One-pot synthesis of N-aryl 1,4-dihydropyridine derivatives and their biological activities 2201
- Dihydropyrimidinone
B(C₆F₅)₃ catalyzed one-pot three-component Biginelli reaction: An efficient and environmentally benign protocol for the synthesis of 3,4-dihydropyrimidin-2(*1H*)-ones/thiones 1047
- Dihydropyrimidinthione
B(C₆F₅)₃ catalyzed one-pot three-component Biginelli reaction: An efficient and environmentally benign protocol for the synthesis of 3,4-dihydropyrimidin-2(*1H*)-ones/thiones 1047
- Dinitrogen
Functionalization of N₂ to NH₃ via direct N≡N bond cleavage using M(III)(NMe₂)₃ (M=W/Mo): A theoretical study 83
- Dinuclear complex
Copper inorganic-organic hybrid coordination compound as a novel L-cysteine electrochemical sensor: Synthesis, characterization, spectroscopy and crystal structure 2005
- Diphenic acid
SiO₂-Diphenic acid: An efficient and recyclable heterogeneous catalyst for one-pot synthesis of *bis*-(indolyl)methane derivatives in liquid phase 987
- Diphenylphosphine
Synthesis and unexpected reactivity of [Ru(η^6 -cymene)Cl₂(PPh₂Cl)], leading to [Ru(η^6 -cymene)Cl₂(PPh₂H)] and [Ru(η^6 -cymene)Cl₂(PPh₂OH)] complexes 1329
- Diphenylphosphinous acid
Synthesis and unexpected reactivity of [Ru(η^6 -cymene)Cl₂(PPh₂Cl)], leading to [Ru(η^6 -cymene)Cl₂(PPh₂H)] and [Ru(η^6 -cymene)Cl₂(PPh₂OH)] complexes 1329
- Diselenide
Synthesis and characterization of novel benzo[*d*][1,3]dioxole substituted organo selenium compounds: X-ray structure of 1-((benzo[*d*][1,3]dioxol-5-yl)methyl)-2-((benzo[*d*][1,3]dioxol-6-yl)methyl)diselane 1339
- Distorted trigonal pyramidal geometry
Synthesis, crystal structure determination of two-dimensional supramolecular co-ordination polymer of silver(I) with 1,2-Bis(phenylthio)ethane and its Hirshfeld surface analysis 849
- Dithiocarbamate
Dithiocarbamate promoted practical synthesis of *N*-Aryl-2-aminobenzazoles: Synthesis of novel Aurora-A kinase inhibitor 447
- Dithiophosphinic acid
Syntheses and structural characterization of new dithiophosphinato cadmium complexes 1653
- Diversity-oriented synthesis
Diversity oriented approach to polycyclics via cross-ene metathesis and Diels–Alder reaction as key steps 155
- DMNA-Al cluster
Excited electronic state decomposition mechanisms of clusters of dimethylnitramine and aluminum 71
- DNA binding
Polypyridyl iron(II) complexes showing remarkable photocytotoxicity in visible light 609
DNA binding, anti-tumour activity and reactivity toward cell thiols of acridin-9-ylalkenoic derivatives 931
Zinc(II) complexes of carboxamide derivatives: Crystal structures and interaction with calf thymus DNA 1747
- DNA cleavage
Synthesis and bio-catalytic activity of isostructural cobalt(III)-phenanthroline complexes 649
DNA binding and cleavage activity of a structurally characterized Ni(II) Schiff base complex 1375
- DNA fragmentation
Hydroxy, carboxylic and amino acid functionalized superparamagnetic iron oxide nanoparticles: Synthesis, characterization and *in vitro* anti-cancer studies 1155
- DNA plasmid
A bimetallic nanocomposite electrode for direct and rapid biosensing of p53 DNA plasmid 1607

- Dodecahedral
 Synthesis and characterization of dodecahedral cerium(IV) and gadolinium(III) complexes with a tetradentate Schiff Base 1201
- Donor–acceptor polymers
 Solvothermal synthesis of high molecular weight dithienogermole containing conjugated polymers 1053
- Doped ceria
 Tuning the structural and catalytic properties of ceria by doping with Zr⁴⁺, La³⁺ and Eu³⁺ cations 1145
- DPPH
 Radical Scavenging Efficacy of Thiol Capped Silver Nanoparticles 2183
- Driving force
 Quantum chemical investigation of thermochemistry in Calvin cycle 2231
- Droxidopa
 A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa 1007
- DSC
 Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains (*n* = 9-18) 1627
- DSSCs
 Synthesis and Photovoltaic properties of branched chain polymeric metal complexes containing Phenothiazine and Thiophene derivative for dye-sensitized solar cells 395
- Dye
 Thiocalix[4]arene derivatives containing multiple aromatic groups: High efficient extractants for organic dyes 1383
- Dyes
 Synthesis and Photovoltaic properties of branched chain polymeric metal complexes containing Phenothiazine and Thiophene derivative for dye-sensitized solar cells 395
- Dynamic fluorescence measurements
 Solvent sorting in (mixed solvent + electrolyte) systems: Time-resolved fluorescence measurements and theory 61
- Dynamic framework
 Reversible structural transformations in a Co(II)-based 2D dynamic metal-organic framework showing selective solvent uptake 627
- E, Z geometry
 A new synthesis of Entacapone and report on related studies 1977
- (*E*)-cinnamic acid derivatives
 Synthesis of *N*-acylurea derivatives from carboxylic acids and *N,N'*-dialkyl carbodiimides in water 2269
- EDS
 One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenyl-naphthalene 1523
- Electric field
 Effect of external electric field on Cyclodextrin-Alcohol adducts: A DFT study 1109
- Electrocatalysis
 Functionalized silica materials for electrocatalysis 307
 Pt-Pd nanoelectrocatalyst of ultralow Pt content for the oxidation of formic acid: Towards tuning the reaction pathway 949
- Copper inorganic-organic hybrid coordination compound as a novel L-cysteine electrochemical sensor: Synthesis, characterization, spectroscopy and crystal structure 2005
- Electrocatalytic hydrogen evaluation
 Modeling the active site of [FeFe]-hydrogenase: Electro-catalytic hydrogen evolution from acetic acid catalysed by [Fe₂(μ-L)(CO)₆] and [Fe₂(μ-L)(CO)₅(PPh₃)] (L = pyrazine-2,3-dithiolate, quinoxaline-2,3-dithiolate and pyrido[2,3-*b*]pyrazine-2,3-dithiolate) 295
- Electrochemical
 Synthesis, Photophysical, Electrochemical and Thermal Studies of Triarylamines based on benzo[*g*]quinoxalines 1571
- Electrochemical conjugation
 Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl)porphyrin: Effect of metal ions on long-range electronic communication 327
- Electrochemical deposition
 Pt-Pd nanoelectrocatalyst of ultralow Pt content for the oxidation of formic acid: Towards tuning the reaction pathway 949
- Electrochemical evaluation
 Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (*E*)-*N'*-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide 2193
- Electrochemical impedance spectroscopy.
 Atomistic understanding of hydrogen loading phenomenon into palladium cathode: A simple nanocluster approach and electrochemical evidence 575
- Electrochemical techniques
 Effect of optimized structure and electronic properties of some benzimidazole derivatives on corrosion inhibition of mild steel in hydrochloric acid medium: Electrochemical and theoretical studies 921
- Electrochemistry
 Aggregation and electrochemical properties of 1-(4-chlorophenyl)-3-dodecanoylthiourea: A novel thiourea-based non-ionic surfactant 1361
- Electrochemistry
 Efficient Sonogashira and Suzuki-Miyaura coupling reaction catalyzed by Pd-Nanoparticles 425
 Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl)porphyrin: Effect of metal ions on long-range electronic communication 327
- Electrocyclic ring opening
 Competitive and Cooperative Torquoselectivity in the thermal ring opening of cyclobutene: A density functional insight 1505
- Electrodeposition
 Electrochemical behaviour of Cu(II)/Cu(I) redox couple in 1-hexyl-3-methylimidazolium chloride ionic liquid 133
- Electrolyte solutions
 Solvent sorting in (mixed solvent + electrolyte) systems: Time-resolved fluorescence measurements and theory 61
- Electron density topological property
 Theoretical exploration of pnictogen bond noncovalent interactions in HCHO⋯PH₂X (X=CH₃, H, C₆H₅, F, Cl, Br, and NO₂) complexes 1729
- Electronic properties
 Synthesis and structural characterization of (C₁₄H₁₆N₂)₃(C₁₄H₁₇N₂)₂ [β-Mo₈O₂₆] 1769

- Electronic structures and bonding
Structures, bonding and reactivity of iron and manganese high-valent metal-oxo complexes: A computational investigation 343
- Electron-rich phosphine ligands
Synthesis of Novel 5-(*N*-Substituted-Anilino)-8-Hydroxyquinolines via Hartwig-Buchwald Amination Reaction 1937
- Electrophilic aromatic substitution
FeCl₃ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Electrostatic attraction
Three silver (I) supramolecular compounds constructed from pyridinium or methylimidazolium polycations: Synthesis, crystal structure and properties 1513
- Emission
Effect of second ligand on the luminescence of Samarium (III) dibenzoylmethane complexes: Syntheses, crystal structures, thermal analysis and luminescence study 2241
- Enamine
One-pot synthesis of *N*-aryl 1,4-dihydropyridine derivatives and their biological activities 2201
- Energetic materials
Theoretical studies on the stability of the salts formed by DTDO with HNO₃ and HN(NO₂)₂ 761
Computational studies on 1,2,4-Triazolium-based salts as energetic materials 1099
- Enol esters
Role of ligands in controlling the regioselectivity in ruthenium-catalysed addition of carboxylic acids to terminal alkynes: A DFT study 281
- Entacapone
A new synthesis of Entacapone and report on related studies 1977
- Environmental
Fluorescent naphthalene-based benzene tripod for selective recognition of fluoride in physiological condition 337
- Enzyme inhibitors
Macromolecular peroxo complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Epoxides
Synthesis of the Multinuclear Cobaloxime Complexes via Click Chemistry as Catalysts for the Formation of Cyclic Carbonates from Carbon Dioxide and Epoxides 1665
- ESKT effect
Electromeric effect of substitution at 6th position in 2-(Furan-2-yl)-3-hydroxy-4 *H*-chromen-4-one (FHC) on the absorption and emission spectra 405
- Etherification
Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Ethylbenzene
Studies on ethylbenzene dehydrogenation with CO₂ as soft oxidant over Co₃O₄/COK-12 catalysts 701
- Ethylene glycol
Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl]ester 455
- Ethylene-1-hexene chain end unsaturation
Ethylene homo- and copolymerization chain-transfers: A perspective from supported (¹⁸BuCp)₂ZrCl₂ catalyst active centre distribution 717
- Excited electronic state
Excited electronic state decomposition mechanisms of clusters of dimethylnitramine and aluminum 71
- Extraction
Ultrasound-assisted dealumination of zeolite Y 25
- Fast NMR spectroscopy
Simultaneous acquisition of three NMR spectra in a single experiment for rapid resonance assignments in metabolomics 1091
- Feeding deterrents
Synthesis of β -aryl- γ -lactones and relationship: Structure – antifeedant and antifungal activity 687
- [FeFe]-hydrogenase
Modeling the active site of [FeFe]-hydrogenase: Electrocatalytic hydrogen evolution from acetic acid catalysed by [Fe₂(μ -L)(CO)₆] and [Fe₂(μ -L)(CO)₅(PPh₃)] (L = pyrazine-2,3-dithiolate, quinoxaline-2,3-dithiolate and pyrido[2,3-*b*]pyrazine-2,3-dithiolate) 295
- Fer expansion
Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- Ferrocenylporphyrin
Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl)porphyrin: Effect of metal ions on long-range electronic communication 327
- F+HI
Effects of collision energy on stereodynamical information of the reaction F+HI→FI+H 1557
- Fingerprint plots
Synthesis, crystal structure determination of two-dimensional supramolecular co-ordination polymer of silver(I) with 1,2-Bis(phenylthio)ethane and its Hirshfeld surface analysis 849
- Five-component reaction
Nano-TiCl₄/SiO₂: An efficient heterogeneous solid acid catalyst for the one pot cascade five-component synthesis of densely functionalized tetrahydropyridines 885
- Flavour compounds
Microwave assisted bi-functional activation of β -bromo-*tert*-alcohols 1405
- Flexible-graphite
Studies on 12 V substrate-integrated lead-carbon hybrid ultracapacitors 967
- Floquet theory
Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- Floquet-Magnus expansion
Theoretical approaches to control spin dynamics in solid-state nuclear magnetic resonance 2081
- Flow cytometry
Development and characterization of stabilized, polymerized phospholipid bilayers on silica particles for specific immobilization of His-tagged proteins 729

- Fluorescence
 Fluorescent naphthalene-based benzene tripod for selective recognition of fluoride in physiological condition 337
- Fluorescence sensor
 A α -cyanostilbene-modified Schiff base as efficient turn-on fluorescent chemosensor for Zn^{2+} 375
- Fluorescent pH sensor
 A quinoline based pH sensitive ratiometric fluorescent sensor: Structure and spectroscopy 1637
- Fluorescent probe
 A novel fluorescent turn-on probe for bisulfite based on NBD chromophore 1267
- Fluorescent property
 Three 2 D copper(II)/cadmium(II) coordination polymers based on semi-rigid/flexible bis-pyridyl-bis-amide ligands and 5-aminoisophthalate: Syntheses, structures and properties 1275
- Fluoride anion
 Fluorescent naphthalene-based benzene tripod for selective recognition of fluoride in physiological condition 337
- Fluoroesters
 Theoretical study on mechanism, kinetics, and thermochemistry of the gas phase reaction of 2,2,2-trifluoroethyl butyrate with OH radicals at 298 K 1015
- Forced phase delay effect
 Mathematical description of the nonlinear chemical reactions with oscillatory inflow to the reaction field 1025
- Formic acid oxidation
 Pt-Pd nanoelectrocatalyst of ultralow Pt content for the oxidation of formic acid: Towards tuning the reaction pathway 949
- Frustrated Lewis pairs
 Frustrated Lewis pairs: Design and reactivity 241
- FT-IR spectrum
 An investigation on structural, vibrational and nonlinear optical behavior of 4b,9b-dihydroxy-7,8-dihydro-4bH-Indeno[1,2-b]Benzofuran-9,10(6H,9bH)-dione: A DFT study 2217
 Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
- FT-Raman spectrum
 Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
 Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl)porphyrin: Effect of metal ions on long-range electronic communication 307
- Functionalized silica
 Functionalized silica materials for electrocatalysis 307
 Development and characterization of stabilized, polymerized phospholipid bilayers on silica particles for specific immobilization of His-tagged proteins 729
- Fused cyclic *N*-acyliminium ion
 Syntheses of fused tetrahydro- β -carboline analogues through imide carbonyl activation using BBr_3 : Evidence for the involvement of fused cyclic *N*-acyliminium ion intermediate 811
- Gadolinium(III)
 Synthesis and characterization of dodecahedral cerium(IV) and gadolinium(III) complexes with a tetradentate Schiff Base 1201
- Gas molecules
 Adsorption of small gas molecules on B_{36} nanocluster 2029
- Genetic algorithms
 QSAR study of prolylcarboxypeptidase inhibitors by genetic algorithm: Multiple linear regressions 1243
- Glycerol
 Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Glycerol ethers
 Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Glycerol hydrogenolysis
 Liquid phase conversion of Glycerol to Propanediol over highly active Copper/Magnesia catalysts 833
- Gold nanoparticles
 Linear sweep anodic stripping voltammetry: Determination of Chromium (VI) using synthesized gold nanoparticles modified screen-printed electrode 1075
- Grand Canonical Monte Carlo
 Modelling Gas Adsorption in Porous Solids: Roles of Surface Chemistry and Pore Architecture 1687
- Green chemistry
 A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies 1321
- Green-yellow fluorescent materials
 Synthesis, Photophysical, Electrochemical and Thermal Studies of Triarylamines based on benzo[g]quinoxalines 1571
- Guanidine
 Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand 2137
- Guanidoxime iron(III) porphyrins
 Efficient iron(III) porphyrins-catalyzed oxidation of guanidoximes to cyanamides in ionic liquids 13
- H_2S probe
 A coumarin-based colorimetric fluorescent probe for hydrogen sulfide 359
- Half sandwich ruthenium complexes
 Synthesis and unexpected reactivity of $[Ru(\eta^6\text{-cymene})Cl_2(PPh_2Cl)]$, leading to $[Ru(\eta^6\text{-cymene})Cl_2(PPh_2H)]$ and $[Ru(\eta^6\text{-cymene})Cl_2(PPh_2OH)]$ complexes 1329
- Hansen-Verlet rule
 Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Hartwig-Buchwald amination
 Synthesis of Novel 5-(*N*-Substituted-Anilino)-8-Hydroxyquinolines via Hartwig-Buchwald Amination Reaction 1937
- H-bond
 Quantum chemical investigation of thermochemistry in Calvin cycle 2231

- HDAC inhibitors
 Synthetic strategy for bicyclic tetrapeptides HDAC inhibitors using ring closing metathesis 1563
- Heck cross-coupling reaction
 C(sp²)-C(sp²) cross coupling reaction catalyzed by a palladacycle phosphine complex: A simple and sustainable protocol in aqueous media 1919
- Hectorite
 Synthesis and properties of hectorite/poly(AM/IA) nanocomposite hydrogels with high gel strength 19
- Heptamolybdate
 Synthesis, characterization and photochemistry of a new heptamolybdate supported magnesium-aqua coordination complex 1581
- Heterocycles
 T3P as an efficient cyclodehydration reagent for the one-pot synthesis of 2-amino-1,3,4-oxadiazoles 797
- Heterogeneous catalysis
 Synthesis, characterization and study of catalytic activity of Silver doped ZnO nanocomposite as an efficient catalyst for selective oxidation of benzyl alcohol 481
 SiO₂-Diphenic acid: An efficient and recyclable heterogeneous catalyst for one-pot synthesis of *bis*-(indolyl)methane derivatives in liquid phase 987
 Zinc zirconium phosphate as an efficient catalyst for chemoselective synthesis of 1,1-diacetates under solvent-free conditions 1945
- Heterogeneous catalyst
 Nano-TiCl₄/SiO₂: An efficient heterogeneous solid acid catalyst for the one pot cascade five-component synthesis of densely functionalized tetrahydropyridines 885
 Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
 Synthesis of naphthoxazinone derivatives using silica-bonded S-sulfonic acid as catalyst under solvent-free conditions 1315
- Heterogeneous recyclable catalyst
 Efficient Sonogashira and Suzuki-Miyaura coupling reaction catalyzed by Pd-Nanoparticles 425
- Heterogeneous sulfonic acid
 Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5-SO₃H) 1229
- Heterothiometallic clusters
 Synthesis, crystal structure, theoretical study and luminescence property of a butterfly-like W/Cu/S cluster with 1,10-phenanthroline 643
- Hexa-coordination
 Nickel(II) complexes having Imidazol-2-ylidene-N'-phenylurea ligand in the coordination sphere – syntheses and solid state structures 1397
- Hexamethylenetetramine
 Synthesis, characterization and photochemistry of a new heptamolybdate supported magnesium-aqua coordination complex 1581
- Hexaphenylporphyrin
 Synthesis of antipodal β -trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphyrinatozinc(II) bispyridinate complex 663
- Hg $\cdots\pi$ interaction
 Synthesis, characterization and crystal structure of four new asymmetric triazene ligands: An example of linear Hg^{II} complex with Hg... π secondary bonding interactions 2171
- Hierarchical clustering
 QSAR study of prolylcarboxypeptidase inhibitors by genetic algorithm: Multiple linear regressions 1243
- High-valent iron and manganese
 Structures, bonding and reactivity of iron and manganese high-valent metal-oxo complexes: A computational investigation 343
- His-tagged proteins
 Development and characterization of stabilized, polymerized phospholipid bilayers on silica particles for specific immobilization of His-tagged proteins 729
- HIV-1 reverse transcriptase
 Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- H-loading/unloading
 Atomistic understanding of hydrogen loading phenomenon into palladium cathode: A simple nanocluster approach and electrochemical evidence 575
- Homoleptic complexes
 Bulky iminophosphonamines for N-P-N coordination: Synthesis and structural characterization of lithium iminophosphonamides and homoleptic *bis*-chelates of Co(II), Ni(II) and Cu(II) 315
- Homogeneous catalysis
 Synthesis and characterization of mononuclear copper(II) complexes of pyridine 2-carboxamide: Their application as catalyst in peroxidative oxidation and antimicrobial agents 1451
- HOMO-LUMO
 Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
- HOMO-LUMO gap
 Quantum chemical investigation on structures and energetics of Tungsten Fluoride (WF_{*q*}) species (*q* = 0, ± 1 ; *n* < 6) 1853
- Honeycomb ordering
 Interesting cationic (Li⁺/Fe³⁺/Te⁶⁺) variations in new rocksalt ordered structures 225
- Hybrid material
 Synthesis and Physico-chemical studies of a new non-centrosymmetric organic-inorganic hybrid material: [2,3-(CH₃)₂C₆H₃NH₃]₄ BiBr₆NO₃.2H₂O 461
- Hybrid materials
 Two new inorganic-organic hybrid materials based on inorganic cluster, [X₂Mo₁₈O₆₂]⁶⁻ (X=P, As) 1645
- Hybrid-ultracapacitor
 Studies on 12 V substrate-integrated lead-carbon hybrid ultracapacitors 967
- Hydrazine derivative
 Origin and switch of different colors: Thermo-isomerism and crystal structure of (1E,2E)-bis[1-(4-nitrophenyl)ethylidene]hydrazine 2211

- Hydrogel
 Synthesis and properties of hectorite/poly(AM/IA) nanocomposite hydrogels with high gel strength 19
- Hydrogels
 Designing pH-responsive and dielectric hydrogels from cellulose nanocrystals 1119
- Hydrogen
 Recent developments in solar H₂ generation from water splitting 33
- Hydrogen bond
 X-H...C hydrogen bonds in *n*-alkane-HX (X = F, OH) complexes are stronger than C-H...X hydrogen bonds 1035
 Intramolecular hydrogen bond: Can it be part of the basis set of valence internal coordinates in normal mode analysis? 1127
 Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
- Hydrogen bonding
 A mixed Ni(II) ionic complex containing V-shaped water trimer: Synthesis, spectral, structural and thermal properties of {[Ni(2,2'-bpy)₃][Ni(2-cpida)(2,2' -bpy)]} (ClO₄)₃·3H₂O 873
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
 Nickel(II) complexes having Imidazol-2-ylidene-N'-phenylurea ligand in the coordination sphere – syntheses and solid state structures 1397
- Hydrogen bonds
 Synthesis and Physico-chemical studies of a new non-centrosymmetric organic-inorganic hybrid material: [2,3-(CH₃)₂C₆H₃NH₃]₄ BiBr₆NO₃·2H₂O 461
 Supramolecular structures constructed from three novel rare earth metal complexes 857
- Hydrogen peroxide
 Transition metal-modified polyoxometalates supported on carbon as catalyst in 2-(methylthio)-benzothiazole sulfoxidation 123
- Hydrogenase enzyme
 Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Hydrolysis of arylidene derivative
 Synthesis of some new derivatives of thiazolopyrimidines and hydrolysis of its arylidene derivative 467
- Hydrolytic equilibrium
 Studies on cluster, salt and molecular complexes of zinc-quinolate 215
- Hydrophobicity
 Hydrophobic effect of silica functionalized with silylated Tisalicylaldimine complex on limonene oxidation by aqueous hydrogen peroxide 1905
- Hydrostatic pressure
 Pressure-induced changes in the structural and absorption properties of crystalline 5-nitramino-3,4-dinitropyrazole 1777
- Hydrothermal synthesis
 Hydrothermal synthesis, crystal structure and luminescence property of a three dimensional Sm(III) coordination polymer with 2,5-pyridinedicarboxylic acid 2225
- IC₅₀
 Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl]ester 455
- ICT
 A quinoline based pH sensitive ratiometric fluorescent sensor: Structure and spectroscopy 1637
- Imidazol-2-ylidene-N'-phenylurea
 Nickel(II) complexes having Imidazol-2-ylidene-N'-phenylurea ligand in the coordination sphere – syntheses and solid state structures 1397
- Imidazole
 An Imidazole based probe for relay recognition of Cu²⁺ and OH⁻ ions leading to AND logic gate 1253
 Role of peripheral phenanthroline groups in the self-assembly of self-assembled molecular triangles 273
- Imidazoles
 Green synthesis of tri/tetrasubstituted 1*H*-imidazoles and 2,3-dihydroquinazolin-4(1*H*)-ones using nano aluminium nitride as solid source of ammonia 1221
- Imidazolin-5-one
 Introduction of an electron push-pull system yields a planar *Red Kaede* fluorescence protein chromophore analogue stabilized by a C = O... π interaction 941
- Imidazolium salt
 (\pm)Methanodibenzodiazocine tethered [C-H] ^{δ +} functional site: Study towards benzoin condensation and Baylis-Hillman reactions 821
 Application of quinoxaline based diimidazolium salt in palladium catalyzed cross-coupling reactions 879
- Imido P(V) anions
 A tetrakis(amido)phosphonium cation containing 2-pyridyl (²Py) substituents, [P(NH²Py)₄]⁺ and its reactivity studies with Ag(I) salts 619
- Imine
 Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- Iminoacenaphenone
 Syntheses and solid state structures of zinc (II) complexes with Bi-dentate *N*-(Aryl)imino-acenaphenone (Ar-BIAO) ligands 103
- Iminophosphonamides
 Bulky iminophosphonamines for N–P–N coordination: Synthesis and structural characterization of lithium iminophosphonamides and homoleptic *bis*-chelates of Co(II), Ni(II) and Cu(II) 315
- Impedance spectroscopy
 Copper inorganic-organic hybrid coordination compound as a novel L-cysteine electrochemical sensor: Synthesis, characterization, spectroscopy and crystal structure 2005
- Impedance
 Voltammetric determination of wedelolactone, an anti-HIV herbal drug, at boron-doped diamond electrode 959
- Indole
 SiO₂-Diphenic acid: An efficient and recyclable heterogeneous catalyst for one-pot synthesis of *bis*-(indolyl)methane derivatives in liquid phase 987
- Indoles
 Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197

- Indolin-2-one
Molecular structure investigation and tautomerism aspects of (*E*)-3-benzylideneindolin-2-one 1547
- Infrared spectroscopy
Synthesis and Physico-chemical studies of a new non-centrosymmetric organic-inorganic hybrid material: [2,3-(CH₃)₂C₆H₃NH₃]₄ BiBr₆NO₃·2H₂O 461
Two new inorganic-organic hybrid materials based on inorganic cluster, [X₂Mo₁₈O₆₂]⁶⁻ (X=P, As) 1645
- Inherent structure energy
Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Inherent structures
Composition dependent non-ideality in aqueous binary mixtures as a signature of avoided spinodal decomposition 49
- Inorganic/organic hybrid
Heavy main-group iodometallates hybridized by alkali metal via 1,10-Phenanthroline-5,6-dione 1531
- Inorganic/organic interactions
Syntheses and characterization of two novel 1D Pb(II) Halide supramolecular polymers possessing incomplete Cubane subunit directed by π -conjugated Dication templates 1235
- Integral cross section
Influence of collision energy and vibrational excitation on the dynamics for the H+HBr→H₂+Br reaction 1497
- Interaction energy
Observation of the Unusual Aggregation Kinetics of Colloidal Minerals in Acidic Solutions 1083
- Interpenetrated structure
Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257
- Intramolecular
Intramolecular hydrogen bond: Can it be part of the basis set of valence internal coordinates in normal mode analysis? 1127
- Intramolecular cyclization
Syntheses of fused tetrahydro- β -carboline analogues through imide carbonyl activation using BBr₃: Evidence for the involvement of fused cyclic *N*-acyliminium ion intermediate 811
- Intramolecular hydrogen bond
A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa 1007
- Intrasulfenyl cyclization
An efficient synthesis of spiro- β -lactams having sulfenyl, sulfinyl and sulfonyl moiety 1957
- Iodobenzene diacetate
Iodobenzene diacetate-mediated isomerization of pyrazolyl chalcones and their cytotoxicity and anti-microbial activity 413
- Iodoplumbates hybrids
Syntheses and characterization of two novel 1D Pb(II) Halide supramolecular polymers possessing incomplete Cubane subunit directed by π -conjugated Dication templates 1235
- Iodometallate hybrid
Heavy main-group iodometallates hybridized by alkali metal via 1,10-Phenanthroline-5,6-dione 1531
- Ion channel
Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- Ionic complex
A mixed Ni(II) ionic complex containing V-shaped water trimer: Synthesis, spectral, structural and thermal properties of {[Ni(2,2'-bpy)₃][Ni(2-cpida)(2,2' -bpy)]} (ClO₄)₃·3H₂O 873
- Ionic liquid
Electrochemical behaviour of Cu(II)/Cu(I) redox couple in 1-hexyl-3-methylimidazolium chloride ionic liquid 133
Ionothermal synthesis and structural characterization of [Cu(C₄H₆N₂)₄]Br₂ and [Ni(C₄H₆N₂)₄]Br₂ 1261
Synthesis of 1-alkyl triazolium triflate room temperature ionic liquids and their catalytic studies in multi-component Biginelli reaction 1539
- Ionic liquids
Efficient iron(III) porphyrins-catalyzed oxidation of guanidoximes to cyanamides in ionic liquids 13
- Ionic strength dependence
Thermodynamic modeling of naringenin protonation equilibria in NaClO₄ aqueous solutions by specific ion interaction theory and Pitzer equations 1067
- Ionothermal technique
Ionothermal synthesis and structural characterization of [Cu(C₄H₆N₂)₄]Br₂ and [Ni(C₄H₆N₂)₄]Br₂ 1261
- IRC
Theoretical study on mechanism, kinetics, and thermochemistry of the gas phase reaction of 2,2,2-trifluoroethyl butyrate with OH radicals at 298 K 1015
- Iridium
Half-sandwich pentamethylcyclopentadienyl group 9 metal complexes of 2-aminopyridyl ligands: Synthesis, spectral and molecular study 1135
- Iron
Polypyridyl iron(II) complexes showing remarkable photocytotoxicity in visible light 609
- Iron(II)
Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
- Iron(II) phthalocyanine
Synthesis of single-walled carbon nanotubes by the pyrolysis of a compression activated iron(II) phthalocyanine/phthalocyanine metal-free derivative/ferric acetate mixture 1191
- Iron(III) acetate
Synthesis of single-walled carbon nanotubes by the pyrolysis of a compression activated iron(II) phthalocyanine/phthalocyanine metal-free derivative/ferric acetate mixture 1191
- Isocyanates
Synthesis and characterization of new thiourea and urea derivatives of 6-fluoro-3-(piperidin-4-yl)benzo[*d*] isoxazole: *In vitro* Antimicrobial and Antioxidant activity 1739
- Isolobal analogy
Structural variations in aromatic 2 π -electron three-membered rings of the main group elements 183
- Isophthalato-bridged
Synthesis and crystal structures of three isophthalato-bridged macrocyclic nickel(II) complexes 115

- Isoprene
 Pyrolysis of 3-carene: Experiment, Theory and Modeling 2119
- Isothiocyanates
 Synthesis and characterization of new thiourea and urea derivatives of 6-fluoro-3-(piperidin-4-yl)benzo[*d*] isoxazole:
In vitro Antimicrobial and Antioxidant activity 1739
- $K_3[Fe(CN)_6].3H_2O$, Silica gel
 $K_3[Fe(CN)_6].3H_2O$ supported on silica gel: An efficient and selective reagent for the cleavage of oximes to their corresponding carbonyl compounds in aqueous medium 493
- $K_4Fe(CN)_6$ cathode material
 Electrochemical studies on Li^+/K^+ ion exchange behaviour in $K_4Fe(CN)_6$ cathode material for Li, K-ion battery 141
- Ketone
 $K_3[Fe(CN)_6].3H_2O$ supported on silica gel: An efficient and selective reagent for the cleavage of oximes to their corresponding carbonyl compounds in aqueous medium 493
- Kinetic study
 Liquid phase conversion of Glycerol to Propanediol over highly active Copper/Magnesia catalysts 833
- Kinetics
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
 The kinetics of substitution reaction of oxydiacetate and thiodiacetate copper(II) complexes with 1,10-phenanthroline and 2,2'-bipyridine 1845
- K-ion battery
 Electrochemical studies on Li^+/K^+ ion exchange behaviour in $K_4Fe(CN)_6$ cathode material for Li, K-ion battery 141
- Kumada-Corriu reaction
 Nickel(II) complexes containing ONS donor ligands: Synthesis, characterization, crystal structure and catalytic application towards C-C cross-coupling reactions 597
- Lactones
 Synthesis of β -aryl- γ -lactones and relationship: Structure – antifeedant and antifungal activity 687
- Latanoprost
 A Facile and Efficient Synthesis of (15R)-Latanoprost from Chiral Precursor Corey Lactone Diol 2023
- Lattice energy
 Computational studies on 1,2,4-Triazolium-based salts as energetic materials 1099
- Layered structures
 Anion- π interactions in layered structures of salts of 5-(hydroxyimino) quinolin-8-one and related salts 95
- Less-toxic
 An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrolo[3,4-*b*]indol-3(4*H*)-ones by using $B(C_6F_5)_3/NaBH_4$ 711
- Levofloxacin
 Aggregation properties of levofloxacin in water and ethanol and its interaction with sodium dodecyl sulphate: A thermodynamic study 2073
- Lewis acid
 An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrolo[3,4-*b*]indol-3(4*H*)-ones by using $B(C_6F_5)_3/NaBH_4$ 711
- Lewis acids
 Frustrated Lewis pairs: Design and reactivity 241
- Lewis bases
 Frustrated Lewis pairs: Design and reactivity 241
- Li, K-ion battery
 Electrochemical studies on Li^+/K^+ ion exchange behaviour in $K_4Fe(CN)_6$ cathode material for Li, K-ion battery 141
- Ligand exchange
 Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiens-1,3 and 1,2-bis(diphenylphosphino)ethane 527
- Ligands
 Role of ligands in controlling the regioselectivity in ruthenium-catalysed addition of carboxylic acids to terminal alkynes: A DFT study 281
- Limonene oxidation
 Hydrophobic effect of silica functionalized with silylated Tisalicylaldimine complex on limonene oxidation by aqueous hydrogen peroxide 1905
- Lindemann ratio
 Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Liquid crystalline properties
 Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- Liquid crystals
 Bent Shaped 1,3,4-Oxadiazole/Thiadiazole heterocyclic rings containing liquid crystals 1831
- Lithium-based oxides
 Interesting cationic ($Li^+/Fe^{3+}/Te^{6+}$) variations in new rocksalt ordered structures 225
- Lithium-ion batteries
 Significant improvement of electrochemical performance of Cu-coated $LiVPO_4F$ cathode material for lithium-ion batteries 1411
- Lithium-ion conductivity
 Polymerization behaviour of butyl bis(hydroxymethyl)phosphine oxide: Phosphorus containing polyethers for Li-ion conductivity 635
- $LiVPO_4F$
 Significant improvement of electrochemical performance of Cu-coated $LiVPO_4F$ cathode material for lithium-ion batteries 1411
- Logic gate
 An Imidazole based probe for relay recognition of Cu^{2+} and OH^- ions leading to AND logic gate 1253
- Low catalyst loading
 C(sp²)-C(sp²) cross coupling reaction catalyzed by a palladacycle phosphine complex: A simple and sustainable protocol in aqueous media 1919

- Luminescence
 Synthesis, crystal structure, theoretical study and luminescence property of a butterfly-like W/Cu/S cluster with 1,10-phenanthroline 643
 Syntheses, structures and luminescence behaviour of some zinc(II) complexes containing acetate and tetradentate Schiff bases 865
 Heavy main-group iodometallates hybridized by alkali metal via 1,10-Phenanthroline-5,6-dione 1531
 Effect of second ligand on the luminescence of Samarium (III) dibenzoylmethane complexes: Syntheses, crystal structures, thermal analysis and luminescence study 2241
- Luminescence property
 Hydrothermal synthesis, crystal structure and luminescence property of a three dimensional Sm(III) coordination polymer with 2,5-pyridinedicarboxylic acid 2225
- M06-2X
 Theoretical study on mechanism, kinetics, and thermochemistry of the gas phase reaction of 2,2,2-trifluoroethyl butyrate with OH radicals at 298 K 1015
 A DFT study of temperature dependent dissociation mechanism of HF in HF(H₂O)₇ cluster 1839
- Macrocyclic nickel(II) complexes
 Synthesis and crystal structures of three isophthalato-bridged macrocyclic nickel(II) complexes 115
- Macrocyclic system
 Investigation on silver complexes of novel 1,2,3-triazole linked crown ethers by NMR analysis 1811
- Macromolecular metal complexes
 Macromolecular peroxo complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Maghemite nanoparticles
 Chromium removal from aqueous media by superparamagnetic starch functionalized maghemite nanoparticles 1967
- Magnetic studies
 Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257
- Magnetic susceptibility
 Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
- Magnetism
 Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols 1927
- Magnetite nanoparticles
 Hydroxy, carboxylic and amino acid functionalized superparamagnetic iron oxide nanoparticles: Synthesis, characterization and *in vitro* anti-cancer studies 1155
- Main group chemistry
 Heavy main-group iodometallates hybridized by alkali metal via 1,10-Phenanthroline-5,6-dione 1531
- MAO-B
 Quantum chemical analysis of potential anti-Parkinson agents 1211
- MD simulations
 Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- Membrane
 Effect of external electric field on Cyclodextrin-Alcohol adducts: A DFT study 1109
- Membrane protein modeling
 Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- MEP
 Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbases guanidine type ligand 2137
- Mercury(II) complex
 Synthesis, characterization and crystal structure of four new asymmetric triazene ligands: An example of linear Hg^{II} complex with Hg... π secondary bonding interactions 2171
- Mesoporous silica
 Sulfanilic acid functionalized mesoporous SBA-15: A water-tolerant solid acid catalyst for the synthesis of uracil fused spirooxindoles as antioxidant agents 1389
- MESP
 Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
- Metabolomics
 Simultaneous acquisition of three NMR spectra in a single experiment for rapid resonance assignments in metabolomics 1091
- Metal complexes
 Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671
- Metal-metal bonds
 Metal-metal multiple bonded intermediates in catalysis 209
- Metal nanoparticles
 Functionalized silica materials for electrocatalysis 307
- Metal organic frameworks
 Modelling Gas Adsorption in Porous Solids: Roles of Surface Chemistry and Pore Architecture 1687
- Metal vs. metal free condition
 A comparative study of Cu(II)-assisted vs Cu(II)-free chalcogenation on benzyl and 2°/3°-cycloalkyl moieties 2151
- Metal-doping
 Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}M_{0.3}O_{2- δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347
- Metal-free
 Carbazole-based sensitizers for potential application to dye sensitized solar cells 383
- Metallacycle
 Syntheses and solid state structures of zinc (II) complexes with Bidentate *N*-(Aryl)imino-acenaphthenone (Ar-BIAO) ligands 103
- Metallacycles
 Bulky iminophosphonamines for N-P-N coordination: Synthesis and structural characterization of lithium iminophosphonamides and homoleptic bis-chelates of Co(II), Ni(II) and Cu(II) 315

- Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl) porphyrin: Effect of metal ions on long-range electronic communication 327
- Metallocene catalyst
Ethylene homo- and copolymerization chain-transfers: A perspective from supported (ⁿBuCp)₂ZrCl₂ catalyst active centre distribution 717
- Metalloporphyrins
Synthesis of antipodal β-trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphinatozinc(II) bispyridinate complex 663
- Metal-organic frameworks
Reversible structural transformations in a Co(II)-based 2D dynamic metal-organic framework showing selective solvent uptake 627
- Metathesis
Diversity oriented approach to polycyclics via cross-ene metathesis and Diels–Alder reaction as key steps 155
- MHP
Effect of external electric field on Cyclodextrin-Alcohol adducts: A DFT study 1109
- Micellization
Aggregation properties of levofloxacin in water and ethanol and its interaction with sodium dodecyl sulphate: A thermodynamic study 2073
- Michael Addition
Crystal Structure of 7,11-*bis*(2,4-dichlorophenyl)-2,4-dimethyl-2,4-diazaspiro[5.5]undecane-1,3,5,9-tetraone and its computational studies 2039
- Microemulsion polymerization
Synthesis and properties of hectorite/poly(AM/IA) nanocomposite hydrogels with high gel strength 19
- Microporous
Ultrasound-assisted dealumination of zeolite Y 25
- Microsegregation
Synthesis and phase behavior of dendrons derived from 3,4,5-tris(tetradecyloxy)benzoic acid with different functional groups in focal point 1801
- Microwave
Microwave assisted bi-functional activation of β-bromo-*tert*-alcohols 1405
- Microwave energy
Facile synthesis of allyl resinate monomer in an aqueous solution under microwave irradiation 1183
- Mild demethylation
A new synthesis of Entacapone and report on related studies 1977
- Mixed ligand system
Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257
Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- Mixed solvent systems
Solvent sorting in (mixed solvent + electrolyte) systems: Time-resolved fluorescence measurements and theory 61
- Mizoroki-Heck coupling
Application of quinoxaline based diimidazolium salt in palladium catalyzed cross-coupling reactions 879
- Modeling the active site
Modeling the active site of [FeFe]-hydrogenase: Electrocatalytic hydrogen evolution from acetic acid catalysed by [Fe₂(μ-L)(CO)₆] and [Fe₂(μ-L)(CO)₅(PPh₃)] (L = pyrazine-2,3-dithiolate, quinoxaline-2,3-dithiolate and pyrido[2,3-*b*]pyrazine-2,3-dithiolate) 295
- Modified layered double hydroxides
Exfoliation and dispersion of LDH modified with *N*-tetrabromophthaloyl-glutamic in poly(vinyl alcohol): Morphological and thermal studies 519
- Molecular
Theoretical study on the molecular and crystal structures of nitrogen trifluoride and its adduct with BF₃ 1491
- Molecular complex
Studies on cluster, salt and molecular complex of zinc-quinolate 215
- Molecular docking
Quantum chemical analysis of potential anti-Parkinson agents 1211
Synthesis and bioactive evaluations of novel benzotriazole compounds as potential antimicrobial agents and the interaction with calf thymus DNA 2251
- Molecular docking and ADMET
Synthesis, anti-microbial activity and molecular docking studies on triazolylcoumarin derivatives 565
- Molecular dynamics
Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- Molecular modelling
One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenylnaphthalene 1523
- Molecular oxygen
Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
- Molecular property
Quantum chemical investigation on structures and energetics of Tungsten Fluoride (WF_{*n*}^{*q*}) species (*q* = 0, ±1; *n* < 6) 1853
- Molecular triangle
Role of peripheral phenanthroline groups in the self-assembly of self-assembled molecular triangles 273
- Monoanion
Bulky iminophosphonamines for N–P–N coordination: Synthesis and structural characterization of lithium iminophosphonamides and homoleptic *bis*-chelates of Co(II), Ni(II) and Cu(II) 315
- Mononuclear zinc(II)
Syntheses, structures and luminescence behaviour of some zinc(II) complexes containing acetate and tetradentate Schiff bases 865
- Monoselenides
Synthesis and characterization of novel benzo[*d*][1,3]dioxole substituted organo selenium compounds: X-ray structure of 1-((benzo[*d*][1,3]dioxol-5-yl)methyl)-2-((benzo[*d*] [1,3]dioxol-6-yl)methyl)diselane 1339

- Monoterpene
 Pyrolysis of 3-carene: Experiment, Theory and Modeling 2119
- Monte Carlo simulations
 Modelling Gas Adsorption in Porous Solids: Roles of Surface Chemistry and Pore Architecture 1687
- Morphology
 Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
- Mulliken population
 A first-principles study of chlorine adsorption characteristics on α -Cr₂O₃ nanostructures 1785
- Multi component reaction
 Reaction between thiocarbamidoalkyl naphthols and acetylenic esters: An interesting cyclocondensation reaction for the synthesis of new thiazolidin-4-one derivatives 1795
- Multicomponent reaction
 B(C₆F₅)₃ catalyzed one-pot three-component Biginelli reaction: An efficient and environmentally benign protocol for the synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones/thiones 1047
- Multicomponent reactions
 SBA-15-Pr-SO₃H: An efficient, environment friendly and recyclable heterogeneous nanoreactor catalyst for the one-pot multicomponent synthesis of β -acetamido ketones 167
- Multicomponent
 Green synthesis of tri/tetrasubstituted 1*H*-imidazoles and 2,3-dihydroquinazolin-4(1*H*)-ones using nano aluminium nitride as solid source of ammonia 1221
- Multinuclear cobaloxime complexes
 Synthesis of the Multinuclear Cobaloxime Complexes via Click Chemistry as Catalysts for the Formation of Cyclic Carbonates from Carbon Dioxide and Epoxides 1665
- Multiple NMR Receiver
 Simultaneous acquisition of three NMR spectra in a single experiment for rapid resonance assignments in metabolomics 1091
- Multi-twined Au nanostructures
 Facile Growth of Multi-twined Au Nanostructures 2111
- MWD and CCD deconvolution
 Ethylene homo- and copolymerization chain-transfers: A perspective from supported (ⁿBuCp)₂ZrCl₂ catalyst active centre distribution 717
- N, N*-Dimethyl barbituric acid
 Crystal Structure of 7,11-*bis*(2,4-dichlorophenyl)-2,4-dimethyl-2,4-diazaspiro[5.5]undecane-1,3,5,9-tetraone and its computational studies 2039
- N*-acetyl-1,5-benzodiazepines
 Synthesis, characterisation, stereochemistry and antimicrobial activity of *N*₅-piperazino- and *N*₅-morpholinoacetyl-2,2,4-trimethyl-1, 5-benzodiazepines 2051
- N*-acyl-L-alanine esters
 Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains (*n* = 9-18) 1627
- N*-acylurea
 Synthesis of *N*-acylurea derivatives from carboxylic acids and *N,N'*-dialkyl carbodiimides in water 2269
- N, N'*-dialkylcarbodiimide
 Synthesis of *N*-acylurea derivatives from carboxylic acids and *N,N'*-dialkyl carbodiimides in water 2269
- N*-Heterocyclic carbenes
 (±)Methanodibenzodiazocine tethered [C-H]^{δ+} functional site: Study towards benzoin condensation and Baylis-Hillman reactions 821
- N*-substituted nitrone
 A computational investigation of the photochemical oxaziridine and amide conversion process of open-chain conjugated nitrone with electron-withdrawing trifluoromethyl group on nitrogen 1757
- N*-(2-aminoethyl)-3-aminopropyltrimethoxysilane
 Schiff bases of *N*-(2-aminoethyl)-3-aminopropyltrimethoxysilane and its silatranes: Synthesis and characterization 679
- N₂S₂ donor set
 Nickel(II) complexes of N₂S₂ donor set ligand and halide/pseudohalides: Synthesis, crystal structure, DNA and bovine/human serum albumin interaction 1883
- Nafion-graphene
 Efficient Sonogashira and Suzuki-Miyaura coupling reaction catalyzed by Pd-Nanoparticles 425
- Nano aluminium nitride
 Green synthesis of tri/tetrasubstituted 1*H*-imidazoles and 2,3-dihydroquinazolin-4(1*H*)-ones using nano aluminium nitride as solid source of ammonia 1221
- Nanocatalyst
 One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido[2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- γ -Fe₂O₃ nanoparticles 1895
- Nanocomposite
 Synthesis and properties of hectorite/poly(AM/IA) nanocomposite hydrogels with high gel strength 19
 Exfoliation and dispersion of LDH modified with *N*-tetrabromophthaloyl-glutamic in poly(vinyl alcohol): Morphological and thermal studies 519
 A bimetallic nanocomposite electrode for direct and rapid biosensing of p53 DNA plasmid 1607
- Nanomaterial
 Recent developments in solar H₂ generation from water splitting 33
- Nanoparticles
 Zinc zirconium phosphate as an efficient catalyst for chemoselective synthesis of 1,1-diacetates under solvent-free conditions 1945
- Nanoporous silica
 SBA-15-Pr-SO₃H: An efficient, environment friendly and recyclable heterogeneous nanoreactor catalyst for the one-pot multicomponent synthesis of β -acetamido ketones 167
- Nanoreactor
 SBA-15-Pr-SO₃H: An efficient, environment friendly and recyclable heterogeneous nanoreactor catalyst for the one-pot multicomponent synthesis of β -acetamido ketones 167
- Nanosized solid solution
 Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}M_{0.3}O_{2- δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347

- Nanostructures
 A first-principles study of chlorine adsorption characteristics on α -Cr₂O₃ nanostructures 1785
- Nano-TiCl₄/SiO₂
 Nano-TiCl₄/SiO₂: An efficient heterogeneous solid acid catalyst for the one pot cascade five-component synthesis of densely functionalized tetrahydropyridines 885
- Naphthoxazinones
 Synthesis of naphthoxazinone derivatives using silica-bonded *S*-sulfonic acid as catalyst under solvent-free conditions 1315
- Naringenin
 Thermodynamic modeling of naringenin protonation equilibria in NaClO₄ aqueous solutions by specific ion interaction theory and Pitzer equations 1067
- Natural bond orbital theory
 Theoretical exploration of pnictogen bond noncovalent interactions in HCHO⋯PH₂X (X=CH₃, H, C₆H₅, F, Cl, Br, and NO₂) complexes 1729
- Natural resonance theory
 Theoretical exploration of pnictogen bond noncovalent interactions in HCHO⋯PH₂X (X=CH₃, H, C₆H₅, F, Cl, Br, and NO₂) complexes 1729
- NBD chromophore
 A novel fluorescent turn-on probe for bisulfite based on NBD chromophore 1267
- NBO
 A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa 1007
 Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
 Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
 Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand 2137
- N-H bond deprotonation
 A tetrakis(amido)phosphonium cation containing 2-pyridyl (²Py) substituents, [P(NH²Py)₄]⁺ and its reactivity studies with Ag(I) salts 619
- N-heterocyclic carbene (NHC)
 N, N'-Olefin functionalized *Bis*-Imidazolium Pd(II) chloride N-Heterocyclic carbene complex builds a supramolecular framework and shows catalytic efficacy for 'C-C' coupling reactions 1057
- Nickel
 Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiene-1,3 and 1,2-bis(diphenylphosphino)ethane 527
- Nickel(II)
 DNA binding and cleavage activity of a structurally characterized Ni(II) Schiff base complex 1375
 Nickel(II) complexes having Imidazol-2-ylidene-N'-phenylurea ligand in the coordination sphere – syntheses and solid state structures 1397
- Nickel(II) complexes
 Nickel(II) complexes containing ONS donor ligands: Synthesis, characterization, crystal structure and catalytic application towards C-C cross-coupling reactions 597
- Nickel(II) complexes of N₂S₂ donor set ligand and halide/pseudohalides: Synthesis, crystal structure, DNA and bovine/human serum albumin interaction 1883
- NICS
 Computational studies on 1,2,4-Triazolium-based salts as energetic materials 1099
 Competitive and Cooperative Torquoselectivity in the thermal ring opening of cyclobutene: A density functional insight 1505
- Ni(III) macrocyclic complexes
 Kinetic measurements and quantum chemical calculations on low spin Ni(II)/(III) macrocyclic complexes in aqueous and sulphato medium 1287
- Nitrene
 Metal-metal multiple bonded intermediates in catalysis 209
- Nitric oxide synthase
 Efficient iron(III) porphyrins-catalyzed oxidation of guanidoximes to cyanamides in ionic liquids 13
- Nitride
 Functionalization of N₂ to NH₃ via direct N≡N bond cleavage using M(II)(NMe₂)₃ (M=W/Mo): A theoretical study 83
 Metal-metal multiple bonded intermediates in catalysis 209
- Nitrite reduction
 Functionalized silica materials for electrocatalysis 307
- Nitrogen fixation
 Functionalization of N₂ to NH₃ via direct N≡N bond cleavage using M(II)(NMe₂)₃ (M=W/Mo): A theoretical study 83
- NLO
 An investigation on structural, vibrational and nonlinear optical behavior of 4b,9b-dihydroxy-7,8-dihydro-4bH-Indeno[1,2-b] Benzofuran-9,10(6H,9bH)-dione: A DFT study 2217
- NMR
 A comprehensive study of the structure, tautomeric properties, and conformational flexibility of 3-Hydroxy-propeneselenal 999
- NMR spectra
 Synthesis, characterisation, stereochemistry and antimicrobial activity of N₅-piperazino- and N₅-morpholinoacetyl-2,2,4-trimethyl-1, 5-benzodiazepines 2051
- NMR spectroscopy
 Synthesis and Physico-chemical studies of a new non-centrosymmetric organic-inorganic hybrid material: [2,3-(CH₃)₂C₆H₃NH₃]₄ BiBr₆NO₃.2H₂O 461
- NMR studies
 A mixed-valent cyclodiphosphazane: Transition metal chemistry and *cis/trans* isomerisation 979
- Non-adiabatic
 Excited electronic state decomposition mechanisms of clusters of dimethylnitramine and aluminum 71
- Noncovalent interaction
 Theoretical exploration of pnictogen bond noncovalent interactions in HCHO⋯PH₂X (X=CH₃, H, C₆H₅, F, Cl, Br, and NO₂) complexes 1729
- Non-covalent interactions
 Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257

- Non-electrolyte
 Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671
- Non-ideality
 Composition dependent non-ideality in aqueous binary mixtures as a signature of avoided spinodal decomposition 49
- Non-ionic surfactant
 Aggregation and electrochemical properties of 1-(4-chlorophenyl)-3-dodecanoylthiourea: A novel thiourea-based non-ionic surfactant 1361
- Non-planarity
 Structural variations in aromatic 2π -electron three-membered rings of the main group elements 183
- Non-uniform sampling
 Simultaneous acquisition of three NMR spectra in a single experiment for rapid resonance assignments in metabolomics 1091
- Normal mode analysis
 Intramolecular hydrogen bond: Can it be part of the basis set of valence internal coordinates in normal mode analysis? 1127
- Nucleophilic substitution
 An efficient and facile synthesis of divergent C-3/C-5 bis-functionalized 2-oxindoles from 5-formyl-Morita-Baylis-Hillman adducts of oxindole 1417
- Octadecyltrimethoxysilane
 Hydrophobic effect of silica functionalized with silylated Ti-salicylaldehyde complex on limonene oxidation by aqueous hydrogen peroxide 1905
- Odd-even alteration
 Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains ($n = 9-18$) 1627
- O \rightarrow N acyl migration
 Synthesis of *N*-acylurea derivatives from carboxylic acids and *N,N'*-dialkyl carbodiimides in water 2269
- One-dimension cluster
 Three silver (I) supramolecular compounds constructed from pyridinium or methylimidazolium polycations: Synthesis, crystal structure and properties 1513
- One-pot
 Efficient one-pot synthesis of 2-oxazolines from benzoylacetonitrile and β -aminoalcohols mediated by $ZnCl_2$ 163
 Green synthesis of tri/tetrasubstituted 1*H*-imidazoles and 2,3-dihydroquinazolin-4(1*H*)-ones using nano aluminium nitride as solid source of ammonia 1221
 One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido[2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- γ - Fe_2O_3 nanoparticles 1895
- One-pot synthesis
 T3P as an efficient cyclodehydration reagent for the one-pot synthesis of 2-amino-1,3,4-oxadiazoles 797
 One-pot synthesis and UV-Visible absorption studies of novel tricyclic heterocycle tethered Xanthene-1,8-diones 803
 Nano-TiCl₄/SiO₂: An efficient heterogeneous solid acid catalyst for the one pot cascade five-component synthesis of densely functionalized tetrahydropyridines 885
 One-pot synthesis of *N*-aryl 1,4-dihydropyridine derivatives and their biological activities 2201
- Optical
 Solvothermal synthesis of high molecular weight dithienogermole containing conjugated polymers 1053
- Optical absorption
 Pressure-induced changes in the structural and absorption properties of crystalline 5-nitramino-3,4-dinitropyrazole 1777
- Optical properties
 Anion- π interactions in layered structures of salts of 5-(hydroxyimino) quinolin-8-one and related salts 95
- Optical transparency
 Synthesis and characterization of heat-resistant and soluble poly(amide-imide)s from unsymmetrical dicarboxylic acid containing 2-(triphenyl phosphoranylidene) moiety and various aromatic diamines 737
- Organotin(IV) complexes
 Synthesis, structural characterization and biological activities of organotin(IV) complexes with 5-allyl-2-hydroxy-3-methoxybenzaldehyde-4-thiosemicarbazone 1589
- Organoxenon
 DFT Study of the effects of counter ions on bonding, molecular and spectral properties of pentafluorophenyl xenonium difluoride cation 1675
- Oscillatory inflow
 Mathematical description of the nonlinear chemical reactions with oscillatory inflow to the reaction field 1025
- ortho*-ruthenation
 Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
- Oxaziridine
 A computational investigation of the photochemical oxaziridine and amide conversion process of open-chain conjugated nitrene with electron-withdrawing trifluoromethyl group on nitrogen 1757
- Oxidation
 Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiens-1,3 and 1,2-bis(diphenylphosphino)ethane 527
 Efficient Aerobic Oxidation of Cyclohexane to KA Oil Catalyzed by Pt-Sn supported on MWCNTs 1167
 A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies 1321
 Synthesis and characterization of mononuclear copper(II) complexes of pyridine 2-carboxamide: Their application as catalyst in peroxidative oxidation and antimicrobial agents 1451
 Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
- Oxime
 K₃[Fe(CN)₆].3H₂O supported on silica gel: An efficient and selective reagent for the cleavage of oximes to their corresponding carbonyl compounds in aqueous medium 493
- Oxindole
 An efficient and facile synthesis of divergent C-3/C-5 bis-functionalized 2-oxindoles from 5-formyl-Morita-Baylis-Hillman adducts of oxindole 1417

- Oxo-hydro complexes
Structures, bonding and reactivity of iron and manganese high-valent metal-oxo complexes: A computational investigation 343
- Oxygen reduction
Functionalized silica materials for electrocatalysis 307
- Oxygen vacancies
Tuning the structural and catalytic properties of ceria by doping with Zr^{4+} , La^{3+} and Eu^{3+} cations 1145
- Palladium complex
C(sp²)-C(sp²) cross coupling reaction catalyzed by a palladacycle phosphine complex: A simple and sustainable protocol in aqueous media 1919
- Palladium electrode
Atomistic understanding of hydrogen loading phenomenon into palladium cathode: A simple nanocluster approach and electrochemical evidence 575
- Palladium (II)
Application of quinoxaline based diimidazolium salt in palladium catalyzed cross-coupling reactions 879
- Palladium nanoparticles
Efficient Sonogashira and Suzuki-Miyaura coupling reaction catalyzed by Pd-Nanoparticles 425
- Palladium-catalyzed aryl amination
Synthesis, photophysical, electrochemical and thermal investigation of Triarylaminines based on 9*H*-Xanthen-9-one: Yellow-green fluorescent materials 2063
- Palladium-catalyzed
A DFT study on the mechanism of palladium-catalyzed divergent reactions of 1,6-enyne carbonates 547
- Palladium(II)
Role of peripheral phenanthroline groups in the self-assembly of self-assembled molecular triangles 273
- Partition coefficient
Aggregation properties of levofloxacin in water and ethanol and its interaction with sodium dodecyl sulphate: A thermodynamic study 2073
- PCM
Quantum chemical investigation of thermochemistry in Calvin cycle 2231
- Pd nanoclusters
Atomistic understanding of hydrogen loading phenomenon into palladium cathode: A simple nanocluster approach and electrochemical evidence 575
- Pd/H interaction
Atomistic understanding of hydrogen loading phenomenon into palladium cathode: A simple nanocluster approach and electrochemical evidence 575
- Pd(II)-NHC complex
N, N'-Olefin functionalized *Bis*-Imidazolium Pd(II) chloride N-Heterocyclic carbene complex builds a supramolecular framework and shows catalytic efficacy for 'C-C' coupling reactions 1057
- Pendent phosphorus
Synthesis and characterization of heat-resistant and soluble poly(amide-imide)s from unsymmetrical dicarboxylic acid containing 2-(triphenyl phosphoranylidene) moiety and various aromatic diamines 737
- Penta- and tetra- coordinated
Syntheses and solid state structures of zinc (II) complexes with Bidentate *N*-(Aryl)imino-acenaphthenone (Ar-BIAO) ligands 103
- Peroxide
A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies 1321
- Peroxomolybdates
Macromolecular peroxy complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Peroxovanadates
Macromolecular peroxy complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Pharmacokinetic profile
[3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles: Synthesis, SAR and biological evaluation as a novel class of 5-HT₆ Receptor Antagonists 439
- Phase transfer catalysis
Facile synthesis of allyl resinate monomer in an aqueous solution under microwave irradiation 1183
- Phase transition
Structural and optical properties of zinc titanates synthesized by precipitation method 509
- Phenols
FeCl₃ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Phenothiazine
Synthesis and Photovoltaic properties of branched chain polymeric metal complexes containing Phenothiazine and Thiophene derivative for dye-sensitized solar cells 395
- Phenylacetylene
One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenyl-naphthalene 1523
- Phosphano-heterocycles
Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
- Phosphines
Frustrated Lewis pairs: Design and reactivity 241
- Phosphinodithioic acid
Syntheses and structural characterization of new dithiophosphinates cadmium complexes 1653
- Phosphorus
Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
Polymerization behaviour of butyl bis(hydroxymethyl) phosphine oxide: Phosphorus containing polyethers for Li-ion conductivity 635

- FeCl₃ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Photocatalysis
- Recent developments in solar H₂ generation from water splitting 33
- Synthesis, characterization and photochemistry of a new heptamolybdate supported magnesium-aqua coordination complex 1581
- Photocatalytic property
- Three 2 D copper(II)/cadmium(II) coordination polymers based on semi-rigid/flexible bis-pyridyl-bis-amide ligands and 5-aminoisophthalate: Syntheses, structures and properties 1275
- Photocytotoxicity
- Polypyridyl iron(II) complexes showing remarkable photocytotoxicity in visible light 609
- Photoluminescence
- Synthesis and optical properties of biphenylene ethynylene copolymers and their model compounds 365
- Construction of copper-based coordination polymers with 1D chain, 2D plane and wavy networks: Syntheses, structures, thermal behavior and photoluminescence properties 1871
- Structure, luminescence and antimicrobial properties of mononuclear silver(I) complexes of pyridine 2-carboxamide 1819
- PH-responsive
- Designing pH-responsive and dielectric hydrogels from cellulose nanocrystals 1119
- Phthalic anhydride
- Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl] ester 455
- Physical properties
- Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
- Physical properties.
- Synthesis and characterization of dodecahedral cerium(IV) and gadolinium(III) complexes with a tetradentate Schiff Base 1201
- Pitzer parameters
- Thermodynamic modeling of naringenin protonation equilibria in NaClO₄ aqueous solutions by specific ion interaction theory and Pitzer equations 1067
- Planar polyenes
- Introduction of an electron push-pull system yields a planar *Red Kaede* fluorescence protein chromophore analogue stabilized by a C = O... π interaction 941
- P-N compounds
- A tetrakis(amido)phosphonium cation containing 2-pyridyl (²Py) substituents, [P(NH²Py)₄]⁺ and its reactivity studies with Ag(I) salts 619
- Pnicogen bond
- Theoretical exploration of pnicogen bond noncovalent interactions in HCHO... PH₂X (X=CH₃, H, C₆H₅, F, Cl, Br, and NO₂) complexes 1729
- Poly(amide-imide)s
- Synthesis and characterization of heat-resistant and soluble poly(amide-imide)s from unsymmetrical dicarboxylic acid containing 2-(triphenyl phosphoranylidene) moiety and various aromatic diamines 737
- Poly-aniline
- Studies on 12 V substrate-integrated lead-carbon hybrid ultracapacitors 967
- (poly)bis-SorbPC
- Development and characterization of stabilized, polymerized phospholipid bilayers on silica particles for specific immobilization of His-tagged proteins 729
- Polycondensation
- Solvothermal synthesis of high molecular weight dithienogermole containing conjugated polymers 1053
- Polydispersity index
- Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Polyether
- Polymerization behaviour of butyl bis(hydroxymethyl)phosphine oxide: Phosphorus containing polyethers for Li-ion conductivity 635
- Polymeric metal complexes
- Synthesis and Photovoltaic properties of branched chain polymeric metal complexes containing Phenothiazine and Thiophene derivative for dye-sensitized solar cells 395
- Polymer-silica nanohybrids
- Preparation of Poly(MA-*alt*- α -olefin-C_{6,8,12,18})/Silica Nanohybrids *via in situ* generated nanofillers for use as a dual function organonanofiller 1993
- Polymer-supported metal catalysts
- Macromolecular peroxo complexes of Vanadium(V) and Molybdenum(VI): Catalytic activities and biochemical relevance 777
- Polymorphism
- Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
- Polyoxometalate
- Two new inorganic-organic hybrid materials based on inorganic cluster, [X₂Mo₁₈O₆₂]⁶⁻ (X=P, As) 1645
- Polypyridyl bases
- Polypyridyl iron(II) complexes showing remarkable photocytotoxicity in visible light 609
- Poly(vinyl alcohol)
- Exfoliation and dispersion of LDH modified with *N*-tetrabromophthaloyl-glutamic in poly(vinyl alcohol): Morphological and thermal studies 519
- Porous material
- Studies on cluster, salt and molecular complex of zinc-quinolinate 215

- Porphycene
 Effect of β - β' fusion on metal ion complexation of porphycene 235
- Porphycene complexation
 Effect of β - β' fusion on metal ion complexation of porphycene 235
- Porphyrin defects
 Hydrogen adsorption of nitrogen-doped carbon nanotubes functionalized with 3d-block transition metals 751
- Porphyrin isomer
 Effect of β - β' fusion on metal ion complexation of porphycene 235
- Potassium
 Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- Powder XRD
 Electrochemical studies on Li^+/K^+ ion exchange behaviour in $\text{K}_4\text{Fe}(\text{CN})_6$ cathode material for Li, K-ion battery 141
- Prednisolone
 Chemical methods for the conversion of Prednisolone to 11- β -hydroxy-1,4-androstadiene-3,17-dione 1827
- Prolylcarboxypeptidase (PrCP)
 QSAR study of prolylcarboxypeptidase inhibitors by genetic algorithm: Multiple linear regressions 1243
- Propane phosponic anhydride
 T3P as an efficient cyclodehydration reagent for the one-pot synthesis of 2-amino-1,3,4-oxadiazoles 797
- Propargyl alcohols
 Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
- Property
 Theoretical study on the molecular and crystal structures of nitrogen trifluoride and its adduct with BF_3 1491
- Protein-nucleic acid interactions
 Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- Proton NMR
 A new synthesis of Entacapone and report on related studies 1977
- Proton reduction
 Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Protonation constant
 Thermodynamic modeling of naringenin protonation equilibria in NaClO_4 aqueous solutions by specific ion interaction theory and Pitzer equations 1067
- Push-pull
 Carbazole-based sensitizers for potential application to dye sensitized solar cells 383
- PXRD
 Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains ($n = 9$ -18) 1627
- Pyrazole
 Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- Pyrazolyl chalcone
 Iodobenzene diacetate-mediated isomerization of pyrazolyl chalcones and their cytotoxicity and anti-microbial activity 413
- Pyridine 2-carboxamide
 Structure, luminescence and antimicrobial properties of mononuclear silver(I) complexes of pyridine 2-carboxamide 1819
- Pyridine-2,6-dicarboxylic acid
 Copper inorganic-organic hybrid coordination compound as a novel L-cysteine electrochemical sensor: Synthesis, characterization, spectroscopy and crystal structure 2005
- Pyridine-2-thione
 Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- Pyrido[2,3-*d*:6,5-*d'*]dipyrimidine
 One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido[2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- γ - Fe_2O_3 nanoparticles 1895
- Pyrido[2,3-*d*:6,5-pyrimidine-2-thione
 Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1895
- Pyrimidine-2-thione
 Synthesis, molecular structures and ESI-mass studies of copper(I) complexes with ligands incorporating N, S and P donor atoms 1859
- Pyrimido[45-*b*]quinoline
 One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido[2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- γ - Fe_2O_3 nanoparticles 1895
- Pyrimidones
 Synthesis of 1-alkyl triazolium triflate room temperature ionic liquids and their catalytic studies in multi-component Biginelli reaction 1539
- Pyrrole
 Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- Pyrrolopyrrolo[2,1-*a*]isoquinoline
 A straightforward stereoselective synthesis of cis-10',14'-diazaspiro [pyrrolidine-3,11'-tetracyclo [8.6.0.0^{2,7},0^{12,16}]hexadecane]-2'(7'),4',6',8'-tetraene-2,5,13',15'-tetrone derivatives under solvent-free condition 7
- QSAR
 QSAR study of prolylcarboxypeptidase inhibitors by genetic algorithm: Multiple linear regressions 1243
- Quantum chemical analysis
 Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
- Quantum chemical calculations
 An investigation on structural, vibrational and nonlinear optical behavior of 4b,9b-dihydroxy-7,8-dihydro-4bH-Indeno[1,2-*b*]Benzofuran-9,10(6H,9bH)-dione: A DFT study 2217

- Quantum dot
Recent developments in solar H₂ generation from water splitting 33
- Quantum mechanical calculation
Quantum chemical analysis of potential anti-Parkinson agents 1211
- Quantum mechanical calculations
Effect of optimized structure and electronic properties of some benzimidazole derivatives on corrosion inhibition of mild steel in hydrochloric acid medium: Electrochemical and theoretical studies 921
- Quasiclassical trajectory
Effects of collision energy on stereodynamical information of the reaction F+HI→FI+H 1557
- Quasi-classical trajectory
Influence of collision energy and vibrational excitation on the dynamics for the H+HBr→H₂+Br reaction 1497
- Quasi-reversible
Electrochemical behaviour of Cu(II)/Cu(I) redox couple in 1-hexyl-3-methylimidazolium chloride ionic liquid 133
- Quenching
An Imidazole based probe for relay recognition of Cu²⁺ and OH⁻ ions leading to AND logic gate 1253
- Quinoline hydrazine
A quinoline based pH sensitive ratiometric fluorescent sensor: Structure and spectroscopy 1637
- Quinoline salts
Anion- π interactions in layered structures of salts of 5-(hydroxyimino) quinolin-8-one and related salts 95
- Radical scavenging efficacy
Radical Scavenging Efficacy of Thiol Capped Silver Nanoparticles 2183
- Radical scavenging
One-pot synthesis of N-aryl 1,4-dihydropyridine derivatives and their biological activities 2201
- Raman spectroscopy
Facile fabrication of dendritic silver structures and their surface enhanced Raman spectroscopic properties 173
Structural and optical properties of zinc titanates synthesized by precipitation method 509
- Rare earth metal complex
Supramolecular structures constructed from three novel rare earth metal complexes 857
- Rate constant
Theoretical study on mechanism, kinetics, and thermochemistry of the gas phase reaction of 2,2,2-trifluoroethyl butyrate with OH radicals at 298 K 1015
- Ratiometric
A quinoline based pH sensitive ratiometric fluorescent sensor: Structure and spectroscopy 1637
- Reaction dynamics
Influence of collision energy and vibrational excitation on the dynamics for the H+HBr→H₂+Br reaction 1497
- Reactive probe
A coumarin-based colorimetric fluorescent probe for hydrogen sulfide 359
- Reactivity descriptor
Effect of external electric field on Cyclodextrin-Alcohol adducts: A DFT study 1109
- Rearrangement
Cyclodiphosphazanes as synthetic probes: P-C/P-N bond formation from the reaction with functionalized propargyl alcohols and *N*-hydroxy substrates 197
- Recyclability
Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
- Redox active ligands
Synthesis, characterization and DFT studies of 1, 1'-Bis(diphenylphosphino)ferrocene substituted diiron complexes: Bioinspired [FeFe] hydrogenase model complexes 557
- Redox properties
Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}Mn_{0.3}O_{2- δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347
- Reductive amination
An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrrolo[3,4-b]indol-3(4*H*)-ones by using B(C₆F₅)₃/NaBH₄ 711
- Reformatsky reaction
Chemical methods for the conversion of Prednisolone to 11- β -hydroxy-1,4-androstadiene-3,17-dione 1827
- Regioselective
Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
- Regio-selectivity
Role of ligands in controlling the regioselectivity in ruthenium-catalysed addition of carboxylic acids to terminal alkynes: A DFT study 281
- Relaxed force constant
Intramolecular hydrogen bond: Can it be part of the basis set of valence internal coordinates in normal mode analysis? 1127
- Retroviral therapy
Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- RFP* chromophore
Introduction of an electron push-pull system yields a planar *Red Kaede* fluorescence protein chromophore analogue stabilized by a C = O... π interaction 941
- Rhodium
Half-sandwich pentamethylcyclopentadienyl group 9 metal complexes of 2-aminopyridyl ligands: Synthesis, spectral and molecular study 1135
- Ribonuclease H activity
Atomistic details of the molecular recognition of DNA-RNA hybrid duplex by ribonuclease H enzyme 1701
- Ring-closing metathesis
Synthetic strategy for bicyclic tetrapeptides HDAC inhibitors using ring closing metathesis 1563
- Rocksalt superstructures
Interesting cationic (Li⁺/Fe³⁺/Te⁶⁺) variations in new rocksalt ordered structures 225

- Rosin-derivatives
 Facile synthesis of allyl resinate monomer in an aqueous solution under microwave irradiation 1183
- Ruthenium(II) carbonyl
 Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
- Ruthenium(II) catalyst
 Role of ligands in controlling the regioselectivity in ruthenium-catalysed addition of carboxylic acids to terminal alkynes: A DFT study 281
- Salts
 Theoretical studies on the stability of the salts formed by DTDO with HNO₃ and HN(NO₂)₂ 761
- Samarium (III)
 Hydrothermal synthesis, crystal structure and luminescence property of a three dimensional Sm(III) coordination polymer with 2,5-pyridinedicarboxylic acid 2225
 Effect of second ligand on the luminescence of Samarium (III) dibenzoylmethane complexes: Syntheses, crystal structures, thermal analysis and luminescence study 2241
- SAPT
 Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
- SARS 3a
 Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- SBA-15
 Textural and morphological studies of transition metal doped SBA-15 by co-condensation method 909
- Schiff base
 A α -cyanostilbene-modified Schiff base as efficient turn-on fluorescent chemosensor for Zn²⁺ 375
 Syntheses, structures and luminescence behaviour of some zinc(II) complexes containing acetate and tetradentate Schiff bases 865
 A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies 1321
 DNA binding and cleavage activity of a structurally characterized Ni(II) Schiff base complex 1375
 Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (E)-N'-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide 2193
- Schiff base modified silane
 Schiff bases of N-(2-aminoethyl)-3-aminopropyltrimethoxysilane and its silatranes: Synthesis and characterization 679
- Schiff base modified silatranes
 Schiff bases of N-(2-aminoethyl)-3-aminopropyltrimethoxysilane and its silatranes: Synthesis and characterization 679
- Schiff's base
 Bent Shaped 1,3,4-Oxadiazole/Thiadiazole heterocyclic rings containing liquid crystals 1831
- Screen-printed electrode
 Linear sweep anodic stripping voltammetry: Determination of Chromium (VI) using synthesized gold nanoparticles modified screen-printed electrode 1075
- Selective oxidation
 Synthesis, characterization and study of catalytic activity of Silver doped ZnO nanocomposite as an efficient catalyst for selective oxidation of benzyl alcohol 481
- Selective uptake
 Reversible structural transformations in a Co(II)-based 2D dynamic metal-organic framework showing selective solvent uptake 627
- Self-assembly
 Role of peripheral phenanthroline groups in the self-assembly of self-assembled molecular triangles 273
- SEM
 One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenylnaphthalene 1523
 Preparation of Poly(MA-*alt*- α -olefin-C_{6,8,12,18})/Silica Nanohybrids *via in situ* generated nanofillers for use as a dual function organonano-filler 1993
- Semiconductor
 Recent developments in solar H₂ generation from water splitting 33
- Sensitizer
 Carbazole-based sensitizers for potential application to dye sensitized solar cells 383
- Shock Tube
 Pyrolysis of 3-carene: Experiment, Theory and Modeling 2119
- Silica functionalized with silylated Ti-salicylalimine complex
 Hydrophobic effect of silica functionalized with silylated Ti-salicylalimine complex on limonene oxidation by aqueous hydrogen peroxide 1905
- Silica gel
 K₃[Fe(CN)₆].3H₂O supported on silica gel: An efficient and selective reagent for the cleavage of oximes to their corresponding carbonyl compounds in aqueous medium 493
- Silica-bonded propyl-S-sulfonic acid
 Synthesis of naphthoxazinone derivatives using silica-bonded S-sulfonic acid as catalyst under solvent-free conditions 1315
- Silver complex
 Investigation on silver complexes of novel 1,2,3-triazole linked crown ethers by NMR analysis 1811
- Silver (I) complexes
 A tetrakis(amido)phosphonium cation containing 2-pyridyl (²Py) substituents, [P(NH²Py)₄]⁺ and its reactivity studies with Ag(I) salts 619
- Silver nanoparticle
 Radical Scavenging Efficacy of Thiol Capped Silver Nanoparticles 2183
- Silver(I) complexes
 Structure, luminescence and antimicrobial properties of mononuclear silver(I) complexes of pyridine 2-carboxamide 1819
- Silylation
 Hydrophobic effect of silica functionalized with silylated Ti-salicylalimine complex on limonene oxidation by aqueous hydrogen peroxide 1905

- Single-Crystal X-Ray Crystallography
 Synthesis crystal structure, photoluminescence and photocatalytic property of a new three dimensional Zinc(II) tetrazole framework 1599
- Single crystal X-ray crystallography
 Structure, luminescence and antimicrobial properties of mononuclear silver(I) complexes of pyridine 2-carboxamide 1819
- Single crystal XRD
 Interesting cationic ($\text{Li}^+/\text{Fe}^{3+}/\text{Te}^{6+}$) variations in new rocksalt ordered structures 225
- Single crystal
 Ionothermal synthesis and structural characterization of $[\text{Cu}(\text{C}_4\text{H}_6\text{N}_2)_4]\text{Br}_2$ and $[\text{Ni}(\text{C}_4\text{H}_6\text{N}_2)_4]\text{Br}_2$ 1261
 Structural, physicochemical characterization and antimicrobial activities of a new Tetraaqua bismaleato Iron(II) complex 2261
- Single source precursor
 Effect of surfactants on the morphology of FeSe films fabricated from a single source precursor by aerosol assisted chemical vapour deposition 499
- Singlet excited state
 A computational investigation of the photochemical oxaziridine and amide conversion process of open-chain conjugated nitrene with electron-withdrawing trifluoromethyl group on nitrogen 1757
- SIT model
 Thermodynamic modeling of naringenin protonation equilibria in NaClO_4 aqueous solutions by specific ion interaction theory and Pitzer equations 1067
- Small-molecule activation
 Frustrated Lewis pairs: Design and reactivity 241
- Sodium borohydride
 An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrolo[3,4-b]indol-3(4*H*)-ones by using $\text{B}(\text{C}_6\text{F}_5)_3/\text{NaBH}_4$ 711
- Sodium
 Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- Soft oxidant
 Studies on ethylbenzene dehydrogenation with CO_2 as soft oxidant over $\text{Co}_3\text{O}_4/\text{COK-12}$ catalysts 701
- Solid acids
 Synthesis of naphthoxazinone derivatives using silica-bonded *S*-sulfonic acid as catalyst under solvent-free conditions 1315
- Solid polymer electrolyte
 Polymerization behaviour of butyl bis(hydroxymethyl) phosphine oxide: Phosphorus containing polyethers for Li-ion conductivity 635
- Solubility
 Synthesis and characterization of heat-resistant and soluble poly(amide-imide)s from unsymmetrical dicarboxylic acid containing 2-(triphenyl phosphoranylidene) moiety and various aromatic diamines 737
- Solubilization
 Aggregation properties of levofloxacin in water and ethanol and its interaction with sodium dodecyl sulphate: A thermodynamic study 2073
- Solvent effect
 A theoretical study of solvent effects on the characteristics of the intramolecular hydrogen bond in Droxidopa 1007
- Solvent-free
 Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5- SO_3H) 1229
- Solvent free synthesis
 One-pot Solvent-free Catalytic Dimerization Reaction of Phenylacetylene to 1-Phenylnaphthalene 1523
- Solvent-free reaction
 A straightforward stereoselective synthesis of cis-10',14'-diazaspiro [pyrrolidine-3,11'-tetracyclo [8.6.0.0^{2,7},0^{12,16}]hexadecane]-2'(7'),4',6',8'-tetraene-2,5,13',15'-tetrone derivatives under solvent-free condition 7
- Solvent-free synthesis
 Zinc zirconium phosphate as an efficient catalyst for chemoselective synthesis of 1,1-diacetates under solvent-free conditions 1945
- Solvents effects
 The kinetics of substitution reaction of oxydiacetate and thiodiacetate copper(II) complexes with 1,10-phenanthroline and 2,2'-bipyridine 1845
- Solvothermal synthesis
 Solvothermal synthesis of high molecular weight dithienogermole containing conjugated polymers 1053
- Sonogashira cross-coupling reaction
 Synthesis and optical properties of biphenylene ethynylene copolymers and their model compounds 365
- Sonogashira reaction
 Nickel(II) complexes containing ONS donor ligands: Synthesis, characterization, crystal structure and catalytic application towards C-C cross-coupling reactions 597
- Soot oxidation
 Tuning the structural and catalytic properties of ceria by doping with Zr^{4+} , La^{3+} and Eu^{3+} cations 1145
- Spectro-electrochemistry
 Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl)porphyrin: Effect of metal ions on long-range electronic communication 327
- Spectroscopic studies
 Synthesis, Crystal structure and Characterization of a New Oxalate Chromium (III) Complex 1427
- Spectroscopy
 Aggregation and electrochemical properties of 1-(4-chlorophenyl)-3-dodecanoylthiourea: A novel thiourea-based non-ionic surfactant 1361
 Modeling the active site of [FeFe]-hydrogenase: Electro-catalytic hydrogen evolution from acetic acid catalysed by $[\text{Fe}_2(\mu\text{-L})(\text{CO})_6]$ and $[\text{Fe}_2(\mu\text{-L})(\text{CO})_5(\text{PPh}_3)]$ (L = pyrazine-2,3-dithiolate, quinoxaline-2,3-dithiolate and pyrido[2,3-*b*]pyrazine-2,3-dithiolate) 295

- Spherical morphology
Textural and morphological studies of transition metal doped SBA-15 by co-condensation method 909
- Spinel ferrites
Manganese zinc ferrite nanoparticles as efficient catalysts for wet peroxide oxidation of organic aqueous wastes 537
- Spinodal decomposition
Composition dependent non-ideality in aqueous binary mixtures as a signature of avoided spinodal decomposition 49
- Spiro heterocycles
Crystal Structure of 7,11-*bis*(2,4-dichlorophenyl)-2,4-dimethyl-2,4-diazaspiro[5.5]undecane-1,3,5,9-tetraone and its computational studies 2039
- Spiroazaheterocycle
A straightforward stereoselective synthesis of *cis*-10',14'-diazaspiro [pyrrolidine-3,11'-tetracyclo [8.6.0.0^{2,7},0^{12,16}]hexadecane]-2'(7'),4', 6',8'-tetraene-2,5,13',15'-tetrone derivatives under solvent-free condition 7
- Spirooxindole
Sulfanilic acid functionalized mesoporous SBA-15: A water-tolerant solid acid catalyst for the synthesis of uracil fused spirooxindoles as antioxidant agents 1389
- Spontaneous transformation
Facile Growth of Multi-twined Au Nanostructures 2111
- Sql/Shubnikov tetragonal plane net topology
Exploration of the structural features and magnetic behaviour in a novel 3-dimensional interpenetrating Co(II)-based framework 257
- sql** type topology
Synthesis, crystal structure determination of two-dimensional supramolecular co-ordination polymer of silver(I) with 1,2-Bis(phenylthio)ethane and its Hirshfeld surface analysis 849
- Square type-coordination
Effect of β - β' fusion on metal ion complexation of porphycene 235
- Stability
Theoretical studies on the stability of the salts formed by DTDO with HNO₃ and HN(NO₂)₂ 761
- Stabilized phospholipid bilayer
Development and characterization of stabilized, polymerized phospholipid bilayers on silica particles for specific immobilization of His-tagged proteins 729
- Stable Wittig ylide
Chemical methods for the conversion of Prednisolone to 11- β -hydroxy-1,4-androstadiene-3,17-dione 1827
- Starch
Chromium removal from aqueous media by superparamagnetic starch functionalized maghemite nanoparticles 1967
- Stereodynamics
Effects of collision energy on stereodynamical information of the reaction F+HI \rightarrow FI+H 1557
- Stereoselectivity
A straightforward stereoselective synthesis of *cis*-10',14'-diazaspiro [pyrrolidine-3,11'-tetracyclo [8.6.0.0^{2,7},0^{12,16}] hexadecane]-2'(7'),4', 6',8'-tetraene-2,5,13',15'-tetrone derivatives under solvent-free condition 7
- Steric crowding
Syntheses and solid state structures of zinc (II) complexes with Bidentate *N*-(Aryl)imino-acenaphthenone (Ar-BIAO) ligands 103
- Steric effect
Observation of the Unusual Aggregation Kinetics of Colloidal Minerals in Acidic Solutions 1083
- Steric hindrance
Synthesis, crystal structure determination of two-dimensional supramolecular co-ordination polymer of silver(I) with 1,2-Bis(phenylthio)ethane and its Hirshfeld surface analysis 849
- Stopped-flow method
The kinetics of substitution reaction of oxydiacetate and thiodiacetate copper(II) complexes with 1,10-phenanthroline and 2,2'-bipyridine 1845
- Storage pests
Synthesis of β -aryl- γ -lactones and relationship: Structure – antifeedant and antifungal activity 687
- Structural study
Catecholato complexes of cobalt and nickel with 1,4-disubstituted-1,4-diazabutadiens-1,3 and 1,2-bis(diphenylphosphino)ethane 527
- Structure
A quinoline based pH sensitive ratiometric fluorescent sensor: Structure and spectroscopy 1637
Quantum chemical investigation on structures and energetics of Tungsten Fluoride (WF_{*n*}^{*q*}) species (*q* = 0, \pm 1; *n* < 6) 1853
Theoretical study on the molecular and crystal structures of nitrogen trifluoride and its adduct with BF₃ 1491
- Structure activity relationship
[3-[(1-Methylpiperidin-4-yl) methyl] arylsulfonyl]-1*H*-indoles: Synthesis, SAR and biological evaluation as a novel class of 5-HT₆ Receptor Antagonists 439
- Structures
Pressure-induced changes in the structural and absorption properties of crystalline 5-nitramino-3,4-dinitropyrazole 1777
- Styrene
Studies on ethylbenzene dehydrogenation with CO₂ as soft oxidant over Co₃O₄/COK-12 catalysts 701
- Substituent effect
Theoretical Characterization of Hydrogen Bonding Interactions between RCHO (R = H, CN, CF₃, OCH₃, NH₂) and HOR'(R' = H, Cl, CH₃, NH₂, C(O)H, C₆H₅) 1299
Mechanism for the Reaction of a Tungsten-Germolyne Complex with α , β -Unsaturated Ketones: A DFT Study 1477
- Substituted porphyrins
Synthesis of antipodal β -trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphinatezinc(II) bispyridinate complex 663
- Substitution effect
Electromeric effect of substitution at 6th position in 2-(Furan-2-yl)-3-hydroxy-4 *H*-chromen-4-one (FHC) on the absorption and emission spectra 405
- Sulfadrag
Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671

- Sulfone
An efficient synthesis of spiro- β -lactams having sulfenyl, sulfinyl and sulfonyl moiety 1957
- Sulfoxidation
Transition metal-modified polyoxometalates supported on carbon as catalyst in 2-(methylthio)-benzothiazole sulfoxidation 123
- Sulfoxide
An efficient synthesis of spiro- β -lactams having sulfenyl, sulfinyl and sulfonyl moiety 1957
- Sulfur compounds
Investigation on silver complexes of novel 1,2,3-triazole linked crown ethers by NMR analysis 1811
- Superbases
Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand 2137
- Superoxide
Synthesis, characterization and superoxide dismutase activity of bi-copper(II)-bisacetato- μ -phthalicacid[bis(benzyloxy)ethyl] ester 455
- Supported metal-substituted polyoxometalates
Transition metal-modified polyoxometalates supported on carbon as catalyst in 2-(methylthio)-benzothiazole sulfoxidation 123
- Supramolecular framework
N, N'-Olefin functionalized *Bis*-Imidazolium Pd(II) chloride N-Heterocyclic carbene complex builds a supramolecular framework and shows catalytic efficacy for 'C-C' coupling reactions 1057
- Supramolecular interactions
Introduction of an electron push-pull system yields a planar *Red Kaede* fluorescence protein chromophore analogue stabilized by a C = O... π interaction 941
- Supramolecule
Three silver (I) supramolecular compounds constructed from pyridinium or methylimidazolium polycations: Synthesis, crystal structure and properties 1513
- Surface modification
Significant improvement of electrochemical performance of Cu-coated LiVPO₄F cathode material for lithium-ion batteries 1411
- Suzuki reaction
Nickel(II) complexes containing ONS donor ligands: Synthesis, characterization, crystal structure and catalytic application towards C-C cross-coupling reactions 597
- Suzuki-Miyaura coupling
Application of quinoxaline based diimidazolium salt in palladium catalyzed cross-coupling reactions 879
- Swern oxidation
A Facile and Efficient Synthesis of (15R)-Latanoprost from Chiral Precursor Corey Lactone Diol 2023
- Synergistic interaction
Investigation of physicochemical properties and catalytic activity of nanostructured Ce_{0.7}M_{0.3}O_{2- δ} (M = Mn, Fe, Co) solid solutions for CO oxidation 1347
- Synthesis
Synthesis of antipodal β -trisubstituted *meso*-tetraphenylporphyrins and the crystal structure of hexaphenylporphinatozinc(II) bispyridinate complex 663
Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671
Aggregation and electrochemical properties of 1-(4-chlorophenyl)-3-dodecanoylthiourea: A novel thiourea-based non-ionic surfactant 1361
Thiacalix[4]arene derivatives containing multiple aromatic groups: High efficient extractants for organic dyes 1383
Synthesis, structural characterization and biological activities of organotin(IV) complexes with 5-allyl-2-hydroxy-3-methoxybenzaldehyde-4-thiosemicarbazone 1589
- Tandem reaction
An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrolo[3,4-b]indol-3(4H)-ones by using B(C₆F₅)₃/NaBH₄ 711
- Tautomerism
Molecular structure investigation and tautomerism aspects of (*E*)-3-benzylideneindolin-2-one 1547
- TEM
Preparation of Poly(MA-*alt*- α -olefin-C_{6,8,12,18})/Silica Nanohybrids *via in situ* generated nanofillers for use as a dual function organonanofiller 1993
- TEMPO
Silica functionalized Cu(II) catalysed selective oxidation of benzyl alcohols using TEMPO and molecular oxygen as an oxidant 1485
- TEOS
Preparation of Poly(MA-*alt*- α -olefin-C_{6,8,12,18})/Silica Nanohybrids *via in situ* generated nanofillers for use as a dual function organonanofiller 1993
- Terminal polydispersity
Use of polydispersity index as control parameter to study melting/freezing of Lennard-Jones system: Comparison among predictions of bifurcation theory with Lindemann criterion, inherent structure analysis and Hansen-Verlet rule 1715
- Ternary complexes
Effect of second ligand on the luminescence of Samarium (III) dibenzoylmethane complexes: Syntheses, crystal structures, thermal analysis and luminescence study 2241
- tert*-butanol
Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Tetradentate ligand
Synthesis and characterization of dodecahedral cerium(IV) and gadolinium(III) complexes with a tetradentate Schiff Base 1201
- Tetrahydropyridines
Nano-TiCl₄/SiO₂: An efficient heterogeneous solid acid catalyst for the one pot cascade five-component synthesis of densely functionalized tetrahydropyridines 885

- Tetrahydro- β -carboline
Syntheses of fused tetrahydro- β -carboline analogues through imide carbonyl activation using BBr_3 : Evidence for the involvement of fused cyclic *N*-acyliminium ion intermediate 811
- Textural properties
Textural and morphological studies of transition metal doped SBA-15 by co-condensation method 909
- Theoretical studies
Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
- Theoretical study
Theoretical study on the molecular and crystal structures of nitrogen trifluoride and its adduct with BF_3 1491
- Theory
Solvent sorting in (mixed solvent + electrolyte) systems: Time-resolved fluorescence measurements and theory 61
- Thermal analysis
Preparation of Poly(MA-*alt*- α -olefin- $\text{C}_{6,8,12,18}$)/Silica Nanohybrids *via in situ* generated nanofillers for use as a dual function organonanofiller 1993
Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
- Thermal behavior
Synthesis, Crystal structure and Characterization of a New Oxalate Chromium (III) Complex 1427
- Thermal Decomposition
Pyrolysis of 3-carene: Experiment, Theory and Modeling 2119
- Thermal properties
Synthesis, Photophysical, Electrochemical and Thermal Studies of Triarylamines based on benzo[*g*]quinoxalines 1571
- Thermal stability
Exfoliation and dispersion of LDH modified with *N*-tetrabromophthaloyl-glutamic in poly(vinyl alcohol): Morphological and thermal studies 519
Synthesis and characterization of heat-resistant and soluble poly(amide-imide)s from unsymmetrical dicarboxylic acid containing 2-(triphenyl phosphoranylidene) moiety and various aromatic diamines 737
- Thermal studies
A mixed Ni(II) ionic complex containing V-shaped water trimer: Synthesis, spectral, structural and thermal properties of $\{[\text{Ni}(2,2'\text{-bpy})_3][\text{Ni}(2\text{-cpida})(2,2'\text{-bpy})]\}(\text{ClO}_4)_3 \cdot 3\text{H}_2\text{O}$ 873
- Thermochemistry
A DFT study of temperature dependent dissociation mechanism of HF in $\text{HF}(\text{H}_2\text{O})_7$ cluster 1839
- Thermogravimetric analysis
Two new inorganic-organic hybrid materials based on inorganic cluster, $[\text{X}_2\text{Mo}_{18}\text{O}_{62}]^{6-}$ (X=P, As) 1645
- Thermo-isomerism
Origin and switch of different colors: Thermo-isomerism and crystal structure of (1E,2E)-bis[1-(4-nitrophenyl)ethylidene]hydrazine 2211
- Thiacalix[4]arene
Thiacalix[4]arene derivatives containing multiple aromatic groups: High efficient extractants for organic dyes 1383
- Thiadiazole
Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- Thiazolidin-4-ones
Reaction between thiocarbamidoalkyl naphthols and acetylenic esters: An interesting cyclocondensation reaction for the synthesis of new thiazolidin-4-one derivatives 1795
- Thiazolidine-2-thione
Reactivity of thiazolidine-2-thione towards $\text{Cu}^{\text{I}}/\text{Cu}^{\text{II}}$: Synthesis and structures of [3-(2-thiazolin-2-yl)thiazolidine-2-thione] copper(I) bromide and [bis(2,2'-bipyridine)nitratocopper(II)] nitrate 149
- Thiazolo[3,2-*a*]pyrimidines
Synthesis of some new derivatives of thiazolopyrimidines and hydrolysis of its arylidene derivative 467
- Thiol
Radical Scavenging Efficacy of Thiol Capped Silver Nanoparticles 2183
- Thio-Phosphorus Complexes
Syntheses and structural characterization of new dithiophosphinato cadmium complexes 1653
- Thiosemicarbazones
Cyclometallated ruthenium(II) carbonyl complexes with 1-pyrenaldehyde 4-*R*-3-thiosemicarbazones: Regioselective ruthenation of the 1-pyrenyl group 589
- Three-component reaction
One-pot synthesis of novel pyrimido[4,5-*b*]quinolines and pyrido[2,3-*d*:6,5-*d'*]dipyrimidines using encapsulated- $\gamma\text{-Fe}_2\text{O}_3$ nanoparticles 1895
- Three-membered ring
Structural variations in aromatic 2π -electron three-membered rings of the main group elements 183
- Tilted chain packing
Differential scanning calorimetric and powder X-ray diffraction studies on a homologous series of *N*-acyl-L-alanine esters with matched chains ($n = 9\text{-}18$) 1627
- Tin oxide
Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Torquoselectivity
Competitive and Cooperative Torquoselectivity in the thermal ring opening of cyclobutene: A density functional insight 1505
- Transition metal
Textural and morphological studies of transition metal doped SBA-15 by co-condensation method 909
- Transition metals
Hydrogen adsorption of nitrogen-doped carbon nanotubes functionalized with 3d-block transition metals 751
- Transmembrane helices
Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- Triarylamines
Synthesis, Photophysical, Electrochemical and Thermal Studies of Triarylamines based on benzo[*g*]quinoxalines 1571
Synthesis, photophysical, electrochemical and thermal investigation of Triarylamines based on 9*H*-Xanthen-9-one: Yellow-green fluorescent materials 2063

- Triazole
Access to new antimicrobial 4-methylumbelliferone derivatives 1619
- Tris(pentafluorophenyl)borane
An efficient catalytic reductive amination: A facile one-pot access to 1,2-dihydropyrrolo[3,4-b]indol-3(4*H*)-ones by using $B(C_6F_5)_3/NaBH_4$ 711
- Tris(pentafluorophenyl)borane
 $B(C_6F_5)_3$ catalyzed one-pot three-component Biginelli reaction: An efficient and environmentally benign protocol for the synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones/thiones 1047
- Tri-substituted olefins
An efficient and facile synthesis of divergent C-3/C-5 bis-functionalized 2-oxindoles from 5-formyl-Morita-Baylis-Hillman adducts of oxindole 1417
- Trizole
Crystal structure and solid-state properties of discrete hexa cationic trinuclear zinc triazole cluster 1369
- Tröger's base
(±)Methanodibenzodiazocine tethered [C-H]^{δ+} functional site: Study towards benzoin condensation and Baylis-Hillman reactions 821
- Tungsten
Functionalization of N_2 to NH_3 via direct $N \equiv N$ bond cleavage using $M(III)(NMe_2)_3$ ($M=W/Mo$): A theoretical study 83
- Tungsten fluorides
Quantum chemical investigation on structures and energetics of Tungsten Fluoride (WF_n^q) species ($q = 0, \pm 1; n < 6$) 1853
- Tungsten oxide
Understanding the surface and structural characteristics of tungsten oxide supported on tin oxide catalysts for the conversion of glycerol 897
- Tungsten-germylyne complexes
Mechanism for the Reaction of a Tungsten-Germylyne Complex with α, β -Unsaturated Ketones: A DFT Study 1477
- Turn-on
A novel fluorescent turn-on probe for bisulfite based on NBD chromophore 1267
- Ultrasound irradiation
Ultrasound-assisted dealumination of zeolite Y 25
- UV-Vis spectroscopy
Effect of surfactants on the morphology of FeSe films fabricated from a single source precursor by aerosol assisted chemical vapour deposition 499
- UV-Visible absorption studies
One-pot synthesis and UV-Visible absorption studies of novel tricyclic heterocycle tethered Xanthene-1,8-diones 803
- UV-visible diffuse reflectance
Interesting cationic ($Li^+/Fe^{3+}/Te^{6+}$) variations in new rocksalt ordered structures 225
- UV/Visible spectroscopy
Aggregation properties of levofloxacin in water and ethanol and its interaction with sodium dodecyl sulphate: A thermodynamic study 2073
- Vaterite
Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
- Vector correlations
Effects of collision energy on stereodynamical information of the reaction $F+HI \rightarrow FI+H$ 1557
- Versatile acetate
Syntheses, structures and luminescence behaviour of some zinc(II) complexes containing acetate and tetradentate Schiff bases 865
- Vibrational analysis
Structural and vibrational spectral studies on hydrogen bonded salts: 4-chloroanilinium maleate and nitrate 1435
- Vibrational excitation
Influence of collision energy and vibrational excitation on the dynamics for the $H+HBr \rightarrow H_2+Br$ reaction 1497
- Vinylphosphonates
 $FeCl_3$ catalysed regioselective allylation of phenolic substrates with (α -hydroxy)allylphosphonates 1465
- Viroporin
Modeling the structure of SARS 3a transmembrane protein using a minimum unfavorable contact approach 2159
- Visible light
Recent developments in solar H_2 generation from water splitting 33
- Voltammetry
Voltammetric determination of wedelolactone, an anti-HIV herbal drug, at boron-doped diamond electrode 959
- Water
Green procedures for the chemoselective synthesis of acylals and their cleavage promoted by recoverable sulfonic acid based nanoporous carbon (CMK-5- SO_3H) 1229
- Water analysis
Linear sweep anodic stripping voltammetry: Determination of Chromium (VI) using synthesized gold nanoparticles modified screen-printed electrode 1075
- Water splitting
Recent developments in solar H_2 generation from water splitting 33
- Water treatment
Manganese zinc ferrite nanoparticles as efficient catalysts for wet peroxide oxidation of organic aqueous wastes 537
- Water trimer
A mixed Ni(II) ionic complex containing V-shaped water trimer: Synthesis, spectral, structural and thermal properties of $\{[Ni(2,2'-bpy)_3][Ni(2-cpida)(2,2'-bpy)]\} (ClO_4)_3 \cdot 3H_2O$ 873
- Water-tolerant catalyst
Sulfanilic acid functionalized mesoporous SBA-15: A water-tolerant solid acid catalyst for the synthesis of uracil fused spirooxindoles as antioxidant agents 1389
- Wedelolactone
Voltammetric determination of wedelolactone, an anti-HIV herbal drug, at boron-doped diamond electrode 959
- Wet peroxide oxidation
Manganese zinc ferrite nanoparticles as efficient catalysts for wet peroxide oxidation of organic aqueous wastes 537
- Wittig reaction
A Facile and Efficient Synthesis of (15*R*)-Latanoprost from Chiral Precursor Corey Lactone Diol 2023

- Xanthenediones
One-pot synthesis and UV-Visible absorption studies of novel tricyclic heterocycle tethered Xanthene-1,8-diones 803
- Xenonium difluoride
DFT Study of the effects of counter ions on bonding, molecular and spectral properties of pentafluorophenyl xenonium difluoride cation 1675
- X-ray
Syntheses and structures of dimeric sodium and potassium complexes of 2,6-diisopropyl-anilidophosphine borane ligand 265
- X-ray crystal structure
Synthesis and characterization of novel benzo[*d*][1,3]dioxole substituted organo selenium compounds: X-ray structure of 1-((benzo[*d*][1,3]dioxol-5-yl)methyl)-2-((benzo[*d*] [1,3]dioxol-6-yl)methyl)diselane 1339
Synthesis, characterisation, stereochemistry and antimicrobial activity of *N*₅-piperazino- and *N*₅-morpholinoacetyl-2,2,4-trimethyl-1, 5-benzodiazepines 2051
- X-ray crystallography
Synthesis and optical properties of biphenylene ethynylene copolymers and their model compounds 365
Synthesis, experimental and theoretical studies of two cocrystals in 1:1 stoichiometric ratio from 4,4'-bithiazole-2,2'-diamine with two hydrogen acceptor molecules 2015
- X-ray diffraction studies
Synthesis, structure analysis, anti-bacterial and *in vitro* anti-cancer activity of new Schiff base and its copper complex derived from sulfamethoxazole 671
- X-ray diffraction
Synthesis and Physico-chemical studies of a new non-centrosymmetric organic-inorganic hybrid material: [2,3-(CH₃)₂C₆H₃NH₃]₄ BiBr₆NO₃.2H₂O 461
Para-amino benzoic acid-mediated synthesis of vaterite phase of calcium carbonate 843
Hydrothermal synthesis, crystal structure and luminescence property of a three dimensional Sm(III) coordination polymer with 2,5-pyridinedicarboxylic acid 2225
- X-ray structure determination
Iron(III) and copper(II) complexes of *trans*-bis(ferrocenyl) porphyrin: Effect of metal ions on long-range electronic communication 327
- X-ray structure
Nickel(II) complexes containing ONS donor ligands: Synthesis, characterization, crystal structure and catalytic application towards C-C cross-coupling reactions 597
Synthesis and bio-catalytic activity of isostructural cobalt(III)-phenanthroline complexes 649
Syntheses, structures and luminescence behaviour of some zinc(II) complexes containing acetate and tetradentate Schiff bases 865
- Syntheses and structural characterization of new dithiophosphinato cadmium complexes 1653
- XRD
Synthesis and crystal structure determination of YCo_{1-x}Fe_xO₃ (*x* = 0, 0.33, 0.5, 0.67 and 1) perovskites 1173
- Yellow-Green florescent materials
Synthesis, photophysical, electrochemical and thermal investigation of Triarylaminines based on 9*H*-Xanthen-9-one: Yellow-green fluorescent materials 2063
- Zeolite Y
Ultrasound-assisted dealumination of zeolite Y 25
- Zinc
Crystal structure and solid-state properties of discrete hexa cationic trinuclear zinc triazole cluster 1369
Synthesis crystal structure, photoluminescence and photocatalytic property of a new three dimensional Zinc(II) tetrazole framework 1599
- Zinc-clusters
Studies on cluster, salt and molecular complex of zinc-quinolate 215
- Zinc ion
A α -cyanostilbene-modified Schiff base as efficient turn-on fluorescent chemosensor for Zn²⁺ 375
- Zinc oxide
Studies on cluster, salt and molecular complex of zinc-quinolate 215
- Zinc titanate
Structural and optical properties of zinc titanates synthesized by precipitation method 509
- Zinc zirconium phosphate
Zinc zirconium phosphate as an efficient catalyst for chemoselective synthesis of 1,1-diacetates under solvent-free conditions 1945
- Zinc(II)
Syntheses and solid state structures of zinc (II) complexes with Bi-dentate *N*-(Aryl)imino-acenaphthenone (Ar-BIAO) ligands 103
- Zinc(II) complex
Zinc(II) complexes of carboxamide derivatives: Crystal structures and interaction with calf thymus DNA 1747
- Z-isomer
A new synthesis of Entacapone and report on related studies 1977
- ZnCl₂
Efficient one-pot synthesis of 2-oxazolines from benzoylacetone nitrile and β -aminoalcohols mediated by ZnCl₂ 163
Chemical methods for the conversion of Prednisolone to 11- β -hydroxy-1,4-androstadiene-3,17-dione 1827
- ZnS
Microwave assisted bi-functional activation of β -bromo-*tert*-alcohols 1405