

## SUBJECT INDEX

- 1.6 Ga-old Chorhat Sandstone  
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Aerosol  
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461  
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Air mass factor  
 Retrieval of stratospheric O<sub>3</sub> and NO<sub>2</sub> vertical profiles using zenith scattered light observations 333
- Air pollutants  
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Airglow intensity  
 Ozone decline and its effect on night airglow intensity of Na 5893 Å at Dumdum (22.5°N, 88.5°E) and Halley Bay (76°S, 27°W) 607
- Amino sugars  
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Anisotropy  
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Arabian Sea  
 Impact of sea breeze on wind-seas off Goa, west coast of India 229  
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433  
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Attenuation  
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- A-type granitoid  
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Auto-correlation  
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Bacteria  
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Bay of Bengal  
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Bedrock gorges  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Bengal Fan  
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Biogeochemistry  
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Black shales  
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37  
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Blind fault  
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Calibration  
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Carbon  
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Catagenesis  
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Central Arabian Sea  
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Chlorophyll  
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Chuaria circularis*  
*Chuaria circularis* from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis-gas chromatography 99
- Clay minerals  
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Cloudburst  
 Simulation of a Himalayan cloudburst event 299
- Cluster computer  
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315

- Coastal geomorphology  
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Coastal processes  
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
- Coccolithophores  
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Compositional space  
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Conserved variable diagrams  
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Cooling history  
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur-Harra-Amarwara, central India: Implications for cooling history 631
- Coupled processes  
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- Cyanobacteria  
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Cyclonic storm  
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Deccan  
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Deccan Traps  
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur-Harra-Amarwara, central India: Implications for cooling history 631
- Deglacial  
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695
- Depositional environments  
 Proterozoic intracontinental basin: The Vindhyan example 3
- Diagenesis  
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Diamond  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Dike  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Dip-slip fault  
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Discriminant function analysis  
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Dispersal patterns  
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Eastern Ghat Mobile Belt  
 Structure of Charnockitic basement in a part of the Krishna-Godavari basin, Andhra Pradesh 387
- Effective strength index  
 Spatial monsoon variability with respect to NAO and SO 601
- Electromagnetic response  
 Fast computation of Hankel Transform using orthonormal exponential approximation of complex kernel function 267
- Energy density spectra  
 Impact of sea breeze on wind-seas off Goa, west coast of India 229
- Estuaries  
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Exponential approximation of kernel function  
 Fast computation of Hankel Transform using orthonormal exponential approximation of complex kernel function 267
- Facies  
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Flash floods  
 Simulation of a Himalayan cloudburst event 299
- FLIC  
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Flood basalt  
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Fluxes  
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Fractal geometry  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Fracture  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Frequency ratio  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Geochemistry  
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Geochronology  
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Geographic Information System  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Global surface temperature anomaly  
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349

- Granulite facies rocks  
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Great Boundary Fault  
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Groundwater modeling  
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Group velocity  
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Gujarat  
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Hankel Transform  
 Fast computation of Hankel Transform using orthogonal exponential approximation of complex kernel function 267
- Hawaii  
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Heat and mass transport  
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- High resolution regional models  
 High resolution numerical weather prediction over the Indian subcontinent 529
- Himalayan sources  
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- Hinota  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Holocene  
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695
- Hydrogeological systems  
 Coupled equations for transient water flow, heat flow, and deformation in hydrogeological systems 219
- Hydrography  
 Climate induced changes in the circulation and dispersal patterns of the fluvial sources during late Quaternary in the middle Bengal Fan 379
- India  
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161  
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Indian Ocean  
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Indian Ocean Dipole  
 The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Indian summer monsoon  
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Indian summer monsoon rainfall  
 Spatial monsoon variability with respect to NAO and SO 601
- Intracratonic basin  
 Proterozoic intracontinental basin: The Vindhyan example 3
- Intraseasonal oscillation  
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Isotherm  
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Isotope stratigraphy  
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Kachchh  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Kerogen  
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Kilauea  
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Kimberlite  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Lamproite  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Landscape evolution  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Landslide  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Landslide hazard  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Last glacial maximum  
 Evidence of reworking and resuspension of carbonates during last glacial maximum and early deglacial period along the southwest coast of India 695

- Lava  
The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615
- Lava flows  
Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Log-transformation  
Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log–ratio transformation of major-element data 485
- Macro-algal zone  
Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Magnetic basement  
Structure of Charnockitic basement in a part of the Krishna–Godavari basin, Andhra Pradesh 387
- Magnetic survey  
Structure of Charnockitic basement in a part of the Krishna–Godavari basin, Andhra Pradesh 387
- Majhgawan  
Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Marine boundary layer  
Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Marine notches  
Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Mat-induced structures  
Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Maturation  
Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37
- Mesoproterozoic  
*Chuarina circularis* from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis–gas chromatography 99
- Mesoscale  
Simulation of a Himalayan cloudburst event 299
- Mesoscale model  
A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Meteoric water  
Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Methane emission  
Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Mexico  
Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log–ratio transformation of major-element data 485
- Microbial mat  
Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37  
Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49  
Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Microfossils  
Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Micro-organisms  
Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- MM5  
Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Modal composition  
Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Models  
The influence of Indian Ocean Dipole (IOD) on biogeochemistry of carbon in the Arabian Sea during 1997–1998 433
- Modflow  
Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Monsoon  
Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203  
Coccolithophores from the central Arabian Sea: Sediment trap results 415  
Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Monsoon transition  
Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Mujib basin–Jordan  
Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Multilayered half-space  
Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Multimodel superensemble forecasts  
High resolution numerical weather prediction over the Indian subcontinent 529
- Narmada–Son lineament  
Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Neoproterozoic  
Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Nitrogen dioxide  
Retrieval of stratospheric O<sub>3</sub> and NO<sub>2</sub> vertical profiles using zenith scattered light observations 333
- Nomenclature  
Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239

- North Atlantic oscillation  
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349  
 Spatial monsoon variability with respect to NAO and SO 601
- Northeast monsoon rainfall  
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349
- Numerical weather prediction  
 High resolution numerical weather prediction over the Indian subcontinent 529
- Onset phase of monsoon  
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Onset/active/break cycle of monsoon  
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Operational mesoscale dispersion model  
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Orangeite  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Organic matter  
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Orissa  
 Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203
- Ozone  
 Retrieval of stratospheric O<sub>3</sub> and NO<sub>2</sub> vertical profiles using zenith scattered light observations 333
- Ozone depletion  
 Ozone decline and its effect on night airglow intensity of Na 5893 Å at Dumdum (22.5°N, 88.5°E) and Halley Bay (76°S, 27°W) 607
- Palaeobiology  
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Paleoenvironment  
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Panna  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Particle-associated carbohydrates  
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Particulate nitrogen  
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Phase velocity  
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Physical initialization  
 High resolution numerical weather prediction over the Indian subcontinent 529
- Physical model  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Phytoplankton  
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Plane strain  
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Poisson's ratio  
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Poroelastic  
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Potholes  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Power law  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Pre-stress  
 Wave velocities in a pre-stressed anisotropic elastic medium 257
- Propagator matrix  
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Proterozoic  
 Proterozoic intracontinental basin: The Vindhyan example 3  
 Stratigraphy, sedimentology and bulk organic geochemistry of black shales from the Proterozoic Vindhyan Supergroup (central India) 37  
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49  
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Proxies  
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Pulicat lake  
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Pyrite  
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Pyrolysis-gas chromatography  
*Chuaria circularis* from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis-gas chromatography 99
- Quartz-syenite  
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239

- Quaternary sea level  
 Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India 395
- Rainfall variability  
 Spatio-temporal variability of summer monsoon rainfall over Orissa in relation to low pressure systems 203
- Reflection band  
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135
- Regression  
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Remote sensing  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Rewa Group  
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Risk analysis  
 Probabilistic landslide hazards and risk mapping on Penang Island, Malaysia 661
- Rocky terraces  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- RSL  
 Operational mesoscale atmospheric dispersion prediction using a parallel computing cluster 315
- Sea breeze  
 Impact of sea breeze on wind-seas off Goa, west coast of India 229  
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Sea level  
 Outcrop signatures of relative sea level fall on a siliciclastic shelf: Examples from the Rewa Group of Proterozoic Vindhyan basin 23
- Seaweeds  
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Sediment trap  
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Sedimentation  
 Proterozoic intracontinental basin: The Vindhyan example 3
- Semri Group  
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67
- Sequence stratigraphy  
 Proterozoic intracontinental basin: The Vindhyan example 3
- Significant wave height  
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Siliciclastics  
 Microbial mat-induced sedimentary structures in siliciclastic sediments: Examples from the 1.6 Ga Chorhat Sandstone, Vindhyan Supergroup, M.P., India 49
- Similarity index  
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Singhbhum Craton  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Size-distribution  
 Is the outcrop topology of dolerite dikes of the Precambrian Singhbhum Craton fractal? 643
- Sodar  
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Solar zenith angle  
 Retrieval of stratospheric O<sub>3</sub> and NO<sub>2</sub> vertical profiles using zenith scattered light observations 333
- Southern oscillation  
 Spatial monsoon variability with respect to NAO and SO 601
- Spatial and temporal variation  
 Spatial and temporal distribution of methane in an extensive shallow estuary, south India 451
- Species diversity  
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Spectral modeling  
 High resolution numerical weather prediction over the Indian subcontinent 529
- Standard igneous norm and volcanic rock classification system computer program  
 Discriminating four tectonic settings: Five new geochemical diagrams for basic and ultrabasic volcanic rocks based on log-ratio transformation of major-element data 485
- Surface energy balance  
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Surface loads  
 Plane strain deformation of a multilayered poroelastic half-space by surface loads 685
- Suspended particulate matter  
 Amino sugars in suspended particulate matter from the Bay of Bengal during the summer monsoon of 2001 363
- Synoptic flow  
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Tectonic uplift  
 Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution 249
- Tectonics  
 Structure of Charnockitic basement in a part of the Krishna-Godavari basin, Andhra Pradesh 387
- Teeth and socket structures  
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Teleconnection  
 Global surface temperature in relation to northeast monsoon rainfall over Tamil Nadu 349

- Temporal variability  
 Auto-correlation analysis of wave heights in the Bay of Bengal 235
- Tether balloon  
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Thermal internal boundary layer  
 A numerical study of sea breeze circulation observed at a tropical site Kalpakkam on the east coast of India, under different synoptic flow situations 557
- Thermodynamic structure  
 Marine boundary layer characteristics during a cyclonic storm over the Bay of Bengal 587
- Total column density  
 Retrieval of stratospheric O<sub>3</sub> and NO<sub>2</sub> vertical profiles using zenith scattered light observations 333
- Trace gases  
 Observations of trace gases and aerosols over the Indian Ocean during the monsoon transition period 473
- Trace metal  
 Monsoon control on trace metal fluxes in the deep Arabian Sea 461
- Transition in Bowen ratio  
 Transitions in the surface energy balance during the life cycle of a monsoon season 185
- Transparent exopolymeric particles  
 Dynamics of transparent exopolymeric particles (TEP) and particle-associated carbohydrates in the Dona Paula bay, west coast of India 403
- Tropical rainfall measuring mission  
 Simulation of a Himalayan cloudburst event 299
- Tsunami  
 Seaweed floristic studies along tsunami affected Indian coasts: A litmus test scenario after 26th December 2004 371
- Two dimensional  
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- U–Pb zircon dating  
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Upwelling and dissolution  
 Coccolithophores from the central Arabian Sea: Sediment trap results 415
- Validation  
 Modeling of groundwater flow for Mujib aquifer, Jordan 289
- Velocities  
 Elastic properties of granulite facies rocks of Mahabalipuram, Tamil Nadu, India 673
- Vindhyan  
 Carbon and oxygen isotope compositions of the carbonate facies in the Vindhyan Supergroup, central India 113
- Vindhyan basin  
 Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin 135  
 Mesoproterozoic diamondiferous ultramafic pipes at Majhgawan and Hinota, Panna area, central India: Key to the nature of sub-continental lithospheric mantle beneath the Vindhyan basin 161
- Vindhyan Supergroup  
 Palaeobiology of Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar, India: Systematics and significance 67  
*Chuarina circularis* from the early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from light and electron microscopy and pyrolysis–gas chromatography 99  
 Age of the Vindhyan Supergroup: A review of recent findings 149
- Volcanism  
 The emplacement of pahoehoe lavas on Kilauea and in the Deccan Traps 615  
 Primary volcanic structures from a type section of Deccan Trap flows around Narsingpur–Harrai–Amarwara, central India: Implications for cooling history 631
- Wavelet analysis  
 Summer monsoon intraseasonal oscillation over eastern Arabian Sea – as revealed by TRMM microwave imager products 575
- Wavy laminae  
 Petrographic observations suggestive of microbial mats from Rampur Shale and Bijaigarh Shale, Vindhyan basin, India 61
- Welded half-spaces  
 2-D deformation of two welded half-spaces due to a blind dip-slip fault 277
- Whole-rock XRD  
 Correct nomenclature for the Angadimogar pluton, Kerala, southwestern India 239
- Wind-wave  
 Impact of sea breeze on wind-seas off Goa, west coast of India 229