

SUBJECT INDEX

- 2-D thermal modeling
 2-D Crustal thermal structure along Thuadara–Sindad DSS profile across Narmada–Son lineament, central India 347
- 3DVAR
 Assimilation of Doppler weather radar observations in a mesoscale model for the prediction of rainfall associated with mesoscale convective systems 275
- 8.2 Kyr cooling event
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Active faults
 Neotectonic aspects of the northern margin of the Adana–Cilicia submarine basin, NE Mediterranean 113
- Active tectonism
 Strike slip faulting inferred from offsetting of drainages: Lower Narmada basin, western India 413
- Advective heat transfer
 Advective heat transfer and fabric development in a shallow crustal intrusive granite – the case of Proterozoic Vellaturu granite, south India 433
- Andaman Islands
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
- Anisotropic poroelastic (APE) soil
 Wave propagation in a general anisotropic poroelastic medium: Biot’s theories and homogenisation theory 357
- Annual maximum daily rainfall
 Maximum daily rainfall in South Korea 311
- Antarctic aerosols
 Physical properties of aerosols at Maitri, Antarctica 1
- Antarctica
 Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- Arabian Sea
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
 Vertical propagation of baroclinic Kelvin waves along the west coast of India 331
- Arabian Sea Monsoon Experiment (ARMEX)
 Surface and upper air meteorological features during onset phase of 2003 monsoon 305
- Aravalli Supergroup
 Geology and geochemistry of palaeoproterozoic low-grade metabasic volcanic rocks from Salumber area, Aravalli Supergroup, NW India 511
- Archean
 Geochemistry of some banded iron-formations of the archean supracrustals, Jharkhand–Orissa region, India 245
- Atmospheric $\delta^{18}\text{O}$
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Atmospheric ^{14}C
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Atmospheric electricity
 Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- Atmospheric sciences
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
 Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
 Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Attenuation
 Estimation of seismic spectral acceleration in Peninsular India 199
- Attenuation and spectral amplitude
 The effects of attenuation and site on the spectra of microearthquakes in the Jubilee Hills region of Hyderabad, India 37
- Attenuation coefficient
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Banded iron-formation
 Geochemistry of some banded iron-formations of the archean supracrustals, Jharkhand–Orissa region, India 245
- Bands
 Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Basalts
 Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Bay of Bengal
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
- Biot’s theory
 Wave propagation in a general anisotropic poroelastic medium: Biot’s theories and homogenisation theory 357
- Borehole
 Elastic waves along a cylindrical borehole in a poroelastic medium saturated by two immiscible fluids 225

- Bundelkhand Craton
 Geology and geochemistry of giant quartz veins from the Bundelkhand Craton, central India and their implications 497
- b*-value
 Seismicity pattern in north Sumatra–Great Nicobar region: In search of precursor for the 26 December 2004 earthquake 215
- Calc-silicate rock
 Vesuvianite–wollastonite–grossular-bearing calc-silicate rock near Tatapani, Surguja district, Chhattisgarh 143
- Central India
 Geology and geochemistry of giant quartz veins from the Bundelkhand Craton, central India and their implications 497
- Channel geometry
 Discharge estimation from planform characters of the Shedhi River, Gujarat alluvial plain: Present and past 341
- Cilicia basin
 Neotectonic aspects of the northern margin of the Adana–Cilicia submarine basin, NE Mediterranean 113
- Clay minerals
 Depositional conditions of the coal-bearing Hirka Formation beneath Late Miocene explosive volcanic products in NW central Anatolia, Turkey 125
- Climate
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
 Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- Cluster analysis
 Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Coal
 Depositional conditions of the coal-bearing Hirka Formation beneath Late Miocene explosive volcanic products in NW central Anatolia, Turkey 125
 Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals 137
- Coastal aerosols
 Physical properties of aerosols at Maitri, Antarctica 1
- Computerized ionospheric tomography (CIT)
 Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Correlation
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Cosmogenic ¹⁴C in ice
 Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Crenulation cleavage
 Polyphase deformation and garnet growth in pelitic schists of Sausar Group in Ramtek area, Maharashtra, India: A study of porphyroblast–matrix relationship 423
- Cretaceous/Quaternary
 Origin of Cretaceous phosphorites from the onshore of Tamil Nadu, India 525
- Crustal thermal structure
 2-D Crustal thermal structure along Thuadara–Sindad DSS profile across Narmada–Son lineament, central India 347
- Cumulative distribution
 Rainfall intensity characteristics at coastal and high altitude stations in Kerala 451
- Curie depth
 2-D Crustal thermal structure along Thuadara–Sindad DSS profile across Narmada–Son lineament, central India 347
- Data analysis
 Maximum daily rainfall in South Korea 311
- Debris flow
 Facies characteristics of the basal part of the Talchir Formation, Talchir Basin, India – depositional history revisited 15
- Deformation microstructures
 Advective heat transfer and fabric development in a shallow crustal intrusive granite – the case of Proterozoic Vellaturu granite, south India 433
- Dhala structure
 Impact cratering – fundamental process in geoscience and planetary science 81
- Diopside
 Vesuvianite–wollastonite–grossular-bearing calc-silicate rock near Tatapani, Surguja district, Chhattisgarh 143
- Dip-slip fault
 Quasi-static deformation due to two-dimensional seismic sources embedded in an elastic half-space in welded contact with a poroelastic half-space 99
- Discharge
 Discharge estimation from planform characters of the Shedhi River, Gujarat alluvial plain: Present and past 341
- Distinct fabrics
 Domainal fabric development, associated microstructures and *P–T* records attesting to polymetamorphism in a granulite complex of the Eastern Ghats granulite belt, India 21
- Diverse *P–T* records
 Domainal fabric development, associated microstructures and *P–T* records attesting to polymetamorphism in a granulite complex of the Eastern Ghats granulite belt, India 21
- Donbas
 Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Doppler weather radar
 Assimilation of Doppler weather radar observations in a mesoscale model for the prediction of rainfall associated with mesoscale convective systems 275
- Drainage offsetting
 Strike slip faulting inferred from offsetting of drainages: Lower Narmada basin, western India 413
- ETOPO
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261

- East European Platform
Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Eastern Ghats granulite belt
Domainal fabric development, associated microstructures and P - T records attesting to polymetamorphism in a granulite complex of the Eastern Ghats granulite belt, India 21
- Ecemiş fault
Neotectonic aspects of the northern margin of the Adana-Cilicia submarine basin, NE Mediterranean 113
- Electric field
Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- Enhanced oceanic mixing
Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Ensemble modeling for monsoon
Current status of multimodel superensemble and operational NWP forecast of the Indian summer monsoon 369
- Entrained turbidity current
Facies characteristics of the basal part of the Talchir Formation, Talchir Basin, India – depositional history revisited 15
- Equatorial anomaly
Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Equatorial oceanography
Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Extreme value theory
Maximum daily rainfall in South Korea 311
- Fairweather
Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- False onset
The role of low-frequency intraseasonal oscillations in the anomalous Indian summer monsoon rainfall of 2002 149
- Ferromanganese crusts
Platinum group elements and gold in ferromanganese crusts from Afanasiy-Nikitin seamount, equatorial Indian Ocean: Sources and fractionation 3
- Fore-Caucasus
Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Foreshocks
Seismicity pattern in north Sumatra-Great Nicobar region: In search of precursor for the 26 December 2004 earthquake 215
- Frequency equation
Elastic waves along a cylindrical borehole in a poroelastic medium saturated by two immiscible fluids 225
- GPS
Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- GPS Aided Geo Augmented Navigation
GPS satellite and receiver instrumental biases estimation using least squares method for accurate ionosphere modelling 407
- Galatian andesite complex
Depositional conditions of the coal-bearing Hirka Formation beneath Late Miocene explosive volcanic products in NW central Anatolia, Turkey 125
- General anisotropy
Effect of initial stress on reflection at the free surface of anisotropic elastic medium 537
- Generalized extreme value distribution
Maximum daily rainfall in South Korea 311
- Geochemistry
Geochemistry of some banded iron-formations of the archean supracrustals, Jharkhand-Orissa region, India 245
Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
Origin of Cretaceous phosphorites from the onshore of Tamil Nadu, India 525
- Geodynamics
Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Geology
Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Geophysics
Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Geoscience
Impact cratering – fundamental process in geoscience and planetary science 81
- Global Positioning System
GPS satellite and receiver instrumental biases estimation using least squares method for accurate ionosphere modelling 407
- Global electric circuit
Fairweather atmospheric electricity at Antarctica during local summer as observed from Indian station, Maitri 179
- Gondwana sedimentation
Facies characteristics of the basal part of the Talchir Formation, Talchir Basin, India – depositional history revisited 15
- Granite pluton
Advective heat transfer and fabric development in a shallow crustal intrusive granite – the case of Proterozoic Vellaturu granite, south India 433
- Graphite-like structure
FT-IR and XRD analysis of coal from Makum coal-field of Assam 575
- Grossular
Vesuvianite-wollastonite-grossular-bearing calc-silicate rock near Tatapani, Surguja district, Chhattisgarh 143

- Groundwater
 Spatial analyses of groundwater levels using universal kriging 49
- Group velocity
 Elastic waves along a cylindrical borehole in a poroelastic medium saturated by two immiscible fluids 225
- Gujarat alluvial plain
 Discharge estimation from planform characters of the Shedhi River, Gujarat alluvial plain: Present and past 341
- Gumbel distribution
 Maximum daily rainfall in South Korea 311
- Homogenisation theory
 Wave propagation in a general anisotropic poroelastic medium: Biot's theories and homogenisation theory 357
- Hydrology
 Maximum daily rainfall in South Korea 311
- Hydrothermal
 Geology and geochemistry of giant quartz veins from the Bundelkhand Craton, central India and their implications 497
- Hydrothermal fluids
 Geochemistry of some banded iron-formations of the archaean supracrustals, Jharkhand–Orissa region, India 245
- ISODATA
 Detecting areal changes in tidal flats after sea dike construction using Landsat-TM images 561
- ITCZ
 Link between convection and meridional gradient of sea surface temperature in the Bay of Bengal 385
- Impact cratering
 Impact cratering – fundamental process in geoscience and planetary science 81
- India
 Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals 137
 Origin of Cretaceous phosphorites from the onshore of Tamil Nadu, India 525
- Indian Ocean
 Platinum group elements and gold in ferromanganese crusts from Afanasiy–Nikitin seamount, equatorial Indian Ocean: Sources and fractionation 3
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
 Vertical propagation of baroclinic Kelvin waves along the west coast of India 331
 Link between convection and meridional gradient of sea surface temperature in the Bay of Bengal 385
- Indian summer monsoon
 Long range prediction of Indian summer monsoon rainfall 73
 Link between convection and meridional gradient of sea surface temperature in the Bay of Bengal 385
- Indian summer monsoon rainfall
 The role of low-frequency intraseasonal oscillations in the anomalous Indian summer monsoon rainfall of 2002 149
- Initial stress
 Effect of initial stress on reflection at the free surface of anisotropic elastic medium 537
- Inspiring monsoon forecast beyond operational skills
 Current status of multimodel superensemble and operational NWP forecast of the Indian summer monsoon 369
- Instrumental biases
 GPS satellite and receiver instrumental biases estimation using least squares method for accurate ionosphere modelling 407
- Ionosonde
 Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Ionospheric electron density
 Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Izmir Bay
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Kerala
 Rainfall intensity characteristics at coastal and high altitude stations in Kerala 451
- Landsat-TM image
 Detecting areal changes in tidal flats after sea dike construction using Landsat-TM images 561
- Late Devonian
 Late Devonian and Triassic basalts from the southern continental margin of the East European Platform, tracers of a single heterogeneous lithospheric mantle source 469
- Ledo coal
 FT-IR and XRD analysis of coal from Makum coalfield of Assam 575
- Light intensity
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Light transmission
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Lignite
 FT-IR and XRD analysis of coal from Makum coalfield of Assam 575
- Long wave radiation forcing
 Sensitivity of surface radiation budget to clouds over the Asian monsoon region 159
- Low-frequency intraseasonal oscillations
 The role of low-frequency intraseasonal oscillations in the anomalous Indian summer monsoon rainfall of 2002 149
- Lower Narmada basin
 Strike slip faulting inferred from offsetting of drainages: Lower Narmada basin, western India 413
- Madden–Julian Oscillation
 The role of low-frequency intraseasonal oscillations in the anomalous Indian summer monsoon rainfall of 2002 149
- Magnetospheric physics
 Features of discrete VLF emissions observed at Gulmarg, India during the magnetic storm of 6–7 March, 1986 553
- Marine environment
 Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals 137

- Meghalaya
Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals 137
- Mesoscale features
Rainfall analysis for Indian monsoon region using the merged rain gauge observations and satellite estimates: Evaluation of monsoon rainfall features 187
- Metabasic volcanic rocks
Geology and geochemistry of palaeoproterozoic low-grade metabasic volcanic rocks from Salumber area, Aravalli Supergroup, NW India 511
- Microstructural study
Polyphase deformation and garnet growth in pelitic schists of Sausar Group in Ramtek area, Maharashtra, India: A study of porphyroblast–matrix relationship 423
- Modeling
Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
Maximum daily rainfall in South Korea 311
- Modelling
Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Moho temperature
2-D Crustal thermal structure along Thuadara–Sindad DSS profile across Narmada–Son lineament, central India 347
- Monsoons
Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Monsoon current
Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Monsoon forecast
Current status of multimodel superensemble and operational NWP forecast of the Indian summer monsoon 369
- Monsoon precipitation system
Rainfall analysis for Indian monsoon region using the merged rain gauge observations and satellite estimates: Evaluation of monsoon rainfall features 187
- Multiple regression
Long range prediction of Indian summer monsoon rainfall 73
- NE Mediterranean
Neotectonic aspects of the northern margin of the Adana–Cilicia submarine basin, NE Mediterranean 113
- NPISO
The role of low-frequency intraseasonal oscillations in the anomalous Indian summer monsoon rainfall of 2002 149
- NW India
Geology and geochemistry of palaeoproterozoic low-grade metabasic volcanic rocks from Salumber area, Aravalli Supergroup, NW India 511
- Nallamalai fold belt
Advective heat transfer and fabric development in a shallow crustal intrusive granite – the case of Proterozoic Vellaturu granite, south India 433
- Narmada–Son lineament
2-D Crustal thermal structure along Thuadara–Sindad DSS profile across Narmada–Son lineament, central India 347
- Natural hazards
Impact cratering – fundamental process in geoscience and planetary science 81
- Net cloud radiative forcing
Sensitivity of surface radiation budget to clouds over the Asian monsoon region 159
- Non-dimensional rainfall
Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Objective analysis
Rainfall analysis for Indian monsoon region using the merged rain gauge observations and satellite estimates: Evaluation of monsoon rainfall features 187
- Oceanography
Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Oil shale
Depositional conditions of the coal-bearing Hirka Formation beneath Late Miocene explosive volcanic products in NW central Anatolia, Turkey 125
- Orography
Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Palaeomeander
Discharge estimation from planform characters of the Shedhi River, Gujarat alluvial plain: Present and past 341
- Palaeoproterozoic
Geology and geochemistry of palaeoproterozoic low-grade metabasic volcanic rocks from Salumber area, Aravalli Supergroup, NW India 511
- Paleoclimate
Climatic forcing before, during, and after the 8.2 Kyr B.P. global cooling event 171
- Peninsular India
Estimation of seismic spectral acceleration in Peninsular India 199
- Persian Gulf
Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
- Petrology
Origin of Cretaceous phosphorites from the onshore of Tamil Nadu, India 525
- Phase velocity
Elastic waves along a cylindrical borehole in a poroelastic medium saturated by two immiscible fluids 225
Wave propagation in a general anisotropic poroelastic medium: Biot's theories and homogenisation theory 357
- Phosphate stromatolites
Origin of Cretaceous phosphorites from the onshore of Tamil Nadu, India 525
- Plane strain
Quasi-static deformation due to two-dimensional seismic sources embedded in an elastic half-space in welded contact with a poroelastic half-space 99
- Planetary science
Impact cratering – fundamental process in geoscience and planetary science 81
- Platinum group elements
Platinum group elements and gold in ferromanganese crusts from Afanasiy–Nikitin seamount, equatorial Indian Ocean: Sources and fractionation 3

- Polymetamorphism
 Domainal fabric development, associated microstructures and P - T records attesting to polymetamorphism in a granulite complex of the Eastern Ghats granulite belt, India 21
- Polyphase deformation
 Domainal fabric development, associated microstructures and P - T records attesting to polymetamorphism in a granulite complex of the Eastern Ghats granulite belt, India 21
- Poroelastic
 Quasi-static deformation due to two-dimensional seismic sources embedded in an elastic half-space in welded contact with a poroelastic half-space 99
- Porphyroblast-matrix relationship
 Polyphase deformation and garnet growth in pelitic schists of Sausar Group in Ramtek area, Maharashtra, India: A study of porphyroblast-matrix relationship 423
- Predictors of AISMR
 Long range prediction of Indian summer monsoon rainfall 73
- Q_p and Q_s value
 The effects of attenuation and site on the spectra of microearthquakes in the Jubilee Hills region of Hyderabad, India 37
- Quartz c -axis fabric
 Advective heat transfer and fabric development in a shallow crustal intrusive granite—the case of Proterozoic Vellaturu granite, south India 433
- Quartz vein
 Geology and geochemistry of giant quartz veins from the Bundelkhand Craton, central India and their implications 497
- Radar reflectivity
 Assimilation of Doppler weather radar observations in a mesoscale model for the prediction of rainfall associated with mesoscale convective systems 275
- Rainfall intensity
 Rainfall intensity characteristics at coastal and high altitude stations in Kerala 451
- Rainfall regime
 Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Rainfall variation
 Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Rate of cooling
 Advective heat transfer and fabric development in a shallow crustal intrusive granite—the case of Proterozoic Vellaturu granite, south India 433
- Red Sea
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
- Reflection
 Effect of initial stress on reflection at the free surface of anisotropic elastic medium 537
- Remote forcing
 Vertical propagation of baroclinic Kelvin waves along the westcoast of India 331
- Remote sensing
 Monitoring the three-dimensional ionospheric electron density distribution using GPS observations over China 235
- Response spectra
 Estimation of seismic spectral acceleration in Peninsular India 199
- Return levels
 Maximum daily rainfall in South Korea 311
- Salumber
 Geology and geochemistry of palaeoproterozoic low-grade metabasic volcanic rocks from Salumber area, Aravalli Supergroup, NW India 511
- Sausar Belt
 Polyphase deformation and garnet growth in pelitic schists of Sausar Group in Ramtek area, Maharashtra, India: A study of porphyroblast-matrix relationship 423
- Sea dike
 Detecting areal changes in tidal flats after sea dike construction using Landsat-TM images 561
- Sea surface temperature (SST)
 Surface and upper air meteorological features during onset phase of 2003 monsoon 305
- Sea surface temperature gradient
 Link between convection and meridional gradient of sea surface temperature in the Bay of Bengal 385
- Seawater
 Geochemistry of some banded iron-formations of the archean supracrustals, Jharkhand-Orissa region, India 245
- Seiche depth
 The light transmission and seiche depth of Izmir Bay, western Turkey 57
- Seismic data
 Neotectonic aspects of the northern margin of the Adana-Cilicia submarine basin, NE Mediterranean 113
- Seismicity
 Seismicity pattern in north Sumatra-Great Nicobar region: In search of precursor for the 26 December 2004 earthquake 215
- Seismic quiescence
 Seismicity pattern in north Sumatra-Great Nicobar region: In search of precursor for the 26 December 2004 earthquake 215
- Seismic source
 Quasi-static deformation due to two-dimensional seismic sources embedded in an elastic half-space in welded contact with a poroelastic half-space 99
- Semivariogram
 Spatial analyses of groundwater levels using universal kriging 49
- Sensible heat flux
 Surface and upper air meteorological features during onset phase of 2003 monsoon 305
- Shedhi River
 Discharge estimation from planform characters of the Shedhi River, Gujarat alluvial plain: Present and past 341
- Shelf bathymetry
 Improved bathymetric datasets for the shallow water regions in the Indian Ocean 261
- Short wave radiation forcing
 Sensitivity of surface radiation budget to clouds over the Asian monsoon region 159
- Site coefficients
 Estimation of seismic spectral acceleration in Peninsular India 199

- Source and fractionation
 Platinum group elements and gold in ferromanganese
 crusts from Afanasiy–Nikitin seamount, equatorial
 Indian Ocean: Sources and fractionation 3
- Southwest monsoon
 Link between convection and meridional gradient of
 sea surface temperature in the Bay of Bengal 385
- Southwest Monsoon Current
 Link between convection and meridional gradient of
 sea surface temperature in the Bay of Bengal 385
- Space plasma physics
 Features of discrete VLF emissions observed at
 Gulmarg, India during the magnetic storm of 6–7
 March, 1986 553
- Space-Based Augmentation System
 GPS satellite and receiver instrumental biases esti-
 mation using least squares method for accurate
 ionosphere modeling 407
- Strike slip faulting
 Strike slip faulting inferred from offsetting of drain-
 ages: Lower Narmada basin, western India 413
- Sumatra–Great Nicobar region
 Seismicity pattern in north Sumatra–Great Nicobar
 region: In search of precursor for the 26 December
 2004 earthquake 215
- Summer monsoon
 Surface and upper air meteorological features during
 onset phase of 2003 monsoon 305
- Summer Monsoon Current
 Link between convection and meridional gradient of
 sea surface temperature in the Bay of Bengal 385
- Surface heat flow
 2-D Crustal thermal structure along Thuadara–
 Sindad DSS profile across Narmada–Son lineament,
 central India 347
- Surface radiation budget
 Sensitivity of surface radiation budget to clouds over
 the Asian monsoon region 159
- Surface waves
 Elastic waves along a cylindrical borehole in a
 poroelastic medium saturated by two immiscible
 fluids 225
- Talchir Basin
 Facies characteristics of the basal part of the
 Talchir Formation, Talchir Basin, India – deposi-
 tional history revisited 15
- Talchir Formation
 Facies characteristics of the basal part of the
 Talchir Formation, Talchir Basin, India – deposi-
 tional history revisited 15
- Tamil Nadu
 Origin of Cretaceous phosphorites from the onshore
 of Tamil Nadu, India 525
- Thunderstorm
 Fairweather atmospheric electricity at Antarctica
 during local summer as observed from Indian station,
 Maitri 179
- Tidal flat
 Detecting areal changes in tidal flats after sea dike
 construction using Landsat-TM images 561
- Topographic map
 Detecting areal changes in tidal flats after sea dike
 construction using Landsat-TM images 561
- Total electron content (TEC)
 Monitoring the three-dimensional ionospheric elec-
 tron density distribution using GPS observations
 over China 235
- Total sulphur
 Volatile displacement of Meghalaya coals – A pointer
 to explore low sulphur coals 137
- Trend
 Maximum daily rainfall in South Korea 311
- Triassic
 Late Devonian and Triassic basalts from the south-
 ern continental margin of the East European Plat-
 form, tracers of a single heterogeneous lithospheric
 mantle source 469
- Tropical Convergence Zone
 Link between convection and meridional gradient of
 sea surface temperature in the Bay of Bengal 385
- Tropical mesoscale convective systems
 Assimilation of Doppler weather radar observations
 in a mesoscale model for the prediction of rainfall
 associated with mesoscale convective systems 275
- Turkey
 Depositional conditions of the coal-bearing Hirka
 Formation beneath Late Miocene explosive volcanic
 products in NW central Anatolia, Turkey 125
- Universal kriging
 Spatial analyses of groundwater levels using univer-
 sal kriging 49
- Upper atmosphere
 Fairweather atmospheric electricity at Antarctica
 during local summer as observed from Indian station,
 Maitri 179
- VLF emissions
 Features of discrete VLF emissions observed at
 Gulmarg, India during the magnetic storm of 6–7
 March, 1986 553
- Vesuvianite
 Vesuvianite–wollastonite–grossular-bearing calc-
 silicate rock near Tatapani, Surguja district,
 Chhattisgarh 143
- Volatile displacement
 Volatile displacement of Meghalaya coals – A pointer
 to explore low sulphur coals 137
- Warm pool
 Surface and upper air meteorological features during
 onset phase of 2003 monsoon 305
- Water-table
 Spatial analyses of groundwater levels using univer-
 sal kriging 49
- Wave particle interactions
 Features of discrete VLF emissions observed at
 Gulmarg, India during the magnetic storm of 6–7
 March, 1986 553
- Wave propagation
 Elastic waves along a cylindrical borehole in a
 poroelastic medium saturated by two immiscible
 fluids 225

- Waves and instabilities
 Features of discrete VLF emissions observed at Gulmarg, India during the magnetic storm of 6–7 March, 1986 553
- Welded half-spaces
 Quasi-static deformation due to two-dimensional seismic sources embedded in an elastic half-space in welded contact with a poroelastic half-space 99
- West India coastal current
 Vertical propagation of baroclinic Kelvin waves along the west coast of India 331
- Western Ghats
 Identification of homogeneous rainfall regimes in parts of Western Ghats region of Karnataka 321
- Wollastonite
 Vesuvianite–wollastonite–grossular-bearing calc-silicate rock near Tatapani, Surguja district, Chhattisgarh 143
- Zeolite
 Depositional conditions of the coal-bearing Hirka Formation beneath Late Miocene explosive volcanic products in NW central Anatolia, Turkey 125
- Zero degree isotherm
 Surface and upper air meteorological features during onset phase of 2003 monsoon 305