

SUBJECT INDEX

- 85°E Ridge
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Ablation
 Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Abyssal
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Acanthomorph
Trachyhystriichosphaera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Accumulation
 Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Active tectonics
 Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Advection
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Aeromagnetic anomalies
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Aerosol optical depth
 Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Age-marker
Trachyhystriichosphaera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Airmass back trajectories
 Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Alluvial fans
 Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Altered gabbro
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- AMSU-B
 Western disturbances seen with AMSU-B and infrared sensors 27
- Andaman
 Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Ångstrom parameters
 Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Anisotropic permeability
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Aquifer
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Archean iron ore group
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Atmospheric boundary layer
 A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Atmospheric sciences
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
 Western disturbances seen with AMSU-B and infrared sensors 27
- AWiFS
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Banded iron formation
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Barakar coal measures
 Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Bastar craton
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Bay of Bengal
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
 Track prediction of very severe cyclone ‘Nargis’ using high resolution weather research forecasting (WRF) model 309
- Bhandar group
Trachyhystriichosphaera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575

- Biochemical composition
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Biomass burning
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Blue dust
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- C/N ratio
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Catenella repens*
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- C-corrections
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Central Indian Ocean
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Chlorophyll *a*
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- CIPW norm
 Calculation of the CIPW norm: New formulas 101
- Climate
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Cluster
 High-resolution satellite image segmentation using Hölder exponents 609
- Coal
 Reply to the comments by Rabindra Nath Hota on 'Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals' 179
- Coastal belt
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Cold point tropopause
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Cold tropopause
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Compressible constituents
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Concretions
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Coral island
 Appraisal of groundwater resources in an island condition 217
- Coral microatoll
 Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Coverage analysis
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Cyclicality
 Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Cyclone Nargis
 Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Daily flows
 Linear genetic programming for time-series modeling of daily flow rate 137
- Data analysis
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Daytime scintillations
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- DC resistivity
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Deformation mechanisms
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Diffusion
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Digital number
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Dispersion
 Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Diurnal range
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Diversity
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Drifting buoys
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- DWR
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Eastern continental margin of India
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Ecology
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597

- Eco-restoration
Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Elastic stiffness
Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Electrokinetic
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Emissivity
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345
Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Energetics
Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Entropy functions
Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Environment
Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Environment degradation
Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Equatorial modes
Equatorial modes observed in atmospheric variables 181
- Equatorial region
Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Equatorial wave theory
Equatorial modes observed in atmospheric variables 181
- Eslamy peninsula
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Estuarine sedimentation
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Exploration
Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Fanoos*
Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Flow forecasting
Linear genetic programming for time-series modeling of daily flow rate 137
- Forecast
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Forecast error
Track prediction of very severe cyclone ‘Nargis’ using high resolution weather research forecasting (WRF) model 309
- Ganga Plain
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- General anisotropy
Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Genetic programming
Linear genetic programming for time-series modeling of daily flow rate 137
- Geochemistry
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Geodesy
Coral microatoll as geodetic tool in North Andaman and Little Andaman, India 157
- Geodynamics
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Geomagnetic repeat survey
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Geomagnetic secular variation
Tectonomagnetic study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Geomorphology
Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Geophysics
Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Giridih basin
Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- GIS
Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- Gondwana land
Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- GPCP data
A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Groundwater
Analytical solutions of one-dimensional advection–diffusion equation with variable coefficients in a finite domain 539
- Groundwater flow model
Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Groundwater pollution
Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231

- Groundwater resources
 Appraisal of groundwater resources in an island condition 217
- Groundwater velocity
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Group velocity
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Haze
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Hematite
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Heterogeneity
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- High resolution image
 High-resolution satellite image segmentation using Hölder exponents 609
- Hölder exponent
 High-resolution satellite image segmentation using Hölder exponents 609
- Hydrothermal alteration
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- IBL
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Igneous rock classification
 Calculation of the CIPW norm: New formulas 101
- IKONOS
 High-resolution satellite image segmentation using Hölder exponents 609
- Image analysis
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- India
 Appraisal of groundwater resources in an island condition 217
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Indian Ocean
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Indian summer monsoon
 Summer monsoon onset over Kerala: New definition and prediction 123
- Indian summer monsoon rainfall
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Infrared
 Western disturbances seen with AMSU-B and infrared sensors 27
- Infrared spectroscopy
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Ionospheric E-region irregularities
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Ionospheric propagation
 Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Iran
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Isparta Angle
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Joint inversion
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Kinetic energy
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Kolkata
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Krishna–Godavari basin
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405
- Lakshadweep
 Appraisal of groundwater resources in an island condition 217
- LANDSAT
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Latitudinal distribution
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Lesser Himalayan Duplex
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Lightning
 A study of lightning activity over land and oceanic regions of India 467
- Longitudinal waves
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Low-level meteorological parameters
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Macrobenthos
 Composition of macrobenthos from the Central Indian Ocean Basin 689
- Mafic dykes
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Magnetic anomalies
 Magnetic anomalies of offshore Krishna–Godavari basin, eastern continental margin of India 405

- Magnetotellurics
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Mantle polarization anisotropy
 Shear wave splitting in the Isparta Angle, south-western Turkey: Anisotropic complexity in the mantle 71
- Markov chain
 Application of Markov chain and entropy analysis to lithologic succession – an example from the early Permian Barakar Formation, Bellampalli coalfield, Andhra Pradesh, India 583
- Megha tropiques
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Meghalaya
 Reply to the comments by Rabindra Nath Hota on ‘Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals’ 179
- Mesoscale
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Meteorological parameters
 Aerosol optical depths at Mohal-Kullu in the north-western Indian Himalayan high altitude station during ICARB 41
- Microstructure
 Some observations from radiometric ‘8 bit’ data of sediment thin sections based on alternative petrographic image analysis method 163
- Microwave
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
 Western disturbances seen with AMSU-B and infrared sensors 27
- Mine overburden
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Mineral composite
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Mineralogical characterization
 Mineralogy and geochemistry of banded iron formation and iron ores from eastern India with implications on their genesis 619
- Mineralogy
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Mineralogy and petrology
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Minneart constant
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- MJO
 Equatorial modes observed in atmospheric variables 181
- Modelling
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Momentum transport
 Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Monsoon
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
 Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Monsoon onset over Kerala
 Summer monsoon onset over Kerala: New definition and prediction 123
- Moored buoys
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Multiple linear regression
 Summer monsoon onset over Kerala: New definition and prediction 123
- Muzaffarnagar
 Groundwater flow modelling of Yamuna-Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Mylonitic gabbro
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- NDSI
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Neural networks
 Linear genetic programming for time-series modelling of daily flow rate 137
- Nocturnal boundary layer
 A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Normative minerals
 Calculation of the CIPW norm: New formulas 101
- North Kalijhora thrust
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Northern Central Indian Ridge
 Hydrothermal alteration studies of gabbros from Northern Central Indian Ridge and their geodynamic implications 659
- Oceanography
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Organic matter
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Oxidation ratio
 Calculation of the CIPW norm: New formulas 101
- Particulate carbohydrates
 Distribution of particulate carbohydrate species in the Bay of Bengal 147

- Particulate organic carbon
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1
- Particulate uronic acids
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
- Petrology
 Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Physico-chemical parameters
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Piedmont Zone
 Tectonic controls on the geomorphic evolution of alluvial fans in the Piedmont Zone of Ganga Plain, Uttarakhand, India 245
- Piezomagnetic
 Tectonometric study in the seismoactive area of Narmada–Son lineament, central India: Preliminary results on repeat field observations 261
- Planetary geology
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Polarization
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Polarization direction
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Polarized
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Poroelastic half-space
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Pranhita–Godavari basin
 Magnetic anomalies across Bastar craton and Pranhita–Godavari basin in south of central India 81
- Prediction scenario
 Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Pre-monsoon
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Pre-stress
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Primary
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Principal component analysis
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1
 Summer monsoon onset over Kerala: New definition and prediction 123
- Quasi-periodic pulsing hiss
 Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Quasi-static deformation
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Radiative transfer
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Radio occultation
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Rainfall
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Rainfall estimates over South America
 A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Rajasthan
Trachyhystrichosphaera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Ramgarh thrust
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Rangit Window
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Ray direction
 Existence of longitudinal waves in pre-stressed anisotropic elastic medium 677
- Reflectance
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
 Some observations from radiometric ‘8 bit’ data of sediment thin sections based on alternative petrographic image analysis method 163
- Remote sensing
 Western disturbances seen with AMSU-B and infrared sensors 27
 Mineral composite assessment of Kelkit River Basin in Turkey by means of remote sensing 701
- Remote sensing algorithm
 Model-based remote sensing algorithms for particulate organic carbon (POC) in the Northeastern Gulf of Mexico 1
- Resistivity
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- River–aquifer interaction
 Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507
- Runoff potential
 SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355

- Sarawak
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Sea surface temperature
 On the diurnal ranges of Sea Surface Temperature (SST) in the north Indian Ocean 483
- Sea-land interface
 On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Seasonal variation
 A study of lightning activity over land and oceanic regions of India 467
 Seasonal variation in the biochemical composition of red seaweed (*Catenella repens*) from Gangetic delta, northeast coast of India 497
- Seawater intrusion
 Appraisal of groundwater resources in an island condition 217
- Secondary ecological succession
 Eco-restoration of a high-sulphur coal mine overburden dumping site in northeast India: A case study 597
- Sediment layers
 Some observations from radiometric '8 bit' data of sediment thin sections based on alternative petrographic image analysis method 163
- Segmentation
 High-resolution satellite image segmentation using Hölder exponents 609
- Seismics
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Shear wave splitting
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Sikkim-Darjiling Himalaya
 Deformation mechanisms in the frontal Lesser Himalayan Duplex in Sikkim Himalaya, India 379
- Simulation
 Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
 Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Site suitability
 SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- SKS and SKKS phases
 Shear wave splitting in the Isparta Angle, southwestern Turkey: Anisotropic complexity in the mantle 71
- Slope match
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Snow cover monitoring
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
 Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Southeast Asia
 Mesoscale model simulation of low level equatorial winds over Borneo during the haze episode of September 1997 295
- Standard igneous norm
 Calculation of the CIPW norm: New formulas 101
- Statistical prediction
 Summer monsoon onset over Kerala: New definition and prediction 123
- Stress
 Tectonomagnetic study in the seismoactive area of Narmada-Son lineament, central India: Preliminary results on repeat field observations 261
- Structure of the earth
 Detection of sub-basaltic sediments by a multi-parametric joint inversion approach 551
- Subtropics
 Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Surface loading
 Consolidation of a poroelastic half-space with anisotropic permeability and compressible constituents by axisymmetric surface loading 563
- Suspended particulate matter
 Distribution of particulate carbohydrate species in the Bay of Bengal 147
 Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Talchir Group
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Tectonomagnetism
 Tectonomagnetic study in the seismoactive area of Narmada-Son lineament, central India: Preliminary results on repeat field observations 261
- Temperature gradient
 Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Texture analysis
 High-resolution satellite image segmentation using Hölder exponents 609
- Thermal emission
 Laboratory technique for quantitative thermal emissivity measurements of geological samples 391
- Thunderstorm
 A study of lightning activity over land and oceanic regions of India 467
 The interaction of large scale and mesoscale environment leading to formation of intense thunderstorms over Kolkata Part I: Doppler radar and satellite observations 441
- Topographic corrections
 Estimation of snow cover distribution in Beas basin, Indian Himalaya using satellite data and ground measurements 525
- Topographic normalization
 Assessment of different topographic corrections in AWiFS satellite imagery of Himalaya terrain 11
- Trace fossils
 Trace fossils from Talchir carbonate concretions, Giridih basin, Jharkhand 89
- Tracer
 Aquifer characteristics and its modeling around an industrial complex, Tuticorin, Tamil Nadu, India: A case study 231
- Trachyhystriosphera*
Trachyhystriosphera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575

- Track forecast
Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Transmittance
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345
- TRMM
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- TRMM PR data
A diagnosis of rainfall over South America during 1997/98 El Niño and 1998/99 La Niña events: Comparison between TRMM PR and GPCP rainfall estimates 193
- Tropical intraseasonal oscillation
Equatorial modes observed in atmospheric variables 181
- Tropical storm
Polarized microwave forward model simulations for tropical storm *Fanoos* 331
- Tropospheric stratospheric exchange
Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Turbidity maximum
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- Ultra-long waves
Energetics of lower tropospheric ultra-long waves: A key to intra-seasonal variability of Indian monsoon 115
- Upper atmosphere
Atmospheric phenomena deduced from radiosonde and GPS occultation measurements for various application related studies 49
- Upper Vindhyan
Trachyhystriichosphaera: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan 575
- Vegetation
Impact of vegetation on the simulation of seasonal monsoon rainfall over the Indian subcontinent using a regional model 413
- Ventilation coefficient
A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- Virtual potential temperature
A case study of atmospheric boundary layer features during winter over a tropical inland station – Kharagpur (22.32°N, 87.32°E) 281
- VLF hiss
Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Volatile displacement
Reply to the comments by Rabindra Nath Hota on 'Volatile displacement of Meghalaya coals – A pointer to explore low sulphur coals' 179
- Volcanology
Petrography, geochemistry and geodynamic environment of potassic alkaline rocks in Eslamy peninsula, northwest of Iran 643
- Water harvesting
SCS-CN and GIS-based approach for identifying potential water harvesting sites in the Kali Watershed, Mahi River Basin, India 355
- Water vapour content
Comparison of two split-window methods for retrieving land surface temperature from MODIS data 345
- Wave propagation
Characteristics of low latitude ionospheric E-region irregularities linked with daytime VHF scintillations measured from Varanasi 721
- Waveguide mode
Quasi-periodic VLF emissions observed during daytime at a low latitude Indian ground station Jammu 209
- Weakening
Weakening of lower tropospheric temperature gradient between Indian landmass and neighbouring oceans and its impact on Indian monsoon 273
- Western disturbances
Western disturbances seen with AMSU-B and infrared sensors 27
- WiFS
Monitoring and evaluation of seasonal snow cover in Kashmir valley using remote sensing, GIS and ancillary data 711
- Wind spectra
On the influence of spatial heterogeneity on an internal boundary layer at a short fetch 61
- Winds
Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India 369
- WRF model
Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model 309
- Yamuna–Krishni
Groundwater flow modelling of Yamuna–Krishni interstream, a part of central Ganga Plain Uttar Pradesh 507