

SUBJECT INDEX

Aerosols and particles

Atmospheric aerosol characteristics retrieved using ground based solar extinction studies at Mohal in the Kullu valley of northwestern Himalayan region, India 221

Impact of continental meteorology and atmospheric circulation in the modulation of Aerosol Optical Depth over the Arabian Sea 263

Seasonal variability in aerosol optical and physical characteristics estimated using the application of the Ångström formula over Mohal in the northwestern Himalaya, India 697

Atmospheric chemistry

Influences of the boundary layer evolution on surface ozone variations at a tropical rural site in India 911

Surface ozone variation at Bhubaneswar and intra-corelation study with various parameters 1163

Yearly variation and annual cycle of total column ozone over New Delhi (29°N, 77°E), India and Halley Bay (76°S, 27°W), British Antarctic Survey Station and its effect on night airglow intensity of OH(8, 3) for the period 1979–2005 1527

Atmospheric Sciences

Abnormally large magnetospheric electric field on 9 November 2004 and its effect on equatorial ionosphere around the world 1145

An artificial neural network based fast radiative transfer model for simulating infrared sounder radiances 891

Atmospheric aerosol characteristics retrieved using ground based solar extinction studies at Mohal in the Kullu valley of northwestern Himalayan region, India 221

Atmospheric water budget over the western Himalayas in a regional climate model 963

Audible thunder characteristic and the relation between peak frequency and lightning parameters 211

Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989

Carbon dioxide and water vapour characteristics on the west coast of Arabian Sea during Indian summer monsoon 903

Development of multimodel ensemble based district level medium range rainfall forecast system for Indian region 273

Effect of cloud occurrences on tropospheric ozone over Alipore (22.52°N, 88.33°E), India 711

Estimation of radon concentration in dwellings in and around Guwahati 237

Impact of global warming on cyclonic disturbances over south Asian region 203

Implementation of Polar WRF for short range prediction of weather over Maitri region in Antarctica 1125

Influences of the boundary layer evolution on surface ozone variations at a tropical rural site in India 911

Nature of light rain during presence and absence of bright band 947

Offshore wind speed and wind power characteristics for ten locations in Aegean and Ionian Seas 975

Palm leaves from the Late Oligocene sediments of Makum Coalfield, Assam, India 747

Rainfall and temperature scenarios for Bangladesh for the middle of 21st century using RegCM 287

Seasonal variability in aerosol optical and physical characteristics estimated using the application of the Ångström formula over Mohal in the northwestern Himalaya, India 697

Sensitivity of tropical cyclone Jal simulations to physics parameterizations 923

Study of ionospheric anomalies due to impact of typhoon using Principal Component Analysis and image processing 1001

Surface ozone scenario at Pune and Delhi during the decade of 1990s 373

Surface ozone variation at Bhubaneswar and intra-corelation study with various parameters 1163

The diagnosis of severe thunderstorms with high-resolution WRF model 297

Tidal and gravity waves study from the airglow measurements at Kolhapur (India) 1511

Yearly variation and annual cycle of total column ozone over New Delhi (29°N, 77°E), India and Halley Bay (76°S, 27°W), British Antarctic Survey Station and its effect on night airglow intensity of OH(8, 3) for the period 1979–2005 1527

Biogeoscience

A fruit wing of *Shorea* Roxb. from the Early Miocene sediments of Kachchh, Gujarat and its bearing on palaeoclimatic interpretation 195

Holocene climatic fluctuations from Lower Brahmaputra flood plain of Assam, northeast India 135

Occurrence of helically coiled microfossil *Obruchevella* in the Owk Shale of the Kurnool Group and its significance 755

Palynostratigraphy and age correlation of subsurface strata within the sub-basins in Singrauli Gondwana Basin, India 1071

Permian Triassic palynofloral transition in Chintalapudi area, Godavari Graben, Andhra Pradesh, India 1287

Permian–Triassic palynostratigraphy in Mailaram area, Godavari Graben, Andhra Pradesh, India 1257

Pterospermumocarpon, a new malvalean fruit from the Sindhudurg Formation (Miocene) of Maharashtra, India, and its phytogeographical significance 183

- Stratigraphic status of coal horizon in Tatapani–Ramkola Coalfield, Chhattisgarh, India 537
 Vegetation history and salinity gradient during the last 3700 years in Pichavaram estuary, India 1229
- Climate change
 Rainfall and temperature scenarios for Bangladesh for the middle of 21st century using RegCM 287
- Coupled systems
 Study of ionospheric anomalies due to impact of typhoon using Principal Component Analysis and image processing 1001
- Cryosphere
 An assessment of the FlowCapt acoustic sensor for measuring snowdrift in the Indian Himalayas 1483
 Glacier fluctuation using Satellite Data in Beas basin, 1972–2006, Himachal Pradesh, India 1105
 Monitoring of Gangotri glacier using remote sensing and ground observations 855
- Data analysis
 A new atlas of temperature and salinity for the North Indian Ocean 559
 Above-ground tree outside forest (TOF) phytomass and carbon estimation in the semi-arid region of southern Haryana: A synthesis approach of remote sensing and field data 1469
 An assessment of the FlowCapt acoustic sensor for measuring snowdrift in the Indian Himalayas 1483
 Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers 125
 Atmospheric aerosol characteristics retrieved using ground based solar extinction studies at Mohal in the Kullu valley of northwestern Himalayan region, India 221
 Audible thunder characteristic and the relation between peak frequency and lightning parameters 211
 Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989
 Evaluation of short-period rainfall estimates from Kalpana-1 satellite using MET software 1113
 Optimising view angles for the estimation of leaf area index via entropy-difference analysis 687
 Prediction of monthly mean daily global solar radiation using Artificial Neural Network 1501
 Spectral evaluation of Earth geopotential models and an experiment on its regional improvement for geoid modeling 823
 Study of ionospheric anomalies due to impact of typhoon using Principal Component Analysis and image processing 1001
 Surface ozone variation at Bhubaneswar and intra-correlation study with various parameters 1163
- Experiments
 Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989
 Estimation of radon concentration in dwellings in and around Guwahati 237
- Exploration geophysics
 Exploring deep potential aquifer in water scarce crystalline rocks 1455
- Temporal geoelectric behaviour of dyke aquifers in northern Deccan Volcanic Province, India 723
- General/other
 Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers 125
 Spectral evaluation of Earth geopotential models and an experiment on its regional improvement for geoid modeling 823
- Geochemistry
 Behaviour of REEs in a tropical estuary and adjacent continental shelf of southwest coast of India: Evidence from anomalies 1215
 Chemical characterisation of meltwater draining from Gangotri Glacier, Garhwal Himalaya, India 625
 Estimation of radon concentration in dwellings in and around Guwahati 237
 Fluid–rock interaction across the South Tibetan Detachment, Garhwal Himalaya (India): Mineralogical and geochemical evidences 29
 Geochemical characteristics of Mesoproterozoic metabasite dykes from the Chhotanagpur Gneissic Terrain, eastern India: Implications for their emplacement in a plate margin tectonic environment 509
 Geochemistry of abyssal peridotites from the super slow-spreading Southwest Indian Ridge near 65°E: Implications for magma source and seawater alteration 1317
 Hydrochemistry of surface water and groundwater from a fractured carbonate aquifer in the Helwan area, Egypt 109
 Identifying key processes in the hydrochemistry of a basin through the combined use of factor and regression models 491
 Lime muds and their genesis off-Northwestern India during the late Quaternary 769
 Metallogenic epoch of the Jiapigou gold belt, Jilin Province, China: Constrains from rare earth element, fluid inclusion geochemistry and geochronology 1401
 Mineral chemistry of Pangidi basalt flows from Andhra Pradesh 525
 Petrology, geochemistry of hornblende gabbro and associated dolerite dyke of Paharpur, Puruliya, West Bengal: Implication for petrogenetic process and tectonic setting 793
 Tomographic, hydrochemical and isotopic investigations of the salinization processes in the oasis shallow aquifers, Nefzaoua region, southwestern Tunisia 1185
 Toxic gas emissions from the Kayseri peat deposit, central Anatolia, Turkey 1305
- Geochronology
 Evaluation of the Holocene environmental changes of the southwest coast, India: A palaeopalynological approach 1093
 Metallogenic epoch of the Jiapigou gold belt, Jilin Province, China: Constrains from rare earth element, fluid inclusion geochemistry and geochronology 1401
 Ninety million years of orogenesis, 250 million years of quiescence and then further orogenesis with no change in PT: Significance for the role of deformation in porphyroblast growth 1365
- Geodynamics
 A genetic algorithm approach for assessing soil liquefaction potential based on reliability method 45

- Multifractal analysis of earthquakes in Kumaun Himalaya and its surrounding region 1033
- Geology
- A fruit wing of *Shorea* Roxb. from the Early Miocene sediments of Kachchh, Gujarat and its bearing on palaeoclimatic interpretation 195
- Analysis of lineament swarms in a Precambrian metamorphic rocks in India 453
- Deciphering heavy metal contamination zones in soils of a granitic terrain of southern India using factor analysis and GIS 1059
- Depositional environment and provenance of Middle Siwalik sediments in Tista valley, Darjiling District, Eastern Himalaya, India 73
- Diagenesis of Holocene reef and associated beachrock of certain coral islands, Gulf of Mannar, India: Implication on climate and sea level 733
- Evaluation of the Holocene environmental changes of the southwest coast, India: A palaeopalynological approach 1093
- Hydrochemistry of surface water and groundwater from a fractured carbonate aquifer in the Helwan area, Egypt 109
- Late Quaternary fine silt deposits of Jammu, NW Himalaya: Genesis and climatic significance 165
- Lower Oligocene bivalves of Ramanian Stage from Kachchh, Gujarat, India 405
- Mapping hydrothermal altered mineral deposits using Landsat 7 ETM+ image in and around Kuju volcano, Kyushu, Japan 1049
- Metallogenic epoch of the Jiapigou gold belt, Jilin Province, China: Constrains from rare earth element, fluid inclusion geochemistry and geochronology 1401
- Ninety million years of orogenesis, 250 million years of quiescence and then further orogenesis with no change in PT: Significance for the role of deformation in porphyroblast growth 1365
- Occurrence of helically coiled microfossil *Obruchevella* in the Owk Shale of the Kurnool Group and its significance 755
- Petrology, geochemistry of hornblende gabbro and associated dolerite dyke of Paharpur, Puruliya, West Bengal: Implication for petrogenetic process and tectonic setting 793
- Provenance of the Late Neogene Siwalik sandstone, Kumaun Himalayan Foreland Basin: Constraints from the metamorphic rank and index of detrital rock fragments 781
- Stratigraphic and palaeoenvironmental framework of the Early Permian sequence in the Salt Range, Pakistan 1239
- Suspended sediment concentration and particle size distribution, and their relationship with heavy metal content 63
- Toxic gas emissions from the Kayseri peat deposit, central Anatolia, Turkey 1305
- Geomorphology
- Evaluation of the Holocene environmental changes of the southwest coast, India: A palaeopalynological approach 1093
- Geoinformatics for assessing the morphometric control on hydrological response at watershed scale in the Upper Indus Basin 659
- Geomorphological evidences of post-LGM glacial advancements in the Himalaya: A study from Chorabari Glacier, Garhwal Himalaya, India 149
- Late Quaternary fine silt deposits of Jammu, NW Himalaya: Genesis and climatic significance 165
- Multivariate erosion risk assessment of lateritic badlands of Birbhum (West Bengal, India): A case study 1441
- Suspended sediment concentration and particle size distribution, and their relationship with heavy metal content 63
- The assessment of geodiversity – a premise for declaring the geopark Buzăului County (Romania) 1493
- Geophysics
- Atmospheric aerosol characteristics retrieved using ground based solar extinction studies at Mohal in the Kullu valley of northwestern Himalayan region, India 221
- Audible thunder characteristic and the relation between peak frequency and lightning parameters 211
- Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989
- Estimation of radon concentration in dwellings in and around Guwahati 237
- Exploring deep potential aquifer in water scarce crystalline rocks 1455
- Gravimetric geoid of a part of south India and its comparison with global geopotential models and GPS-levelling data 1025
- Mapping hydrothermal altered mineral deposits using Landsat 7 ETM+ image in and around Kuju volcano, Kyushu, Japan 1049
- Modelling near subsurface temperature with mixed type boundary condition for transient air temperature and vertical groundwater flow 1177
- Study of ionospheric anomalies due to impact of typhoon using Principal Component Analysis and image processing 1001
- Temporal geoelectric behaviour of dyke aquifers in northern Deccan Volcanic Province, India 723
- Hydrology
- Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers 125
- Chemical characterisation of meltwater draining from Gangotri Glacier, Garhwal Himalaya, India 625
- Evaluation of short-period rainfall estimates from Kalpana-1 satellite using MET software 1113
- Exploring deep potential aquifer in water scarce crystalline rocks 1455
- Geoinformatics for assessing the morphometric control on hydrological response at watershed scale in the Upper Indus Basin 659
- Hydrochemistry of surface water and groundwater from a fractured carbonate aquifer in the Helwan area, Egypt 109
- Identifying key processes in the hydrochemistry of a basin through the combined use of factor and regression models 491
- Impact of climate change on flood characteristics in Brahmaputra basin using a macro-scale distributed hydrological model 637

- Modelling near subsurface temperature with mixed type boundary condition for transient air temperature and vertical groundwater flow 1177
- Suspended sediment concentration and particle size distribution, and their relationship with heavy metal content 63
- Temporal geoelectric behaviour of dyke aquifers in northern Deccan Volcanic Province, India 723
- Instruments and techniques
- Atmospheric aerosol characteristics retrieved using ground based solar extinction studies at Mohal in the Kullu valley of northwestern Himalayan region, India 221
- Marine geology and geophysics
- Gravity anomalies, crustal structure and rift tectonics at the Konkan and Kerala basins, western continental margin of India 813
- Lime muds and their genesis off-Northwestern India during the late Quaternary 769
- Meteorology
- Carbon dioxide and water vapour characteristics on the west coast of Arabian Sea during Indian summer monsoon 903
- Characteristic features of winter precipitation and its variability over northwest India 611
- Development of a perfect prognosis probabilistic model for prediction of lightning over south-east India 355
- Development of multimodel ensemble based district level medium range rainfall forecast system for Indian region 273
- Evaluation of short-period rainfall estimates from Kalpana-1 satellite using MET software 1113
- How good are the simulations of tropical SST–rainfall relationship by IPCC AR4 atmospheric and coupled models? 595
- Impact of climate change on flood characteristics in Brahmaputra basin using a macro-scale distributed hydrological model 637
- Impact of global warming on cyclonic disturbances over south Asian region 203
- Implementation of Polar WRF for short range prediction of weather over Maitri region in Antarctica 1125
- Nature of light rain during presence and absence of bright band 947
- Optimising view angles for the estimation of leaf area index via entropy-difference analysis 687
- Rainfall and temperature scenarios for Bangladesh for the middle of 21st century using RegCM 287
- Sensitivity of tropical cyclone Jal simulations to physics parameterizations 923
- The diagnosis of severe thunderstorms with high-resolution WRF model 297
- The performance of different cumulus parameterization schemes in simulating the 2006/2007 southern peninsular Malaysia heavy rainfall episodes 317
- Wintertime land surface characteristics in climatic simulations over the western Himalayas 329
- Mineralogy and petrology
- Diagenesis of Holocene reef and associated beachrock of certain coral islands, Gulf of Mannar, India: Implication on climate and sea level 733
- Geochemical characteristics of Mesoproterozoic metabasite dykes from the Chhotanagpur Gneissic Terrain, eastern India: Implications for their emplacement in a plate margin tectonic environment 509
- Lime muds and their genesis off-Northwestern India during the late Quaternary 769
- Mineral chemistry of lava flows from Linga area of the Eastern Deccan Volcanic Province, India 91
- Ninety million years of orogenesis, 250 million years of quiescence and then further orogenesis with no change in PT: Significance for the role of deformation in porphyroblast growth 1365
- Petrology, geochemistry of hornblende gabbro and associated dolerite dyke of Paharpur, Puruliya, West Bengal: Implication for petrogenetic process and tectonic setting 793
- Petrotectonic framework of granulites from northern part of Chilka Lake area, Eastern Ghats Belt, India: Compressional vis-à-vis transpressional tectonics 1
- Provenance of the Late Neogene Siwalik sandstone, Kumaun Himalayan Foreland Basin: Constraints from the metamorphic rank and index of detrital rock fragments 781
- Modelling
- Altimeter data assimilation in the tropical Indian Ocean using water property conserving scheme 251
- Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers 125
- Atmospheric water budget over the western Himalayas in a regional climate model 963
- Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989
- Development of a perfect prognosis probabilistic model for prediction of lightning over south-east India 355
- How good are the simulations of tropical SST–rainfall relationship by IPCC AR4 atmospheric and coupled models? 595
- Landslide susceptibility analysis using Probabilistic Certainty Factor Approach: A case study on Tevankarai stream watershed, India 1337
- Metallogenic epoch of the Jiapigou gold belt, Jilin Province, China: Constrains from rare earth element, fluid inclusion geochemistry and geochronology 1401
- Modelling near subsurface temperature with mixed type boundary condition for transient air temperature and vertical groundwater flow 1177
- Monsoon sensitivity to aerosol direct radiative forcing in the community atmosphere model 867
- Prediction of monthly mean daily global solar radiation using Artificial Neural Network 1501
- Simulation of suspended sediment transport initialized with satellite derived suspended sediment concentrations 1201
- Spectral evaluation of Earth geopotential models and an experiment on its regional improvement for geoid modeling 823
- The diagnosis of severe thunderstorms with high-resolution WRF model 297
- The performance of different cumulus parameterization schemes in simulating the 2006/2007 southern peninsular Malaysia heavy rainfall episodes 317

- Wintertime land surface characteristics in climatic simulations over the western Himalayas 329
- Monsoons
- Evaluation of short-period rainfall estimates from Kalpana-1 satellite using MET software 1113
 - How good are the simulations of tropical SST–rainfall relationship by IPCC AR4 atmospheric and coupled models? 595
 - Monsoon sensitivity to aerosol direct radiative forcing in the community atmosphere model 867
- Natural hazards
- A study on seismicity and seismic hazard for Karnataka State 475
 - Deterministic seismic hazard macrozonation of India 1351
 - Evaluation of short-period rainfall estimates from Kalpana-1 satellite using MET software 1113
 - Impact of climate change on flood characteristics in Brahmaputra basin using a macro-scale distributed hydrological model 637
 - Landslide susceptibility analysis using Probabilistic Certainty Factor Approach: A case study on Tevankarai stream watershed, India 1337
 - Multifractal analysis of earthquakes in Kumaun Himalaya and its surrounding region 1033
 - Sensitivity of tropical cyclone Jal simulations to physics parameterizations 923
 - Statistical models of interoccurrence times of Iranian earthquakes on the basis of information criteria 463
 - The diagnosis of severe thunderstorms with high-resolution WRF model 297
- Oceanography
- A new atlas of temperature and salinity for the North Indian Ocean 559
 - Altimeter data assimilation in the tropical Indian Ocean using water property conserving scheme 251
 - Seasonal variations in biomass and species composition of seaweeds along the northern coasts of Persian Gulf (Bushehr Province) 241
 - Simulation of suspended sediment transport initialized with satellite derived suspended sediment concentrations 1201
 - Variations in nearshore waves along Karnataka, west coast of India 393
 - Wave hindcast experiments in the Indian Ocean using MIKE 21 SW model 385
- Physical geography
- Gravimetric geoid of a part of south India and its comparison with global geopotential models and GPS-levelling data 1025
- Planetary Sciences
- Abnormally large magnetospheric electric field on 9 November 2004 and its effect on equatorial ionosphere around the world 1145
 - Detection of Mg spinel lithologies on central peak of crater Theophilus using Moon Mineralogy Mapper (M3) data from Chandrayaan-1 847
 - Seasonal variations in biomass and species composition of seaweeds along the northern coasts of Persian Gulf (Bushehr Province) 241
- Remote sensing
- Above-ground tree outside forest (TOF) phytomass and carbon estimation in the semi-arid region of southern Haryana: A synthesis approach of remote sensing and field data 1469
 - Altimeter data assimilation in the tropical Indian Ocean using water property conserving scheme 251
 - An artificial neural network based fast radiative transfer model for simulating infrared sounder radiances 891
 - Analysis of lineament swarms in a Precambrian metamorphic rocks in India 453
 - Deciphering heavy metal contamination zones in soils of a granitic terrain of southern India using factor analysis and GIS 1059
 - Geoinformatics for assessing the morphometric control on hydrological response at watershed scale in the Upper Indus Basin 659
 - Glacier fluctuation using Satellite Data in Beas basin, 1972–2006, Himachal Pradesh, India 1105
 - Mapping hydrothermal altered mineral deposits using Landsat 7 ETM+ image in and around Kujū volcano, Kyushu, Japan 1049
 - Modelling and analyzing the watershed dynamics using Cellular Automata (CA)–Markov model – A geo-information based approach 1011
 - Monitoring of Gangotri glacier using remote sensing and ground observations 855
 - Nature of light rain during presence and absence of bright band 947
 - Optimising view angles for the estimation of leaf area index via entropy-difference analysis 687
 - Simulation of suspended sediment transport initialized with satellite derived suspended sediment concentrations 1201
 - Tidal and gravity waves study from the airglow measurements at Kolhapur (India) 1511
- Seismology
- A study on seismicity and seismic hazard for Karnataka State 475
 - Deterministic seismic hazard macrozonation of India 1351
 - Estimation of radon concentration in dwellings in and around Guwahati 237
 - Multifractal analysis of earthquakes in Kumaun Himalaya and its surrounding region 1033
 - Simultaneous estimation of earthquake source parameters and crustal Q value from broadband data of selected aftershocks of the 2001 M_w 7.7 Bhuj earthquake 1421
 - Spatial variation of the aftershock activity across the Kachchh Rift Basin and its seismotectonic implications 439
 - Stochastic finite-fault modelling of strong earthquakes in Narmada South Fault, Indian Shield 837
 - Temporal and spatial variations in the magnitude of completeness for homogenized moment magnitude catalogue for northeast India 19
- Structure of the earth
- Gravimetric geoid of a part of south India and its comparison with global geopotential models and GPS-levelling data 1025
 - Petrotectonic framework of granulites from northern part of Chilka Lake area, Eastern Ghats Belt, India: Compressional vis-à-vis transpressional tectonics 1

- Spectral evaluation of Earth geopotential models and an experiment on its regional improvement for geoid modeling 823
- Terrestrial ionosphere and magnetosphere
- Abnormally large magnetospheric electric field on 9 November 2004 and its effect on equatorial ionosphere around the world 1145
 - Calibration of regional ionospheric delay with uncombined precise point positioning and accuracy assessment 989
 - Ionospheric irregularities at Antarctic using GPS measurements 345
 - Study of ionospheric anomalies due to impact of typhoon using Principal Component Analysis and image processing 1001
- Upper atmosphere
- Abnormally large magnetospheric electric field on 9 November 2004 and its effect on equatorial ionosphere around the world 1145
 - Ionospheric irregularities at Antarctic using GPS measurements 345
 - Tidal and gravity waves study from the airglow measurements at Kolhapur (India) 1511
- Volcanology
- Mapping hydrothermal altered mineral deposits using Landsat 7 ETM+ image in and around Kuju volcano, Kyushu, Japan 1049
 - Mineral chemistry of lava flows from Linga area of the Eastern Deccan Volcanic Province, India 91