

SUBJECT INDEX

- Aeronomy (Earth and solar-system bodies)
 Diurnal and semi-diurnal tidal structures due to O₂, O₃ and H₂O heating 1207
- Aerosols
 Air ion and pollution index variation for indoor and outdoor atmosphere at rural station Ramanandnagar (17°4'N, 74°25'E) India 229
- Atmospheric composition, physics and chemistry
 An experimental set-up for carbon isotopic analysis of atmospheric CO₂ and an example of ecosystem response during solar eclipse 2010 623
 Diurnal and semi-diurnal tidal structures due to O₂, O₃ and H₂O heating 1207
- Atmospheric Sciences
 A simple model for post-landfall intensity changes of tropical cyclone over India, Bangladesh and Myanmar coasts 967
 Air ion and pollution index variation for indoor and outdoor atmosphere at rural station Ramanandnagar (17°4'N, 74°25'E) India 229
 AIRS observations of seasonal variability in meridional temperature gradient over Indian region at 100 hPa 201
 Atmospheric correction of Earth-observation remote sensing images by Monte Carlo method 1219
 Contribution of some ozone depleting substances (ODS) and greenhouse gases (GHGs) on total column ozone growth at Srinagar (34°N, 74.8°E), India 239
 Delineation of groundwater potential zone: An AHP/ANP approach 887
 Endemism due to climate change: Evidence from *Poeciloneuron* Bedd. (Clusiaceae) leaf fossil from Assam, India 283
 Evaluation of official tropical cyclone track forecast over north Indian Ocean issued by India Meteorological Department 589
 Global distribution of *pauses* observed with satellite measurements 515
 Observation of wave generation and non-local perturbations in the atmosphere during the passage of a typhoon 603
 Recovery curves of the lightning discharges occurring in the dissipation stage of thunderstorms 531
- Biogeoscience
 Emergence and extinction of Dipterocarpaceae in western India with reference to climate change: Fossil wood evidences 1373
 Endemism due to climate change: Evidence from *Poeciloneuron* Bedd. (Clusiaceae) leaf fossil from Assam, India 283
 Fluvial trace fossils in the Middle Siwalik (Sarmatian-Pontian) of Darjeeling Himalayas, India 1023
- Further contribution to the low latitude leaf assemblage from the late Oligocene sediments of Assam and its phytogeographical significance 1341
n-Alkanes in surficial sediments of Visakhapatnam harbour, east coast of India 467
 Palynostratigraphy and depositional environment of Vastan Lignite Mine (Early Eocene), Gujarat, western India 289
 Significance of *Lockeia* and associated trace fossils from the Bada Bagh Member, Jaisalmer Formation, Rajasthan 1359
- Climate variability and change
 A comparison of *Globigerinoides ruber* calcification between upwelling and non-upwelling regions in the Arabian Sea 1153
 Detecting changes in rainfall pattern and seasonality index *vis-à-vis* increasing water scarcity in Maharashtra 639
 Formulating the spring discharge-function for the recession period by analyzing its recession curve: A case study of the Ranichauri spring (India) 1313
 Oceansat-2 and RAMA buoy winds: A comparison 1571
 On rising temperature trends at Dehradun in Doon valley of Uttarakhand, India 613
 Paleoclimatic, paleovegetational and provenance change in the Ganga Plain during the late Quaternary 1141
 Water level changes of high altitude lakes in Himalaya-Karakoram from ICESat altimetry 1533
- Coupled systems
 A modified calculation model for groundwater flowing to horizontal seepage wells 407
 A note on new indices for the equatorial Indian Ocean oscillation 1005
 Decision tree approach for classification of remotely sensed satellite data using open source support 1237
 Oceansat-2 and RAMA buoy winds: A comparison 1571
- Cryosphere
 Cross calibration of INSAT 3A CCD channel radiances with IRS P6 AWiFS sensor 957
 On rising temperature trends at Dehradun in Doon valley of Uttarakhand, India 613
- Data analysis
 Analysis of ENSO-based climate variability in modulating drought risks over western Rajasthan in India 253
 Delineation of groundwater potential zone: An AHP/ANP approach 887
 Evaluation of benthic macroinvertebrate assemblage for disturbance zonation in urban rivers using multivariate analysis: Implications for river management 1125

- Global distribution of *pauses* observed with satellite measurements 515
- Investigation of hydrogeochemical properties of the Hüdai (Afyon-Sandıklı) geothermal systems, SW Turkey 1081
- Microtremor measurements in the northern coast of İzmir Bay, Turkey to evaluate site-specific characteristics and fundamental periods by *H/V* spectral ratio method 123
- Ventilation coefficient trends in the recent decades over four major Indian metropolitan cities 537
- Experiments
- Radon and thoron anomalies along Mat fault in Mizoram, India 1507
- Varying frontal thrust spacing in mono-vergent wedges: An insight from analogue models 699
- Exploration geophysics
- A field technique for rapid lithological discrimination and ore mineral identification: Results from Mamandur Polymetal Deposit, India 93
- A practical solution in delineating thin conducting structures and suppression problem in direct current resistivity sounding 1065
- Delineation of aquifers in basaltic hard rock terrain using vertical electrical soundings data 29
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- General/other
- Analysis of carbon dioxide, water vapour and energy fluxes over an Indian teak mixed deciduous forest for winter and summer months using eddy covariance technique 1259
- Density-driven enhanced dissolution of injected CO₂ during long-term CO₂ geological storage 1387
- Evaluation of benthic macroinvertebrate assemblage for disturbance zonation in urban rivers using multivariate analysis: Implications for river management 1125
- Investigation of hydrogeochemical properties of the Hüdai (Afyon-Sandıklı) geothermal systems, SW Turkey 1081
- Oceansat-2 and RAMA buoy winds: A comparison 1571
- Palynostratigraphy and depositional environment of Vastan Lignite Mine (Early Eocene), Gujarat, western India 289
- Reflection of plane waves in an initially stressed perfectly conducting transversely isotropic solid half-space 1045
- Using artificial neural network approach for modelling rainfall-runoff due to typhoon 399
- Geochemistry
- An experimental set-up for carbon isotopic analysis of atmospheric CO₂ and an example of ecosystem response during solar eclipse 2010 623
- Core sediment biogeochemistry in specific zones of Cochin Estuarine System (CES) 1557
- Density-driven enhanced dissolution of injected CO₂ during long-term CO₂ geological storage 1387
- Evaluation of the effects of microscale chemical and isotopic heterogeneity of coral skeleton on conventional Sr/Ca and $\delta_{18}\text{O}$ paleothermometers 1335
- Genesis of iron-apatite ores in Posht-e-Badam Block (Central Iran) using REE geochemistry 795
- Geochemical assessment of light gaseous hydrocarbons in near-surface soils of Kutch-Saurashtra: Implication for hydrocarbon prospects 55
- Geochemical processes controlling the groundwater quality in lower palar river basin, southern India 419
- Geochemical study of volcanic and associated granitic rocks from Endau Rompin, Johor, Peninsular Malaysia 65
- Geochemistry of ultramafic xenoliths in Cenozoic alkali basalts from Jiangsu province, eastern China and their geological implication 777
- Hydrogeochemical analysis for Tasuj plain aquifer, Iran 1091
- Hydrogeochemistry and groundwater quality assessment of Ranipet industrial area, Tamil Nadu, India 855
- Hydrogeological characterization and assessment of groundwater quality in shallow aquifers in vicinity of Najafgarh drain of NCT Delhi 43
- Investigation of hydrogeochemical properties of the Hüdai (Afyon-Sandıklı) geothermal systems, SW Turkey 1081
- Investigation of sulphate origins in the Jeffara aquifer, southeastern Tunisia: A geochemical approach 15
- Late Paleocene-early Eocene carbon isotope stratigraphy from a near-terrestrial tropical section and antiquity of Indian mammals 163
- Numerical modelling of seawater intrusion in Shenzhen (China) using a 3D density-dependent model including tidal effects 451
- Petrological and geochemical characteristics of Paleoproterozoic ultramafic lamprophyres and carbonatites from the Chitrangi region, Mahakoshal supracrustal belt, central India 759
- Platinum group elements geochemistry of ultramafic and associated rocks from Pindar in Madawara Igneous Complex, Bundelkhand massif, central India 79
- Platinum-group elements in the Eastern Deccan volcanic province and a comparison with platinum metals of the western Deccan 1035
- Provenance and temporal variability of ice rafted debris in the Indian sector of the Southern Ocean during the last 22,000 years 491
- Soil gas radon-thoron monitoring in Dharamsala area of north-west Himalayas, India using solid state nuclear track detectors 1295
- Stability of aggregates of some weathered soils in south-eastern Nigeria in relation to their geochemical properties 1283
- Zircon U-Pb geochronology and geochemistry of rhyolitic tuff, granite porphyry and syenogranite in the Lengshuikeng ore district, SE China: Implications for a continental arc to intra-arc rift setting 809
- Geodynamics
- Arc parallel extension in Higher and Lesser Himalayas, evidence from western Arunachal Himalaya, India 715
- Varying frontal thrust spacing in mono-vergent wedges: An insight from analogue models 699
- Geology
- Arc parallel extension in Higher and Lesser Himalayas, evidence from western Arunachal Himalaya, India 715
- Characterization of weathering profile in granites and volcanosedimentary rocks in West Africa under humid tropical climate conditions. Case of the Dimbokro Catchment (Ivory Coast) 841
- Delineation of groundwater potential zone: An AHP/ANP approach 887

- Emergence and extinction of Dipterocarpaceae in western India with reference to climate change: Fossil wood evidences 1373
- Fluvial trace fossils in the Middle Siwalik (Sarmatian-Pontian) of Darjeeling Himalayas, India 1023
- Fossil Steginoporellid (Cheilostomata: Neocheilostomina), Bryozoa from the Tertiary sediments of the Western Kachchh, Gujarat, India 149
- Further contribution to the low latitude leaf assemblage from the late Oligocene sediments of Assam and its phytogeographical significance 1341
- Hydrogeochemical analysis for Tasuj plain aquifer, Iran 1091
- Hydrogeochemistry and groundwater quality assessment of Ranipet industrial area, Tamil Nadu, India 855
- Hydrogeological characterization and assessment of groundwater quality in shallow aquifers in vicinity of Najafgarh drain of NCT Delhi 43
- Investigation of hydrogeochemical properties of the Hüdai (Afyon-Sandıklı) geothermal systems, SW Turkey 1081
- Late Paleocene–early Eocene carbon isotope stratigraphy from a near-terrestrial tropical section and antiquity of Indian mammals 163
- Microtremor measurements in the northern coast of İzmir Bay, Turkey to evaluate site-specific characteristics and fundamental periods by H/V spectral ratio method 123
- Nodular features from Proterozoic Sonia Sandstone, Jodhpur Group, Rajasthan: A litho-biotectonic perspective 309
- Numerical modelling of seawater intrusion in Shenzhen (China) using a 3D density-dependent model including tidal effects 451
- Paleoenvironmental significance of clay mineral assemblages in the southeastern Arabian Sea during last 30 kyr 173
- Significance of *Lockeia* and associated trace fossils from the Bada Bagh Member, Jaisalmer Formation, Rajasthan 1359
- Varying frontal thrust spacing in mono-vergent wedges: An insight from analogue models 699
- Geomagnetism
- Diurnal and semi-diurnal tidal structures due to O_2 , O_3 and H_2O heating 1207
- Geomorphology
- Arc parallel extension in Higher and Lesser Himalayas, evidence from western Arunachal Himalaya, India 715
- Estimation of the soil strength parameters in Tertiary volcanic regolith (NE Turkey) using analytical hierarchy process 1545
- Identifying desertification risk areas using fuzzy membership and geospatial technique – A case study, Kota District, Rajasthan 1107
- Model of erosion–landslide interaction in the context of the reservoir water level variations (East Siberia, Russia): Factors, environment and mechanisms 1515
- Nodular features from Proterozoic Sonia Sandstone, Jodhpur Group, Rajasthan: A litho-biotectonic perspective 309
- On rising temperature trends at Dehradun in Doon valley of Uttarakhand, India 613
- Prediction of sediment load by sediment rating curve and neural network (ANN) in El Kebir catchment, Algeria 1303
- Geophysics
- A practical solution in delineating thin conducting structures and suppression problem in direct current resistivity sounding 1065
- Air ion and pollution index variation for indoor and outdoor atmosphere at rural station Ramanandnagar ($17^{\circ}4'N$, $74^{\circ}25'E$) India 229
- Comparative analysis of Vening-Meinesz Moritz isostatic models using the constant and variable crust-mantle density contrast – a case study of Zealandia 339
- Existence of torsional surface waves in an earth's crustal layer lying over a sandy mantle 1411
- External field characterization using CHAMP satellite data for induction studies 651
- Hydrogeochemistry and groundwater quality assessment of Ranipet industrial area, Tamil Nadu, India 855
- Influence of epicentral distance on local seismic response in Kolkata City, India 321
- Microtremor measurements in the northern coast of İzmir Bay, Turkey to evaluate site-specific characteristics and fundamental periods by H/V spectral ratio method 123
- Radon and thoron anomalies along Mat fault in Mizoram, India 1507
- Reflection of plane waves in an initially stressed perfectly conducting transversely isotropic solid half-space 1045
- Stability of aggregates of some weathered soils in south-eastern Nigeria in relation to their geochemical properties 1283
- The efficacy of support vector machines (SVM) in robust determination of earthquake early warning magnitudes in central Japan 1423
- Geosciences
- An Ediacaran–Cambrian thermal imprint in Rajasthan, western India: Evidence from ^{40}Ar – ^{39}Ar geochronology of the Sindreh volcanics 1477
- Chondrule-like object from the Indian Ocean cosmic spherules 1161
- Estimation of the soil strength parameters in Tertiary volcanic regolith (NE Turkey) using analytical hierarchy process 1545
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- Metamorphic evolution of the contact aureole of the Jhirkadandi pluton, Sonbhadra district, Mahakoshal mobile belt, central India 743
- Model of erosion–landslide interaction in the context of the reservoir water level variations (East Siberia, Russia): Factors, environment and mechanisms 1515
- Petrography and petrogenesis of some Indian basaltic achondrites derived from the HED parent body: Insights from electron microprobe analyses 729
- The Sidi Mohamed Peridotites (Edough Massif, NE Algeria): Evidence for an upper mantle origin 1455
- Zircon U–Pb geochronology and geochemistry of rhyolitic tuff, granite porphyry and syenogranite in the Lengshuikeng ore district, SE China: Implications for a continental arc to intra-arc rift setting 809

Hydrology

- A modified calculation model for groundwater flowing to horizontal seepage wells 407
- A practical solution in delineating thin conducting structures and suppression problem in direct current resistivity sounding 1065
- Analysis of ENSO-based climate variability in modulating drought risks over western Rajasthan in India 253
- Characterization of weathering profile in granites and volcanosedimentary rocks in West Africa under humid tropical climate conditions. Case of the Dimbokro Catchment (Ivory Coast) 841
- Delineation of groundwater potential zone: An AHP/ANP approach 887
- Density-driven enhanced dissolution of injected CO₂ during long-term CO₂ geological storage 1387
- Evaluation of benthic macroinvertebrate assemblage for disturbance zonation in urban rivers using multivariate analysis: Implications for river management 1125
- Evaluation of topographic index in relation to terrain roughness and DEM grid spacing 869
- Formulating the spring discharge-function for the recession period by analyzing its recession curve: A case study of the Ranichauri spring (India) 1313
- Gridded daily Indian monsoon rainfall for 14 seasons: Merged TRMM and IMD gauge analyzed values 1173
- Hydrogeochemical analysis for Tasuj plain aquifer, Iran 1091
- Hydrogeochemistry and groundwater quality assessment of Ranipet industrial area, Tamil Nadu, India 855
- Hydrogeological characterization and assessment of groundwater quality in shallow aquifers in vicinity of Najafgarh drain of NCT Delhi 43
- Investigation of sulphate origins in the Jeffara aquifer, southeastern Tunisia: A geochemical approach 15
- Modelling catchment hydrological responses in a Himalayan Lake as a function of changing land use and land cover 433
- Numerical modelling of seawater intrusion in Shenzhen (China) using a 3D density-dependent model including tidal effects 451
- On rising temperature trends at Dehradun in Doon valley of Uttarakhand, India 613
- Prediction of sediment load by sediment rating curve and neural network (ANN) in El Kebir catchment, Algeria 1303
- Present and future water resources in India: Insights from satellite remote sensing and a dynamic global vegetation model 1
- Using artificial neural network approach for modelling rainfall-runoff due to typhoon 399
- Water level changes of high altitude lakes in Himalaya-Karakoram from ICESat altimetry 1533

Igneous

- Platinum-group elements in the Eastern Deccan volcanic province and a comparison with platinum metals of the western Deccan 1035

Instruments and techniques

- A field technique for rapid lithological discrimination and ore mineral identification: Results from Mamandur Polymetal Deposit, India 93

An experimental set-up for carbon isotopic analysis of atmospheric CO₂ and an example of ecosystem response during solar eclipse 2010 623

Analysis of carbon dioxide, water vapour and energy fluxes over an Indian teak mixed deciduous forest for winter and summer months using eddy covariance technique 1259

Comparison of CloudSat and TRMM radar reflectivities 947

Decision tree approach for classification of remotely sensed satellite data using open source support 1237

Estimation of the soil strength parameters in Tertiary volcanic regolith (NE Turkey) using analytical hierarchy process 1545

Investigation of hydrogeochemical properties of the Hüdai (Afyon-Sandıklı) geothermal systems, SW Turkey 1081

Tidal variations in the Sundarbans Estuarine System, India 899

Validation of OCM-2 sensor performance in retrieving chlorophyll and TSM along the southwest Bay of Bengal coast 479

Inter-disciplinary

Evaluation of the effects of microscale chemical and isotopic heterogeneity of coral skeleton on conventional Sr/Ca and δ₁₈O paleothermometers 1335

Fluorescent dissolved organic matter in the continental shelf waters of western Bay of Bengal 1325

Isotope geology

An Ediacaran-Cambrian thermal imprint in Rajasthan, Western India: Evidence from ⁴⁰Ar-³⁹Ar geochronology of the Sindreh volcanics 1477

Paleoclimatic, paleovegetational and provenance change in the Ganga Plain during the late Quaternary 1141

Zircon U-Pb geochronology and geochemistry of rhyolitic tuff, granite porphyry and syenogranite in the Lengshuikeng ore district, SE China: Implications for a continental arc to intra-arc rift setting 809

Marine geology and geophysics

Paleoenvironmental significance of clay mineral assemblages in the southeastern Arabian Sea during last 30 kyr 173

Provenance and temporal variability of ice rafted debris in the Indian sector of the Southern Ocean during the last 22,000 years 491

Metamorphic

Insights into the P-T evolution path of Tso Moriri eclogites of the north-western Himalayas: Constraints on the geodynamic evolution of the region 677

Metamorphic evolution of the contact aureole of the Jhirkadandi pluton, Sonbhadra district, Mahakoshal mobile belt, central India 743

Meteorology

A simple model for post-landfall intensity changes of tropical cyclone over India, Bangladesh and Myanmar coasts 967

Air ion and pollution index variation for indoor and outdoor atmosphere at rural station Ramanandnagar (17°4'N, 74°25'E) India 229

AIRS observations of seasonal variability in meridional temperature gradient over Indian region at 100 hPa 201

Analysis of ENSO-based climate variability in modulating drought risks over western Rajasthan in India 253

- Evaluation of official tropical cyclone track forecast over north Indian Ocean issued by India Meteorological Department 589
- Observation of wave generation and non-local perturbations in the atmosphere during the passage of a typhoon 603
- Recent temperature trends at mountain stations on the southern slope of the central Himalayas 215
- Ventilation coefficient trends in the recent decades over four major Indian metropolitan cities 537
- Mineralogy
- Insights into the P–T evolution path of Tso Moriri eclogites of the north-western Himalayas: Constraints on the geodynamic evolution of the region 677
- Petrography and petrogenesis of some Indian basaltic achondrites derived from the HED parent body: Insights from electron microprobe analyses 729
- Mineralogy and petrology
- Geochemical study of volcanic and associated granitic rocks from Endau Rompin, Johor, Peninsular Malaysia 65
- Stability of aggregates of some weathered soils in south-eastern Nigeria in relation to their geochemical properties 1283
- Petrological and geochemical characteristics of Paleoproterozoic ultramafic lamprophyres and carbonatites from the Chitrangi region, Mahakoshal supracrustal belt, central India 759
- Modelling
- A modified calculation model for groundwater flowing to horizontal seepage wells 407
- A new perspective on the infrared brightness temperature distribution of the deep convective clouds 1195
- Analysis of ENSO-based climate variability in modulating drought risks over western Rajasthan in India 253
- Atmospheric correction of Earth-observation remote sensing images by Monte Carlo method 1219
- Comparative analysis of Vening-Meinesz Moritz isostatic models using the constant and variable crust-mantle density contrast – a case study of Zealandia 339
- Estimating minimum and maximum air temperature using MODIS data over Indo-Gangetic Plain 1593
- Existence of torsional surface waves in an earth's crustal layer lying over a sandy mantle 1411
- External field characterization using CHAMP satellite data for induction studies 651
- Landslide susceptibility mapping using support vector machine and GIS at the Golestan Province, Iran 349
- Lead time for medium range prediction of the dry spell of monsoon using multi-models 991
- Modelling catchment hydrological responses in a Himalayan Lake as a function of changing land use and land cover 433
- Modelling soil erosion risk based on RUSLE-3D using GIS in a Shivalik sub-watershed 389
- Oceansat-2 and RAMA buoy winds: A comparison 1571
- Prediction of sediment load by sediment rating curve and neural network (ANN) in El Kebir catchment, Algeria 1303
- Present and future water resources in India: Insights from satellite remote sensing and a dynamic global vegetation model 1
- Seasonal prediction of Indian summer monsoon: Sensitivity to persistent SST 1183
- Sensitivity of movement and intensity of severe cyclone AILA to the physical processes 979
- Using artificial neural network approach for modelling rainfall–runoff due to typhoon 399
- Varying frontal thrust spacing in mono-vergent wedges: An insight from analogue models 699
- Monsoons
- A new perspective on the infrared brightness temperature distribution of the deep convective clouds 1195
- A note on new indices for the equatorial Indian Ocean oscillation 1005
- AIRS observations of seasonal variability in meridional temperature gradient over Indian region at 100 hPa 201
- Gridded daily Indian monsoon rainfall for 14 seasons: Merged TRMM and IMD gauge analyzed values 1173
- Large scale features and assessment of spatial scale correspondence between TMPA and IMD rainfall datasets over Indian landmass 573
- Seasonal forecasting of Bangladesh summer monsoon rainfall using simple multiple regression model 551
- Seasonal prediction of Indian summer monsoon: Sensitivity to persistent SST 1183
- Natural hazards
- An assessment on the use of bivariate, multivariate and soft computing techniques for collapse susceptibility in GIS environ 371
- Analysis of ENSO-based climate variability in modulating drought risks over western Rajasthan in India 253
- Delineation of seismic source zones based on seismicity parameters and probabilistic evaluation of seismic hazard using logic tree approach 661
- Desertification risk mapping of the Zayandeh Rood Basin in Iran 1269
- Evaluation of official tropical cyclone track forecast over north Indian Ocean issued by India Meteorological Department 589
- Identifying desertification risk areas using fuzzy membership and geospatial technique – A case study, Kota District, Rajasthan 1107
- Influence of epicentral distance on local seismic response in Kolkata City, India 321
- Integration of speckle de-noising and image segmentation using Synthetic Aperture Radar image for flood extent extraction 559
- Intensity attenuation relation at Chamba–Garhwal area in north-west Himalaya with epicentral distance and magnitude 107
- Landslide susceptibility mapping using support vector machine and GIS at the Golestan Province, Iran 349
- Modeling soil erosion risk based on RUSLE-3D using GIS in a Shivalik sub-watershed 389
- Monitoring subsurface coal fires in Jharia coalfield using observations of land subsidence from differential interferometric synthetic aperture radar (DInSAR) 1249
- Numerical modelling of seawater intrusion in Shenzhen (China) using a 3D density-dependent model including tidal effects 451
- On rising temperature trends at Dehradun in Doon valley of Uttarakhand, India 613

- Soil gas radon–thoron monitoring in Dharamsala area of north-west Himalayas, India using solid state nuclear track detectors 1295
- Observations
- A new perspective on the infrared brightness temperature distribution of the deep convective clouds 1195
 - Analysis of carbon dioxide, water vapour and energy fluxes over an Indian teak mixed deciduous forest for winter and summer months using eddy covariance technique 1259
 - Characteristics of severe thunderstorms studied with the aid of VLF atmospherics over North–East India 1013
 - Characterizing spatial and seasonal variability of carbon dioxide and water vapour fluxes above a tropical mixed mangrove forest canopy, India 503
 - Comparison of CloudSat and TRMM radar reflectivities 947
 - Estimating minimum and maximum air temperature using MODIS data over Indo-Gangetic Plain 1593
 - Gridded daily Indian monsoon rainfall for 14 seasons: Merged TRMM and IMD gauge analyzed values 1173
 - Heterogeneity of soil surface temperature induced by xerophytic shrub in a revegetated desert ecosystem, northwestern China 831
 - Large scale features and assessment of spatial scale correspondence between TMPA and IMD rainfall datasets over Indian landmass 573
 - Lead time for medium range prediction of the dry spell of monsoon using multi-models 991
 - Low level cloud motion vectors from Kalpana-1 visible images 935
 - Oceansat-2 and RAMA buoy winds: A comparison 1571
 - Upper tropospheric water vapour variability over tropical latitudes observed using radiosonde and satellite measurements 1583
- Oceanography
- Evaluation of OSCAR ocean surface current product in the tropical Indian Ocean using *in situ* data 187
 - Provenance and temporal variability of ice rafted debris in the Indian sector of the Southern Ocean during the last 22,000 years 491
- Palaeontology
- Ichnology of the Early Cambrian Tal Group, Mussoorie Syncline, Lesser Himalaya, India 1467
- Paleo-oceanography
- Evaluation of the effects of microscale chemical and isotopic heterogeneity of coral skeleton on conventional Sr/Ca and $\delta_{18}\text{O}$ paleothermometers 1335
- Petroleum and coal
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- Physical
- Oceansat-2 and RAMA buoy winds: A comparison 1571
 - Tidal variations in the Sundarbans Estuarine System, India 899
- Physical geography
- Modelling soil erosion risk based on RUSLE-3D using GIS in a Shivalik sub-watershed 389
 - Prediction of sediment load by sediment rating curve and neural network (ANN) in El Kebir catchment, Algeria 1303
 - Recent temperature trends at mountain stations on the southern slope of the central Himalayas 215
- Planetary sciences
- A new perspective on the infrared brightness temperature distribution of the deep convective clouds 1195
 - Decision tree approach for classification of remotely sensed satellite data using open source support 1237
 - Estimating minimum and maximum air temperature using MODIS data over Indo-Gangetic Plain 1593
 - External field characterization using CHAMP satellite data for induction studies 651
 - Gridded daily Indian monsoon rainfall for 14 seasons: Merged TRMM and IMD gauge analyzed values 1173
 - Identifying desertification risk areas using fuzzy membership and geospatial technique – A case study, Kota District, Rajasthan 1107
 - Integration of speckle de-noising and image segmentation using Synthetic Aperture Radar image for flood extent extraction 559
 - Landscape level assessment of critically endangered vegetation of Lakshadweep islands using geo-spatial techniques 271
 - Low level cloud motion vectors from Kalpana-1 visible images 935
 - Monitoring subsurface coal fires in Jharia coalfield using observations of land subsidence from differential interferometric synthetic aperture radar (DInSAR) 1249
 - Palynostratigraphy and depositional environment of Vastan Lignite Mine (Early Eocene), Gujarat, western India 289
 - Upper tropospheric water vapour variability over tropical latitudes observed using radiosonde and satellite measurements 1583
 - Validation of OCM-2 sensor performance in retrieving chlorophyll and TSM along the southwest Bay of Bengal coast 479
 - Water level changes of high altitude lakes in Himalaya–Karakoram from ICESat altimetry 1533
- Quaternary geology
- Paleoclimatic, paleovegetational and provenance change in the Ganga Plain during the late Quaternary 1141
- Radiative forcing
- A new perspective on the infrared brightness temperature distribution of the deep convective clouds 1195
- Remote sensing
- A field technique for rapid lithological discrimination and ore mineral identification: Results from Mamandur Polymetal Deposit, India 93
 - AIRS observations of seasonal variability in meridional temperature gradient over Indian region at 100 hPa 201
 - Atmospheric correction of Earth-observation remote sensing images by Monte Carlo method 1219
 - Chondrule-like object from the Indian Ocean cosmic spherules 1161
 - Cross calibration of INSAT 3A CCD channel radiances with IRS P6 AWiFS sensor 957
 - Delineation of groundwater potential zone: An AHP/ANP approach 887

- Evaluation of OSCAR ocean surface current product in the tropical Indian Ocean using *in situ* data 187
- Evaluation of topographic index in relation to terrain roughness and DEM grid spacing 869
- Modelling catchment hydrological responses in a Himalayan Lake as a function of changing land use and land cover 433
- Modelling soil erosion risk based on RUSLE-3D using GIS in a Shivalik sub-watershed 389
- Observation of wave generation and non-local perturbations in the atmosphere during the passage of a typhoon 603
- Petrography and petrogenesis of some Indian basaltic achondrites derived from the HED parent body: Insights from electron microprobe analyses 729
- Validation of OCM-2 sensor performance in retrieving chlorophyll and TSM along the southwest Bay of Bengal coast 479
- Sedimentary
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- Seismology
- Existence of torsional surface waves in an earth's crustal layer lying over a sandy mantle 1411
- Influence of epicentral distance on local seismic response in Kolkata City, India 321
- The South India Precambrian crust and shallow lithospheric mantle: Initial results from the India Deep Earth Imaging Experiment (INDEX) 1435
- Two-dimensional deformation of a uniform half-space due to non-uniform movement accompanying a long vertical tensile fracture 1055
- Structural geology
- Crustal thickness mapping in Raipur–Katni area of Narmada–Son lineament in central India derived from 3D Euler deconvolution of magnetic data 1399
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- The South India Precambrian crust and shallow lithospheric mantle: Initial results from the India Deep Earth Imaging Experiment (INDEX) 1435
- Two-dimensional deformation of a uniform half-space due to non-uniform movement accompanying a long vertical tensile fracture 1055
- Tectonics
- An Ediacaran–Cambrian thermal imprint in Rajasthan, western India: Evidence from ^{40}Ar – ^{39}Ar geochronology of the Sindreth volcanics 1477
- High-resolution seismic imaging of the Sohagpur Gondwana basin, central India: Evidence for syn-sedimentary subsidence and faulting 1495
- Soil gas radon–thoron monitoring in Dharamsala area of north-west Himalayas, India using solid state nuclear track detectors 1295
- Terrestrial
- Analysis of carbon dioxide, water vapour and energy fluxes over an Indian teak mixed deciduous forest for winter and summer months using eddy covariance technique 1259
- Characterizing spatial and seasonal variability of carbon dioxide and water vapour fluxes above a tropical mixed mangrove forest canopy, India 503
- Core sediment biogeochemistry in specific zones of Cochin Estuarine System (CES) 1557
- Paleoclimatic, paleovegetational and provenance change in the Ganga Plain during the late Quaternary 1141
- Volcanology
- Tectonic shortening and coeval volcanism during the Quaternary, Northeast Japan arc 137