

Journal of Genetics, Volume 86, 2007

SUBJECT INDEX

- ABCC6* gene (human)
ABCC6 is unlikely to be a modifier gene for familial Mediterranean fever severity (Research note) 293
- accessory gland proteins
Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- age at natural menopause (AANM)
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause 269
- ageing
Chromosomal changes in ageing (Research note) 277
- alfalfa
Population genetic structure based on SSR markers in alfalfa (*Medicago sativa* L.) from various regions contiguous to the centres of origin of the species (Research note) 59
- amplified fragment length polymorphism (AFLP)
Origin of new *Brassica* types from a single intergeneric hybrid between *B. rapa* and *Orychophragmus violaceus* by rapid chromosome evolution and introgression 249
- amyloidosis
ABCC6 is unlikely to be a modifier gene for familial Mediterranean fever severity (Research note) 293
- aneuploidy
Human oocyte chromosome analyses need a standardized presentation of the results (Viewpoint) 173
- ankyrin gene cluster
Unique nucleotide polymorphism of ankyrin gene cluster in *Ara-bidopsis* 27
- Antennapedia*
Complex genetic interactions govern the temporal effects of *Antennapedia* on antenna-to-leg transformations in *Drosophila melanogaster* 111
- anthocyanin
Comparative characteristics and gene action in three petal-spotted mutants of *Gossypium hirsutum* (Research note) 81
- antisense transcription
Highly expressed genes are associated with inverse antisense transcription in mouse 103
- Arabidopsis*
Unique nucleotide polymorphism of ankyrin gene cluster in *Ara-bidopsis* 27
- ARS element
Mapping autonomously replicating sequence elements in a 73-kb region of chromosome II of the fission yeast, *Schizosaccharomyces pombe* 139
- association
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause 269
- atrial septal defect (ASD)
Isolation, characterization and genetic analysis of canine *GATA4* gene in a family of Doberman Pinschers with an atrial septal defect 241
- Bedlington terrier
Prevalence of the exon 2 deletion of the *COMMD1* gene in Australian Bedlington terriers (Research note) 289
- BPES syndrome
FOXL2 mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note) 165
- Brassica juncea*
A duplicated *coxI* gene is associated with cytoplasmic male sterility in an alloplasmic *Brassica juncea* line derived from somatic hybridization with *Diplotaxis catholica* 93
- Brassica rapa*
Origin of new *Brassica* types from a single intergeneric hybrid between *B. rapa* and *Orychophragmus violaceus* by rapid chromosome evolution and introgression 249
- BRCA1* gene (human)
High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- BRCA2* gene (human)
High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- bristle number
Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149
- Calamus thwaitesii*
Genetic structure of the rattan *Calamus thwaitesii* in core, buffer and peripheral regions of three protected areas in central Western Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants? 9
- canalization
Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149
- canine genetics
Isolation, characterization and genetic analysis of canine *GATA4* gene in a family of Doberman Pinschers with an atrial septal defect 241
- canonical *P* element
Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- Catharanthus roseus*
Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- chromosome aberrations
Chromosomal changes in ageing (Research note) 277
- chromosome introgression
Origin of new *Brassica* types from a single intergeneric hybrid between *B. rapa* and *Orychophragmus violaceus* by rapid chromosome evolution and introgression 249
- colchicine
ABCC6 is unlikely to be a modifier gene for familial Mediterranean fever severity (Research note) 293
- COMMD1* gene (dog)
Prevalence of the exon 2 deletion of the *COMMD1* gene in Australian Bedlington terriers (Research note) 289

Subject index

- compositional bias
Abundance, composition and distribution of simple sequence repeats and dinucleotide compositional bias within WSSV genomes (Research note) 69
- congenital heart defect (CHD)
Isolation, characterization and genetic analysis of canine *GATA4* gene in a family of Doberman Pinschers with an atrial septal defect 241
- conservation
Genetic structure of the rattan *Calamus thwaitesii* in core, buffer and peripheral regions of three protected areas in central Western Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants? 9
- constitutive heterochromatin
Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- copper toxicoses
Prevalence of the exon 2 deletion of the *COMMD1* gene in Australian Bedlington terriers (Research note) 289
- cotton
Comparative characteristics and gene action in three petal-spotted mutants of *Gossypium hirsutum* (Research note) 81
- coxI* gene (*Brassica juncea*)
A duplicated *coxI* gene is associated with cytoplasmic male sterility in an alloplasmic *Brassica juncea* line derived from somatic hybridization with *Diplotaxis catholica* 93
- C-positive heterochromatin
Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- crop genetics
Population genetic structure based on SSR markers in alfalfa (*Medicago sativa* L.) from various regions contiguous to the centres of origin of the species (Research note) 59
- CYP17* gene (human)
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause 269
- CYP19* gene (human)
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause 269
- Cyprinus carpio*
Cloning and study of adult-tissue-specific expression of *Sox9* in *Cyprinus carpio* 85
- cytogenetic analysis
Human oocyte chromosome analyses need a standardized presentation of the results (Viewpoint) 173
- cytoplasmic male sterility
A duplicated *coxI* gene is associated with cytoplasmic male sterility in an alloplasmic *Brassica juncea* line derived from somatic hybridization with *Diplotaxis catholica* 93
- demography
Development of nuclear DNA markers for evolutionary studies in *Plasmodium falciparum* (Research note) 65
- divergence
Unique nucleotide polymorphism of ankyrin gene cluster in *Ara-bidopsis* 27
- diversity
Patterns of nucleotide sequence variation in *ICAMI* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- DNA sequence evolution
Evolutionary appearance of mononucleotide repeats in the coding sequences of four genes in primates (Research note) 279
- DNA sequencing
Familial hypercholesterolemia associated with severe hypopalpalipoproteinemia in a Moroccan family (Research note) 159
- dog
Isolation, characterization and genetic analysis of canine *GATA4* gene in a family of Doberman Pinschers with an atrial septal defect 241
Isolation, characterization and molecular screening of canine *SLC26A2* (sulphate transporter) in German Shepherd dogs with hip dysplasia (Research note) 285
Prevalence of the exon 2 deletion of the *COMMD1* gene in Australian Bedlington terriers (Research note) 289
- dominance
Comparative characteristics and gene action in three petal-spotted mutants of *Gossypium hirsutum* (Research note) 81
- dosage compensation
Drosophila simulans *Lethal hybrid rescue* mutation (*Lhr*) rescues inviable hybrids by restoring X chromosomal dosage compensation and causes fluctuating asymmetry of development 203
- Drosophila*
Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149
- Drosophila immigrans* group
Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- Drosophila melanogaster*
The costae presenting in high-temperature-induced vestigial wings of *Drosophila*: implications for anterior wing margin formation 51
Time to death in the presence of *E. coli*: a mass-scale method for assaying pathogen resistance in *Drosophila* (Research note) 75
Complex genetic interactions govern the temporal effects of *Antennapedia* on antenna-to-leg transformations in *Drosophila melanogaster* 111
Drosophila simulans *Lethal hybrid rescue* mutation (*Lhr*) rescues inviable hybrids by restoring X chromosomal dosage compensation and causes fluctuating asymmetry of development 203
- Drosophila nasuta* subgroup
Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- Drosophila saltans*
Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- Drosophila simulans*
Drosophila simulans *Lethal hybrid rescue* mutation (*Lhr*) rescues inviable hybrids by restoring X chromosomal dosage compensation and causes fluctuating asymmetry of development 203
- Drosophila sturtevantii*
Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37

Subject index

<i>DTDST</i> gene (dog)	
Isolation, characterization and molecular screening of canine <i>SLC26A2</i> (sulphate transporter) in German Shepherd dogs with hip dysplasia (Research note)	285
dystrophic bone disease	
Isolation, characterization and molecular screening of canine <i>SLC26A2</i> (sulphate transporter) in German Shepherd dogs with hip dysplasia (Research note)	285
<i>E. coli</i>	
Time to death in the presence of <i>E. coli</i> : a mass-scale method for assaying pathogen resistance in <i>Drosophila</i> (Research note)	75
<i>ESR2</i> gene (human)	
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause	269
EST-SSR	
Construction of genetic linkage map of the medicinal and ornamental plant <i>Catharanthus roseus</i>	259
ethnic variation	
Genetic variation and population structure of interleukin genes among seven ethnic populations from Karnataka, India	187
evolution	
Unique nucleotide polymorphism of ankyrin gene cluster in <i>Ara-bidopsis</i>	27
Evolutionary appearance of mononucleotide repeats in the coding sequences of four genes in primates (Research note)	279
familial hypercholesterolemia	
Familial hypercholesterolemia associated with severe hypoal-phalipoproteinemia in a Moroccan family (Research note)	159
familial Mediterranean fever	
<i>ABCC6</i> is unlikely to be a modifier gene for familial Mediter-ranean fever severity (Research note)	293
fission yeast	
Mapping autonomously replicating sequence elements in a 73-kb region of chromosome II of the fission yeast, <i>Schizosaccha-romyces pombe</i>	139
<i>FOXL2</i> gene (human)	
<i>FOXL2</i> mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note)	165
<i>FOXL2</i> polyalanine expansion	
<i>FOXL2</i> mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note)	165
frameshift	
Evolutionary appearance of mononucleotide repeats in the coding sequences of four genes in primates (Research note)	279
<i>GATA4</i> gene (dog)	
Isolation, characterization and genetic analysis of canine <i>GATA4</i> gene in a family of Doberman Pinschers with an atrial septal defect	241
gene duplication	
Unique nucleotide polymorphism of ankyrin gene cluster in <i>Ara-bidopsis</i>	27
gene expression	
Cloning and study of adult-tissue-specific expression of <i>Sox9</i> in <i>Cyprinus carpio</i>	85
Highly expressed genes are associated with inverse antisense transcription in mouse	103
gene regulation	
Highly expressed genes are associated with inverse antisense transcription in mouse	103
genetic association	
Association study of the oestrogen signalling pathway genes in relation to age at natural menopause	269
genetic counseling	
<i>FOXL2</i> mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note)	165
genetic data analysis	
A new method of testing for Hardy–Weinberg equilibrium and ordering populations	1
genetic distance	
Abundance, composition and distribution of simple sequence repeats and dinucleotide compositional bias within WSSV genomes (Research note)	69
genetic diversity	
Genetic structure of the rattan <i>Calamus thwaitesii</i> in core, buffer and peripheral regions of three protected areas in central West-ern Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants?	9
Population genetic structure based on SSR markers in alfalfa (<i>Medicago sativa</i> L.) from various regions contiguous to the centres of origin of the species (Research note)	59
Development of nuclear DNA markers for evolutionary studies in <i>Plasmodium falciparum</i> (Research note)	65
Patterns of nucleotide sequence variation in <i>ICAMI</i> and <i>TNF</i> genes in twelve ethnic groups of India: roles of demographic history and natural selection	225
genomic <i>in situ</i> hybridization (GISH)	
Origin of new <i>Brassica</i> types from a single intergeneric hybrid between <i>B. rapa</i> and <i>Orychophragmus violaceus</i> by rapid chromosome evolution and introgression	249
gerontology	
Chromosomal changes in ageing (Research note)	277
<i>Gossypium</i>	
Meiosis in a triploid hybrid of <i>Gossypium</i> : high frequency of secondary bipolar spindles at metaphase II	45
Comparative characteristics and gene action in three petal-spotted mutants of <i>Gossypium hirsutum</i> (Research note)	81
Hardy–Weinberg equilibrium	
A new method of testing for Hardy–Weinberg equilibrium and ordering populations	1
haploinsufficiency	
<i>FOXL2</i> mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note)	165
heart development	
Isolation, characterization and genetic analysis of canine <i>GATA4</i> gene in a family of Doberman Pinschers with an atrial septal defect	241
hepatitis B surface antigen	
Mutations in the <i>S</i> gene region of hepatitis B virus genotype <i>D</i> in Turkish patients	195
Hepatitis B virus (HBV)	
Mutations in the <i>S</i> gene region of hepatitis B virus genotype <i>D</i> in Turkish patients	195

Subject index

- hip dysplasia
Isolation, characterization and molecular screening of canine *SLC26A2* (sulphate transporter) in German Shepherd dogs with hip dysplasia (Research note) 285
- hitchhiking
Nucleotide variation at the dopa decarboxylase (*Ddc*) gene in natural populations of *Drosophila melanogaster* 125
- homoeotic transformation
Complex genetic interactions govern the temporal effects of *Antennapedia* on antenna-to-leg transformations in *Drosophila melanogaster* 111
- homopolymeric runs
Evolutionary appearance of mononucleotide repeats in the coding sequences of four genes in primates (Research note) 279
- homothorax
Complex genetic interactions govern the temporal effects of *Antennapedia* on antenna-to-leg transformations in *Drosophila melanogaster* 111
- human genetics
Patterns of nucleotide sequence variation in *ICAM1* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
Chromosomal changes in ageing (Research note) 277
- human oocyte chromosomes
Human oocyte chromosome analyses need a standardized presentation of the results (Viewpoint) 173
- hypercholesterolemia
Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family (Research note) 159
- hypoalphalipoproteinemia
Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family (Research note) 159
- immune system
Time to death in the presence of *E. coli*: a mass-scale method for assaying pathogen resistance in *Drosophila* (Research note) 75
Patterns of nucleotide sequence variation in *ICAM1* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- in situ* restriction endonuclease digestion
Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- inflammation
Patterns of nucleotide sequence variation in *ICAM1* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- intergeneric hybrid
Origin of new *Brassica* types from a single intergeneric hybrid between *B. rapa* and *Orychophragmus violaceus* by rapid chromosome evolution and introgression 249
- interleukin genes
Genetic variation and population structure of interleukin genes among seven ethnic populations from Karnataka, India 189
- ISSR
Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- Karnataka
Genetic variation and population structure of interleukin genes among seven ethnic populations from Karnataka, India 189
- karyotype evolution
Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- Kullback–Leibler discrimination information function
A new method of testing for Hardy–Weinberg equilibrium and ordering populations 1
- LCAT* gene (human)
Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family (Research note) 159
- LDLR* gene (human)
Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family (Research note) 159
- Lethal hybrid rescue* gene (*Drosophila simulans*)
Drosophila simulans *Lethal hybrid rescue* mutation (*Lhr*) rescues inviable hybrids by restoring X chromosomal dosage compensation and causes fluctuating asymmetry of development 203
- life history
Time to death in the presence of *E. coli*: a mass-scale method for assaying pathogen resistance in *Drosophila* (Research note) 75
- linkage disequilibrium
Nucleotide variation at the dopa decarboxylase (*Ddc*) gene in natural populations of *Drosophila melanogaster* 125
- linkage map
Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- loss of heterozygosity
High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- marginal vein
The costae presenting in high-temperature-induced *vestigial* wings of *Drosophila*: implications for anterior wing margin formation 51
- Medicago sativa*
Population genetic structure based on SSR markers in alfalfa (*Medicago sativa* L.) from various regions contiguous to the centres of origin of the species (Research note) 59
- medicinal plant
Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- mortality
Time to death in the presence of *E. coli*: a mass-scale method for assaying pathogen resistance in *Drosophila* (Research note) 75
- mouse
Highly expressed genes are associated with inverse antisense transcription in mouse 103
- Murr1* gene (dog)
Prevalence of the exon 2 deletion of the *COMMD1* gene in Australian Bedlington terriers (Research note) 289
- mutation
Mutations in the *S* gene region of hepatitis B virus genotype D in Turkish patients 195
- natural selection
Development of nuclear DNA markers for evolutionary studies in *Plasmodium falciparum* (Research note) 65

Subject index

- Nucleotide variation at the dopa decarboxylase (*Ddc*) gene in natural populations of *Drosophila melanogaster* 125
- Patterns of nucleotide sequence variation in *ICAMI* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- natural variation
- Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- nondisjunction
- Human oocyte chromosome analyses need a standardized presentation of the results (Viewpoint) 173
- nuclear DNA markers
- Development of nuclear DNA markers for evolutionary studies in *Plasmodium falciparum* (Research note) 65
- ornamental plant
- Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- Orychophragmus violaceus*
- Origin of new *Brassica* types from a single intergeneric hybrid between *B. rapa* and *Orychophragmus violaceus* by rapid chromosome evolution and introgression 249
- O-type *P* element
- Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- ovarian cancer
- High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- p53* gene (human)
- High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- Pecari tajacu*
- Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- P* element
- Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- pfert* gene (*Plasmodium falciparum*)
- Development of nuclear DNA markers for evolutionary studies in *Plasmodium falciparum* (Research note) 65
- phylogenetic analysis
- Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- Plasmodium falciparum*
- Development of nuclear DNA markers for evolutionary studies in *Plasmodium falciparum* (Research note) 65
- polymorphism
- Association study of the oestrogen signalling pathway genes in relation to age at natural menopause 269
- polytene chromosome
- Drosophila simulans* Lethal hybrid rescue mutation (*Lhr*) rescues inviable hybrids by restoring X chromosomal dosage compensation and causes fluctuating asymmetry of development 203
- population expansion
- Patterns of nucleotide sequence variation in *ICAMI* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- population genetics
- A new method of testing for Hardy–Weinberg equilibrium and ordering populations 1
- population structure
- Genetic variation and population structure of interleukin genes among seven ethnic populations from Karnataka, India 189
- predivision
- Human oocyte chromosome analyses need a standardized presentation of the results (Viewpoint) 173
- premature ovarian failure (POF)
- FOXL2* mutations in Indian families with blepharophimosis-ptosis-epicanthus inversus syndrome (Research note) 165
- primates
- Evolutionary appearance of mononucleotide repeats in the coding sequences of four genes in primates (Research note) 279
- protected areas
- Genetic structure of the rattan *Calamus thwaitesii* in core, buffer and peripheral regions of three protected areas in central Western Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants? 9
- protein variability
- Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- pseudoxanthoma elasticum
- ABCC6* is unlikely to be a modifier gene for familial Mediterranean fever severity (Research note) 293
- RACE
- Cloning and study of adult-tissue-specific expression of *Sox9* in *Cyprinus carpio* 85
- RAPD
- Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- rattan
- Genetic structure of the rattan *Calamus thwaitesii* in core, buffer and peripheral regions of three protected areas in central Western Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants? 9
- reaction norm
- Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149
- replication origin
- Mapping autonomously replicating sequence elements in a 73-kb region of chromosome II of the fission yeast, *Schizosaccharomyces pombe* 139
- S* gene region (human)
- Mutations in the *S* gene region of hepatitis B virus genotype *D* in Turkish patients 195
- Schizosaccharomyces pombe*
- Mapping autonomously replicating sequence elements in a 73-kb region of chromosome II of the fission yeast, *Schizosaccharomyces pombe* 139
- selection
- Nucleotide variation at the dopa decarboxylase (*Ddc*) gene in natural populations of *Drosophila melanogaster* 125
- Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149

Subject index

- Patterns of nucleotide sequence variation in *ICAM1* and *TNF* genes in twelve ethnic groups of India: roles of demographic history and natural selection 225
- seminal proteins
Male accessory gland secretory protein polymorphism in natural populations of *Drosophila nasuta nasuta* and *Drosophila sulfurigaster neonasuta* 217
- sequence specific markers
Construction of genetic linkage map of the medicinal and ornamental plant *Catharanthus roseus* 259
- sex determination
Cloning and study of adult-tissue-specific expression of *Sox9* in *Cyprinus carpio* 85
- shrimp
Abundance, composition and distribution of simple sequence repeats and dinucleotide compositional bias within WSSV genomes (Research note) 69
- simple sequence repeats (SSRs)
Population genetic structure based on SSR markers in alfalfa (*Medicago sativa* L.) from various regions contiguous to the centres of origin of the species (Research note) 59
Abundance, composition and distribution of simple sequence repeats and dinucleotide compositional bias within WSSV genomes (Research note) 69
- SLC26A2* gene (dog)
Isolation, characterization and molecular screening of canine *SLC26A2* (sulphate transporter) in German Shepherd dogs with hip dysplasia (Research note) 285
- somatic hybrid
A duplicated *coxI* gene is associated with cytoplasmic male sterility in an alloplasmic *Brassica juncea* line derived from somatic hybridization with *Diplotaxis catholica* 93
- Sox9* gene (carp)
Cloning and study of adult-tissue-specific expression of *Sox9* in *Cyprinus carpio* 85
- spalt*
Complex genetic interactions govern the temporal effects of *Antennapedia* on antenna-to-leg transformations in *Drosophila melanogaster* 111
- sporadic ovarian cancer
High frequency of *BRCA1/2* and *p53* somatic inactivation in sporadic ovarian cancer (Research note) 169
- SSCP
Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family (Research note) 159
- supernumerary bipolar spindles
Meiosis in a triploid hybrid of *Gossypium*: high frequency of secondary bipolar spindles at metaphase II 45
- Tayassu pecari*
Chromosomal evolution and phylogenetic analyses in *Tayassu pecari* and *Pecari tajacu* (Tayassuidae): tales from constitutive heterochromatin 19
- tests of neutrality
Nucleotide variation at the dopa decarboxylase (*Ddc*) gene in natural populations of *Drosophila melanogaster* 125
- transcript variation
A duplicated *coxI* gene is associated with cytoplasmic male sterility in an alloplasmic *Brassica juncea* line derived from somatic hybridization with *Diplotaxis catholica* 93
- transcription factor
Cloning and study of adult-tissue-specific expression of *Sox9* in *Cyprinus carpio* 85
- transposon display
Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- transposon mobilization
Transposon display supports transpositional activity of *P* elements in species of the *saltans* group of *Drosophila* 37
- triploid hybrid
Meiosis in a triploid hybrid of *Gossypium*: high frequency of secondary bipolar spindles at metaphase II 45
- univalent chromosomes
Meiosis in a triploid hybrid of *Gossypium*: high frequency of secondary bipolar spindles at metaphase II 45
- vestigial* mutation (*Drosophila*)
The costae presenting in high-temperature-induced *vestigial* wings of *Drosophila*: implications for anterior wing margin formation 51
- Western Ghats
Genetic structure of the rattan *Calamus thwaitesii* in core, buffer and peripheral regions of three protected areas in central Western Ghats, India: do protected areas serve as refugia for genetic resources of economically important plants? 9
- white spot syndrome virus (WSSV)
Abundance, composition and distribution of simple sequence repeats and dinucleotide compositional bias within WSSV genomes (Research note) 69
- Zaprionus*
Mesosternal bristle number in a cosmopolitan drosophilid: an X-linked variable trait independent of sternopleural bristles 149