

Subject Index

- A.c drives
 Minimization and identification of conducted emission bearing current in variable speed induction motor drives using PWM inverter 615
- AC-DC conversion
 Vector control of three-phase AC/DC front-end converter 591
- Acoustic emission
 An effective sensor for tool wear monitoring in face milling: Acoustic emission 227
- Active suspensions
 Different control applications on a vehicle using fuzzy logic control 15
- Adhesion
 Elastic-plastic adhesive contact of non-Gaussian rough surfaces 367
- Annular ring
 Effect of annular secondary conductor in a linear electromagnetic stirrer 689
- Asymmetric roughness
 Elastic-plastic adhesive contact of non-Gaussian rough surfaces 367
- Auctions
 Foundations of mechanism design: A tutorial Part 2 – Advanced concepts and results 131
- Auctions
 Foundations of mechanism design: A tutorial Part 1 – Key concepts and classical results 83
- Auxiliary current
 Simplified loss analysis and comparison of full-bridge,full-range-ZVS DC-DC converters 481
- Axial force effect
 Free vibration of semi-rigid connected Reddy-Bickford piles embedded in elastic soil 781
- Axisymmetric analysis
 Axisymmetric fretting analysis in coated cylinder 299
- Axisymmetric
 Near surface stress analysis strategies for axisymmetric fretting 273
- Backward and forward sliding
 Friction tensor concept for textured surfaces 203
- Bearing current
 Minimization and identification of conducted emission bearing current in variable speed induction motor drives using PWM inverter 615
- BLDC motor
 DSP-based electric power assisted steering using BLDC motor 581
- Blending
 Mixing of solids in different mixing devices 721
- Blow holes
 effect of blow holes on the reliability of a cast component 733
- Clustering of defects
 effect of blow holes on the reliability of a cast component 733
- Coarse positioner
 Effect of friction on the performance of inertial slider 221
- Coated cylinder
 Axisymmetric fretting analysis in coated cylinder 299
- Combustion duration
 Progressive combustion in SI-engines- Experimental investigation on influence of combustion related parameters 821
- Contact forces
 Some explicit expressions for the probability distribution of force magnitude 357
- Controlled rectification
 Vector control of three-phase AC/DC front-end converter 591
- Converter
 A novel converter topology for TEM applications 537
- Coupling-inductor
 Analysis and performance of novel and highly efficient electronic ballast operating at unity-power-factor 523

- Crack observation
 Development of Digital image correlation method to analyse crack variation of masonry wallgy 767
- Decoupling control
 Robust motion control design for dual-axis motion platform using evolutionary algorithm 803
- Deformation measurement
 Development of Digital image correlation method to analyse crack variation of masonry wallgy 767
- Differential drive
 The differential induction machine: Theory and performance 663
- Digital control
 Design and implementation of FPGA-based phase modulation control for series resonant inverters 505
- Digital image correlation technology
 Development of Digital image correlation method to analyse crack variation of masonry wallgy 767
- Digital photoelasticity
 Assessment of autonomous phase unwrapping of isochromatic phase maps in digital photoelasticity 27
- Direct torque control
 Improved direct torque control of induction motor with dither injection 537
- Disc amplifier
 Design, development and performance characteristics of a large aperture disc amplifier for high power Nd: Glass laser chain 443
- Dither injection
 Improved direct torque control of induction motor with dither injection 551
- Doubly salient permanent magnet electrical machine
 Design and analysis of full pitch winding and concentrated stator pole winding three-phase flux reversal machine for low speed application 671
- Dry nitrogen cooling system
 Design, development and performance characteristics of a large aperture disc amplifier for high power Nd: Glass laser chain 443
- Dual polarity power supply
 Design, development and performance characteristics of a large aperture disc amplifier for high power Nd: Glass laser chain 443
- EAS
 DSP-based electric power assisted steering using BLDC motor 581
- Eigenvalue problem
 Free vibrations of a multi-span Timoshenko beam carrying multiple spring-mass systems 385
- Elastic support
 Free vibration analysis of elastically supported Timoshenko columns with attached masses by transfer matrix and finite element methods 57
- Elastic-plastic contact
 Elastic-plastic adhesive contact of non-Gaussian rough surfaces 367
- Elasto-plastic strain analysis
 Elasto-plastic strain analysis by a semi-analytical method 403
- Electric vehicle drive
 The differential induction machine: Theory and performance 663
- Electronic packaging
 A study aimed at characterizing the interfacial structure in a tin-silver solder on nickel-coated copper plate during aging 251
- EMI
 Minimization and identification of conducted emission bearing current in variable speed induction motor drives using PWM inverter 615
- Evolutionary algorithm
 Robust motion control design for dual-axis motion platform using evolutionary algorithm 803
- Excitation
 A novel converter topology for TEM applications 537
- Exhaust emission
 Emission control with route optimization in solid waste collection process: A case study 71
- Exponential distribution
 Some explicit expressions for the probability distribution of force magnitude 357
- Fibre reinforced polymer
 The extrinsic influence of carbon fibre reinforced plastic laminates to strengthen steel structures 261
- Finite element
 Free vibration analysis of elastically supported Timoshenko columns with attached

- masses by transfer matrix and finite element methods 57
- Finite element analysis
Effect of annular secondary conductor in a linear electromagnetic stirrer 689
- Finite element method (FEM) analysis
Design and analysis of full pitch winding and concentrated stator pole winding three-phase flux reversal machine for low speed application 671
- First order reliability method
effect of blow holes on the reliability of a cast component 733
- Flexure strengthening
The extrinsic influence of carbon fibre reinforced plastic laminates to strengthen steel structures 261
- Flowability
Mixing of solids in different mixing devices 721
- Flux reversal machine (FRM)
Design and analysis of full pitch winding and concentrated stator pole winding three-phase flux reversal machine for low speed application 671
- Force component
Some explicit expressions for the probability distribution of force magnitude 357
- Force magnitude
Some explicit expressions for the probability distribution of force magnitude 357
- Fourier transform
Near surface stress analysis strategies for axisymmetric fretting 273
- Fourier transform
Axisymmetric fretting analysis in coated cylinder 299
- FPGA
Design and implementation of FPGA-based phase modulation control for series resonant inverters 505
- Fracture behaviour
An investigation of microstructure, hardness, tensile behaviour of a titanium alloy: Role of orientation 235
- Free vibration
Free vibration of semi-rigid connected Reddy-Bickford piles embedded in elastic soil 781
- Free vibration
Free vibrations of a multi-span Timoshenko beam carrying multiple spring-mass systems 385
- Free vibration
Free vibration analysis of elastically supported Timoshenko columns with attached masses by transfer matrix and finite element methods 57
- Free vibrations Timoshenko multi-span beam
Free vibrations of a multi-span Timoshenko beam carrying multiple spring-mass systems 385
- Frequency equation
Wave propagation in coated cylinders with reference to wave propagation in coated cylinders with reference to fretting fatigue 339
- Friction tensor
Friction tensor concept for textured surfaces 203
- Friction
Influence of roughness parameters on coefficient of friction under lubricated conditions 181
- Friction
Subsurface deformation and the role of surface texture—A study with Cu pins and steel plates 191
- Friction
Study of solid lubrication with MoS₂ coating in the presence of additives using reciprocating ball-on-flat scratch tester 207
- Friction
Effect of friction on the performance of inertial slider 221
- Friction Moher circle
Friction tensor concept for textured surfaces 203
- Fuel slosh
LQG controller designs from reduced order models for a launch vehicle 1
- Full pitch winding
Design and analysis of full pitch winding and concentrated stator pole winding three-phase flux reversal machine for low speed application 671
- Full-bridge DC-DC converter
Simplified loss analysis and comparison of full-bridge,full-range-ZVS DC-DC converters 481

- Fuzzy logic control
 Different control applications on a vehicle using fuzzy logic control 15
- Fuzzy sets
 Determination of bounds on failure probability in the presence of hybrid uncertainties 753
- Game theory
 Foundations of mechanism design: A tutorial Part 1 – Key concepts and classical results 83
- Game theory
 Foundations of mechanism design: A tutorial Part 2 – Advanced concepts and results 131
- Geometrical non-linearity
 Determining large deflections in rectangular combined loaded cantilever beams made of non-linear Ludwick type material by means of different arc length assumptions 45
- GIS
 Emission control with route optimization in solid waste collection process: A case study 71
- GPOS
 Development of a laboratory model of SSSC using RTAI on Linux platform 643
- Hard real time
 Development of a laboratory model of SSSC using RTAI on Linux platform 643
- Hardness
 An investigation of microstructure, hardness, tensile behaviour of a titanium alloy: Role of orientation 235
- Harmonic extraction
 A multi-band shunt hybrid active filter with reduced sensor count 629
- Hertzian contact
 Micro and macro contact mechanics for interacting asperities 329
- High frequency fretting
 Wave propagation in coated cylinders with reference to wave propagation in coated cylinders with reference to fretting fatigue 339
- High power laser
 Design, development and performance characteristics of a large aperture disc amplifier for high power Nd: Glass laser chain 443
- Hybrid active filter
 A multi-band shunt hybrid active filter with reduced sensor count 629
- Ignition delay
 Progressive combustion in SI-engines- Experimental investigation on influence of combustion related parameters 821
- Induction machine
 The differential induction machine: Theory and performance 663
- Induction motor drives
 Improved direct torque control of induction motor with dither injection 551
- Inertial slider
 Effect of friction on the performance of inertial slider 221
- Inserts
 An effective sensor for tool wear monitoring in face milling: Acoustic emission 227
- Interaction stress field
 Micro and macro contact mechanics for interacting asperities 329
- Interconnections
 A study aimed at characterizing the interfacial structure in a tin-silver solder on nickel-coated copper plate during aging 251
- Isochromatic
 Assessment of autonomous phase unwrapping of isochromatic phase maps in digital photoelasticity 27
- Joint set
 A more general model for the analysis of the rock slope stability 433
- Large deflection
 Determining large deflections in rectangular combined loaded cantilever beams made of non-linear Ludwick type material by means of different arc length assumptions 45
- Launch vehicle
 LQG controller designs from reduced order models for a launch vehicle 1
- Layered cylinder
 Wave propagation in coated cylinders with reference to fretting fatigue 339

- Limit cycle
 Design and implementation of FPGA-based phase modulation control for series resonant inverters 505
- Linear electron magnetic stirrer
 Effect of annular secondary conductor in a linear electromagnetic stirrer 689
- Loaded natural frequency
 Elasto-plastic strain analysis by a semi-analytical method 403
- Logistic model
 Progressive combustion in SI-engines- Experimental investigation on influence of combustion related parameters 821
- Loss analysis
 Simplified loss analysis and comparison of full-bridge,full-range-ZVS DC-DC converters 481
- LQG controller design
 LQG controller designs from reduced order models for a launch vehicle 1
- Lubrication
 Influence of roughness parameters on coefficient of friction under lubricated conditions 181
- Maple
 Some explicit expressions for the probability distribution of force magnitude 357
- Masonry structure
 Development of Digital image correlation method to analyse crack variation of masonry wallgy 767
- Material non-linearity
 Determining large deflections in rectangular combined loaded cantilever beams made of non-linear Ludwick type material by means of different arc length assumptions 45
- Mechanism design
 Foundations of mechanism design: A tutorial Part 2 – Advanced concepts and results 131
- Mechanism design
 Foundations of mechanism design: A tutorial Part 1 – Key concepts and classical results 83
- MFB
 Progressive combustion in SI-engines- Experimental investigation on influence of combustion related parameters 821
- Micro structure
 An investigation of microstructure, hardness, tensile behaviour of a titanium alloy: Role of orientation 235
- Mixer
 Mixing of solids in different mixing devices 721
- Molybdenum disupphide
 Additives using reciprocating ball-on-flat scratch tester 207
- Monte carlo simulation
 Effect of blow holes on the reliability of a cast component 733
- Multi-objective optimization
 Robust motion control design for dual-axis motion platform using evolutionary algorithm 803
- Multiple synchronous
 A multi-band shunt hybrid active filter with reduced sensor count 629
- Necessity measure
 Determination of bounds on failure probability in the presence of hybrid uncertainties 753
- Neural network
 Robust motion control design for dual-axis motion platform using evolutionary algorithm 803
- Non-gaussian rough surfaces
 Elastic–plastic adhesive contact of non-Gaussian rough surfaces 367
- Non-uniform taper bar
 Elasto–plastic strain analysis by a semi-analytical method 403
- Note on plagiarism
 Note on plagiarism 69
- Parametric statistic
 Mixing of solids in different mixing devices 721
- Phase map
 Assessment of autonomous phase unwrapping of isochromatic phase maps in digital photoelasticity 27
- Phase modulation control
 Design and implementation of FPGA-based phase modulation control for series resonant inverters 505

- Photoelasticity
 Micro and macro contact mechanics for interacting asperities 329
- Plagiarism
 Note on Plagiarism 69
- Platforms
 Robust motion control design for dual-axis motion platform using evolutionary algorithm 803
- Poly phase
 Shape memory alloy based motor 699
- Possibility measure
 Determination of bounds on failure probability in the presence of hybrid uncertainties 753
- Power booster
 Design and development of high voltage high power operational amplifier using thick film technology 713
- Power factor correction
 Vector control of three-phase AC/DC front-end converter 591
- Power factor correction
 Analysis and performance of novel and highly efficient electronic ballast operating at unity-power-factor 523
- Power operational amplifier
 Design and development of high voltage high power operational amplifier using thick film technology 713
- Power quality
 A multi-band shunt hybrid active filter with reduced sensor count 629
- Printed circuit board
 A study aimed at characterizing the interfacial structure in a tin-silver solder on nickel-coated copper plate during aging 251
- Probability of failure
 Determination of bounds on failure probability in the presence of hybrid uncertainties 753
- PWM converter
 Vector control of three-phase AC/DC front-end converter 591
- Reciprocating scratch tester
 additives using reciprocating ball-on-flat scratch tester 207
- Reddy-Bickford pile
 Free vibration of semi-rigid connected Reddy-Bickford piles embedded in elastic soil 781
- Reference frames
 A multi-band shunt hybrid active filter with reduced sensor count 629
- Ripple
 Shape memory alloy based motor 699
- Rotary actuator
 Shape memory alloy based motor 699
- Rotating disk
 Elasto-plastic strain analysis by a semi-analytical method 403
- Rough hub
 Micro and macro contact mechanics for interacting asperities 329
- Roughness parameters
 Influence of roughness parameters on coefficient of friction under lubricated conditions 181
- Route optimization
 Emission control with route optimization in solid waste collection process: A case study 71
- RTAI
 Development of a laboratory model of SSSC using RTAI on Linux platform 643
- Safety assessment
 Determination of bounds on failure probability in the presence of hybrid uncertainties 753
- Second order reliability method
 effect of blow holes on the reliability of a cast component 733
- Semi-rigid connected
 Free vibration of semi-rigid connected Reddy-Bickford piles embedded in elastic soil 781
- Series resonant inverter
 Design and implementation of FPGA-based phase modulation control for series resonant inverters 505
- Shape memory alloy (SMA)
 Shape memory alloy based motor 699
- Shear
 The extrinsic influence of carbon fibre reinforced plastic laminates to strengthen steel structures 261
- Shrink-fit
 Micro and macro contact mechanics for interacting asperities 329
- Sliding force
 A more general model for the analysis of the rock slope stability 433

- Slip ring induction machines
 Space and time harmonics related problems and their mitigation for position and speed sensor-less slip-ring induction motor drives applications 565
- Slope stability
 A more general model for the analysis of the rock slope stability 433
- Social choice functions
 Foundations of mechanism design: A tutorial Part 2 – Advanced concepts and results 131
- Social choice functions
 Foundations of mechanism design: A tutorial Part 1 – Keyconcepts and classical results 83
- Solder bumps
 A study aimed at characterizing the interfacial structure in a tin-silver solder on nickel-coated copper plate during aging 251
- Solid cylinder
 Near surface stress analysis strategies for axisymmetric fretting 273
- Solid waste collection
 Emission control with route optimization in solid waste collection process: A case study 71
- Speed estimation
 Space and time harmonics related problems and their mitigation for position and speed sensor-less slip-ring induction motor drives 565
- Spring-mass systems
 Free vibrations of a multi-span Timoshenko beam carrying multiple spring-mass systems 385
- SSSC
 Development of a laboratory model of SSSC using RTAI on Linux platform 643
- Static
 Axisymmetric fretting analysis in coated cylinder 299
- Steel beams
 The extrinsic influence of carbon fibre reinforced plastic laminates to strengthen steel structures 261
- Steering
 DSP-based electric power assisted steering using BLDC motor 581
- Stress waves
 Wave propagation in coated cylinders with reference to wave propagation in coated cylinders with reference to fretting fatigue 339
- Strian gradient
 Subsurface deformation and the role of surface texture—A study with Cu pins and steel plates 191
- Subsurface deformation
 Subsurface deformation and the role of surface texture—A study with Cu pins and steel plates 191
- Surface texture
 Influence of roughness parameters on coefficient of friction under lubricated conditions 181
- Surface texture
 Friction tensor concept for textured surfaces 203
- Surface textures
 Subsurface deformation and the role of surface texture—A study with Cu pins and steel plates 191
- Synchronous reference frame control
 Vector control of three-phase AC/DC front-end converter 591
- TEM
 A novel converter topology for TEM applications 537
- Tensile properties
 An investigation of microstructure, hardness, tensile behaviour of a titanium alloy: Role of orientation 235
- Thermal aging performance
 A study aimed at characterizing the interfacial structure in a tin-silver solder on nickel-coated copper plate during aging 251
- Thermal resistance
 Design and development of high voltage high power operational amplifier using thick film technology 713
- Three-level converter
 Improved direct torque control of induction motor with dither injection 551
- Timoshenko column
 Free vibration analysis of elastically supported Timoshenko columns with attached masses by transfer matrix and finite element methods 57
- Tool wearing monitoring
 An effective sensor for tool wear monitoring in face milling:Acoustic emission 227

- Topology
 A novel converter topology for TEM applications 537
- Torque
 Shape memory alloy based motor 699
- Trabzon
 Emission control with route optimization in solid waste collection process: A case study 71
- Trace length
 A more general model for the analysis of the rock slope stability 433
- Transfer matrix
 Free vibration of semi-rigid connected Reddy-Bickford piles embedded in elastic soil 781
- Transfer matrix
 Free vibration analysis of elastically supported Timoshenko columns with attached masses by transfer matrix and finite element methods 57
- Transmitter
 A novel converter topology for TEM applications 537
- Turkey
 Emission control with route optimization in solid waste collection process: A case study 71
- Type II controller
 Development of a laboratory model of SSSC using RTAI on Linux platform 663
- Unity power factor
 Analysis and performance of novel and highly efficient electronic ballast operating at unity-power-factor 523
- Unwrapping
 Assessment of autonomous phase unwrapping of isochromatic phase maps in digital photoelasticity 27
- Vector control
 Vector control of three-phase AC/DC front-end converter 591
- Vehicle model
 Different control applications on a vehicle using fuzzy logic control 15
- Vehicle vibrations
 Different control applications on a vehicle using fuzzy logic control 15
- VSC
 Development of a laboratory model of SSSC using RTAI on Linux platform 643
- Wear
 of additives using reciprocating ball-on-flat scratch tester 207
- Wedge failure
 A more general model for the analysis of the rock slope stability 433
- Zero voltage switching
 Analysis and performance of novel and highly efficient electronic ballast operating at unity-power-factor 523
- Zero-voltage switching
 Design and implementation of FPGA-based phase modulation control for series resonant inverters 505
- ZVS
 Simplified loss analysis and comparison of full-bridge,full-range-ZVS DC-DC converters 481