

Subject Index

- 3D CPC
 Optical and thermal performance of a three-dimensional compound parabolic concentrator for spherical absorber 369
- Absolute/convective instability
 Effects of mass transfer on a resonance instability in the laminar boundary layer flow over a rotating-disk 947
- Acoustic emission energy
 Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- Acoustic emission
 Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- Acoustic waves
 Acoustic reflection from the boundary of anisotropic thermoviscoelastic solid with fluid 1017
- Adhesive
 Development of artificial articular cartilage 823
- Air viscous damping
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- Analytical model
 Effect of metal coating and residual stress on the resonant frequency of MEMS resonators 651
- Anisotropy
 Acoustic reflection from the boundary of anisotropic thermoviscoelastic solid with fluid 1017
- ANSYS Multiphysics
 System integration design in MEMS – A case study of micromachined load cell 663
- Antibody
 Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- Arrow's theorem
 Formalizing Arrow's theorem 193
- Artificial articular cartilage
 Development of artificial articular cartilage 823
- Attenuation
 Acoustic reflection from the boundary of anisotropic thermoviscoelastic solid with fluid 1017
- Bandwidth
 Design and characterization of in-plane MEMS yaw rate sensor 633
- Bangla and Devnagari scripts
 A contour distance-based approach for multi-oriented and multi-sized character recognition 755
- Bayesian sequential estimation
 Sequential Bayesian technique: An alternative approach for software reliability estimation 235
- Biomicrofluidics
 Biomicrofluidics: Recent trends and future challenges 573
- Bridge
 Reliability of redundant ductile structures with uncertain system failure criteria 903
- Buy-back
 A coordination theoretic model for three level supply chains using contracts 767
- Calculus of inductive constructions
 A compact kernel for the calculus of inductive constructions 71
- Catalyst
 Development and test of a new catalytic converter for natural gas fuelled engine 467
- Chaos
 Cryptographic pseudo-random sequences from the chaotic Hénon map 689
- Clustering algorithms
 Automatic transcription of continuous speech into syllable-like units for Indian languages 221
- Clustering
 Improving word coverage using unsupervised morphological analyzer 703

- CNG-DI engine
Development and test of a new catalytic converter for natural gas fuelled engine 467
- Cohesive crack method
Effect of softening function on the cohesive crack fracture parameters of concrete CT specimen 987
- Colloidal stability
Development of artificial articular cartilage 823
- Compact tension test
Effect of softening function on the cohesive crack fracture parameters of concrete CT specimen 987
- Complex wavelet transform
SVD-based digital image watermarking using complex wavelet transform 393
- Component test
A model for signal processing and predictive control of semi-active structural control system 421
- Compression
Entropy generation in the flow system generated in between two parallel plates due to bivertical motion of the top plate 455
- Concrete fracture models
State-of-the-art review on fracture analysis of concrete structural components 345
- Concrete fracture
Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- Concrete fracture
State-of-the-art review on fracture analysis of concrete structural components 345
- Constrained coding
Application of MTR soft-decision decoding in multiple-head magnetic recording systems 381
- Coordination
A coordination theoretic model for three level supply chains using contracts 767
- Coupled heat and mass transfer
Study of coupled heat and mass transfer during absorption of hydrogen in $\text{MmNi}_{4.6}\text{Al}_{0.4}$ based hydrogen storage device 255
- Crack growth
State-of-the-art review on fracture analysis of concrete structural components 345
- Crack mouth opening displacement
Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- Cracked rotor
Application of 3D wavelet transforms for crack detection in rotor systems 407
- Cross wavelet transform (XWT)
Application of 3D wavelet transforms for crack detection in rotor systems 407
- Cryptography
Cryptographic pseudo-random sequences from the chaotic Hénon map 689
- CVQ
An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- CWT
Application of 3D wavelet transforms for crack detection in rotor systems 407
- Deep reactive ion etching
An X band RF MEMS switch based on silicon-on-glass architecture 625
- Diagnostics
Application of 3D wavelet transforms for crack detection in rotor systems 407
- Dielectric films
RF sputtering: A viable tool for MEMS fabrication 543
- Differential coating
Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Digital image watermarking
SVD-based digital image watermarking using complex wavelet transform 393
- Dip-slip fault
Static deformation due to a long buried dip-slip fault in an isotropic half-space welded with an orthotropic half-space 887
- Direct spatial resonance
Effects of mass transfer on a resonance instability in the laminar boundary layer flow once a rotating-disk 947
- Dispersion equation
Effect of surface stress and irregularity of the interface on the propagation of SH-waves in the magneto-elastic crustal layer based on a solid semi space 309

- Document analysis
 A contour distance-based approach for multi-oriented and multi-sized character recognition 755
- Drive mode
 Design and characterization of in-plane MEMS yaw rate sensor 633
- Emissions
 Development and test of a new catalytic converter for natural gas fuelled engine 467
- Entropy
 Entropy generation in a channel resembling gas turbine cooling passage: Effect of rotation number and density ratio on entropy generation 439
- Entropy
 Entropy generation in the flow system generated in between two parallel plates due to bivertical motion of the top plate 455
- Erosion–corrosion behaviour
 Erosion–corrosion behaviour of Ni-based superalloy Superni-75 in the real service environment of the boiler 299
- Exergoeconomic performance
 Profit rate performance optimization for a generalized irreversible combined refrigeration cycle 851
- Experimental results
 Effect of metal coating and residual stress on the resonant frequency of MEMS resonators 651
- External cavity laser sensor
 Of light, of MEMS: Optical MEMS in telecommunications and beyond 599
- Fabry–Perot interferometry
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- Finite element analysis
 Heat transfer studies for a crystal in a synchrotron radiation beamline 243
- Finite-time thermodynamics
 Profit rate performance optimization for a generalized irreversible combined refrigeration cycle 851
- Flood & floodworks
 Discharge estimation in compound channels with fixed and mobile bed 923
- Fluid flow
 Entropy generation in the flow system generated in between two parallel plates due to bivertical motion of the top plate 455
- Focal length control
 Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Force sensor
 System integration design in MEMS – A case study of micromachined load cell 663
- Formal software verification
 Operating system verification—An overview 27
- Formalization of mathematics
 Formalizing Arrow's theorem 193
- Formalized Mathematics
 Proof assistants: History, ideas and future 3
- Fractional-order integral derivative control
 Fractional-order integral and derivative controller for temperature profile tracking 833
- Fracture process zone
 Effect of softening function on the cohesive crack fracture parameters of concrete CT specimen 987
- Fuller distribution
 Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- FVQ
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Game theory
 Revenue sharing in semiconductor industry supply chain: Cooperative game theoretic approach 501
- Gas turbine
 Entropy generation in a channel resembling gas turbine cooling passage: Effect of rotation number and density ratio on entropy generation 439
- Generalized irreversible combined refrigeration cycle
 Profit rate performance optimization for a generalized irreversible combined refrigeration cycle 851
- Generalized thermodynamic optimization
 Profit rate performance optimization for a generalized irreversible combined refrigeration cycle 851

- Gibbard–Satterthwaite theorem
 Formalizing Arrow's theorem 193
- GMM
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- GMM–UBM
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Harsh environments
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- Harsh environments
 Sensors and packages based on LTCC and thick-film technology for severe conditions 677
- Heat flow
 Fractional-order integral and derivative controller for temperature profile tracking 833
- Heat load
 Heat transfer studies for a crystal in a synchrotron radiation beamline 243
- High Dimensional Model Representation
 Stochastic sensitivity analysis using HDMR and score function 967
- High vacuum tribology
 High vacuum tribology of polycrystalline diamond coatings 811
- Hot filament CVD
 High vacuum tribology of polycrystalline diamond coatings 811
- Hotwire CVD
 Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- Human languages
 Improving word coverage using unsupervised morphological analyzer 703
- Hydrogen storage
 Study of coupled heat and mass transfer during absorption of hydrogen in $\text{MmNi}_{4.6}\text{Al}_{0.4}$ based hydrogen storage device 255
- Hydromagnetic effects
 Asymptotic stability of linearly evolving non-stationary modes in a uniform hydromagnetic field over a rotating-disk flow with suction and injection 1039
- Immobilization
 Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- Importance sampling
 Reliability of redundant ductile structures with uncertain system failure criteria 903
- Indian script
 A contour distance-based approach for multi-oriented and multi-sized character recognition 755
- Interactive theorem provers
 A compact kernel for the calculus of inductive constructions 71
- Interdependency
 A coordination theoretic model for three level supply chains using contracts 767
- Interface advection
 Some numerical studies of interface advection properties of level set method 271
- Irregularity of the interface
 Effect of surface stress and irregularity of the interface on the propagation of SH-waves in the magneto-elastic crustal layer based on a solid semi space 309
- Isabelle/HOL
 Proving the correctness of client/server software 145
- Isotropic conductive adhesives
 Investigation of wall-slip effect on lead-free solder paste and isotropic conductive adhesives 799
- Isotropic half-space
 Static deformation due to a long buried dip-slip fault in an isotropic half-space welded with an orthotropic half-space 887
- Kalman filter
 Sequential Bayesian technique: An alternative approach for software reliability estimation 235
- Kernel
 A compact kernel for the calculus of inductive constructions 71
- Lab-on-a-chip
 Biomicrofluidics: Recent trends and future challenges 573
- Lattice model
 Modelling heterogeneity of concrete using 2D lattice network for concrete fracture and comparison with AE study 865
- Level set method
 Some numerical studies of interface advection properties of level set method 271

- Lift-off process
 A new approach to integrate PLZT thin films with micro-cantilevers 563
- Limestone powder
 The effect of limestone powder, fly ash and silica fume on the properties of self-compacting repair mortars 331
- Limited data
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Linear model
 Reverse stream flow routing by using Muskingum models 483
- Linguistic research
 Improving word coverage using unsupervised morphological analyzer 703
- Load cell
 System integration design in MEMS – A case study of micromachined load cell 663
- Logic
 Proof assistants: History, ideas and future 3
- LTCC
 Sensors and packages based on LTCC and thick-film technology for severe conditions 677
- LVQ
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Magneto-elastic crustal layer
 Effect of surface stress and irregularity of the interface on the propagation of SH-waves in the magneto-elastic crustal layer based on a solid semi space 309
- Mass conservation
 Some numerical studies of interface advection properties of level set method 271
- Mathematical modelling
 Discharge estimation in compound channels with fixed and mobile bed 923
- Matita
 A compact kernel for the calculus of inductive constructions 71
- Maximum transition run codes
 Application of MTR soft-decision decoding in multiple-head magnetic recording systems 381
- Mechanical strength
 Development of artificial articular cartilage 823
- MEMS
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- MEMS
 Composite Si/PS membrane pressure sensors with micro and macro-porous silicon 643
- MEMS
 RF sputtering: A viable tool for MEMS fabrication 543
- MEMS
 Structure, properties, and MEMS and micro-electronic applications of vanadium oxides 531
- Metal coating
 Effect of metal coating and residual stress on the resonant frequency of MEMS resonators 651
- Metal hydride
 Study of coupled heat and mass transfer during absorption of hydrogen in $MmNi_{4.6}Al_{0.4}$ based hydrogen storage device 255
- Micro total analysis System (.TAS)
 Biomicrofluidics: Recent trends and future challenges 573
- Microbolometers
 Structure, properties, and MEMS and micro-electronic applications of vanadium oxides 531
- Microcantilever
 Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- Micro-cantilevers
 A new approach to integrate PLZT thin films with micro-cantilevers 563
- Microfluidics
 Biomicrofluidics: Recent trends and future challenges 573
- Microlens
 Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Micromachining
 RF sputtering: A viable tool for MEMS fabrication 543
- Microstructures
 Microstructures using RF sputtered PSG film as a sacrificial layer in surface micromachining 557
- Mizar
 Formalizing Arrow's theorem 193

- MOEMS
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- Monte Carlo simulation
 Reliability of redundant ductile structures with uncertain system failure criteria 903
- Morphological segmentation
 Improving word coverage using unsupervised morphological analyzer 703
- Multi-oriented character recognition
 A contour distance-based approach for multi-oriented and multi-sized character recognition 755
- Multiple-head magnetic recording systems
 Application of MTR soft-decision decoding in multiple-head magnetic recording systems 381
- Muskingum model
 Reverse stream flow routing by using Muskingum models 483
- Mutuality
 A coordination theoretic model for three level supply chains using contracts 767
- Ni-based superalloy
 Erosion–corrosion behaviour of Ni-based superalloy Superni-75 in the real service environment of the boiler 299
- Noise reduction
 A model for signal processing and predictive control of semi-active structural control system 421
- Noisy speech
 Application of combined temporal and spectral processing methods for speaker recognition under noisy, reverberant or multi-speaker environments 729
- Non-interference
 Proving the correctness of client/server software 145
- Nonlinear difference equations
 Cryptographic pseudo-random sequences from the chaotic Hénon map 689
- Nonlinear model
 Reverse stream flow routing by using Muskingum models 483
- Nonlinear
 Periodic response of nonlinear dynamical system with large number of degrees of freedom 1033
- Numerical diffusion
 Some numerical studies of interface advection properties of level set method 271
- OCR
 A contour distance-based approach for multi-oriented and multi-sized character recognition 755
- OEM catco
 Development and test of a new catalytic converter for natural gas fuelled engine 467
- Operating system correctness
 Proving the correctness of client/server software 145
- Operating systems
 Operating system verification—An overview 27
- Optical and thermal efficiency of CPC
 Optical and thermal performance of a three-dimensional compound parabolic concentrator for spherical absorber 369
- Optical fibre
 Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Optical MEMS
 Of light, of MEMS: Optical MEMS in telecommunications and beyond 599
- Optical switch
 Of light, of MEMS: Optical MEMS in telecommunications and beyond 599
- Orthotropic half-space
 Static deformation due to a long buried dipslip fault in an isotropic half-space welded with an orthotropic half-space 887
- Packaging
 Sensors and packages based on LTCC and thick-film technology for severe conditions 677
- Parallel plates
 Entropy generation in the flow system generated in between two parallel plates due to bivertical motion of the top plate 455
- Parameter estimation
 Reverse stream flow routing by using Muskingum models 483
- Partial response
 Application of MTR soft-decision decoding in multiple-head magnetic recording systems 381

- Passage
 Entropy generation in a channel resembling gas turbine cooling passage: Effect of rotation number and density ratio on entropy generation 439
- Periodic response
 Periodic response of nonlinear dynamical system with large number of degrees of freedom 1033
- Piezoelectric films
 RF sputtering: A viable tool for MEMS fabrication 543
- Piezo-resistance
 System integration design in MEMS – A case study of micromachined load cell 663
- Piezo-resistive
 Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- PLZT thin films
 A new approach to integrate PLZT thin films with micro-cantilevers 563
- PMA
 Design and characterization of in-plane MEMS yaw rate sensor 633
- Polycrystalline diamond coatings
 High vacuum tribology of polycrystalline diamond coatings 811
- Polymer optical MEMS
 Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Porosity
 Composite Si/PS membrane pressure sensors with micro and macro-porous silicon 643
- Porous silicon
 Composite Si/PS membrane pressure sensors with micro and macro-porous silicon 643
- Predictive control
 A model for signal processing and predictive control of semi-active structural control system 421
- Pressure sensor
 A novel MOEMS pressure sensor: Modelling and experimental evaluation 615
- Pressure sensor
 Composite Si/PS membrane pressure sensors with micro and macro-porous silicon 643
- Proof assistant
 Proof assistants: History, ideas and future 3
- Proof errors
 Formalizing Arrow's theorem 193
- Pure perovskite phase
 A new approach to integrate PLZT thin films with micro-cantilevers 563
- PVA/Si nanocomposite
 Development of artificial articular cartilage 823
- Quantity flexibility
 A coordination theoretic model for three level supply chains using contracts 767
- Random number generation
 Cryptographic pseudo-random sequences from the chaotic Hénon map 689
- Rate sensor
 Design and characterization of in-plane MEMS yaw rate sensor 633
- Reflection
 Acoustic reflection from the boundary of anisotropic thermoviscoelastic solid with fluid 1017
- Remaining life
 State-of-the-art review on fracture analysis of concrete structural components 345
- Remote procedure calling
 Proving the correctness of client/server software 145
- Residual stress
 Effect of metal coating and residual stress on the resonant frequency of MEMS resonators 651
- Resonator
 Effect of metal coating and residual stress on the resonant frequency of MEMS resonators 651
- Revenue sharing
 Revenue sharing in semiconductor industry supply chain: Cooperative game theoretic approach 501
- Reverberant speech and multi-speaker speech
 Application of combined temporal and spectral processing methods for speaker recognition under noisy, reverberant or multi-speaker environments 729
- Reverse stream flow routing
 Reverse stream flow routing by using Muskingum models 483
- RF MEMS
 An X band RF MEMS switch based on silicon-on-glass architecture 625

- RF sputtering
A new approach to integrate PLZT thin films with micro-cantilevers 563
- RF sputtering
Microstructures using RF sputtered PSG film as a sacrificial layer in surface micromachining 557
- RF sputtering
RF sputtering: A viable tool for MEMS fabrication 543
- Rheology
Investigation of wall-slip effect on lead-free solder paste and isotropic conductive adhesives 799
- River engineering
Discharge estimation in compound channels with fixed and mobile bed 923
- Rotating disk
Asymptotic stability of linearly evolving non-stationary modes in a uniform hydromagnetic field over a rotating-disk flow with suction and injection 1039
- Rotating-disk
Effects of mass transfer on a resonance instability in the laminar boundary layer flow over a rotating-disk 947
- Rotation
Entropy generation in a channel resembling gas turbine cooling passage: Effect of rotation number and density ratio on entropy generation 439
- Score Function
Stochastic sensitivity analysis using HDMR and score function 967
- Second law analysis
Entropy generation in the flow system generated in between two parallel plates due to bivertical motion of the top plate 455
- Self-compacting repair mortar
The effect of limestone powder, fly ash and silica fume on the properties of self-compacting repair mortars 331
- Sense mode
Design and characterization of in-plane MEMS yaw rate sensor 633
- Sensitivity
Design and characterization of in-plane MEMS yaw rate sensor 633
- Sensors
Sensors and packages based on LTCC and thick-film technology for severe conditions 677
- Sensors
Structure, properties, and MEMS and micro-electronic applications of vanadium oxides 531
- Shaft crack
Application of 3D wavelet transforms for crack detection in rotor systems 407
- Shaking table test
A model for signal processing and predictive control of semi-active structural control system 421
- Shapely Value
Revenue sharing in semiconductor industry supply chain: Cooperative game theoretic approach 501
- Shooting
Periodic response of nonlinear dynamical system with large number of degrees of freedom 1033
- SH-waves
Effect of surface stress and irregularity of the interface on the propagation of SH-waves in the magneto-elastic crustal layer based on a solid semi space 309
- Silanization
Bio-functionalization of silicon nitride-based piezo-resistive microcantilevers 591
- Silicon crystal
Heat transfer studies for a crystal in a synchrotron radiation beamline 243
- Silicon-on-insulator
An X band RF MEMS switch based on silicon-on-glass architecture 625
- Singular value decomposition
SVD-based digital image watermarking using complex wavelet transform 393
- Size effect
Effect of softening function on the cohesive crack fracture parameters of concrete CT specimen 987
- Social choice theory
Formalizing Arrow's theorem 193
- Soft-decision decoding
Application of MTR soft-decision decoding in multiple-head magnetic recording systems 381

- Softening function
 Effect of softening function on the cohesive crack fracture parameters of concrete CT specimen 987
- Software correctness
 Proof assistants: History, ideas and future 3
- Software reliability
 Sequential Bayesian technique: An alternative approach for software reliability estimation 235
- Software verification
 Proving the correctness of client/server software 145
- Solar concentrator
 Optical and thermal performance of a three-dimensional compound parabolic concentrator for spherical absorber 369
- Solder paste
 Investigation of wall-slip effect on lead-free solder paste and isotropic conductive adhesives 799
- SOM
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Speaker recognition
 An experimental comparison of modelling techniques for speaker recognition under limited data condition 717
- Speaker recognition
 Application of combined temporal and spectral processing methods for speaker recognition under noisy, reverberant or multi-speaker environments 729
- Speech enhancement
 Application of combined temporal and spectral processing methods for speaker recognition under noisy, reverberant or multi-speaker environments 729
- Speech segmentation
 Automatic transcription of continuous speech into syllable-like units for Indian languages 221
- Sputtered PSG film
 Microstructures using RF sputtered PSG film as a sacrificial layer in surface micromachining 557
- Stability analysis
 Asymptotic stability of linearly evolving non-stationary modes in a uniform hydromagnetic field over a rotating-disk flow with suction and injection 1039
- Static deformation
 Static deformation due to a long buried dip-slip fault in an isotropic half-space welded with an orthotropic half-space 887
- Statistical Moment
 Stochastic sensitivity analysis using HDMR and score function 967
- Stencil printing process
 Investigation of wall-slip effect on lead-free solder paste and isotropic conductive adhesives 799
- Stochastic Sensitivity
 Stochastic sensitivity analysis using HDMR and score function 967
- Stream ciphers
 Cryptographic pseudo-random sequences from the chaotic Hénon map 689
- Strength
 The effect of limestone powder, fly ash and silica fume on the properties of self-compacting repair mortars 331
- Structural Reliability
 Stochastic sensitivity analysis using HDMR and score function 967
- Substrate coupling
 System integration design in MEMS – A case study of micromachined load cell 663
- Suction/Injection
 Asymptotic stability of linearly evolving non-stationary modes in a uniform hydromagnetic field over a rotating-disk flow with suction and injection 1039
- Suction/Injection
 Effects of mass transfer on a resonance instability in the laminar boundary layer flow over a rotating-disk 947
- Suction-blowing
 Effects of mass transfer on a resonance instability in the laminar boundary layer flow over a rotating-disk 947
- Supercritical boilers
 Erosion–corrosion behaviour of Ni-based superalloy Superni-75 in the real service environment of the boiler 299
- Superni-75
 Erosion–corrosion behaviour of Ni-based superalloy Superni-75 in the real service environment of the boiler 299
- Supply chain contracts
 A coordination theoretic model for three level supply chains using contracts 767

- Supply chain coordination 677
 Revenue sharing in semiconductor industry supply chain: Cooperative game theoretic approach 501
- Surface micromachining
 Microstructures using RF sputtered PSG film as a sacrificial layer in surface micromachining 557
- Surface stress
 Effect of surface stress and irregularity of the interface on the propagation of SH-waves in the magneto-elastic crustal layer based on a solid semi space 309
- Synchrotron radiation
 Heat transfer studies for a crystal in a synchrotron radiation beamline 243
- System reliability
 Reliability of redundant ductile structures with uncertain system failure criteria 903
- Telecommunications
 Of light, of MEMS: Optical MEMS in telecommunications and beyond 599
- Temperature control
 Fractional-order integral and derivative controller for temperature profile tracking 833
- Temporal and spectral processing
 Application of combined temporal and spectral processing methods for speaker recognition under noisy, reverberant or multi-speaker environments 729
- Tension softening models
 State-of-the-art review on fracture analysis of concrete structural components 345
- Theorem proving
 Operating system verification—An overview 27
- Thermal reflow
 Fabrication of polymer-based reflowed microlenses on optical fibre with control of focal length using differential coating technique 607
- Thermoelectrics
 Structure, properties, and MEMS and micro-electronic applications of vanadium oxides 531
- Thermoviscoelastic
 Acoustic reflection from the boundary of anisotropic thermoviscoelastic solid with fluid 1017
- Thick-film materials
 Sensors and packages based on LTCC and thick-film technology for severe conditions
- Time compensate
 A model for signal processing and predictive control of semi-active structural control system 421
- Time delay
 A model for signal processing and predictive control of semi-active structural control system 421
- Time integration
 Periodic response of nonlinear dynamical system with large number of degrees of freedom 1033
- TiO₂CoO
 Development and test of a new catalytic converter for natural gas fuelled engine 467
- Tunable photonic crystal
 Of light, of MEMS: Optical MEMS in telecommunications and beyond 599
- Uncertainty
 Reliability of redundant ductile structures with uncertain system failure criteria 903
- Unconstrained minimization
 Reverse stream flow routing by using Muskingum models 483
- Unsupervised morphological analyzer
 Improving word coverage using unsupervised morphological analyzer 703
- Unsupervised training
 Automatic transcription of continuous speech into syllable-like units for Indian languages 221
- Vanadium oxides
 Structure, properties, and MEMS and micro-electronic applications of vanadium oxides 531
- Verification
 Proof assistants: History, ideas and future 3
- Verisoft
 Proving the correctness of client/server software 145
- Viscous/inviscid linear stability
 Effects of mass transfer on a resonance instability in the laminar boundary layer flow over a rotating-disk 947
- Wall-slip
 Investigation of wall-slip effect on lead-free solder paste and isotropic conductive adhesives 799

Water absorption

The effect of limestone powder, fly ash and silica fume on the properties of self-compacting repair mortars 331

Wave velocity equation

Effect of surface stress and irregularity of the interface on the propagation of SH waves in the magneto-elastic crustal layer based on a solid semi space 309

Welded contact

Static deformation due to a long buried dip slip fault in an isotropic half-space welded with an orthotropic half-space 887

Workability

The effect of limestone powder, fly ash and silica fume on the properties of self-compacting repair mortars 331