

## Subject Index

- 3-RPS parallel manipulator  
 Synthesis of a spatial 3-RPS parallel manipulator based on physical constraints 739
- Aerodynamics  
 A simple method for potential flow simulation of cascades 649
- Aircraft motion  
 Conservative flight with a varying load factor and closed form solutions to the aircraft motion—A technical note 761
- Aircraft Performance  
 Conservative flight with a varying load factor and closed form solutions to the aircraft motion—A technical note 761
- Airfoil  
 The effect of chromium coating in RP technology for airfoil manufacturing 569
- Ambient and under water welding  
 Keyhole depth instability in case of CW CO<sub>2</sub> laser beam welding of mild steel 609
- Ancient iron  
 Effect of carbon on the mechanical properties of powder-processed Fe–0.45 wt% Palloys 481
- Ancient iron  
 Effect of chromium on the corrosion behaviour of powder-processed Fe–0.45 wt% P alloys 469
- Ant colony optimization (ACO)  
 A hybrid evolutionary algorithm for distribution feeder reconfiguration 139
- Application of modified Maxwell theory  
 Development of numerical modelling of analysis program for energy-dissipating behaviour of velocity dependent hydraulic damper 631
- Approximation methods  
 Sensitivity based reduced approaches for structural reliability analysis 319
- Aspect ratio  
 Dynamics and ‘normal stress’ evaluation of dilute suspensions of periodically forced prolate spheroids in a quiescent Newtonian fluid at low Reynolds numbers 659
- Atomic force microscope  
 Nano surface generation of grinding process using carbon nano tubes 747
- Axisymmetric  
 A generalized relationship for swirl decay in laminar pipe flow 129
- B dot probes  
 Generation and measurement of multi mega-gauss fields in inertial magnets 547
- Bank erosion  
 Sediment transport in an active erodible channel bend of Brahmaputra river 693
- Barker codes  
 Thirty-two phase sequences design with good autocorrelation properties 63
- Bed forms  
 Effects of bed-load movement on flow resistance over bed forms 681
- Bed-load resistance  
 Effects of bed-load movement on flow resistance over bed forms 681
- Bimodularity  
 Effect of bimodularity on frequency response of cylindrical panels using Galerkin time domain approach 721
- Blob(s)  
 Classification and recognition of handwritten digits by using mathematical morphology 419
- Bolt  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Cable-supported bridges  
 Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341
- Carbon fibre reinforced polymer (CFRP) cable  
 Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341

- Cascade  
A simple method for potential flow simulation of cascades 649
- Cavity  
Evanescent magnetic field effects on entropy generation at the onset of natural convection 163
- Clutch  
Engagement characteristics of a friction pad for commercial vehicle clutch system 585
- CNC end milling  
Optimization in CNC end milling of UNS C34000 medium leaded brass with multiple surface roughnesses characteristics 619
- Coating  
The effect of chromium coating in RP technology for airfoil manufacturing 569
- Code validation  
Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Collaborative recommender system (CRS)  
Kernel based collaborative recommender asystem for e-purchasing 513
- Combined cycle  
Thermodynamic modelling and optimization of a dual pressure reheat combined power cycle 597
- Computational cost  
An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- Computational fluid dynamics  
Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Conformal mapping  
A simple method for potential flow simulation of cascades 649
- Connected components  
Classification and recognition of handwritten digits by using mathematical morphology 419
- Conservative flight  
Conservative flight with a varying load factor and closed form solutions to the aircraft motion—A technical note 761
- Continuum model  
An approximate method for lateral stability analysis of wall-frame buildings including shear deformations of walls 241
- Control  
Vibration control of an elastic strip by a singular force 233
- Convection  
Evanescent magnetic field effects on entropy generation at the onset of natural convection 163
- Corrosion  
Effect of chromium on the corrosion behaviour of powder-processed Fe–0.45 wt% P alloys 469
- Crack analysis  
Application of digital-image-correlation techniques in analysing cracked cylindrical pipes 557
- Crack arrest  
The Dugdale solution for two unequal straight cracks weakening in an infinite plate 19
- Damage mechanics  
Continuum damage growth analysis using element free Galerkin method 279
- Damping coefficient  
Development of numerical modelling of analysis program for energy-dissipating behaviour of velocity dependent hydraulic damper 631
- Deaerator  
Thermodynamic modelling and optimization of a dual pressure reheat combined power cycle 597
- Decision support system (DSS)  
Kernel based collaborative recommender system for e-purchasing 513
- Delay variability  
An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- DIC  
Application of digital-image-correlation techniques in analysing cracked cylindrical pipes 557
- Digital image correlation  
Application of digital-image-correlation techniques in analysing cracked cylindrical pipes 557
- Disorder  
Identification of resonant earthquake ground motion 355

- Dispersion index  
 Identification of resonant earthquake ground motion 355
- Displacement  
 Estimation of permanent displacements of the Tehri dam in the Himalayas due to future strong earthquakes 373
- Distributed parameter system  
 Vibration control of an elastic strip by a singular force 233
- Distribution feeder reconfiguration  
 A hybrid evolutionary algorithm for distribution feeder reconfiguration 139
- Dual pressure  
 Thermodynamic modelling and optimization of a dual pressure reheat combined power cycle 597
- Duffing equation  
 Analysis of highly nonlinear oscillation systems using He's max-min method and comparison with homotopy analysis and energy balance methods 433
- Dugdale model  
 The Dugdale solution for two unequal straight cracks weakening in an infinite plate 19
- Dune  
 Effects of bed-load movement on flow resistance over bed forms 681
- Dynamic behaviour  
 Estimation of permanent displacements of the Tehri dam in the Himalayas due to future strong earthquakes 373
- Dynamic  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Earthquake  
 Estimation of permanent displacements of the Tehri dam in the Himalayas due to future strong earthquakes 373
- ECR plasma source  
 Design, fabrication, and characterization of a solenoid system to generate magnetic field for an ECR proton source 461
- Elastodynamics  
 A study on soil-structure interaction analysis in canyon-shaped topographies 255
- Elasto-plastic element free Galerkin method  
 Continuum damage growth analysis using element free Galerkin method 279
- Electric field effects  
 Influence of unbalanced voltages on the movement of metallic particle in a three phase common enclosure gas insulated busduct 393
- Electromagnet  
 Design, fabrication, and characterization of a solenoid system to generate magnetic field for an ECR proton source 461
- EM method  
 Missing data analysis and homogeneity test for Turkish precipitation series 707
- Entropy generation  
 Evanescent magnetic field effects on entropy generation at the onset of natural convection 163
- Entropy rate  
 Identification of resonant earthquake ground motion 355
- E-purchasing  
 Kernel based collaborative recommender system for e-purchasing 513
- Essential boundary condition  
 Continuum damage growth analysis using element free Galerkin method 279
- Exergy analysis  
 Thermodynamic modelling and optimization of a dual pressure reheat combined power cycle 597
- Experiments  
 Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Failure analysis  
 Engagement characteristics of a friction pad for commercial vehicle clutch system 585
- Fast reactor  
 Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Fault diagnosis  
 Time-frequency representation based on time-varying autoregressive model with applications to non-stationary rotor vibration analysis 215
- FDM  
 The effect of chromium coating in RP technology for airfoil manufacturing 569
- Fe-P alloys  
 Effect of carbon on the mechanical properties of powder-processed Fe-0.45 wt% P alloys 481

- Finite element analysis  
 Estimation of permanent displacements of the Tehri dam in the Himalayas due to future strong earthquakes 373
- Finite element method (FEM)  
 Comparative analysis of steady state heat transfer in a TBC and functionally graded air cooled gas turbine blade 1
- Finite elements  
 A study on soil–structure interaction analysis in canyon-shaped topographies 255
- Finite elements  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Flow-density curves  
 Modelling traffic congestion using queuing networks 427
- Forced vortex  
 A generalized relationship for swirl decay in laminar pipe flow 129
- Forged  
 Effect of carbon on the mechanical properties of powder-processed Fe–0.45 wt% P alloys 481
- Forged  
 Effect of chromium on the corrosion behaviour of powder-processed Fe–0.45 wt% P alloys 469
- FORM  
 Sensitivity based reduced approaches for structural reliability analysis 319
- Free vortex  
 A generalized relationship for swirl decay in laminar pipe flow 129
- Frequency content  
 Identification of resonant earthquake ground motion 355
- Frequency response  
 Effect of bimodularity on frequency response of cylindrical panels using Galerkin time domain approach 721
- Friction  
 Engagement characteristics of a friction pad for commercial vehicle clutch system 585
- Functionally graded materials (FGM)  
 Comparative analysis of steady state heat transfer in a TBC and functionally graded air cooled gas turbine blade 1
- Fuzzy adaptive particle swarm optimization (FAPSO)  
 A hybrid evolutionary algorithm for distribution feeder reconfiguration 139
- Fuzzy logic controller  
 Pneumatic motor speed control by trajectory tracking fuzzy logic controller 75
- Gas insulated substations  
 Influence of unbalanced voltages on the movement of metallic particle in a three phase common enclosure gas insulated busduct 393
- Gasketed  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Gasket  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Gaussian random variation  
 An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- GMM–UBM and combining  
 Limited data speaker identification 525
- Grinding  
 Nano surface generation of grinding process using carbon nano tubes 747
- Gruneisen parameter  
 Effects of nanoscale size dependent parameters on lattice thermal conductivity in Si nanowire 177
- $\mathcal{H}_\infty$  synchronization  
 RBF neural network based  $\mathcal{H}_\infty$  synchronization for unknown chaotic systems 449
- Hamming scan  
 Thirty-two phase sequences design with good autocorrelation properties 63
- He's energy balance method  
 Analysis of highly nonlinear oscillation systems using He's max–min method and comparison with homotopy analysis and energy balance methods 433
- Heat recovery steam generator  
 Thermodynamic modelling and optimization of a dual pressure reheat combined power cycle 597

- Heat transfer  
 Evanescent magnetic field effects on entropy generation at the onset of natural convection 163
- Heat transfer  
 Non-uniform temperature gradients and thermal stresses produced by a moving heat flux applied on a hollow sphere 195
- High molecular weight poly(vinyl chloride)  
 Preparation and characterization of plasticized high molecular weight PVC-based polymer electrolytes 87
- Homogeneity tests  
 Missing data analysis and homogeneity test for Turkish precipitation series 707
- Homotopy analysis method  
 Analysis of highly nonlinear oscillation systems using He's max–min method and comparison with homotopy analysis and energy balance methods 433
- Humps  
 Keyhole depth instability in case of CW CO<sub>2</sub> laser beam welding of mild steel 609
- Hydraulic resistance  
 Effects of bed-load movement on flow resistance over bed forms 681
- Inertial effects and particle separation  
 Dynamics and 'normal stress' evaluation of dilute suspensions of periodically forced prolate spheroids in a quiescent Newtonian fluid at low Reynolds numbers 659
- Infinite elements  
 A study on soil–structure interaction analysis in canyon-shaped topographies 255
- Iron-phosphorous alloys  
 Effect of chromium on the corrosion behaviour of powder-processed Fe–0.45 wt% P alloys 469
- Jackson networks  
 Modelling traffic congestion using queuing networks 427
- Joint  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Journal bearing  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Keyhole collapse  
 Keyhole depth instability in case of CW CO<sub>2</sub> laser beam welding of mild steel 609
- Lagrange multiplier  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Laminar pipe flow  
 A generalized relationship for swirl decay in laminar pipe flow 129
- Lattice defect  
 Effects of nanoscale size dependent parameters on lattice thermal conductivity in Si nanowire 177
- Lattice thermal conductivity  
 Effects of nanoscale size dependent parameters on lattice thermal conductivity in Si nanowire 177
- Learning law  
 RBF neural network based  $\mathcal{H}_\infty$  synchronization for unknown chaotic systems 449
- Limited training and testing data  
 Limited data speaker identification 525
- Linear matrix inequality (LMI)  
 RBF neural network based  $\mathcal{H}_\infty$  synchronization for unknown chaotic systems 449
- Low Reynolds number  
 Dynamics and 'normal stress' evaluation of dilute suspensions of periodically forced prolate spheroids in a quiescent Newtonian fluid at low Reynolds numbers 659
- LPR  
 Limited data speaker identification 525
- LPRP  
 Limited data speaker identification 525
- LVQ  
 Limited data speaker identification 525
- Magnetic field  
 Evanescent magnetic field effects on entropy generation at the onset of natural convection 163
- Manufacturing  
 The effect of chromium coating in RP technology for airfoil manufacturing 569
- Material discontinuity  
 Continuum damage growth analysis using element free Galerkin method 279
- Mechanical properties  
 Effect of carbon on the mechanical properties of powder-processed Fe–0.45 wt% P alloys 481

- Megagauss  
 Generation and measurement of multi megagauss fields in inertial magnets 547
- Mesh-free method  
 Continuum damage growth analysis using element free Galerkin method 279
- Metallic particles  
 Influence of unbalanced voltages on the movement of metallic particle in a three phase common enclosure gas insulated busduct 393
- MFSR  
 Limited data speaker identification 525
- Min-max method  
 Analysis of highly nonlinear oscillation systems using He's max-min method and comparison with homotopy analysis and energy balance methods 433
- Misalignment  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Missing values completion  
 Missing data analysis and homogeneity test for Turkish precipitation series 707
- Monte Carlo simulation (MCS) method  
 Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341
- Moving heat source  
 Non-uniform temperature gradients and thermal stresses produced by a moving heat flux applied on a hollow sphere 195
- Multi wall carbon nano tubes  
 Nano surface generation of grinding process using carbon nano tubes 747
- Multi-objective optimization  
 Optimization in CNC end milling of UNS C34000 medium leaded brass with multiple surface roughnesses characteristics 619
- Multi-physics heat transfer  
 Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Nano surface finish  
 Nano surface generation of grinding process using carbon nano tubes 747
- Nonlinear oscillation  
 Analysis of highly nonlinear oscillation systems using He's max-min method and comparison with homotopy analysis and energy balance methods 433
- Non-stationary signal  
 Time-frequency representation based on time-varying autoregressive model with applications to non-stationary rotor vibration analysis 215
- Notched beam  
 Size effect in self consolidating concrete beams with and without notches 303
- Optimization  
 Sensitivity based reduced approaches for structural reliability analysis 319
- PDF  
 An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- Periodically forced prolate spheroids  
 Dynamics and 'normal stress' evaluation of dilute suspensions of periodically forced prolate spheroids in a quiescent Newtonian fluid at low Reynolds numbers 659
- Physical constraints  
 Synthesis of a spatial 3-RPS parallel manipulator based on physical constraints 739
- Plasma expansion  
 Dynamics of plasma expansion in the pulsed laser material Interaction 493
- Plasma ionization  
 Dynamics of plasma expansion in the pulsed laser material Interaction 493
- Plastic zone  
 The Dugdale solution for two unequal straight cracks weakening in an infinite plate 19
- Plasticizer  
 Preparation and characterization of plasticized high molecular weight PVC-based polymer electrolytes 87
- Plate  
 Vibration control of an elastic strip by a singular force 233
- Plume dimension  
 Dynamics of plasma expansion in the pulsed laser material Interaction 493
- Pneumatic motor  
 Pneumatic motor speed control by trajectory tracking fuzzy logic controller 75

- Poisson software  
 Design, fabrication, and characterization of a solenoid system to generate magnetic field for an ECR proton source 461
- Polymer Electrolyte  
 Preparation and characterization of plasticized high molecular weight PVC-based polymer electrolytes 87
- Polyphase code  
 Thirty-two phase sequences design with good autocorrelation properties 63
- Positive/negative half cycles  
 Effect of bimodularity on frequency response of cylindrical panels using Galerkin time domain approach 721
- Powder metallurgy  
 Effect of carbon on the mechanical properties of powder-processed Fe-0.45 wt% P alloys 481
- Powder metallurgy  
 Effect of chromium on the corrosion behaviour of powder-processed Fe-0.45 wt% P alloys 469
- Precipitation  
 Missing data analysis and homogeneity test for Turkish precipitation series 707
- Process variation  
 An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- Pulsed laser  
 Dynamics of plasma expansion in the pulsed laser material Interaction 493
- Quadratic stiffness  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Quiescent fluid  
 Dynamics and 'normal stress' evaluation of dilute suspensions of periodically forced prolate spheroids in a quiescent Newtonian fluid at low Reynolds numbers 659
- Radar signal design  
 Thirty-two phase sequences design with good autocorrelation properties 63
- Radial basis function (RBF)  
 Kernel based collaborative recommender system for e-purchasing 513
- Radial basis function neural network (RBFNN)  
 RBF neural network based  $\mathcal{H}_\infty$  synchronization for unknown chaotic systems 449
- Random variable  
 Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341
- Rapid prototyping  
 The effect of chromium coating in RP technology for airfoil manufacturing 569
- Region filling  
 Classification and recognition of handwritten digits by using mathematical morphology 419
- Relaxation  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Reliability analysis  
 Sensitivity based reduced approaches for structural reliability analysis 319
- Relief valve  
 Development of numerical modelling of analysis program for energy-dissipating behaviour of velocity dependent hydraulic damper 631
- Resonant ground motion  
 Identification of resonant earthquake ground motion 355
- Rotor  
 Time-frequency representation based on time-varying autoregressive model with applications to non-stationary rotor vibration analysis 215
- Secondary current  
 Sediment transport in an active erodible channel bend of Brahmaputra river 693
- Sediment transport  
 Sediment transport in an active erodible channel bend of Brahmaputra river 693
- Self consolidating concrete  
 Size effect in self consolidating concrete beams with and without notches 303
- Sequence  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Shear deformation  
 An approximate method for lateral stability analysis of wall-frame buildings including shear deformations of walls 241

- Si nanowire  
Effects of nanoscale size dependent parameters on lattice thermal conductivity in Si nanowire 177
- Simulated annealing  
Thirty-two phase sequences design with good autocorrelation properties 63
- Simulated model for SAP2000  
Development of numerical modelling of analysis program for energy-dissipating behaviour of velocity dependent hydraulic damper 631
- Single turn coil technique  
Generation and measurement of multi mega-gauss fields in inertial magnets 547
- Site effects  
A study on soil–structure interaction analysis in canyon-shaped topographies 255
- Size effect model  
Size effect in self consolidating concrete beams with and without notches 303
- Sodium  
Overview of pool hydraulic design of Indian prototype fast breeder reactor 97
- Soil–structure interaction  
A study on soil–structure interaction analysis in canyon-shaped topographies 255
- Solid  
Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- SORM  
Sensitivity based reduced approaches for structural reliability analysis 319
- Speaker identification  
Limited data speaker identification 525
- Stability  
An approximate method for lateral stability analysis of wall-frame buildings including shear deformations of walls 241
- Statistical timing analysis  
An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- Stem(s)  
Classification and recognition of handwritten digits by using mathematical morphology 419
- Stochastic finite element method (SFEM)  
Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341
- Surface roughness  
Effects of nanoscale size dependent parameters on lattice thermal conductivity in Si nanowire 177
- Surface roughness  
Nano surface generation of grinding process using carbon nano tubes 747
- Suspension bridges  
Stochastic finite element analysis of long-span bridges with CFRP cables under earthquake ground motion 341
- Swirl number  
A generalized relationship for swirl decay in laminar pipe flow 129
- Synthesis  
Synthesis of a spatial 3-RPS parallel manipulator based on physical constraints 739
- Taguchi method  
Optimization in CNC end milling of UNS C34000 medium leaded brass with multiple surface roughnesses characteristics 619
- Tehri dam  
Estimation of permanent displacements of the Tehri dam in the Himalayas due to future strong earthquakes 373
- Temperature distribution  
Non-uniform temperature gradients and thermal stresses produced by a moving heat flux applied on a hollow sphere 195
- Thermal barrier coating (TBC)  
Comparative analysis of steady state heat transfer in a TBC and functionally graded air cooled gas turbine blade 1
- Thermal stress  
Non-uniform temperature gradients and thermal stresses produced by a moving heat flux applied on a hollow sphere 195
- Thinning  
Classification and recognition of handwritten digits by using mathematical morphology 419
- Throttle valve  
Development of numerical modelling of analysis program for energy-dissipating behaviour of velocity dependent hydraulic damper 631



- Tightening  
 Relaxation behaviour of gasketed joints during assembly using finite element analysis 31
- Time domain Galerkin  
 Effect of bimodularity on frequency response of cylindrical panels using Galerkin time domain approach 721
- Time-integration scheme  
 Finite element analysis of misaligned rotors on oil-film Bearings 45
- Time-varying autoregressive model  
 Time-frequency representation based on time-varying autoregressive model with applications to non-stationary rotor vibration analysis 215
- Topography  
 A study on soil-structure interaction analysis in canyon-shaped topographies 255
- Trajectory tracking  
 Pneumatic motor speed control by trajectory tracking fuzzy logic controller 75
- Transfer matrix  
 An approximate method for lateral stability analysis of wall-frame buildings including shear deformations of walls 241
- Transient magnetic field  
 Generation and measurement of multi mega-gauss fields in inertial magnets 547
- Transverse bed slope  
 Sediment transport in an active erodible channel bend of Brahmaputra river 693
- Turbine blade cooling  
 Comparative analysis of steady state heat transfer in a TBC and functionally graded air cooled gas turbine blade 1
- Turbo-machinery  
 A simple method for potential flow simulation of cascades 649
- TVAR  
 Time-frequency representation based on time-varying autoregressive model with applications to non-stationary rotor vibration analysis 215
- Uncertainty  
 Identification of resonant earthquake ground motion 355
- Uninterrupted traffic  
 Modelling traffic congestion using queuing networks 427
- Unknown chaotic systems  
 RBF neural network based  $\mathcal{H}_\infty$  synchronization for unknown chaotic systems 449
- Utility concept  
 Optimization in CNC end milling of UNS C34000 medium leaded brass with multiple surface roughnesses characteristics 619
- Varying load factor  
 Conservative flight with a varying load factor and closed form solutions to the aircraft motion—A technical note 761
- Vibration  
 Vibration control of an elastic strip by a singular force 233
- VLSI clock interconnects  
 An efficient reduction algorithm for computation of interconnect delay variability for statistical timing analysis in clock tree planning 407
- Wear  
 Engagement characteristics of a friction pad for commercial vehicle clutch system 585
- Weld depth instabilities  
 Keyhole depth instability in case of CW CO<sub>2</sub> laser beam welding of mild steel 609
- Wind tunnel  
 The effect of chromium coating in RP technology for airfoil manufacturing 569