

Subject Index

- 915 MHz
 Correlation between optical emission spectra and the process parameters of a 915 MHz microwave plasma CVD reactor used for depositing polycrystalline diamond coatings 957
- ABAQUS
 Low velocity impact behaviour of ultra high strength concrete panels 1497
- Abutments
 Live-bed scour experiments with 45° wing-wall abutments 1165
- AC power transfer distribution factor (ACPTDF)
 Transaction charges allocation using sensitivity factor methodology 377
- Acidic immersion
 Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids 1509
- Active interaction control device
 Development of semi-active hydraulic damper as active interaction control device to withstand external excitation 123
- Adaptive equalizers
 Analog domain adaptive equalizer for low power 40 Gbps DP-QPSK receivers 409
- Adaptive thresholding
 An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Adverse pressure gradient
 Mean flow structure of non-equilibrium boundary layers with adverse pressure gradient 1211
- Aerial surveillance
 Statistically tuned Gaussian background subtraction technique for UAV videos 785
- AI-based control
 AI-based adaptive control and design of autopilot system for nonlinear UAV 765
- AIC
 Development of semi-active hydraulic damper as active interaction control device to withstand external excitation 123
- Algorithms
 Give-and-take based peer-to-peer content distribution networks 843
- Analog signal processing
 Analog domain adaptive equalizer for low power 40 Gbps DP-QPSK receivers 409
- Anisotropic soil layer
 Disturbance of SH-type waves due to moving stress discontinuity in an anisotropic soil layer overlying an inhomogeneous elastic half-space 451
- Artificial neural network
 Particle swarm optimization of a neural network model in a machining process 533
- Automatic window
 Developing an intelligent control system of automatic window motor with diverse wireless sensor network devices 809
- Autopilot system
 AI-based adaptive control and design of autopilot system for nonlinear UAV 765
- Axial force
 An exact dynamic stiffness matrix for axially loaded double-beam systems 607
- Bacillus*
 Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids 1509
- Back propagation algorithm
 Particle swarm optimization of a neural network model in a machining process 533
- Background segmentation
 Statistically tuned Gaussian background subtraction technique for UAV videos 785
- Backlit visualization
 Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Baneberry event
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Beam-column joint
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Bed shear stress
 Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245

- Bilateral transaction
Transaction charges allocation using sensitivity factor methodology 377
- Bio-concrete
Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids 1509
- Biogeography based optimization
Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81
- Biometric features
Dual watermarking technique with multiple biometric watermarks 3
- Bionic wavelet transform (BWT)
Electrocardiogram de-noising based on forward wavelet transform translation invariant application in bionic wavelet domain 921
- Bond graph
Bond graph to digraph conversion: A sensor placement optimization for fault detection and isolation by a structural approach 1151
- Boundary conditions symmetrically laminated rectangular composite plates
Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- Bounding box
Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
- Breakthrough curves
Simulation of experimental breakthrough curves using multiprocess non-equilibrium model for reactive solute transport in stratified porous media 1425
- Bridge foundation
Live-bed scour experiments with 45° wing-wall abutments 1165
- Buckling
Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- Cagniard-de Hoop technique
Disturbance of SH-type waves due to moving stress discontinuity in an anisotropic soil layer overlying an inhomogeneous elastic half-space 451
- Calcite precipitation
Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids 1509
- Calibration factor
Applicability of Doppler weather radar based rainfall data for runoff estimation in Indian watersheds – A case study of Chennai basin 989
- Campbell diagram
Stability analysis of non-axisymmetric three-dimensional finite element rotor models with partial and full mass lumping 597
- Capacity bounds
Embedding capacity estimation of reversible watermarking schemes 1357
- Carburettor
Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Casson fluid
Dual solutions of Casson fluid flow over a stretching or shrinking sheet 1573
- Change vector analysis (CVA)
A comparative study on change vector analysis based change detection techniques 1311
- Change vector analysis posterior-probability space (CVAPS)
A comparative study on change vector analysis based change detection techniques 1311
- Cement paste
Rheological behaviour of self-compacting micro-concrete 1471
- Chain coding
Information extraction from topographic map using colour and shape analysis 1095
- Chaos
Behavioural analysis of a time series—A chaotic approach 659
- Classification
A new colour constancy algorithm based on automatic determination of gray framework parameters using neural network 267
- CMOS integrated circuits
Analog domain adaptive equalizer for low power 40 Gbps DP-QPSK receivers 409

- Cold-start HC emissions
 Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Colour constancy
 A new colour constancy algorithm based on automatic determination of gray framework parameters using neural network 267
- Colour segmentation
 Information extraction from topographic map using colour and shape analysis 1095
- Combined
 Development and analysis of a new integrated power and cooling plant using LiBr–H₂O mixture 1547
- Commodity price
 Identifying the best market to sell: A cost function formulation 1409
- Compatibility
 A reexamination of some puzzling results in linearized elasticity 139
- Composite electrolyte
 Synthesis and characterization of polyethylene oxide based nano composite electrolyte 999
- Compound channel networks
 Computation of gradually varied flow in compound open channel networks 1523
- Computational fluid dynamics
 Turbulent jet in confined counterflow 713
- Conductivity
 Synthesis and characterization of polyethylene oxide based nano composite electrolyte 999
- Content based image retrieval
 Multi region based image retrieval system 333
- Cooling
 Development and analysis of a new integrated power and cooling plant using LiBr–H₂O mixture 1547
- Correlation dimension
 Behavioural analysis of a time series– A chaotic approach 659
- Correlation dimension method
 Behavioural analysis of a time series– A chaotic approach 659
- Correlation exponent
 Behavioural analysis of a time series– A chaotic approach 659
- Corrosion
 Buckling analysis of partially corroded steel plates with irregular surfaces 511
- Corrosion inhibitor effectiveness
 Probability density fittings of corrosion test-data: Implications on C₆H₁₅NO₃ effectiveness on concrete steel-rebar corrosion 731
- Corrosion test-data
 Probability density fittings of corrosion test-data: Implications on C₆H₁₅NO₃ effectiveness on concrete steel-rebar corrosion 731
- Counterflow
 Turbulent jet in confined counterflow 713
- Covariance matrix
 A computationally efficient approach for template matching-based image registration 317
- Critical depth
 Computation of gradually varied flow in compound open channel networks 1523
- CTOD
 The stretch zone of automotive steel sheets 525
- Cumulative distribution function
 Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Curvelet transform
 Multi region based image retrieval system 333
- Cutting force
 Application of Taguchi method for cutting force optimization in rock sawing by circular diamond sawblades 1055
- Daily rainfall data
 Behavioural analysis of a time series–A chaotic approach 659
- Data hiding
 Secret data embedding scheme modifying the frequency of occurrence of image brightness values 939
- Data mining
 Design and development of a web-enabled data mining system employing JEE technologies 1259
- DC servo motor
 AI-based adaptive control and design of autopilot system for nonlinear UAV 765
- DC–DC boost converter
 Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- Decay
 Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487

- Deformation and fracture
 The stretch zone of automotive steel sheets 525
- Demands variations
 Impact of pipes networks simplification on water hammer phenomenon 1227
- De-noising
 Electrocardiogram de-noising based on forward wavelet transform translation invariant application in bionic wavelet domain 921
- Deregulation
 Transaction charges allocation using sensitivity factor methodology 377
- Difference expansion
 Embedding capacity estimation of reversible watermarking schemes 1357
- Digital-image-correlation technique
 Applying the digital-image-correlation technique to measure the deformation of an old building's column retrofitted with steel plate in an *in situ* pushover test 699
- Digital signal processing (DSP)
 Some recent work on lattice structures for digital signal processing 1271
- Digraph
 Bond graph to digraph conversion: A sensor placement optimization for fault detection and isolation by a structural approach 1151
- Dispersion
 Damage detection in submerged plates using ultrasonic guided waves 1009
 Simulation of experimental breakthrough curves using multiprocess non-equilibrium model for reactive solute transport in stratified porous media 1425
- Displacement semi-active hydraulic damper
 Development of semi-active hydraulic damper as active interaction control device to withstand external excitation 123
- Dissimilar joints
 Exploring the electrodes alignment and mushrooming effects on weld geometry of dissimilar steels during the spot welding process 1563
- Dissolution
 Mathematical modelling on transport of petroleum hydrocarbons in saturated fractured rocks 1119
- Double-beam system
 An exact dynamic stiffness matrix for axially loaded double-beam systems 607
- Drilling
 Particle swarm optimization of a neural network model in a machining process 533
- Drop weight test
 Low velocity impact behaviour of ultra high strength concrete panels 1497
- Droplet sizing
 Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- DSHD
 Development of semi-active hydraulic damper as active interaction control device to withstand external excitation 123
- Dual watermarking
 Dual watermarking technique with multiple biometric watermarks 3
- Ductility
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Dufour effect
 Dual solutions of Casson fluid flow over a stretching or shrinking sheet 1573
- Dune
 Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245
- Dynamic stiffness matrix
 An exact dynamic stiffness matrix for axially loaded double-beam systems 607
- Earthquake input energy
 Design of RC frames for pre-selected collapse mechanism and target displacement using energy-balance 637
- Earthquake motion
 Efficiency of wave impeding barrier in pipeline construction under earthquake excitation using nonlinear finite element analysis 419
- ECG signal
 Electrocardiogram de-noising based on forward wavelet transform translation invariant application in bionic wavelet domain 921
- Eigenvalue
 A computationally efficient approach for template matching-based image registration 317
- Eigenvector based weights
 Kinetic mesh-free method for flutter prediction in turbomachines 149
- Elastic buckling strength
 Buckling analysis of partially corroded steel plates with irregular surfaces 511

- Elastic properties
 Elastic properties of RCC under flexural loading-experimental and analytical approach 677
- Elastodynamics
 A reexamination of some puzzling results in linearized elasticity 139
- Electrode deformation
 Exploring the electrodes alignment and mushrooming effects on weld geometry of dissimilar steels during the spot welding process 1563
- Electrode mushrooming
 Exploring the electrodes alignment and mushrooming effects on weld geometry of dissimilar steels during the spot welding process 1563
- Electron cyclotron resonance ion source
 Study of microwave components for an electron cyclotron resonance source: Simulations and performance 901
- Electron microscopy
 The stretch zone of automotive steel sheets 525
- Electronic throttle control system
 AI-based adaptive control and design of autopilot system for nonlinear UAV 765
- Embedding capacity estimation
 Embedding capacity estimation of reversible watermarking schemes 1357
- Embedding dimension
 Behavioural analysis of a time series– A chaotic approach 659
- Energy storage system
 Optimal sizing of energy storage system for microgrids 819
- Energy-based base shear
 Design of RC frames for pre-selected collapse mechanism and target displacement using energy–balance 637
- Existing building
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Face recognition
 Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Failure criterion
 Stress determination and geomechanical stability analysis of an oil well of Iran 207
- False nearest neighbour method
 Behavioural analysis of a time series– A chaotic approach 659
- Fault detection and isolation
 Bond graph to digraph conversion: A sensor placement optimization for fault detection and isolation by a structural approach 1151
- FE analysis
 Efficiency of wave impeding barrier in pipeline construction under earthquake excitation using nonlinear finite element analysis 419
- Feature extraction
 A novel approach for classification of abnormalities in digitized mammograms 1141
- Feature selection
 Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- FEM
 Buckling analysis of partially corroded steel plates with irregular surfaces 511
- Fiber orientation
 Effect of fine to coarse aggregate ratio on the rheology and fracture energy of steel fibre reinforced self-compacting concretes 1447
- Field oriented control dynamics
 Two-motor single-inverter field-oriented induction machine drive dynamic performance 391
- Finite difference
 Stress determination and geomechanical stability analysis of an oil well of Iran 207
- Finite element analysis
 Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- Finite impulse response (FIR)
 Some recent work on lattice structures for digital signal processing 1271
- Flank wear
 Particle swarm optimization of a neural network model in a machining process 533
- Fluid-structure interaction
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Flutter prediction
 Kinetic mesh-free method for flutter prediction in turbomachines 149
- Forward wavelet transform translation invariant (FWT_TI)
 Electrocardiogram de-noising based on forward wavelet transform translation invariant application in bionic wavelet domain 921

- Fractal analysis
 A novel approach for classification of abnormalities in digitized mammograms 1141
- Fractional fourier transform (FrFT)
 Fractional M-band dual tree complex wavelet transform for digital watermarking 345
- Fractional wavelet transform (FrWT)
 Fractional M-band dual tree complex wavelet transform for digital watermarking 345
- Fractional M-band dual tree complex wavelet transform (Fr-M-band-DT-CWT)
 Fractional M-band dual tree complex wavelet transform for digital watermarking 345
- Fracture characteristics
 Parametric and mechanical characterization of linear low density polyethylene (LLDPE) using rotational moulding technology 625
- Fracture energy
 Effect of fine to coarse aggregate ratio on the rheology and fracture energy of steel fibre reinforced self-compacting concretes 1447
- Fractured rock
 Mathematical modelling on transport of petroleum hydrocarbons in saturated fractured rocks 1119
- Fracture-skin
 Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487
- Free vibration
 An exact dynamic stiffness matrix for axially loaded double-beam systems 607
- Fuel film visualization
 Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Full scale *in situ* test
 Applying the digital-image-correlation technique to measure the deformation of an old building's column retrofitted with steel plate in an *in situ* pushover test 699
- Fully fuzzy transportation problem
 A method for unbalanced transportation problems in fuzzy environment 573
- Fuzzy linear programming
 A new method for solving single and multi-objective fuzzy minimum cost flow problems with different membership functions 189
- Fuzzy optimal solution
 A method for unbalanced transportation problems in fuzzy environment 573
- Fuzzy set theory
 Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Fuzzy solid transportation problem
 Optimal way of selecting cities and conveyances for supplying coal in uncertain environment 165
- Fuzzy weighted support and confidence
 Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- Gabor features
 A novel approach for classification of abnormalities in digitized mammograms 1141
- Gabor filter
 Dual watermarking technique with multiple biometric watermarks 3
- Gain ratio
 Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- GCSC
 Design of multi-objective damping controller for gate-controlled series capacitor 363
- Generalized gray world
 A new colour constancy algorithm based on automatic determination of gray framework parameters using neural network 267
- Gradient
 A novel handwritten character recognition system using gradient based features and run length count 1333
- Gradually varied flow
 Computation of gradually varied flow in compound open channel networks 1523
- Graph mining
 Design and development of a web-enabled data mining system employing JEE technologies 1259
- Guided waves
 Damage detection in submerged plates using ultrasonic guided waves 1009
- Handwritten character recognition
 A novel handwritten character recognition system using gradient based features and run length count 1333

- Hard turning
 Optimization of surface integrity in dry hard turning using RSM 1035
- HEC-HMS model
 Applicability of Doppler weather radar based rainfall data for runoff estimation in Indian watersheds – A case study of Chennai basin 989
- High range water reducing admixture
 Rheological behaviour of self-compacting micro-concrete 1471
- Histogram intersection
 Multi region based image retrieval system 333
- HOG
 Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
- Human visual system (HVS) model
 Dual watermarking technique with multiple biometric watermarks 3
- Hydraulics
 Live-bed scour experiments with 45° wing-wall abutments 1165
- Illumination estimation
 A new colour constancy algorithm based on automatic determination of gray framework parameters using neural network 267
- Image histogram
 Secret data embedding scheme modifying the frequency of occurrence of image brightness values 939
- Impact analysis
 Low velocity impact behaviour of ultra high strength concrete panels 1497
- Immersed boundary
 An implicit non-staggered Cartesian grid method for incompressible viscous flows in complex geometries 1071
- Implicit
 An implicit non-staggered Cartesian grid method for incompressible viscous flows in complex geometries 1071
- Improved change vector analysis (ICVA)
 A comparative study on change vector analysis based change detection techniques 1311
- Indeterminate structures
 Elastic properties of RCC under flexural loading- experimental and analytical approach 677
- India
 Behavioural analysis of a time series– A chaotic approach 659
- Infill wall
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Infinite impulse response (IIR)
 Some recent work on lattice structures for digital signal processing 1271
- Information extraction (IE)
 Mining knowledge from text repositories using information extraction: A review 53
- Information security
 Secret data embedding scheme modifying the frequency of occurrence of image brightness values 939
- Infrastructures
 Efficiency of wave impeding barrier in pipeline construction under earthquake excitation using nonlinear finite element analysis 419
- Inhomogeneous media
 Disturbance of SH-type waves due to moving stress discontinuity in an anisotropic soil layer overlying an inhomogeneous elastic half-space 451
- Integration
 Development and analysis of a new integrated power and cooling plant using LiBr–H₂O mixture 1547
- Intelligent control
 Developing an intelligent control system of automatic window motor with diverse wireless sensor network devices 809
- Inter and intra scale dependency
 An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Inter-area oscillation damping
 Design of multi-objective damping controller for gate-controlled series capacitor 363
- Irregular surface
 Buckling analysis of partially corroded steel plates with irregular surfaces 511
- Isotropy
 A reexamination of some puzzling results in linearized elasticity 139
- JEE technologies
 Design and development of a web-enabled data mining system employing JEE technologies 1259

- Karun III dam and hydropower plant
 Vortices in dam reservoir: A case study of Karun III dam 1201
- Knowledge discovery from database (KDD)
 Mining knowledge from text repositories using information extraction: A review 53
- L* – *R* fuzzy numbers
 A new method for solving single and multi-objective fuzzy minimum cost flow problems with different membership functions 189
- Lattice structures
 Some recent work on lattice structures for digital signal processing 1271
- Law of the wake
 Mean flow structure of non-equilibrium boundary layers with adverse pressure gradient 1211
- Law of the wall
 Mean flow structure of non-equilibrium boundary layers with adverse pressure gradient 1211
- LBP
 Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Levenshtein edit distance
 A string matching based algorithm for performance evaluation of mathematical expression recognition 63
- Linear antenna array synthesis
 Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81
- Linear migration model
 Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81
- Linear predictive coding (LPC)
 Dual watermarking technique with multiple biometric watermarks 3
- Linear representation
 A string matching based algorithm for performance evaluation of mathematical expression recognition 63
- Linearized elasticity
 A reexamination of some puzzling results in linearized elasticity 139
- Linearly varying in-plane load
 Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- LLDPE
 Parametric and mechanical characterization of linear low density polyethylene (LLDPE) using rotational moulding technology 625
- LNAPC
 Mathematical modelling on transport of petroleum hydrocarbons in saturated fractured rocks 1119
- LR* flat fuzzy number
 Optimal way of selecting cities and conveyances for supplying coal in uncertain environment 165
- Lyric generation
 Automatic Tamil lyric generation based on ontological interpretation for semantics 97
- Mammogram
 A novel approach for classification of abnormalities in digitized mammograms 1141
- Mass lumping
 Stability analysis of non-axisymmetric three-dimensional finite element rotor models with partial and full mass lumping 597
- Mathematical expression recognition
 A string matching based algorithm for performance evaluation of mathematical expression recognition 63
- Mathematical model
 Mathematical modelling on transport of petroleum hydrocarbons in saturated fractured rocks 1119
- Maximum likelihood estimation (ML)
 An adaptive image denoising method based on local parameters optimization 879
- MBWM
 Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Mechanical anchorage
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Mechanical properties
 Parametric and mechanical characterization of linear low density polyethylene (LLDPE) using rotational moulding technology 625

- Medical data mining
Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- Membership function
Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Mesh-free kinetic upwind scheme
Kinetic mesh-free method for flutter prediction in turbomachines 149
- Micro control unit (MCU)
Developing an intelligent control system of automatic window motor with diverse wireless sensor network devices 809
- Microgrid
Optimal sizing of energy storage system for microgrids 819
- Microhardness
Optimization of surface integrity in dry hard turning using RSM 1035
- Microwave plasma CVD
Correlation between optical emission spectra and the process parameters of a 915 MHz microwave plasma CVD reactor used for depositing polycrystalline diamond coatings 957
- Microwave studio software
Study of microwave components for an electron cyclotron resonance source: Simulations and performance 901
- Microwave system
Study of microwave components for an electron cyclotron resonance source: Simulations and performance 901
- MLP
A novel handwritten character recognition system using gradient based features and run length count 1333
- Modelling
Application of Taguchi method for cutting force optimization in rock sawing by circular diamond sawblades 1055
- Modes
Damage detection in submerged plates using ultrasonic guided waves 1009
- Modified change vector analysis (MCVA)
A comparative study on change vector analysis based change detection techniques 1311
- Modified CIR splitting
Kinetic mesh-free method for flutter prediction in turbomachines 149
- Montmorillonite
Synthesis and characterization of polyethylene oxide based nano composite electrolyte 999
- Moving stress discontinuity
Disturbance of SH-type waves due to moving stress discontinuity in an anisotropic soil layer overlying an inhomogeneous elastic half-space 451
- MSRDM
A novel approach for classification of abnormalities in digitized mammograms 1141
- Multicomponent dissolution
Numerical modelling of multicomponent LNAPL dissolution kinetics at residual saturation in a saturated subsurface system 1387
- Multilateral transaction
Transaction charges allocation using sensitivity factor methodology 377
- Multi-machine induction motor drives
Two-motor single-inverter field-oriented induction machine drive dynamic performance 391
- Multi-machine power system
Design of multi-objective damping controller for gate-controlled series capacitor 363
- Multi-pass embedding
Embedding capacity estimation of reversible watermarking schemes 1357
- Multiple watermarking
Dual watermarking technique with multiple biometric watermarks 3
- Multiresolution watermarking
Fractional M-band dual tree complex wavelet transform for digital watermarking 345
- Net present value
Optimal sizing of energy storage system for microgrids 819
- Network analyser
Study of microwave components for an electron cyclotron resonance source: Simulations and performance 901
- Neural network
A new colour constancy algorithm based on automatic determination of gray framework parameters using neural network 267

- Neutral current compensation
 Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- N*-gram
 Automatic Tamil lyric generation based on ontological interpretation for semantics 97
- Non-axisymmetric rotor
 Stability analysis of non-axisymmetric three-dimensional finite element rotor models with partial and full mass lumping 597
- Non-contact measurement technique
 Applying the digital-image-correlation technique to measure the deformation of an old building's column retrofitted with steel plate in an *in situ* pushover test 699
- Non-equilibrium turbulent boundary layer
 Mean flow structure of non-equilibrium boundary layers with adverse pressure gradient 1211
- Nonlinear analysis
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Nonlinear dynamic time history analysis
 Design of RC frames for pre-selected collapse mechanism and target displacement using energy–balance 637
- Non-linear soil
 Efficiency of wave impeding barrier in pipeline construction under earthquake excitation using nonlinear finite element analysis 419
- Nonlinear static pushover analysis
 Design of RC frames for pre-selected collapse mechanism and target displacement using energy–balance 637
- Non-staggered
 An implicit non-staggered Cartesian grid method for incompressible viscous flows in complex geometries 1071
- Normalized cross-correlation
 A computationally efficient approach for template matching-based image registration 317
- Notches
 Damage detection in submerged plates using ultrasonic guided waves 1009
- Nuclear event discrimination
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Nuclear yield estimation
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Number of story
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Numerical model
 Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487
- Numerical modelling
 Numerical modelling of multicomponent LNAPL dissolution kinetics at residual saturation in a saturated subsurface system 1387
- NYZA
 Stress determination and geomechanical stability analysis of an oil well of Iran 207
- Objective function
 Identifying the best market to sell: A cost function formulation 1409
- Occlusion detection
 Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Ontology
 Automatic Tamil lyric generation based on ontological interpretation for semantics 97
- Open channel flow
 Computation of gradually varied flow in compound open channel networks 1523
- Open channel flow (OCF)
 Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245
- Optical emission spectroscopy
 Correlation between optical emission spectra and the process parameters of a 915 MHz microwave plasma CVD reactor used for depositing polycrystalline diamond coatings 957
- Optical fibre communications
 Analog domain adaptive equalizer for low power 40 Gbps DP-QPSK receivers 409
- Optimal sizing
 Optimal sizing of energy storage system for microgrids 819
- Optimization
 Application of Taguchi method for cutting force optimization in rock sawing by circular diamond sawblades 1055

- Identifying the best market to sell: A cost function formulation 1409
- Optimum mud pressure
Stress determination and geomechanical stability analysis of an oil well of Iran 207
- Orthotropy
A reexamination of some puzzling results in linearized elasticity 139
- Outline detection
Information extraction from topographic map using colour and shape analysis 1095
- Pair-wise co-occurrence matrix
Embedding capacity estimation of reversible watermarking schemes 1357
- Panel
Low velocity impact behaviour of ultra high strength concrete panels 1497
- Partially corroded plate
Buckling analysis of partially corroded steel plates with irregular surfaces 511
- Particle swarm optimization
Particle swarm optimization of a neural network model in a machining process 533
- Particle swarm optimization algorithm (PSOA)
An intelligent temporal pattern classification system using fuzzy temporal rules and particle swarm optimization 283
- Pattern classification
An intelligent temporal pattern classification system using fuzzy temporal rules and particle swarm optimization 283
- PDIA
Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Peak signal-to-noise ratio (PSNR)
An adaptive image denoising method based on local parameters optimization 879
- Peer-to-peer networks
Give-and-take based peer-to-peer content distribution networks 843
- Penetration length
Turbulent jet in confined counterflow 713
- Performance evaluation
A string matching based algorithm for performance evaluation of mathematical expression recognition 63
- Petroleum hydrocarbon
Mathematical modelling on transport of petroleum hydrocarbons in saturated fractured rocks 1119
- Petroleum hydrocarbons
Numerical modelling of multicomponent LNAPL dissolution kinetics at residual saturation in a saturated subsurface system 1387
- Phase randomization
Behavioural analysis of a time series– A chaotic approach 659
- Photovoltaic (PV) array
Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- Pipes network
Impact of pipes networks simplification on water hammer phenomenon 1227
- Plastic hinge
Design of RC frames for pre-selected collapse mechanism and target displacement using energy–balance 637
- PLIF
Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Polycrystalline diamond
Correlation between optical emission spectra and the process parameters of a 915 MHz microwave plasma CVD reactor used for depositing polycrystalline diamond coatings 957
- Polyethylene oxide
Synthesis and characterization of polyethylene oxide based nano composite electrolyte 999
- Polymer electrolyte
Synthesis and characterization of polyethylene oxide based nano composite electrolyte 999
- Polynomial chaos expansion
Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Power
Development and analysis of a new integrated power and cooling plant using LiBr–H₂O mixture 1547
- Predictive current control
High performance predictive current control of a three phase VSI: An experimental assessment 1295

- Probability distribution functions
 Probability density fittings of corrosion test-data: Implications on $C_6H_{15}NO_3$ effectiveness on concrete steel-rebar corrosion 731
- Process parameters
 Parametric and mechanical characterization of linear low density polyethylene (LLDPE) using rotational moulding technology 625
- PSO
 Design of multi-objective damping controller for gate-controlled series capacitor 363
- Push-over test
 Applying the digital-image-correlation technique to measure the deformation of an old building's column retrofitted with steel plate in an *in situ* pushover test 699
- Quadratic classifiers
 A novel handwritten character recognition system using gradient based features and run length count 1333
- Quasi-isotropic
 Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- Radar rainfall
 Applicability of Doppler weather radar based rainfall data for runoff estimation in Indian watersheds – A case study of Chennai basin 989
- Ranking based weight
 Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- Ranking function
 Optimal way of selecting cities and conveyances for supplying coal in uncertain environment 165
 A new method for solving single and multi-objective fuzzy minimum cost flow problems with different membership functions 189
- Rectangular cutout
 Buckling analysis of rectangular composite plates with rectangular cutout subjected to linearly varying in-plane loading using fem 583
- Region based image retrieval
 Multi region based image retrieval system 333
- Reinforced concrete
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Reservoir
 Vortices in dam reservoir: A case study of Karun III dam 1201
- Residual saturation
 Numerical modelling of multicomponent LNAPL dissolution kinetics at residual saturation in a saturated subsurface system 1387
- Reversal loading
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Reversible contrast mapping (RCM)
 Embedding capacity estimation of reversible watermarking schemes 1357
- RGBN
 Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
- Rivers
 Live-bed scour experiments with 45° wing-wall abutments 1165
- RLC
 A novel handwritten character recognition system using gradient based features and run length count 1333
- Rock sawing
 Application of Taguchi method for cutting force optimization in rock sawing by circular diamond sawblades 1055
- ROI
 Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
- Rotational moulding
 Parametric and mechanical characterization of linear low density polyethylene (LLDPE) using rotational moulding technology 625

- RSM
 Optimization of surface integrity in dry hard turning using RSM 1035
- Rule extraction
 An intelligent temporal pattern classification system using fuzzy temporal rules and particle swarm optimization 283
- Runoff estimation
 Applicability of Doppler weather radar based rainfall data for runoff estimation in Indian watersheds – A case study of Chennai basin 989
- Scour
 Live-bed scour experiments with 45° wing-wall abutments 1165
- Scour depth
 Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245
- Sediment transport
 Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245
- Seismic code
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Seismic susceptibility
 Exterior beam-column joint study with non-conventional reinforcement detailing using mechanical anchorage under reversal loading 1185
- Semantics
 Automatic Tamil lyric generation based on ontological interpretation for semantics 97
- Semi-auto controller
 Development of semi-active hydraulic damper as active interaction control device to withstand external excitation 123
- Sensor placement optimization
 Bond graph to digraph conversion: A sensor placement optimization for fault detection and isolation by a structural approach 1151
- Shape analysis
 Information extraction from topographic map using colour and shape analysis 1095
- SHAPF
 Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- SH-type waves
 Disturbance of SH-type waves due to moving stress discontinuity in an anisotropic soil layer overlying an inhomogeneous elastic half-space 451
- Side lobe level reduction
 Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81
- Signature
 Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
- Significant region
 Multi region based image retrieval system 333
- Similarity measure
 A computationally efficient approach for template matching-based image registration 317
- Similarity solution
 Turbulent jet in confined counterflow 713
- Simplification
 Impact of pipes networks simplification on water hammer phenomenon 1227
- Simplified-BBO
 Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81
- Single and multi-objective fuzzy MCF problems
 A new method for solving single and multi-objective fuzzy minimum cost flow problems with different membership functions 189
- Single fracture
 Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487
- Singularities
 A reexamination of some puzzling results in linearized elasticity 139
- Sinusoidal migration model
 Certain investigations on the reduction of side lobe level of a uniform linear antenna array using biogeography based optimization technique with sinusoidal migration model and simplified-BBO 81

- SLBM
Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Sliding mode control and UAV
AI-based adaptive control and design of auto-pilot system for nonlinear UAV 765
- Small engines
Study of liquid fuel transport in a small carburetted engine in the context of cold-start HC emission control 549
- Small-signal analysis
Two-motor single-inverter field-oriented induction machine drive dynamic performance 391
- Solute transport experiment
Simulation of experimental breakthrough curves using multiprocess non-equilibrium model for reactive solute transport in stratified porous media 1425
- Soret effect
Dual solutions of Casson fluid flow over a stretching or shrinking sheet 1573
- Sorption
Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487
Simulation of experimental breakthrough curves using multiprocess non-equilibrium model for reactive solute transport in stratified porous media 1425
- Speckle
An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Spot welding
Exploring the electrodes alignment and mushrooming effects on weld geometry of dissimilar steels during the spot welding process 1563
- SRAN
A novel approach for classification of abnormalities in digitized mammograms 1141
- Stability
Stability analysis of non-axisymmetric three-dimensional finite element rotor models with partial and full mass lumping 597
- Statistical tests of significance
Probability density fittings of corrosion test-data: Implications on $C_6H_{15}NO_3$ effectiveness on concrete steel-rebar corrosion 731
- Steady flow
Computation of gradually varied flow in compound open channel networks 1523
- Steel fibre
Effect of fine to coarse aggregate ratio on the rheology and fracture energy of steel fibre reinforced self-compacting concretes 1447
- Steel fibre reinforced self-compacting concrete
Effect of fine to coarse aggregate ratio on the rheology and fracture energy of steel fibre reinforced self-compacting concretes 1447
- Steel-reinforced concrete
Probability density fittings of corrosion test-data: Implications on $C_6H_{15}NO_3$ effectiveness on concrete steel-rebar corrosion 731
- Stiffness properties
Elastic properties of RCC under flexural loading-experimental and analytical approach 677
- Stratified porous medium
Simulation of experimental breakthrough curves using multiprocess non-equilibrium model for reactive solute transport in stratified porous media 1425
- Strength and durability
Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids 1509
- Stress polygon
Stress determination and geomechanical stability analysis of an oil well of Iran 207
- Stretch zone
The stretch zone of automotive steel sheets 525
- Stretching/shrinking feet
Dual solutions of Casson fluid flow over a stretching or shrinking sheet 1573
- Structural approach
Bond graph to digraph conversion: A sensor placement optimization for fault detection and isolation by a structural approach 1151
- Subcritical flows
Computation of gradually varied flow in compound open channel networks 1523
- Submerged pipelines
Experimental studies of local scour in the pressurized OCF below a wooden log across the flow 1245
- Submerged plates
Damage detection in submerged plates using ultrasonic guided waves 1009
- Surface roughness
Optimization of surface integrity in dry hard turning using RSM 1035

- SVM
 Providing an efficient intelligent transportation system through detection, tracking and recognition of the region of interest in traffic signs by using non-linear SVM classifier in line with histogram oriented gradient and Kalman filter approach 27
 Occlusion invariant face recognition using mean based weight matrix and support vector machine 303
- Switching frequency
 High performance predictive current control of a three phase VSI: An experimental assessment 1295
- Taguchi application
 Application of Taguchi method for cutting force optimization in rock sawing by circular diamond sawblades 1055
- Tamil lyric
 Automatic Tamil lyric generation based on ontological interpretation for semantics 97
- Tangential velocity
 Vortices in dam reservoir: A case study of Karun III dam 1201
- Template matching
 A computationally efficient approach for template matching-based image registration 317
 Information extraction from topographic map using colour and shape analysis 1095
- Temporal fuzzy min-max (TFMM) neural network
 An intelligent temporal pattern classification system using fuzzy temporal rules and particle swarm optimization 283
- Temporal moment
 Temporal moment analysis of solute transport in a coupled fracture-skin-matrix system 487
- Text mining
 Mining knowledge from text repositories using information extraction: A review 53
- Text repositories
 Mining knowledge from text repositories using information extraction: A review 53
- Thermal
 Development and analysis of a new integrated power and cooling plant using LiBr-H₂O mixture 1547
- Thin sheet
 The stretch zone of automotive steel sheets 525
- Three-dimensional finite element
 Stability analysis of non-axisymmetric three-dimensional finite element rotor models with partial and full mass lumping 597
- Thresholding
 Statistically tuned Gaussian background subtraction technique for UAV videos 785
 An adaptive image denoising method based on local parameters optimization 879
 Electrocardiogram de-noising based on forward wavelet transform translation invariant application in bionic wavelet domain 921
- Timoshenko beam
 An exact dynamic stiffness matrix for axially loaded double-beam systems 607
- Total harmonic distortion (THD)
 Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- Transient finite element
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Translation invariance
 An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Transmission pricing
 Transaction charges allocation using sensitivity factor methodology 377
- Transverse reinforcement
 Evaluation of the main parameters affecting seismic performance of the RC buildings 437
- Trapezoidal fuzzy number
 A method for unbalanced transportation problems in fuzzy environment 573
- Triethanolamine admixture
 Probability density fittings of corrosion test-data: Implications on C₆H₁₅NO₃ effectiveness on concrete steel-rebar corrosion 731
- Tuning factor
 Statistically tuned Gaussian background subtraction technique for UAV videos 785
- Turbomachinery blades
 Kinetic mesh-free method for flutter prediction in turbomachines 149
- Turbulent jet
 Turbulent jet in confined counterflow 713
- Two level inverter
 High performance predictive current control of a three phase VSI: An experimental assessment 1295

- UCI repository
 Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface 39
- Ultra high strength concrete
 Low velocity impact behaviour of ultra high strength concrete panels 1497
- Ultrasonic
 Damage detection in submerged plates using ultrasonic guided waves 1009
- Ultrasound images
 An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Uncertainty
 Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Underground nuclear explosion
 Effect of geological medium on seismic signals from underground nuclear explosion events – A case study for Baneberry site 221
- Uniform distribution
 Uncertainty modelling of atmospheric dispersion by stochastic response surface method under aleatory and epistemic uncertainties 467
- Unmanned aerial vehicle
 Statistically tuned Gaussian background subtraction technique for UAV videos 785
- Unsteady flows
 Kinetic mesh-free method for flutter prediction in turbomachines 149
- Velocity measurement
 Vortices in dam reservoir: A case study of Karun III dam 1201
- Videotensometry
 The stretch zone of automotive steel sheets 525
- Viscosity
 Rheological behaviour of self-compacting micro-concrete 1471
- Viscous flow
 An implicit non-staggered Cartesian grid method for incompressible viscous flows in complex geometries 1071
- Voltage source inverter
 High performance predictive current control of a three phase VSI: An experimental assessment 1295
- Voltage source inverter (VSI)
 Design and implementation of PV-based three-phase four-wire series hybrid active power filter for power quality improvement 859
- Vortex
 Vortices in dam reservoir: A case study of Karun III dam 1201
- Water hammer
 Impact of pipes networks simplification on water hammer phenomenon 1227
- Watermarking
 Secret data embedding scheme modifying the frequency of occurrence of image brightness values 939
- Wave impeding barrier
 Efficiency of wave impeding barrier in pipeline construction under earthquake excitation using nonlinear finite element analysis 419
- Wavelet
 An improved adaptive wavelet shrinkage for ultrasound despeckling 971
- Web-based system
 Design and development of a web-enabled data mining system employing JEE technologies 1259
- Weighting factor
 High performance predictive current control of a three phase VSI: An experimental assessment 1295
- Workability
 Rheological behaviour of self-compacting micro-concrete 1471
- Wireless sensor network (WSN)
 Developing an intelligent control system of window motor with diverse wireless sensor network devices 809