

SUPPLEMENTARY MATERIALS

Osmium and cobalt complexes incorporating facially coordinated N,N,O donor azo-imine ligands: Redox and catalytic properties

Poulami Pattanayak,^a Debrasad Patra,^a Jahar Lal Pratihar,^a Andrew Burrows, Mary F. Mahon^b and Surajit Chattopadhyay*^a

^aDepartment of Chemistry, University of Kalyani, Kalyani-741235, India

^bDepartment of Inorganic Chemistry, University of Bath, Claverton Down, Bath BA27AY, UK




Figure S1. UV-Vis spectrum of **2a**




Figure S2. UV-Vis spectrum of **2b**




Figure S3. UV-Vis spectrum of **2c**




Figure S4. UV-Vis spectrum of **7a**




Figure S5. UV-Vis spectrum of **7b**




Figure S6. UV-Vis spectrum of 7c




Figure S7. IR spectrum of 2a




Figure S8. IR spectrum of **2b**




Figure S9. IR spectrum of **2c**




Figure S10 IR spectrum of **7a**




Figure S11. IR spectrum of **7b**




Figure S12. IR spectrum of **7c**




Figure S13. ¹H NMR spectrum of **2a**




Figure S14. ^1H NMR spectrum of **2b**




Figure S15. ^1H NMR spectrum of **2c**




Figure S16. $^1\text{H-NMR}$ spectrum of **7a**




Figure S17. $^1\text{H-NMR}$ spectrum of **7b**




Figure S18. ¹H-NMR spectrum of **7c**




Figure S19. Cyclic Voltammogram of **2a**




Figure S20. Cyclic Voltammogram of **2b**




Figure 21. Cyclic Voltammogram of **2c**




Figure S22. Cyclic Voltammogram of **7a**




Figure S23. Cyclic Voltammogram of **7b**




Figure S24. Cyclic Voltammogram of **7c**