

## checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found.      CIF dictionary      Interpreting this report

### Datablock: kani051\_0m

---

Bond precision:	C-C = 0.0039 A	Wavelength=0.71073
Cell:	a=18.6642(10)      b=7.9312(4)      c=21.4812(11)	alpha=90      beta=102.927(1)      gamma=90
Temperature:	100 K	
	Calculated	Reported
Volume	3099.3(3)	3099.3(3)
Space group	P 21/c	P21/c
Hall group	-P 2ybc	-P2ybc
Moiety formula	C30 H24 Mn N6, 2(C1 O4)	C30 H24 Mn N6, 2(C1 O4)
Sum formula	C30 H24 Cl2 Mn N6 O8	C30 H24 Cl2 Mn N6 O8
Mr	722.39	722.39
Dx,g cm-3	1.548	1.548
Z	4	4
Mu (mm-1)	0.660	0.660
F000	1476.0	1476.0
F000'	1479.15	
h,k,lmax	24,10,28	24,9,28
Nref	7725	7039
Tmin,Tmax	0.767,0.893	0.797,0.893
Tmin'	0.616	

Correction method= INTEGRATION

Data completeness= 0.911      Theta(max)= 28.310

R(reflections)= 0.0421( 5206)      wR2(reflections)= 0.1101( 7725)

S = 1.025      Npar= 424

---

The following ALERTS were generated. Each ALERT has the format  
**test-name\_ALERT\_alert-type\_alert-level.**  
Click on the hyperlinks for more details of the test.

---

## 🔴 Alert level A

PLAT029\_ALERT\_3\_A \_diffrn\_measured\_fraction\_theta\_full Low ..... 0.933

---

## 🟡 Alert level C

ABSTY02\_ALERT\_1\_C An \_exptl\_absorpt\_correction\_type has been given without a literature citation. This should be contained in the \_exptl\_absorpt\_process\_details field.

Absorption correction given as integration

PLAT094\_ALERT\_2\_C Ratio of Maximum / Minimum Residual Density ... 2.36

PLAT244\_ALERT\_4\_C Low 'Solvent' Ueq as Compared to Neighbors of C11 Check

---

## ⚪ Alert level G

PLAT005\_ALERT\_5\_G No \_iucr\_refine\_instructions\_details in the CIF Please Do !

PLAT063\_ALERT\_4\_G Crystal Size Likely too Large for Beam Size ... 0.73 mm

PLAT244\_ALERT\_4\_G Low 'Solvent' Ueq as Compared to Neighbors of C12 Check

---

- 1 **ALERT level A** = Most likely a serious problem - resolve or explain
- 0 **ALERT level B** = A potentially serious problem, consider carefully
- 3 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 3 **ALERT level G** = General information/check it is not something unexpected

- 1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
  - 1 ALERT type 2 Indicator that the structure model may be wrong or deficient
  - 1 ALERT type 3 Indicator that the structure quality may be low
  - 3 ALERT type 4 Improvement, methodology, query or suggestion
  - 1 ALERT type 5 Informative message, check
- 

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 18/09/2013; check.def file version of 12/09/2013

Datablock kani051\_0m - ellipsoid plot

